

COUNTY: HOUSTON

ROUTE: 00910

BRIDGE ID NUMBER: 42F02200003 BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: **NEW HOPE RD.** CROSSING: BRANCH

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 1.19

LOCATION: 5 M S OF TENN RIDGE	SUFFICIENCY RATING: 97.0
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER:  NOT APP  BRIDGE TYPE AND MATERIAL  (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	ICABLE  (104) NATIONAL HIGHWAY SYSTEM:  N/A  (26) FUNCTIONAL CLASS:  N/A  (101) PARALLEL BRIDGE:  (102) TRAFFIC DIR:  (103) TEMPORARY BRIDGE:  NOT APPLICABLE  (110) NATIONAL TRUCK ROUTE:  NOT ON TRUCK NETWORK  (37) HISTORICAL CLASS:  NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: NOT APP (108) TYPE OF WEARING SURFACE AND DECK PROTECT A) TYPE OF SURFACE: NOT APP B) TYPE MEMBRANE: NOT APP	ION: (60) SUBSTRUCTURE: N LICABLE (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 LICABLE (62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NOT APP	LICABLE DESIGN LOAD AND WEIGHT FOSTING  H-20-44
(42b) UNDER BRIDGE: WA	WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN  ALL LEGAL LOADS  ALL LEGAL LOADS  ALL LEGAL LOADS  ALL LEGAL LOADS  APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	(67) STOLICTUDAL EVALUATION:
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(68) DECK GEOMETRY:
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH:	9.8 FT (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNI	0.0 FT OER FILL  (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  8  PECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  NO 5 D	24.0 FT (75) TYPE OF WORK: NOT APPLICABLE  MEDIAN (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  EGREES (94) BRIDGE IMPROVEMENT COST:  OFLARE (95) ROADWAY IMPROVEMENT COST:  RICTION (96) TOTAL PROJECT COST:  25.9 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APP	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RA (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APP (56) MIN HORZ UNDERCLR ON LEFT: NOT APP	LICABLE (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A LICABLE (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



COUNTY: HOUSTON

ROUTE: 00910

LOG MILE: 1.86

BRIDGE ID NUMBER: 42F02200001 **BRIDGE OWNER: HOUSTON COUNTY** SPECIAL CASE: 0

FIPS CODE: 00000

ROAD NAME: NEW HOPE RD. CROSSING: BRANCH

LOCATION: 4 M S OF TENN RIDGE

- IDENTIFICATION

- CLACCIEICATION -

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 87.0

ION —	CLASSIFICA	IION ———
N 36.25820 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
W 87.83950 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
N/A	(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
MATERIAI ————	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
TE CONTINUOUS	` '	IS NOT ELICIBLE FOR THE
PLICABLE	` '	AL REGISTER
	N 36.25820 DEGREES W 87.83950 DEGREES N/A N/A NOT APPLICABLE MATERIAL TE CONTINUOUS	N 36.25820 DEGREES W 87.83950 DEGREES N/A N/A (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: (110) NATIONAL TRUCK ROUTE: (37) HISTORICAL CLASS: BRIDGE

**NATIONAL REGISTER** 

CONDITION RATINGS

(45) NUMBER OF MAIN SPANS	i: <b>2</b>	CONDITION RATINGS	
(46) NUMBER OF APPROACH		(58) DECK:	
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SUR	FACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:	N
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
B) TYPE MEMBRANE:	NONE	(62) CULVERT CONDITION (IF APPLICABLE):	7
C) TYPE PROTECTION:	EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING	

C) TYPE PROTECTION:	EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT	POSTING ———
AGE AN	D SERVICE ———	(31) DESIGN LOADING:	HS-20-44
_		WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS B	SUILT: 1995	WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS R	REHABILITATED: N/A		, (22 22 5, (2 20 / L) 5
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE:	5
(42b) UNDER BRIDGE:	WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
( /		A DDD AICAI	

7
4
N
6
8

(49)(72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 0.0 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH:

(75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN:

(94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE

(96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION:

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

8

1/15/2020

Ν



BRIDGE ID NUMBER: 42F02190001 BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: WHITEOAK RD. CROSSING: BRANCH

LOCATION: 4.2 M S OF STEWART

COUNTY: HOUSTON

**ROUTE: 00910** 

COUNTY SEQUENCE: 1 LOG MILE: 3.40 SUFFICIENCY RATING: 94.2

SPECIAL CASE: 0

#### IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25245 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.86270 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: H-15-44 AGE AND SERVICE \* **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1974 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 37.1 FT (72) APPROACH ROADWAY ALIGNMENT: 6 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 1/23/2020 (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

6

5

4

5

Ν

4

6

N

7

6

2

1000

210 FT

2020

24

Ν

Ν

N/A

1

\$966,000.00

\$97,000.00

2/27/2020

\$1,450,000.00

H-15-44

10 TONS

12 TONS

BRIDGE ID NUMBER: 42S62610007 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY **ROUTE: 00910** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WHITEOAK RD. COUNTY SEQUENCE: 1 CROSSING: WHITEOAK CREEK LOG MILE: 4.13 SUFFICIENCY RATING: 42.9 LOCATION: 4 M S OF STEWART IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25883 DEGREES 87.87140 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: CONCRETE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 5 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1945 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: 1968 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN. POSTING ORDERED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 60.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 210.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.5 FT RECOMMENDED IMPROVEMENTS 32.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO

N/A

N/A

This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

PUBLIC RECORDS REQUEST

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

Ν

Ν

5

8

8

N/A

1/23/2020

24

Ν

Ν

N/A

N/A

0000

HS-20-44

BRIDGE ID NUMBER: 42S62610005 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY **ROUTE: 00910** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WHITEOAK RD. COUNTY SEQUENCE: 1 CROSSING: CURT BRANCH LOG MILE: 5.29 SUFFICIENCY RATING: 95.1 LOCATION: 4 M S OF STEWART IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.26860 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.87827 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1947 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 44.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

5

5

5

Ν

N

5

8

8

0000

39 FT

2020

24

N/A

N/A

Ν

Ν

\$245.000.00

\$25,000.00

\$368,000.00

1/16/2020

H-15-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 42S62610003 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY **ROUTE: 00910** SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: WHITEOAK RD. COUNTY SEQUENCE: 1 CROSSING: DRY HOLLOW BRANCH LOG MILE: 9.70 LOCATION: 1 M SW OF MCKINNON SUFFICIENCY RATING: 74.8 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.30537 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 87.91792 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE • WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1947 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95)ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (96)(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: NOT APPLICABLE **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 42S62610001 BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: WHITEOAK RD. CROSSING: CANE CREEK

LOCATION: .5 M S OF MCKINNON

COUNTY: HOUSTON ROUTE: 00910 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 10.34 SUFFICIENCY RATING: 78.4

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.31232 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.90737 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>6</b>
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 5
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
(27) YEAR THE BRIDGE WAS BUILT: 1967	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL (67) STRUCTURAL EVALUATION: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	_
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 46.9 FT	<ul> <li>(67) STRUCTURAL EVALUATION:</li> <li>(68) DECK GEOMETRY:</li> <li>(69) UNDERCLEARANCE RATING:</li> <li>(71) WATERWAY ADEQUACY:</li> <li>5</li> </ul>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 46.9 FT (49) TOTAL BRIDGE LENGTH: 143.0 FT	<ul> <li>(67) STRUCTURAL EVALUATION:</li> <li>(68) DECK GEOMETRY:</li> <li>(69) UNDERCLEARANCE RATING:</li> <li>(71) WATERWAY ADEQUACY:</li> <li>(72) APPROACH ROADWAY ALIGNMENT:</li> <li>8</li> </ul>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH:  2 0 1 143.0 FT	<ul> <li>(67) STRUCTURAL EVALUATION:</li> <li>(68) DECK GEOMETRY:</li> <li>(69) UNDERCLEARANCE RATING:</li> <li>(71) WATERWAY ADEQUACY:</li> <li>(72) APPROACH ROADWAY ALIGNMENT:</li> <li>(36) TRAFFIC SAFETY FEATURES:</li> <li>1000</li> </ul>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 46.9 FT (49) TOTAL BRIDGE LENGTH: 143.0 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  U
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	<ul> <li>(67) STRUCTURAL EVALUATION:</li> <li>(68) DECK GEOMETRY:</li> <li>(69) UNDERCLEARANCE RATING:</li> <li>(71) WATERWAY ADEQUACY:</li> <li>(72) APPROACH ROADWAY ALIGNMENT:</li> <li>(36) TRAFFIC SAFETY FEATURES:</li> <li>1000</li> </ul>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 22.5 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  U
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  8  (36) TRAFFIC SAFETY FEATURES:  (1000  (113) SCOUR CONDITION RATING:  U  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION  (76) LENGTH OF BRIDGE IMPROVEMENT:  143 FT
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (1000  (113) SCOUR CONDITION RATING:  U  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  \$650,000.00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  2 6  COMMETRIC BRIDGE:  0 0  46.9 FT  143.0 FT  143.0 FT  25.9 FT  1620 BRIDGE OUT TO OUT WIDTH: 28.5 FT  1632) BRIDGE MEDIAN:  1632 BRIDGE MEDIAN:  1643 PT  1654 BRIDGE:  1655 PT  1656 PT  1657 PT  1658 PT  1658 PT  1659 PT  1659 PT  1650 PT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: U  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: 143 FT (94) BRIDGE IMPROVEMENT COST: \$650,000.00 (95) ROADWAY IMPROVEMENT COST: \$660,000.00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  0 MEDIAN	(67) STRUCTURAL EVALUATION:       5         (68) DECK GEOMETRY:       6         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       5         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       1000         (113) SCOUR CONDITION RATING:       U         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       143 FT         (94) BRIDGE IMPROVEMENT COST:       \$650,000.00         (95) ROADWAY IMPROVEMENT COST:       \$66,000.00         (96) TOTAL PROJECT COST:       \$976,000.00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION:       5         (68) DECK GEOMETRY:       6         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       5         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       1000         (113) SCOUR CONDITION RATING:       U         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       143 FT         (94) BRIDGE IMPROVEMENT COST:       \$650,000.00         (95) ROADWAY IMPROVEMENT COST:       \$66,000.00         (96) TOTAL PROJECT COST:       \$976,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2020
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION:       5         (68) DECK GEOMETRY:       6         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       5         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       1000         (113) SCOUR CONDITION RATING:       U         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       143 FT         (94) BRIDGE IMPROVEMENT COST:       \$650,000.00         (95) ROADWAY IMPROVEMENT COST:       \$66,000.00         (96) TOTAL PROJECT COST:       \$976,000.00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT	(67) STRUCTURAL EVALUATION:       5         (68) DECK GEOMETRY:       6         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       5         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       1000         (113) SCOUR CONDITION RATING:       U         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       143 FT         (94) BRIDGE IMPROVEMENT COST:       \$650,000.00         (95) ROADWAY IMPROVEMENT COST:       \$66,000.00         (96) TOTAL PROJECT COST:       \$976,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2020
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1000 (113) SCOUR CONDITION RATING: U  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000 (113) SCOUR CONDITION RATING: U  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: 1/16/2020
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE ON ROADWAY: (28.2 FT (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (86) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (146.9 FT (46.9 FT	(67) STRUCTURAL EVALUATION:       5         (68) DECK GEOMETRY:       6         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       5         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       1000         (113) SCOUR CONDITION RATING:       U         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       143 FT         (94) BRIDGE IMPROVEMENT COST:       \$650,000.00         (95) ROADWAY IMPROVEMENT COST:       \$66,000.00         (96) TOTAL PROJECT COST:       \$976,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2020         INSPECTION DATES         (90) DATE OF LAST REGULAR INSPECTION:       1/16/2020         (91) REGULAR INSPECTION FREQUENCY (MONTHS):       24         (93b) DATE OF LAST UNDERWATER INSP (MO/YR):       N/A

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 42S62610009 BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: WHITEOAK RD. CROSSING: WHITEOAK CREEK

LOCATION: 4 M S OF TENN RIDGE

COUNTY: HOUSTON ROUTE: 00937

LOG MILE: 0.52

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 57.5

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.25972 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.83125 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 9	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 4
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 4
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
(27) YEAR THE BRIDGE WAS BUILT: 1959	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BUILT. 1939 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(425) SNDER BRIDGE.	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE	AFFRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 4
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	7 7.1
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  43.0 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 43.0 FT  (49) TOTAL BRIDGE LENGTH: 271.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 43.0 FT  (49) TOTAL BRIDGE LENGTH: 271.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 4
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 43.0 FT  (49) TOTAL BRIDGE LENGTH: 271.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 4 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 20  0  43.0 FT  0.0 FT  271.0 FT  28.5 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 4 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 20  0  43.0 FT  0.0 FT  10  11  12  13  14  15  15  15  15  15  15  15  15  15	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       4         (72) APPROACH ROADWAY ALIGNMENT:       6         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20  CONTROL OF THE BRIDGE:  0  43.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       4         (72) APPROACH ROADWAY ALIGNMENT:       6         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       271 FT         (94) BRIDGE IMPROVEMENT COST:       \$1,131,000.00         (95) ROADWAY IMPROVEMENT COST:       \$114,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW:  0 DEGREES	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       4         (72) APPROACH ROADWAY ALIGNMENT:       6         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       271 FT         (94) BRIDGE IMPROVEMENT COST:       \$1,131,000.00         (95) ROADWAY IMPROVEMENT COST:       \$114,000.00         (96) TOTAL PROJECT COST:       \$1,697,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       4         (72) APPROACH ROADWAY ALIGNMENT:       6         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       271 FT         (94) BRIDGE IMPROVEMENT COST:       \$1,131,000.00         (95) ROADWAY IMPROVEMENT COST:       \$114,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       4         (72) APPROACH ROADWAY ALIGNMENT:       6         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       271 FT         (94) BRIDGE IMPROVEMENT COST:       \$1,131,000.00         (95) ROADWAY IMPROVEMENT COST:       \$114,000.00         (96) TOTAL PROJECT COST:       \$1,697,000.00
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  24.0 FT	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       4         (72) APPROACH ROADWAY ALIGNMENT:       6         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       271 FT         (94) BRIDGE IMPROVEMENT COST:       \$1,131,000.00         (95) ROADWAY IMPROVEMENT COST:       \$114,000.00         (96) TOTAL PROJECT COST:       \$1,697,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2020
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (24.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) STRUCTURAL EVALUATION: (98) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 43.0 FT (49) TOTAL BRIDGE LENGTH: 271.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 28.5 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT (54a) VERT UNDERCLE: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       4         (72) APPROACH ROADWAY ALIGNMENT:       6         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       271 FT         (94) BRIDGE IMPROVEMENT COST:       \$1,131,000.00         (95) ROADWAY IMPROVEMENT COST:       \$114,000.00         (96) TOTAL PROJECT COST:       \$1,697,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2020         INSPECTION DATES         (90) DATE OF LAST REGULAR INSPECTION:       1/15/2020
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 43.0 FT  (49) TOTAL BRIDGE LENGTH: 271.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 24 FT  (52) BRIDGE OUT TO OUT WIDTH: 28.5 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 43.0 FT (49) TOTAL BRIDGE LENGTH: 271.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 28.5 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       4         (72) APPROACH ROADWAY ALIGNMENT:       6         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       271 FT         (94) BRIDGE IMPROVEMENT COST:       \$1,131,000.00         (95) ROADWAY IMPROVEMENT COST:       \$1,14,000.00         (96) TOTAL PROJECT COST:       \$1,697,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2020         INSPECTION DATES         (90) DATE OF LAST REGULAR INSPECTION:       1/15/2020         (91) REGULAR INSPECTION FREQUENCY (MONTHS):       24         (93b) DATE OF LAST UNDERWATER INSP (MO/YR):       N/A

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: HOUSTON

ROUTE: 01781

BRIDGE ID NUMBER: 42S63650001
BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: TENNESSEE RIDGE RD

CROSSING: LONG BRANCH

LOCATION: 5 M SW OF ERIN

COUNTY SEQUENCE: 1

LOG MILE: 0.77

SUFFICIENCY RATING: 88.5

SPECIAL CASE: 0

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.25450 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.77240 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>PRESTRESSED CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	———— CONDITION RATINGS —————
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>8</b>
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 8
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 8
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE —	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1979	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	
` '	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL  (67) STRUCTURAL EVALUATION: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 82.0 FT	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 4
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 82.0 FT (49) TOTAL BRIDGE LENGTH: 85.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 82.0 FT (49) TOTAL BRIDGE LENGTH: 85.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24.6 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 1100
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.10 FT (51) BRIDGE CURB TO CURB WIDTH: 24.6 FT (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (110) (113) SCOUR CONDITION RATING: U
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: U  RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  2 2  0  82.0 FT  85.0 FT  9.0 FT  9.0 FT  10  10  10  10  10  10  10  10  10  1	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1100) (113) SCOUR CONDITION RATING: U  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1100) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1100) (113) SCOUR CONDITION RATING: U  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (1100)  (113) SCOUR CONDITION RATING:  U  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1100) (113) SCOUR CONDITION RATING: U  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.6 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (1100)  (113) SCOUR CONDITION RATING:   RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1100) (113) SCOUR CONDITION RATING:  U  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.6 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1100) (113) SCOUR CONDITION RATING: U  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 2/4/2020
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1100 (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.6 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1100 (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: HOUSTON

ROUTE: 01781

LOG MILE: 3.13

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 42S63650003
BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: TENNESSEE RIDGE RD

CROSSING: BRANCH

LOCATION: 2.3 M S OF TENN RIDGE

SUFFICIENCY RATING: 89.6

IDENTIFICATION	
(16a,b) LATITUDE: N 36.28377 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.76918 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1974	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT.  (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(425) ONDER BRIDGE.	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	APPRAISAL  (67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	7 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  15.1 FT	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 33.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 15.1 FT  (49) TOTAL BRIDGE LENGTH: 33.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 33.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  25.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  28.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  28.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 200  15.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (713) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  NO MEDIAN  (34) BRIDGE SKEW:  0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 15.1 FT  (49) TOTAL BRIDGE LENGTH: 33.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 25.9 FT  (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT  (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 15.1 FT  (49) TOTAL BRIDGE LENGTH: 33.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT  (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 2/6/2020
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 15.1 FT  (49) TOTAL BRIDGE LENGTH: 33.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 25.9 FT  (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT  (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRYPE OF WORK:  **RECOMMENDED IMPROVEMENTS**  (75) TYPE OF WORK:  **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  **INSPECTION DATES**  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS):  **NA**
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 15.1 FT  (49) TOTAL BRIDGE LENGTH: 33.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT  (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 42S63650005
BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: TENNESSEE RIDGE RD

CROSSING: LEWIS CREEK

LOCATION: 2.1 M S OF TENN RIDGE

COUNTY: HOUSTON ROUTE: 01781

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 3.31

SUFFICIENCY RATING: 84.9

IDENTIFICATION	
(16a,b) LATITUDE: N 36.28593 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: <b>W 87,76735 DEGREES</b>	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1968	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
	(68) DECK GEOMETRY: 4
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(71) WATERWAY ADEQUACY: 7
(49) TOTAL BRIDGE LENGTH: 38.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 29.9 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 11 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 2/6/2020
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(OO) NIAN CONTROL	(OO-) ODEOLAL INOD EDEOLIENOV (MONTHO)

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



COUNTY: HOUSTON

Ν

6

ROUTE: 01781

LOG MILE: 3.93

BRIDGE ID NUMBER: 42S63650007 BRIDGE OWNER: HOUSTON COUNTY SPECIAL CASE: 0

FIPS CODE: 00000

ROAD NAME: TENNESSEE RIDGE RD CROSSING: LEWIS BRANCH

LOCATION: 1.5 M S OF TENN RIDGE

#### - CLASSIFICATION -

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 95.0

IDENTIFICAT	IDENTIFICATION ————————————————————————————————————		TION —	
(16a,b) LATITUDE:	N	36.29450 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	87.76557 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
			(103) TEMPORARY BRIDGE:	NOT APPLICABLE

2

#### BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:

	` '	
0	(46) NUMBER OF APPROACH SPANS:	
ONCRETE CAST-IN-PLACE	(107) TYPE OF DECK:	
DECK PROTECTION:	(108) TYPE OF WEARING SURFACE	
ASPHALT	A) TYPE OF SURFACE:	
NONE	D) TVDE MEMBDANE:	

### NONE B) TYPE MEMBRANE: NONE C) TYPE PROTECTION:

	AGE AND SERVICE —
1974	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:

GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	14.1 FT
(49) TOTAL BRIDGE LENGTH:	29.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	38.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	41 DEGREES

41 DEGREES		(34) BRIDGE SKEW:
NO FLARE		(35) BRIDGE FLARE:
RESTRICTION	ARANCE OVER RD: NO	(520) MIN VERTICAL CLE
27.9 FT	EARANCE ON ROADWAY:	(47) MIN HORIZONTAL CL
OR RAILROAD	<b>NOT A HIGHWAY</b>	(54a) VERT UNDERCLR:
T APPLICABLE	ERCLEARANCE: NO	(54b) MIN VERTICAL UND
OR RAILROAD	NOT A HIGHWAY	(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

### NAVIGATION DATA =

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	NCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	:: <b>N/A</b>
(40) NAVIGATION HORZ CLEARANCE	E: <b>N/A</b>

**PUBLICATION DATE** 19-Mar-20

(104) NATIONAL HIGHWAT STOTEW.	NOT A NES ROUTE
(26) FUNCTIONAL CLASS:	<b>RURAL MINOR COLLECTOR</b>
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS: HISTORI	
NOT BEE	EN DETERMINED
CONDITION RA	TINGS —
(58) DECK:	N
(30) DEGN.	IN

_	<b>DESIGN</b>	LOAD	AND	<b>WEIGHT</b>	<b>POSTING</b>	1

(61) STREAM CHANNEL AND CHANNEL PROTECTION:

(62) CULVERT CONDITION (IF APPLICABLE):

_	(31) DESIGN LOADING:	HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
	WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
\ ,	(70) BRIDGE POSTING CODE:	5
,	(41) WT POSTING STATUS: OPEN	
•		
	(67) STRUCTURAL EVALUATION:	6

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(59) SUPERSTRUCTURE:

(60) SUBSTRUCTURE:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	2/6/2020
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 42017830001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 01783 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LONG BRANCH RD. COUNTY SEQUENCE: 1 CROSSING: NORTH FORK LOG MILE: 0.04 LOCATION: 4 M S OF TENN RIDGE SUFFICIENCY RATING: 75.1 IDENTIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25512 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.77127 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **ASPHALT** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE (31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** 

26.9 FT

0.0 FT

0.0 FT

24 FT

26.2 FT

**NOT APPLICABLE** 

-,	
C) TYPE PROTECTION:	NONE
AGE AND SERVICE	
(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0
GEOMETRIC DATA	

22.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
5 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
Y: <b>24.0 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADWA
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHWA
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:
AY OR RAILROAD	(55a) HORZ UNDERCLR: NOT A HIGHWA
NOT APPLICABLE	(55b) MIN HORZ UNDERCLR ON RIGHT:

NAVIGATION DATA			
(38)	NAV CONTROL:	NO NAVIGATION CONTROL	

(39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not

waive the provisions of §409

2/4/2020

24

N/A

N/A

Ν

Ν

**PUBLICATION DATE** 19-Mar-20

(49) TOTAL BRIDGE LENGTH:

(50a) LEFT SIDEWALK WIDTH:

(50b) RIGHT SIDEWALK WIDTH:

(51) BRIDGE CURB TO CURB WIDTH:

(56) MIN HORZ UNDERCLR ON LEFT:

(52) BRIDGE OUT TO OUT WIDTH:

 CLASSIFICATION = YES **NOT A NHS ROUTE** RURAL MINOR COLLECTOR **NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED**  CONDITION RATINGS Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 (62) CULVERT CONDITION (IF APPLICABLE): 7 **DESIGN LOAD AND WEIGHT POSTING** H-15-44 **ALL LEGAL LOADS ALL LEGAL LOADS** APPRAISAL (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** 

	,	
(76)	LENGTH OF BRIDGE IMPROVEMENT:	26.9 FT
(94)	BRIDGE IMPROVEMENT COST:	\$46,000.00
(95)	ROADWAY IMPROVEMENT COST:	\$5,000.00
(96)	TOTAL PROJECT COST:	\$70,000.00
(97)	YEAR OF IMPROVEMENT COST ESTIMATE:	2020
INSPECTION DATES		

(90) DATE OF LAST REGULAR INSPECTION:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 42017830003 BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: LONG BRANCH RD. CROSSING: LONG BRANCH

LOCATION: 4 M S OF TENN RIDGE

COUNTY: HOUSTON

ROUTE: 01783 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.94 SUFFICIENCY RATING: 83.2

LOCATION: 4 M S OF TENN RIDGE	SUFFICIENCY RATING: 83.2
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.25588 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.75620 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS:  0	(FO) DECK.
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(FO) OURED OTRUGTURE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE:  ASPHALT	(61) STDEAM CHANNEL AND CHANNEL DECTECTION:
B) TYPE MEMBRANE: NONE	(62) CHI VERT CONDITION (IF ARRIVED IN A
C) TYPE PROTECTION: NONE	
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
(27) YEAR THE BRIDGE WAS BUILT: 1960	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT.	WEIGHT POSTING (3 OR MORE AXI ES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAI
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(CT) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 50.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.9 FT	(75) TYPE OF WORK. NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENCTH OF PRIDCE IMPROVEMENT:
(34) BRIDGE SKEW: 17 DEGREES	(04) PRIDCE IMPROVEMENT COST.
(35) BRIDGE FLARE: NO FLARE	(OE) BOADWAY IMPROVEMENT COST.
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(00) TOTAL DDG (FOT 000T
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(07) VEAD OF IMPDOVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	`
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	1 1
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 42017830005
BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: **LONG BRANCH RD.** CROSSING: **LONG BRANCH** 

LOCATION: 4.25 M SE OF TENN RIDGE

COUNTY: HOUSTON

ROUTE: 01783 SPECIAL CASE: 0

COUNTY SEQUENCE: 1 LOG MILE: 1.82

SUFFICIENCY RATING: 95.1

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.25687 DEGREES (17a,b) LONGITUDE: W 87.74127 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN CRANC.	——— CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:  (46) NUMBER OF APPROACH SPANS:  0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
(27) YEAR THE BRIDGE WAS BUILT: 1975	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(49) TOTAL BRIDGE LENGTH: 56.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: <b>25.9 FT</b> (52) BRIDGE OUT TO OUT WIDTH: <b>27.9 FT</b>	RECOMMENDED IMPROVEMENTS ———
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 32 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 2/4/2020
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):  N (92b) DATE OF SPECIAL INSPECTION (MO(VP)):
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

6

5

N

6

6

8

0000

25.9 FT

\$45,000.00

\$68,000.00

\$5,000.00

2/7/2020

2020

24

N/A

N/A

Ν

Ν

H-15-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 420A1450001 COUNTY: HOUSTON BRIDGE OWNER: CITY OF ERIN ROUTE: 01783 SPECIAL CASE: 0 FIPS CODE: 24320 ROAD NAME: TANK HILL RD. COUNTY SEQUENCE: 1 CROSSING: ERIN BRANCH LOG MILE: 8.39 LOCATION: TANK HILL RD. IN ERIN. SUFFICIENCY RATING: 48.4 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31697 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.69567 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 25.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HOUSTON

ROUTE: 01783

BRIDGE ID NUMBER: 420A0400001
BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: **BRIGHAM BRANCH RD.** CROSSING: **BRIGHAM BRANCH** 

LOCATION: 2 M. N. ERIN.

COUNTY SEQUENCE: 1

LOG MILE: 10.43

SUFFICIENCY RATING: 96.9

SPECIAL CASE: 0

Edo/Artora Zimi ia Eraia.	cerrielene ratinte. Solo
IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.34465 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.68953 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) AH IMPER OF MAIN ORANG	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE:
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:  A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
A) TYPE OF SURFACE: MONOLITHIC CONCRETE B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1983	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 6  (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 15.1 FT	APPRAISAL         (67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       6         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 47.9 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 6  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 5  (72) APPROACH ROADWAY ALIGNMENT: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH:  2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	APPRAISAL  (67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  ON00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 47.9 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 6  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 5  (72) APPROACH ROADWAY ALIGNMENT: 6  (36) TRAFFIC SAFETY FEATURES: 0N00  (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	APPRAISAL  (67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  ON00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.1 FT (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 6  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 5  (72) APPROACH ROADWAY ALIGNMENT: 6  (36) TRAFFIC SAFETY FEATURES: 0N00  (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: 30.5 FT	APPRAISAL           (67) STRUCTURAL EVALUATION:         7           (68) DECK GEOMETRY:         6           (69) UNDERCLEARANCE RATING:         N           (71) WATERWAY ADEQUACY:         5           (72) APPROACH ROADWAY ALIGNMENT:         6           (36) TRAFFIC SAFETY FEATURES:         0N00           (113) SCOUR CONDITION RATING:         8   RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 30.5 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 6  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 5  (72) APPROACH ROADWAY ALIGNMENT: 6  (36) TRAFFIC SAFETY FEATURES: 0N00  (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 30.5 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	APPRAISAL  (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0N00 (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 6  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 5  (72) APPROACH ROADWAY ALIGNMENT: 6  (36) TRAFFIC SAFETY FEATURES: 0N00  (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 6  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 5  (72) APPROACH ROADWAY ALIGNMENT: 6  (36) TRAFFIC SAFETY FEATURES: 0N00  (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	APPRAISAL  (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0N00 (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 6  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 5  (72) APPROACH ROADWAY ALIGNMENT: 6  (36) TRAFFIC SAFETY FEATURES: 0N00  (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD	APPRAISAL  (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0N00 (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 1/28/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (55c) MIN HORZ UNDERCLR: (55d) MIN HORZ UNDERCLR ON RIGHT: (50d)  NOT A PPLICABLE	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 6  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 5  (72) APPROACH ROADWAY ALIGNMENT: 6  (36) TRAFFIC SAFETY FEATURES: 0N00  (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 1/28/2020  (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24  (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 6  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 5  (72) APPROACH ROADWAY ALIGNMENT: 6  (36) TRAFFIC SAFETY FEATURES: 0N00  (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 1/28/2020  (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24  (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A  (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (55c) MIN HORZ UNDERCLR: (55d) MIN HORZ UNDERCLR ON RIGHT: (50d)  NOT A PPLICABLE	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 6  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 5  (72) APPROACH ROADWAY ALIGNMENT: 6  (36) TRAFFIC SAFETY FEATURES: 0N00  (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 1/28/2020  (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24  (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: HOUSTON

BRIDGE ID NUMBER: 42017850001
BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: WILLIAMSON BRANCH RD.

CROSSING: BOAZ BRANCH

LOCATION: 8 M SE OF ERIN

ROUTE: 01785

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 2.84

SUFFICIENCY RATING: 91.7

IDENTIFICATION	
(16a,b) LATITUDE: N 36.28320 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.54017 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>7</b>
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 8
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1982	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 28.9 FT	(71) WATERWAY ADEQUACY: 8
(49) TOTAL BRIDGE LENGTH: 32.2 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 25.9 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 13 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 1/24/2020
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: HOUSTON

**ROUTE: 01785** 

LOG MILE: 4.05

SPECIAL CASE: 0

BRIDGE ID NUMBER: 42G02120003
BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: WILLIAMSON BRANCH RD.

CROSSING: YELLOW CREEK

LOCATION: 8 M SE OF ERIN

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 86.2

IDENTIFICATION

(16a,b) LATITUDE:

(17a,b) LONGITUDE:

(98a) BORDER BRIDGE STATE CODE:

(98b) PERCENT SHARE:

(99) BORDER BRIDGE NUMBER:

NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:(46) NUMBER OF APPROACH SPANS:0

(107) TYPE OF DECK: CONCRETE PRECAST PANELS (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

A) TYPE OF SURFACE: MONOLITHIC CONCRETE

B) TYPE MEMBRANE: NONE

C) TYPE PROTECTION: NONE

AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 1985
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A
(42a) SERVICE ON BRIDGE: HIGHWAY
(42b) UNDER BRIDGE: WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2

(28b) NUMBER OF LANES UNDER THE BRIDGE:

GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH:

(49) TOTAL BRIDGE LENGTH: 336.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT

(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT

(52) BRIDGE OUT TO OUT WIDTH: 24.3 FT

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT

(33) BRIDGE MEDIAN: NO MEDIAN
(34) BRIDGE SKEW: 30 DEGREES

(34) BRIDGE SKEW: 30 DEGREES

(35) BRIDGE FLARE: NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD

(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE

(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE

#### NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL
 (39) NAVIGATION VERTICAL CLEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE: N/A

CLASSIFICATION - (112) MEETS NBIS BRIDGE LENGTH:

(112) MEETS NBIS BRIDGE LENGTH: YES
(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE

(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR

(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE

(102) TRAFFIC DIR: 2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: NOT APPLICABLE

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

### CONDITION RATINGS -

 (58) DECK:
 7

 (59) SUPERSTRUCTURE:
 7

 (60) SUBSTRUCTURE:
 7

 (61) STREAM CHANNEL AND CHANNEL PROTECTION:
 7

 (62) CULVERT CONDITION (IF APPLICABLE):
 N

#### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:
WEIGHT POSTING (2 AXLE VEHICLES):
WEIGHT POSTING (3 OR MORE AXLES):
ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:
5

(41) WT POSTING STATUS: **OPEN** 

0

84.0 FT

#### APPRAISAL

(67) STRUCTURAL EVALUATION: 7
(68) DECK GEOMETRY: 4
(69) UNDERCLEARANCE RATING: N
(71) WATERWAY ADEQUACY: 7
(72) APPROACH ROADWAY ALIGNMENT: 8
(36) TRAFFIC SAFETY FEATURES: 1000

### - RECOMMENDED IMPROVEMENTS

8

(75) TYPE OF WORK: NOT APPLICABLE

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(113) SCOUR CONDITION RATING:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### - INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 1/24/2020
(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): 06/2015
(92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60
(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS): N



BRIDGE ID NUMBER: 42S63780001
BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: **SPARKMAN RD.**CROSSING: **YELLOW CREEK** 

LOCATION: 8 M E OF ERIN

COUNTY: HOUSTON ROUTE: 01789

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 0.11 SUFFICIENCY RATING: 98.0

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.31047 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.55472 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: 6
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 4
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE	
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE —	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1972	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5 (41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 7
(48) MAXIMUM SPAN LENGTH: 69.9 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 278.9 FT	(71) WATERWAY ADEQUACY: 7
(50 ) LEET OLDEWALK MUDTU	(70) ADDDOAOLLDOADMAN ALIONMENT
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1000
	(36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT	(36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(50b) RIGHT SIDEWALK WIDTH:       0.0 FT         (51) BRIDGE CURB TO CURB WIDTH:       29.9 FT         (52) BRIDGE OUT TO OUT WIDTH:       32.2 FT         (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:       27.9 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  0.0 FT 29.9 FT NO MEDIAN	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLE: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  1/24/2020
(50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROAD  (55a) HORZ UNDERCLR:  NOT A HIGHWAY OR RAILROAD	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 1/24/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55c) NOT APPLICABLE	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  N/A
(50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROAD  (55a) HORZ UNDERCLR:  NOT A HIGHWAY OR RAILROAD	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 1/24/2020  (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24  (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A  (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55c) NOT APPLICABLE	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 42S63780003
BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: SPARKMAN RD.

CROSSING: LEATHERWOOD CREEK

LOCATION: 8 M E OF ERIN

COUNTY: HOUSTON

ROUTE: 01789

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 1.04

SUFFICIENCY RATING: 93.0

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.31693 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.54155 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 8 (59) SUPERSTRUCTURE: 8
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(60) SUBSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1982	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 24.9 FT (49) TOTAL BRIDGE LENGTH: 51.8 FT	(71) WATERWAY ADEQUACY: 7
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1000
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 5
(52) BRIDGE OUT TO OUT WIDTH: 25.9 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 1/24/2020
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

7

6

6

N

6

6

8

N/A

2/7/2020

24

N/A

N/A

Ν

Ν

0000

BRIDGE ID NUMBER: 42017830007 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 01791 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ROSS BRANCH RD. COUNTY SEQUENCE: 1 CROSSING: ROSS BRANCH LOG MILE: 1.88 SUFFICIENCY RATING: 91.8 LOCATION: 2.5 M S OF ERIN IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.28445 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.70232 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1958 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

6

6

N

7

8

8

N/A

2/7/2020

24

N/A

N/A

Ν

Ν

0000

BRIDGE ID NUMBER: 42017830009 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 01791 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ROSS BRANCH RD. COUNTY SEQUENCE: 1 CROSSING: ROSS BRANCH LOG MILE: 1.99 LOCATION: 2.3 M S OF ERIN SUFFICIENCY RATING: 86.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.28602 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.70122 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1968 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.3 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

6

6

N

7

6

8

N/A

2/7/2020

24

N/A

N/A

Ν

Ν

0000

H-15-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 42017830011 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 01791 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ROSS BRANCH RD. COUNTY SEQUENCE: 1 CROSSING: ROSS BRANCH LOG MILE: 2.20 SUFFICIENCY RATING: 91.8 LOCATION: 2.5 M S OF ERIN IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.28647 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.69777 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE \* **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1968 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 29.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

7

6

4

Ν

7

6

8

N/A

1/6/2020

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 42017910013 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 01791 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CAMPGROUND RD. COUNTY SEQUENCE: 1 CROSSING: ROSS BRANCH LOG MILE: 3.47 LOCATION: 1.5 M S OF ERIN SUFFICIENCY RATING: 85.7 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36,29923 DEGREES 87.68340 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE \* **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 14.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 28.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 31 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

5

5

4

Ν

5

6

8

0000

48.9 FT

2020

24

N/A

N/A

Ν

Ν

\$91.000.00

\$10,000.00

1/6/2020

BRIDGE ID NUMBER: 42017830015 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 01791 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: CAMPGROUND RD. COUNTY SEQUENCE: 1 CROSSING: WELLS CREEK LOG MILE: 3.88 LOCATION: 1.4 M S OF ERIN SUFFICIENCY RATING: 64.6 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.30145 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.67742 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN — AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 48.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$137,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

**NOT A NHS ROUTE** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

**NO PARALLEL BRIDGE** 

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 42018200001 COUNTY: HOUSTON **BRIDGE OWNER: HOUSTON COUNTY** ROUTE: 01820 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BATEMAN BRANCH RD. COUNTY SEQUENCE: 1 CROSSING: BATEMAN BRANCH LOG MILE: 7.73 LOCATION: 3 M. SE. ERIN. SUFFICIENCY RATING: 61.9 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.28373 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.65592 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** (45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: APPRAISAI

AGE AND SERVICE ————			
(27) YEAR THE BRIDGE WAS BUILT:	1968		
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A		
(42a) SERVICE ON BRIDGE:	HIGHWAY		
(42b) UNDER BRIDGE:	WATERWAY		
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2		
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0		
GEOMETRIC DATA			

GEOMETRIC DATA		
(48) MAXIMUM SPAN LENGTH:	15.1 FT	
(49) TOTAL BRIDGE LENGTH:	56.1 FT	
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	
(51) BRIDGE CURB TO CURB WIDTH:	23.6 FT	
(52) BRIDGE OUT TO OUT WIDTH:	25.6 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT	

(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	34 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROAD	WAY: <b>23.3 FT</b>
(54a) VERT UNDERCLR: NOT A HIGH	HWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR: NOT A HIGH	HWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA			
(38)	NAV CONTROL:	NO NAVIGATION CONTROL	
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A	
(116)	LIFT BRIDGE VERT CLEARANCE	: <b>N/A</b>	
(40)	NAVIGATION HORZ CLEARANCE	: <b>N/A</b>	

CONDITION RATINGS		
(58) DECK:	N	
(59) SUPERSTRUCTURE:	N	
(60) SUBSTRUCTURE:	N	
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5	
(62) CULVERT CONDITION (IF APPLICABLE):	5	

		DEGIGIT EGITE I
H-15-44		(31) DESIGN LOADING:
<b>ALL LEGAL LOADS</b>	EHICLES):	WEIGHT POSTING (2 AXLE V
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO
5	:	(70) BRIDGE POSTING CODE
	OPEN	(41) WT POSTING STATUS:

ALLINAIDAL	
(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	5
(70) A DDD OA CILLDOA DIA/AY ALICAIMENT.	•

(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

# RECOMMENDED IMPROVEMENTS

**BRIDGE WIDENING (NO DECK REPAIRS** (75) TYPE OF WORK: NEEDED)

(76) LENGTH OF BRIDGE IMPROVEMENT: 56.1 FT (94) BRIDGE IMPROVEMENT COST: \$104,000.00 (95) ROADWAY IMPROVEMENT COST: \$11,000.00 (96) TOTAL PROJECT COST: \$157,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 1/9/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



LOG MILE: 0.02

BRIDGE ID NUMBER: 420A1630001 COUNTY: HOUSTON
BRIDGE OWNER: HOUSTON COUNTY
FIPS CODE: 24320 SPECIAL CASE: 0
ROAD NAME: CEDAR VALLEY RD. COUNTY SEQUENCE: 1

ROAD NAME: **CEDAR VALLEY RD.**CROSSING: **MUSTERGROUND CREEK** 

LOCATION: 3.5 M. E. ERIN. SUFFICIENCY RATING: 96.0

Eddy Wildia C. Elwi.	561 1 161E116 1 16111116
IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.30435 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.63995 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
()	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE ————	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1974	WEIGHT POSTING (2 AXLE VEHICLES):  WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	,
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5 (41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(71) WATERWAY ADEQUACY: 5
(49) TOTAL BRIDGE LENGTH: 25.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING:
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 25.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(33) BRIDGE MEDIAN: NO MEDIAN	(94) BRIDGE IMPROVEMENT COST:
(34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES ————
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 1/6/2020
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(00) NAV CONTROL NO NAVIGATION CONTROL	(00-) ODEOLAL INOD, EDEOLIENOV (MONTHO)

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

7

7

7

4

N

7

8

8

N/A

1/17/2020

24

N/A

N/A

Ν

Ν

0000

H-15-44

BRIDGE ID NUMBER: 420A0140001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A014 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD STEWART RD. COUNTY SEQUENCE: 1 CROSSING: CANE CREEK LOG MILE: 3.38 SUFFICIENCY RATING: 85.9 LOCATION: 0.5 M. E. STEWART. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31927 DEGREES 87.83923 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE \* **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1962 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 23.3 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HOUSTON

Ν

Ν

Ν

7

Ν

Ν

7

6

8

0000

22 FT

2020

24

N/A

Ν

Ν

N/A

\$102,000.00

\$11,000.00

\$154,000.00

12/19/2019

HS-20-44

**ALL LEGAL LOADS** 

**ALL LEGAL LOADS** 

NOT ON TRUCK NETWORK

ROUTE: 0A018

LOG MILE: 1.11

**NOT BEEN DETERMINED** 

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 70.0

BRIDGE ID NUMBER: 420A0180001 BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: HURRICANE LANDING RD. CROSSING: HURRICANE CREEK

LOCATION: 2.3 M. NW. MCKINNON.

- IDENTIFICATION

#### CLASSIEICATION -

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

CONDITION RATINGS =

**DESIGN LOAD AND WEIGHT POSTING** 

OPEN APPRAISAL

RECOMMENDED IMPROVEMENTS

INSPECTION DATES

**BRIDGE REHABILITATION** 

(61) STREAM CHANNEL AND CHANNEL PROTECTION:

(62) CULVERT CONDITION (IF APPLICABLE):

WEIGHT POSTING (2 AXLE VEHICLES):

WEIGHT POSTING (3 OR MORE AXLES):

(110) NATIONAL TRUCK ROUTE:

(59) SUPERSTRUCTURE:

(60) SUBSTRUCTURE:

(31) DESIGN LOADING:

(68) DECK GEOMETRY:

(75) TYPE OF WORK:

(70) BRIDGE POSTING CODE: (41) WT POSTING STATUS:

(67) STRUCTURAL EVALUATION:

(69) UNDERCLEARANCE RATING:

(36) TRAFFIC SAFETY FEATURES:

(113) SCOUR CONDITION RATING:

(72) APPROACH ROADWAY ALIGNMENT:

(76) LENGTH OF BRIDGE IMPROVEMENT:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

(94) BRIDGE IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(95) ROADWAY IMPROVEMENT COST:

(71) WATERWAY ADEQUACY:

(58) DECK:

IDENTIFICAT	ION		CLASSIFICATIO	N
(16a,b) LATITUDE:	N	36.33873 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	87.93545 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
PRINCE TYPE AND A	/ A TI	EDIAL	(103) TEMPORARY BRIDGE:	NOT APPLICABLE

#### BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK	PROTECTION:
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

#### GEOMETRIC DATA =

22.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
20.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: <b>24.3 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW

### (56) MIN HORZ UNDERCLR ON LEFT: NAVIGATION DATA

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	: <b>N/A</b>
(40)	NAVIGATION HORZ CLEARANCE	: <b>N/A</b>

2	
0	
NOT APPLICABLE	

GE AND SERVICE -	
------------------	--

	1976
:	N/A
	HIGHWAY
	WATERWAY

ANES UNDER THE BRIDGE:	
0=011==D10 D1=1	

(48) MAXIMUM SPAN LENGTH:	9.8	FT
(40) TOTAL BRIDGE LENGTH:	22.0	ET

(50a) LEFT SIDEWALK WIDTH:	0.0	FT
(50b) RIGHT SIDEWALK WIDTH:	0.0	FΤ

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

**NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

**NOT APPLICABLE** 

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

**PUBLICATION DATE** 19-Mar-20

(55a) HORZ UNDERCLR:



YES

Ν

Ν

Ν

7

7

6

5

N

6

6

8

N/A

1/17/2020

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 420A0220001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A022 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FRANK DAY HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: S FORK HURRICANE CREEK LOG MILE: 0.68 SUFFICIENCY RATING: 90.8 LOCATION: 1.5 M. N. TENN. RIDGE. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.32910 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.79223 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 55.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

5

5

4

N

7

3

8

0000

22 FT

2020

24

N/A

N/A

Ν

Ν

\$51,000.00

\$77,000.00

1/17/2020

\$6,000.00

H-15-44

BRIDGE ID NUMBER: 420A0240001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A024 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: HURRICANE LOOP COUNTY SEQUENCE: 1 CROSSING: S. FORK HURRICANE CREEK LOG MILE: 0.93 LOCATION: 1 M. N. TENN. RIDGE. SUFFICIENCY RATING: 61.6 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.32635 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.77837 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

6

5

N

5

8

8

2020

24

N/A

N/A

Ν

Ν

0000

BRIDGE ID NUMBER: 420A0290001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A029 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: DENMARK RD. COUNTY SEQUENCE: 1 CROSSING: BRIGHAM BRANCH LOG MILE: 0.94 SUFFICIENCY RATING: 79.5 LOCATION: 2.2 M. NW. ERIN. IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.33885 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.72845 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: H-15-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 25.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: 25.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$45,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)\$5,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$68,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/13/2020 **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO

N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

5

5

5

5

N

6

6

8

N/A

1/13/2020

24

Ν

Ν

N/A

N/A

0000

HS-20-44

BRIDGE ID NUMBER: 420A0310001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A031 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DENMARK RD. COUNTY SEQUENCE: 1 CROSSING: SPRING BRANCH LOG MILE: 0.64 SUFFICIENCY RATING: 85.0 LOCATION: 1 M. N. ERIN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.33002 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.69375 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1972 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 11.2 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 24.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 23.3 FT RECOMMENDED IMPROVEMENTS 25.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



LOG MILE: 1.88

SUFFICIENCY RATING: 93.7

BRIDGE ID NUMBER: 420A0310003 COUNTY: HOUSTON
BRIDGE OWNER: HOUSTON COUNTY
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: DENMARK RD. COUNTY SEQUENCE: 1

CROSSING: BRANCH LOCATION: 2 M. N. ERIN.

LOCATION. 2 W. N. ERIN.	SUPPOLING PATING. 93.7	
IDENTIFICATION —		
(16a,b) LATITUDE: N 36.34205 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 87.70553 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS	
NOT BEEN DETERMINED		
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:	
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7	
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE ————	(31) DESIGN LOADING: HS-20-44	
(27) YEAR THE BRIDGE WAS BUILT: 1972	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7	
GEOMETRIC DATA	(68) DECK GEOMETRY: 6	
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(69) UNDERCLEARANCE RATING:  N (74) MATERIAL AREQUARY.	
(49) TOTAL BRIDGE LENGTH: 33.1 FT	(71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 6	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8	
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	RECOMMENDED IMPROVEMENTS	
(52) BRIDGE OUT TO OUT WIDTH: 25.9 FT		
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:	
(34) BRIDGE SKEW: 9 DEGREES	(95) ROADWAY IMPROVEMENT COST:	
(35) BRIDGE FLARE: NO FLARE	(96) TOTAL PROJECT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT	INSPECTION DATES	
(54a) VERT UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b> (54b) MIN VERTICAL UNDERCLEARANCE: <b>NOT APPLICABLE</b>	(90) DATE OF LAST REGULAR INSPECTION: 1/13/2020	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	
(38) NAV CONTROL: NO NAVIGATION CONTROL	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N	

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

6

6

6

N

5

6

8

N/A

1/13/2020

24

Ν

Ν

N/A

N/A

0000

HS-20-44

BRIDGE ID NUMBER: 420A0310005 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A031 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DENMARK RD. COUNTY SEQUENCE: 1 CROSSING: BRIGHAM BRANCH LOG MILE: 2.10 SUFFICIENCY RATING: 96.0 LOCATION: 2 M. N. ERIN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34432 DEGREES 87.70790 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: n (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1972 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 17.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 73.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 26.6 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:

# NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 420A0380001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A038 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MOORE HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.28 LOCATION: 1 M. N. TENN. RIDGE. SUFFICIENCY RATING: 74.2 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.32433 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.77310 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **ASPHALT** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE C (31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE:

NONE	C) TYPE PROTECTION:		
	AGE AND SERVICE -		
1984	(27) YEAR THE BRIDGE WAS BUILT:		
N/A	106) YEAR THE BRIDGE WAS REHABILITATED:		
HIGHWAY	(42a) SERVICE ON BRIDGE:		
WATERWAY	(42b) UNDER BRIDGE:		
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:		
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:		
	GEOMETRIC DATA		
15.1 FT	(48) MAXIMUM SPAN LENGTH:		
44.0 FT	(49) TOTAL BRIDGE LENGTH:		
0.0 FT	(50a) LEFT SIDEWALK WIDTH:		
0 0 FT	COLVEDICIT OFFICIALICAMENT		

(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH	l: <b>18.0 FT</b>
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROAD	WAY: <b>22.0 FT</b>
(54a) VERT UNDERCLR: <b>NOT A HIGH</b>	WAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR: <b>NOT A HIGH</b>	WAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE
NAVIGATION DATA	

NAVIGATION DATA =
-------------------

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 19-Mar-20

YES **NOT A NHS ROUTE** LOCAL RURAL ROAD **NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED**  CONDITION RATINGS Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 (62) CULVERT CONDITION (IF APPLICABLE): 5 **DESIGN LOAD AND WEIGHT POSTING** HS-20-44 **ALL LEGAL LOADS ALL LEGAL LOADS** (41) WT POSTING STATUS: **OPEN** APPRAISAL (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **BRIDGE REHABILITATION** (76) LENGTH OF BRIDGE IMPROVEMENT: 44 FT (94) BRIDGE IMPROVEMENT COST: \$205,000.00 (95) ROADWAY IMPROVEMENT COST: \$21,000.00 (96) TOTAL PROJECT COST: \$308,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 1/17/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



COUNTY: HOUSTON

ROUTE: 0A048

BRIDGE ID NUMBER: 420A0480003
BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: **HERMAN CLARK RD.** CROSSING: **GUICES CREEK** 

LOCATION: 5 M. NE. ERIN.

SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 0.03
SUFFICIENCY RATING: 83.0

IDENTIFICATION	CLASSIFICATION —
(16a,b) LATITUDE: N 36.34728 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.60703 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: 7
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 4
A) TYPE OF SURFACE:  ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
-,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1975	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	(,
,	ADDDAIGAI —————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL (CT) CTDUCTURAL FIVALUATION:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  4
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  29.9 FT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 4 (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 29.9 FT (49) TOTAL BRIDGE LENGTH: 65.0 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  8  (36) TRAFFIC SAFETY FEATURES:  0000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 29.9 FT  (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 20  10  21  21  22  23  24  24  24  26  27  28  29  29  29  29  29  29  29  29  29	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (151) BRIDGE CURB TO CURB WIDTH: (152) BRIDGE OUT TO OUT WIDTH: (153) APPROACH ROADWAY (W/ SHLDS) WIDTH: (154) TOTAL BRIDGE: (155) BRIDGE OUT TO OUT WIDTH: (156) BRIDGE OUT TO OUT WIDTH: (157) BRIDGE OUT TO OUT WIDTH: (158) BRIDGE OUT TO OUT WIDTH: (159) BRIDGE OUT TO OUT WIDTH: (150) BRIDGE OUT TO OUT WIDTH: (150) BRIDGE OUT TO OUT WIDTH: (151) BRIDGE OUT TO OUT WIDTH: (152) BRIDGE OUT TO OUT WIDTH: (153) BRIDGE OUT TO OUT WIDTH: (154) BRIDGE OUT TO OUT WIDTH: (155) BRIDGE OUT TO OUT WIDTH:	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  0 DEGREES	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (313) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT  00.0 FT  01.0 FT  02.0 FT  03.0 FT  04.0 FT  05.0 FT  05.0 FT  05.0 FT  05.0 FT  05.0 FT  06.0 FT  06.0 FT  07.0 FT  07.0 FT  08.0 FT  09.0 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (76) TYPE OF WORK:  (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR:  (500) MIN VERTICAL CLEARANCE ON ROADWAY: (500) MIN HORIZONTAL CLEARANCE ON ROADWAY: (500) MIN VERTICAL CLEARANCE ON ROADWAY: (500) MIN VERT UNDERCLR: (500) MIN VE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (76) TYPE OF WORK:  NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  1/10/2020
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL UNDERCLEARANCE: (540) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (57b) MIN VERTICAL OUT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENTS  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 29.9 FT (49) TOTAL BRIDGE LENGTH: 65.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 21 FT (52) BRIDGE CURB TO CURB WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  NA
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 29.9 FT (49) TOTAL BRIDGE LENGTH: 65.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 21 FT (51) BRIDGE CURB TO CURB WIDTH: 21 FT (52) BRIDGE OUT TO OUT WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55c) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (37) TYPE OF WORK:  (38) TRECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  (NA  (92b) UNDERWATER INSP FREQUENCY (MONTHS):  N
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 29.9 FT (49) TOTAL BRIDGE LENGTH: 65.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 21 FT (52) BRIDGE CURB TO CURB WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (37) TYPE OF WORK:  (38) TRECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  (NA  (92b) UNDERWATER INSP FREQUENCY (MONTHS):  N

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

8

7

8

6

Ν

7

5

Ν

5

6

8

N/A

1/28/2020

24

Ν

Ν

N/A

N/A

1111

HL-93

BRIDGE ID NUMBER: 420A0480001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A048 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MARABLE HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: WELLS CREEK LOG MILE: 3.97 SUFFICIENCY RATING: 98.0 LOCATION: MARABLE HOLLOW RD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.33227 DEGREES 87.66635 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 2006 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 60.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 160.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

# NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 420A0560001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A056 SPECIAL CASE: 0 FIPS CODE: 24320 ROAD NAME: MOORE BRANCH RD. COUNTY SEQUENCE: 1 CROSSING: MOORE BRANCH LOG MILE: 0.12 LOCATION: 6 M. NE. ERIN. SUFFICIENCY RATING: 97.0 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.35798 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.60638 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **ASPHALT** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: (31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES):

AGE AND SERVICE ————		
(27) YEAR THE BRIDGE WAS BUILT:	1983	
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	
(42a) SERVICE ON BRIDGE:	HIGHWAY	
(42b) UNDER BRIDGE:	WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	
GEOMETRIC DATA		

	OLOMETRIO DATA
15.1 FT	(48) MAXIMUM SPAN LENGTH:
38.1 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
22 FT	(51) BRIDGE CURB TO CURB WIDTH:
26.2 FT	(52) BRIDGE OUT TO OUT WIDTH:
23.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
30 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD: NO
22.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NO MEDIAN		(33) BRIDGE MEDIAN:
30 DEGREES		(34) BRIDGE SKEW:
NO FLARE		(35) BRIDGE FLARE:
RESTRICTION	ARANCE OVER RD: NO	(520) MIN VERTICAL CL
22.0 FT	EARANCE ON ROADWAY:	(47) MIN HORIZONTAL (
OR RAILROAD	<b>NOT A HIGHWAY</b>	(54a) VERT UNDERCLR
APPLICABLE	DERCLEARANCE: NOT	(54b) MIN VERTICAL UN
OR RAILROAD	<b>NOT A HIGHWAY</b>	(55a) HORZ UNDERCLR
APPLICABLE	CLR ON RIGHT: NO	(55b) MIN HORZ UNDER
APPLICABLE	CLR ON LEFT: NO	(56) MIN HORZ UNDER

•	N	Δ١	/10	GΑ	TI	OI	N I	D.	Δ٦	ΓΔ	

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	NCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	:: <b>N/A</b>
(40) NAVIGATION HORZ CLEARANCE	: <b>N/A</b>

<b>PUBLICATION DATE</b>
19-Mar-20

#### YES **NOT A NHS ROUTE** LOCAL RURAL ROAD **NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 (62) CULVERT CONDITION (IF APPLICABLE): DESIGN LOAD AND WEIGHT POSTING HS-20-44 **ALL LEGAL LOADS ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** APPRAISAL (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0N00 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 1/10/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

6

6

5

Ν

6

6

8

N/A

1/10/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 420A0650001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A065 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MOORE BRANCH RD. COUNTY SEQUENCE: 1 CROSSING: MOORE BRANCH LOG MILE: 0.31 SUFFICIENCY RATING: 94.8 LOCATION: 6 M. NE. ERIN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.35783 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.60102 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 46.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.3 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HOUSTON

ROUTE: 0A074

BRIDGE ID NUMBER: 420A0740001
BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: **LEATHERWOOD RD.**CROSSING: **LEATHERWOOD CREEK** 

LOCATION: 9 M. E. ERIN.

SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 0.57
SUFFICIENCY RATING: 92.7

LOCATION. 9 W. E. ERIN.	SOFFICIENCT RATING. 92.7
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.31422 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.53377 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(1.6)	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 4	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 4
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):  6
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE:  5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 51.8 FT	(71) WATERWAY ADEQUACY: 4 (72) APPROACH ROADWAY ALIGNMENT: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	•
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: <b>0N00</b> (113) SCOUR CONDITION RATING: <b>8</b>
(51) BRIDGE CURB TO CURB WIDTH: 22.6 FT	
(52) BRIDGE OUT TO OUT WIDTH: 26.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 1/24/2020
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):  N (92c) DATE OF SPECIAL INSPECTION (MOVEN)
NAVIGATION DATA	
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

5

Ν

6

8

8

N/A

1/8/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 420A0760001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HERMAN ADAMS RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.02 SUFFICIENCY RATING: 96.2 LOCATION: 5 M. E. ERIN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.31033 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.60552 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 30.5 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

7

7

7

6

Ν

7

8

8

N/A

1/8/2020

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 420A0760003 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HERMAN ADAMS RD. COUNTY SEQUENCE: 1 CROSSING: DRY BRANCH LOG MILE: 0.69 SUFFICIENCY RATING: 96.9 LOCATION: 5.5 M. E. ERIN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.30875 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.59383 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE \* **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1982 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 22.7 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.2 FT RECOMMENDED IMPROVEMENTS 30.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

8

8

8

7

N

7

5

N

7

8

8

N/A

1/28/2020

24

Ν

Ν

N/A

N/A

1111

HS-20-44

BRIDGE ID NUMBER: 420A0860001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A086 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TILDEN RICHARDSON LN. COUNTY SEQUENCE: 1 CROSSING: BRIGHAM BRANCH LOG MILE: 0.58 SUFFICIENCY RATING: 98.7 LOCATION: BRIGHAM BRIDGE RD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34512 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.68022 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2002 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 57.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 58.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

4

N

6

6

8

N/A

1/14/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 420A0970001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A097 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BETHANY RD. COUNTY SEQUENCE: 1 CROSSING: SALMON BRANCH LOG MILE: 3.92 SUFFICIENCY RATING: 86.2 LOCATION: 8 M. SE. ERIN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25500 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.58057 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 55.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

6

7

7

5

Ν

6

6

8

N/A

1/14/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 420A1010001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A101 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JONES HOLLOW LN. COUNTY SEQUENCE: 1 CROSSING: SALMON BRANCH LOG MILE: 0.00 SUFFICIENCY RATING: 97.0 LOCATION: 7.5 M. SE. ERIN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24770 DEGREES 87.59458 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 420A1090001 COUNTY: HOUSTON
BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A109
FIPS CODE: 24320 SPECIAL CASE: 0
ROAD NAME: CUMBERLAND VALLEY RD. COUNTY SEQUENCE: 1

CROSSING: HALF PONE BRANCH

LOCATION: 8 M. S. ERIN.

SUFFICIENCY RATING: 96.0

LOCATION: 8 M. S. ERIN.	SUFFICIENCY RATING: 96.0
IDENTIFICATION ————	
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER:  N 36.20578 DEGREES  N/A  **TOPIC	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: (104) NOT ARRIVER BRIDGE (105) TEMPORARY BRIDGE: (106) ARRIVER BRIDGE: (107) TEMPORARY BRIDGE: (108) ARRIVER BRIDGE: (109) TEMPORARY BRIDGE: (109) ARRIVER BRIDGE: (100) ARRIVER BRIDGE: (100) ARRIVER BRIDGE: (101) ARRIVER BRIDGE: (102) ARRIVER BRIDGE: (103) ARRIVER BRIDGE: (104) ARRIVER BRIDGE: (105) ARRIVER BRIDGE: (106) ARRIVER BRIDGE: (107) ARRIVER BRIDGE: (108) ARRIVER BRIDGE: (109) ARRIVER BRID
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	——— CONDITION RATINGS ————
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1974	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BUILT.  (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 39.0 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 23.3 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 25.9 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.3 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 2/3/2020
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 420A1100001 COUNTY: HOUSTON
BRIDGE OWNER: HOUSTON COUNTY
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: TOM CLARK LN. COUNTY SEQUENCE: 1
CROSSING: DRY CREEK LOG MILE: 0.06
LOCATION: 5.5 M. E. ERIN. SUFFICIENCY RATING: 91.2

LOCATION: 5.5 M. E. ERIN.	SUFFICIENCY RATING: 91.2	
IDENTIFICATION —	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.31453 DEGREE	S (112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 87.60172 DEGREE	S (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N	(A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD	
(98b) PERCENT SHARE: N	(A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABI	E (102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS	
(Hay) II THO THE WITH ENDINE. NOT ALL ELOADEE	NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS:	2 CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS:	0 (58) DECK: N	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLAC		
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N	
A) TYPE OF SURFACE: MONOLITHIC CONCRET		
B) TYPE MEMBRANE: NON		
C) TYPE PROTECTION: NON		
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44	
(27) YEAR THE BRIDGE WAS BUILT: 19	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS	
(42a) SERVICE ON BRIDGE: HIGHWA	(70) BRIDGE POSTING CODE:	
(42b) UNDER BRIDGE: WATERWA		
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2 APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0 (67) STRUCTURAL EVALUATION: 7	
GEOMETRIC DATA	(68) DECK GEOMETRY: 5	
(48) MAXIMUM SPAN LENGTH: 15.1	(69) UNDERCLEARANCE RATING: N	
(49) TOTAL BRIDGE LENGTH: 33.1 I	(71) WATERWAY ADEQUACY:	
(50a) LEFT SIDEWALK WIDTH: 0.0 I	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50b) RIGHT SIDEWALK WIDTH: 0.0 I	(36) TRAFFIC SAFETY FEATURES: 0N00	
(51) BRIDGE CURB TO CURB WIDTH: 22.3 I	T (113) SCOUR CONDITION RATING: 8	
(52) BRIDGE OUT TO OUT WIDTH: 25.9 I		
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 I	T (75) TYPE OF WORK: <b>NOT APPLICABLE</b>	
(33) BRIDGE MEDIAN: NO MEDIA		
(34) BRIDGE SKEW: 0 DEGREE	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE: NO FLAR	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION		
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 I		
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROA	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABI	<b>.E</b> (90) DATE OF LAST REGULAR INSPECTION: 1/8/2020	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROA	D (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABI	.E (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABI	.E (92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
NAVIGATION DATA		
(38) NAV CONTROL: NO NAVIGATION CONTRO	OL (92c) SPECIAL INSP FREQUENCY (MONTHS):	

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

5

Ν

6

8

8

N/A

1/8/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 420A1100003 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A110 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TOM CLARK LN. COUNTY SEQUENCE: 1 CROSSING: GUICES CREEK LOG MILE: 0.10 SUFFICIENCY RATING: 91.2 LOCATION: 5.5 M. E. ERIN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31443 DEGREES (17a,b) LONGITUDE: 87.60102 DEGREES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 29.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 15.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HOUSTON

ROUTE: 0A113

BRIDGE ID NUMBER: 420A1130001
BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 24320

ROAD NAME: **WOOLWORTH RD.**CROSSING: **PATTERSON BRANCH** 

LOCATION: 7 M. S. ERIN.

SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 0.01
SUFFICIENCY RATING: 97.0

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.21712 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.67143 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1972	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
` '	(68) DECK GEOMETRY: 6
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(71) WATERWAY ADEQUACY: 8
(49) TOTAL BRIDGE LENGTH: 30.8 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: <b>26.2 FT</b> (52) BRIDGE OUT TO OUT WIDTH: <b>26.2 FT</b>	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 28.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 2/3/2020
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(	

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 420A1190001
BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: **KEEL HOLLOW RD.**CROSSING: **PATTERSON BRANCH** 

LOCATION: 6.5 M. S. ERIN.

COUNTY: HOUSTON ROUTE: 0A119

LOG MILE: 0.10

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 91.6

#### IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.22055 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.66695 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 37.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/3/2020 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

7

6

4

N

6

6

8

N/A

1/9/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 420A1230001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A123 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RYE LOOP COUNTY SEQUENCE: 1 CROSSING: BATEMAN BRANCH LOG MILE: 0.11 SUFFICIENCY RATING: 87.7 LOCATION: 4.5 M. SE. ERIN. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27692 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.64273 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE \* **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 37.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

7

7

6

4

Ν

6

6

8

N/A

1/9/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 420A1230005 BRIDGE OWNER: HOUSTON COUNTY

> FIPS CODE: 00000 ROAD NAME: RYE LOOP CROSSING: BRANCH

LOCATION: .43 M S BATEMAN BR RD

COUNTY: HOUSTON

ROUTE: 0A123 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.43 SUFFICIENCY RATING: 80.3

#### IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27265 DEGREES 87.64370 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 29.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

R

4

Ν

6

8

8

N/A

1/9/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 420A1230003 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A123 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HALF PONE RD. COUNTY SEQUENCE: 1 CROSSING: BATEMAN BRANCH LOG MILE: 3.25 SUFFICIENCY RATING: 86.9 LOCATION: 5 M. SE. ERIN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27117 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.62788 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE \* **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 420A1280001

BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: **JOE ADAMS RD.**CROSSING: **GUICES CREEK**LOCATION: **5.5 M. E. ERIN.** 

COUNTY: HOUSTON
ROUTE: 0A128
SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 0.35 SUFFICIENCY RATING: 89.7

LOCATION. 5.5 W. E. ERIN. SOFTICIENCE RATING. 69.7		
IDENTIFICATION ————————————————————————————————————		
(16a,b) LATITUDE: N 36.30378 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 87.59287 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS	
(TIC) / II TICOT / II TICA	NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: <b>0</b>	(58) DECK: N	
(107) TYPE OF DECK: <b>NOT APPLICABLE</b>	(59) SUPERSTRUCTURE: N	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N	
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7	
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 7	
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: HL-93	
(27) YEAR THE BRIDGE WAS BUILT: 2017	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS	
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7	
GEOMETRIC DATA	(68) DECK GEOMETRY: 5	
(48) MAXIMUM SPAN LENGTH: 12.0 FT	(69) UNDERCLEARANCE RATING:	
(49) TOTAL BRIDGE LENGTH: 28.3 FT	(71) WATERWAY ADEQUACY: 7	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: 5	
(51) BRIDGE CURB TO CURB WIDTH: 24 FT		
(52) BRIDGE OUT TO OUT WIDTH: 38.1 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(75) TYPE OF WORK: NOT APPLICABLE	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE: YES, FLARED	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	, ,	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 1/8/2020	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):  N (93c) DATE OF SPECIAL INSPECTION (MOVEN):  NA	
NAVIGATION DATA		
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N	

N/A

N/A

N/A

PUBLICATION DATE
19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: HOUSTON

ROUTE: 0A134

BRIDGE ID NUMBER: 420A1340003 BRIDGE OWNER: HOUSTON COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SONNY LN. COUNTY SEQUENCE: 1

CROSSING: BATEMAN BRANCH LOCATION: 2 M. SE. ERIN.

LOG MILE: 0.02 SUFFICIENCY RATING: 97.0

(16a,b) LATITUDE: N 36.29698 DEGREES (17a,b) LONGITUDE: 87.67218 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** 

## BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

3
i: 0
CONCRETE CAST-IN-PLACE
AND DECK PROTECTION:

A) TYPE OF SURFACE: MONOLITHIC CONCRETE B) TYPE MEMBRANE: **NONE** NONE C) TYPE PROTECTION:

#### — AGE AND SERVICE —

	71027112 02111102	
1983	27) YEAR THE BRIDGE WAS BUILT:	(27)
N/A	106) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY	42a) SERVICE ON BRIDGE:	(42a)
WATERWAY	42b) UNDER BRIDGE:	(42b)
2	28a) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0	28b) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

### GEOMETRIC DATA —

15.1 FT	(48) MAXIMUM SPAN LENGTH:
47.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
22 FT	(51) BRIDGE CURB TO CURB WIDTH:
26.2 FT	(52) BRIDGE OUT TO OUT WIDTH:
20.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: <b>22.0 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADW

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

#### NAVIGATION DATA =

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	: <b>N/A</b>
(40)	NAVIGATION HORZ CLEARANCE	: <b>N/A</b>

**PUBLICATION DATE** 19-Mar-20

 CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** 

#### CONDITION RATINGS =

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

#### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	

#### **APPRAISAL**

ALLMAIOAE	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK: NOT APPLICABLE	
(76)	LENGTH OF BRIDGE IMPROVEMENT:	N/A
(0.4)	PRINCE IMPROVEMENT COST.	

(94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

1/6/2020	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

5

7

7

6

Ν

4

8

8

N/A

1/14/2020

24

N/A

N/A

Ν

Ν

1N10

HL-93

2-WAY TRAFFIC

BRIDGE ID NUMBER: 420A1380001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A138 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TOM STANFILL LOOP COUNTY SEQUENCE: 1 CROSSING: DRY BRANCH LOG MILE: 1.27 LOCATION: TOM STANFILL LOOP SUFFICIENCY RATING: 92.9 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.26117 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν 87.55410 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2011 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.3 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 38.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.6 FT RECOMMENDED IMPROVEMENTS 30.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.6 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 420A1390001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A139 SPECIAL CASE: 0 FIPS CODE: 24320 ROAD NAME: HALLIE GRIFFIN LN. COUNTY SEQUENCE: 1 CROSSING: MUSTERGROUND CREEK LOG MILE: 0.04 SHEELCIENCY DATING: 02 0

LOCATION: 6.5 M. E. ERIN.	SUFFICIENCY RATING: 93.9
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.30990 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.65642 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 8
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 2000	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT.  (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
` '	APPRAISAL —————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL (67) STRUCTURAL EVALUATION: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	_
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE:  (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  15.1 FT	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 50.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 1N11
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 1N11
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.1 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: 27.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 27.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (1113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  N/A  (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: 27.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  1/6/2020  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  24  (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (55a) HORZ UNDERCLE: (55a) HORZ UNDERCLE: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  (92b) UNDERWATER INSP FREQUENCY (MONTHS):  N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  (92b) UNDERWATER INSP FREQUENCY (MONTHS):  NA  (93c) DATE OF SPECIAL INSPECTION (MO/YR):  N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A PPLICABLE (566) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  (92b) UNDERWATER INSP FREQUENCY (MONTHS):  N

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 420A1430001 COUNTY: HOUSTON
BRIDGE OWNER: CITY OF ERIN ROUTE: 0A143
FIPS CODE: 24320 SPECIAL CASE: 0
ROAD NAME: VALLEY ST. COUNTY SEQUENCE: 1
CROSSING: ERIN BRANCH LOG MILE: 0.01
LOCATION: BWT-MAIN&MAPLE ST.IN ERIN SUFFICIENCY RATING: 80.6

IDENTIFICATION —————	CLASSIFICATION ————
(16a,b) LATITUDE: N 36.31918 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.68752 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-10-44
(27) YEAR THE BRIDGE WAS BUILT: 1960	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
( ILD) CHELK BRIDGE.	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
	APPRAISAL (67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 24.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH:  2 2 2 2 2 2 3 6 7 7 7 8 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (0000 (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 22  23  24  26  27  27  28  29  20  20  21  22  23  24  24  24  25  26  27  28  29  20  20  21  22  23  24  24  24  24  24  24  24  26  27  28  28  28  28  28  28  28  28  28	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (0000 (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 22 22 24 25 26 26 26 26 26 26 26 26 27 26 27 28 28 28 29 20 20 21 21 21 21 21 21 21 21 21 21 21 21 21	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  12.1 FT 24.9 FT 24.9 FT 25.9 FT 26.2 FT 26.2 FT 27.0 MEDIAN 28.1 MO MEDIAN 29.1 MEDIAN 20.2 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (636) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  20  21  22  24  25  26  26  27  12.1 FT  24.9 FT  24.9 FT  25  26.2 FT  27  28  29  20  21  21  21  22  22  23  24  25  26  26  27  27  28  29  20  20  21  20  21  21  21  22  23  24  25  26  26  27  28  29  20  20  21  20  21  21  21  21  21  21	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (636) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (20) TO DEGREES (35) VERT UNDERCLR: (36) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (36) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL UNDERCLEARANCE: (540) MIN VERTICAL UNDERCLEARANCE: (540) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (636) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENTS (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (50) NOT APPLICABLE (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (50) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55c) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

5

5

5

Ν

4

8

8

N/A

1/9/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 420A1450003 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A145 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BAILEY HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.97 SUFFICIENCY RATING: 84.0 LOCATION: BAILEY HOLLOW RD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27090 DEGREES 87.59323 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



BRIDGE ID NUMBER: 420A1490001 BRIDGE OWNER: HOUSTON COUNTY

> FIPS CODE: 00000 ROAD NAME: LIMEKILN RD. CROSSING: BRANCH

LOCATION: 2 M.SE. TENN. RIDGE

COUNTY: HOUSTON

ROUTE: 0A149 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.95 SUFFICIENCY RATING: 82.1

LOCATION: 2 M.SE. TENN. RIDGE	SUFFICIENCY RATING: 82.1
IDENTIFICATION ————	
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER:  BRIDGE TYPE AND MATERIAL  (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS  (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: (103) TEMPORARY BRIDGE: (104) NATIONAL TRUCK ROUTE: (105) NOT APPLICABLE (110) NATIONAL TRUCK ROUTE: (110) NATIONAL TRUCK ROUTE: (110) NOT ON TRUCK NETWORK (110) NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	(58) DECK: N (59) SUPERSTRUCTURE: N (60) SUBSTRUCTURE: N (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1986 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (70) BRIDGE POSTING CODE: 5 (41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
(48) MAXIMUM SPAN LENGTH:       15.1 FT         (49) TOTAL BRIDGE LENGTH:       34.1 FT         (50a) LEFT SIDEWALK WIDTH:       0.0 FT         (50b) RIGHT SIDEWALK WIDTH:       0.0 FT         (51) BRIDGE CURB TO CURB WIDTH:       22.3 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0N00 (113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 26.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  28.0 FT  18.0 FT  NO MEDIAN  20 DEGREES  NO FLARE  NO RESTRICTION  21.3 FT	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 2/6/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(66) 1111/ 661/7561	(00.) 0000000 00000000000000000000000000

NO NAVIGATION CONTROL

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 420A1500003 BRIDGE OWNER: CITY OF ERIN

FIPS CODE: 24320

ROAD NAME: ROCKY HOLLOW RD.

CROSSING: BRANCH

LOCATION: ROCKY HOLLOW RD. IN ERIN.

COUNTY: HOUSTON ROUTE: 0A150

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 0.63 SUFFICIENCY RATING: 95.8

#### IDENTIFICATION CLASSIFICATION =

9.8 FT

N/A

(16a,b) LATITUDE: Ν 36.31480 DEGREES (17a,b) LONGITUDE: 87.70605 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** 

### BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **NOT APPLICABLE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **NOT APPLICABLE** B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION:

#### AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1966 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

### GEOMETRIC DATA

(49) TOTAL BRIDGE LENGTH: 24.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 00 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** 25.9 FT

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

#### NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE:

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD

(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** 

(102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** 

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** 

#### CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	7

#### DESIGN LOAD AND WEIGHT POSTING

HS-20-44	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
5	(70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS:

	APPRAISAL
7	(67) STRUCTURAL EVALUATION:
N	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
5	(71) WATERWAY ADEQUACY:
8	(72) APPROACH ROADWAY ALIGNMENT:
0000	(36) TRAFFIC SAFETY FEATURES:
8	(113) SCOUR CONDITION RATING:

### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 2/5/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(48) MAXIMUM SPAN LENGTH:



YES

BRIDGE ID NUMBER: 420A1500001 BRIDGE OWNER: CITY OF ERIN

FIPS CODE: 24320

ROAD NAME: ROCKY HOLLOW RD. CROSSING: ERIN BRANCH

LOCATION: ROCKY HOLLOW RD. IN ERIN.

COUNTY: HOUSTON

ROUTE: 0A150

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 0.67 SUFFICIENCY RATING: 85.8

#### - IDENTIFICATION CLASSIFICATION =

(16a,b) LATITUDE: Ν 36.31553 DEGREES (17a,b) LONGITUDE: 87.70602 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** 

#### BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: NOT APPLICABLE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION:

#### AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 1966 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

### GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 26.9 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 16 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(56) MIN HORZ UNDERCLR ON LEFT:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

NAVIGATION DATA

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT A HIGHWAY OR RAILROAD** 

(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

**NOT BEEN DETERMINED** 

#### CONDITION RATINGS =

(58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): 5

#### **DESIGN LOAD AND WEIGHT POSTING**

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN** 

#### APPRAISAL

(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 2/5/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:



BRIDGE ID NUMBER: 420A1510001 BRIDGE OWNER: CITY OF ERIN

FIPS CODE: 24320

ROAD NAME: ARLINGTON ST. CROSSING: ERIN BRANCH

LOCATION: ARLINGTON ST. IN ERIN.

COUNTY: HOUSTON

ROUTE: 0A151

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 2.06 SUFFICIENCY RATING: 82.2

CLASSIFICATION	LOCATION: <b>Arlington St. in Erin.</b>	SUFFICIENCY RATING: 82.2
(173_b) LONGITUDE: W 87.71282 DEGREES (194) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE (198) BORDER BRIDGE STATE CODE: NAT (265) FUNCTIONAL CLASS: NOT A NHS ROUTE (199) PARALLEL BRIDGE (192) TRAFFIC DIR: 2-WAY TRAFFIC (192) TRAFFIC DIR: NOT APPLICABLE (193) PARALLEL BRIDGE: NOT APPLICABLE (194) NATIONAL PROPERTY BRIDGE: NOT APPLICABLE (194) NATIONAL HIGHWAY SYSTEM: NOT APPLICABLE (195) TRAFFIC DIR: 2-WAY TRAFFIC (192) TRAFFIC DIR: NOT APPLICABLE (194) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (374) MIND SPAM MATERIAL: NOT APPLICABLE (195) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (377) TYPE OF APPROACH SPANS: 0 (197) TYPE OF PECK: CONCRETE CAST-IN-PLACE (198) TYPE OF PECK: CONCRETE CAST-IN-PLACE (198) TYPE OF PROPERTY BRIDGE: NOT APPLICABLE (199) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (377) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT APPLICABLE (199) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (377) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT APPLICABLE (199) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (377) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT APPLICABLE (199) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (377) HISTORICAL CLASS: HISTORICAL	IDENTIFICATION ———	
(43a) MAN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE  (45) NUMBER OF MAIN SPANS: (46) NUMBER OF MAIN SPANS: (46) NUMBER OF MAIN SPANS: (46) NUMBER OF DECK: (46) NUMBER OF DECK: (47) TYPE OF DECK: (48) NUMBER OF MAIN SPANS: (49) TYPE OF WEARING SURFACE AND DECK PROTECTION: (47) TYPE OF SURFACE: (48) NAMIMUM SPAN LENGTH: (49) SPAN SERVICE  GEOMETRIC DATA  GEO	(17a,b) LONGITUDE: W 87.71282 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: W 87.71282 DEGREES N/A	(104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR:  NOT A NHS ROUTE LOCAL RURAL ROAD NO PARALLEL BRIDGE 2-WAY TRAFFIC
(44s) APPR SPAN MATERIAL: CONCRETE CONTINUOUS (44s) APPR SPAN MATERIAL: NOT APPLICABLE  (44s) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: ASPHALT B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE  AGE AND SERVICE (27) YEAR THE BRIDGE WAS BUILT: 1933 (106) YEAR THE BRIDGE WAS BUILT: 1934 (42e) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY (42b) UNDER BRIDGE: 0 (48) MAXIMUM SPAN LENGTH: 12.1 FT (50a) LEFT SIDEWALK WIDTH: 25.9 FT (50b) RIGHT SIDEWALK WIDTH: 30.5 FT (51) BRIDGE CURB VIDTH: 30.5 FT (52) BRIDGE CURB VIDTH: 30.5 FT (52) BRIDGE CURB TO OUT WIDTH: 36.1 FT (52) BRIDGE CURB TO OUT WIDTH: 36.1 FT (52) APPROACH ROADWAY (W/SHLDS) WIDTH: 25.9 FT (53) APPROACH ROADWAY (W/SHLDS) WIDTH: 30.5 FT (52) APPROACH ROADWAY (W/SHLDS) WIDTH: 36.1 FT (52) APPROACH ROADWAY (W/SHLDS) WIDTH: 36.1 FT (53) BRIDGE BLARE: NOT APPLICABLE (540) MIN VERTICAL CLEARANCE OVER RD. NOT APPLICABLE (550) MIN VERTICAL CLEARANCE ON ROADWAY: 30.2 ET (551) HORZ UNDERCLE: NOT A HIGHWAY OR RAILROAD (564) WERT UNDERCLE: NOT A HIGHWAY OR RAILROAD (565) MIN HORZ UNDERCLE NO RIGHT: NOT APPLICABLE (550) MIN HORZ UNDERCLE NO RIGHT: NOT APPLICABLE (565) MIN HORZ UNDERCLE NO RIGHT: NOT APPLICABLE (566) MIN HORZ UNDERCLE NO ROADWAY OR NAILROAD (58) MAY CONTROL: NO NAVIGATION CONTROL  (38) NAV CONTROL: NO NAVIGATION CONTROL  (39) DATE OF LAST ENGUENCY (MONTHS): NA (39) DATE OF LAST LUNDERCURY (MONTHS): NA (39) DATE OF LAST LUNDERCURY (MONTHS): NA (39) DATE OF LAST LUNDERCURY (MONTHS): N	BRIDGE TYPE AND MATERIAL	
(48) NIMBER OF APPROACH SPANS: (108) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF SURFACE: ASPHALT B) TYPE OF SURFACE: ASPHALT B) TYPE MEMBRANE: NONE C) TYPE MEMBRANE: NONE (27) YEAR THE BRIDGE WAS BUILT: 1993 (106) YEAR THE BRIDGE WAS REHABILITATED: M(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES CARRIED BY BRIDGE: 4 (49) TOTAL BRIDGE LENGTH: 5 (50) LEFT SIDEWALK WIDTH: 5 (51) BRIDGE CURB TO CURB WIDTH: 3 0.5 FT 3 (31) BRIDGE REDIT O CURB WIDTH: 3 0.5 FT 3 (32) APPROACH ROADWAY (W SHLDS) WIDTH: 3 (34) BRIDGE SKEW: 0 DEGREES 3 (35) BRIDGE FLARE: NO TA HIGHWAY OR RAILROAD (S4) WIN VERTICAL LLEARANCE O NE RD.  (S4) WIN VERTICAL LLEARANCE ON RIGHT: NOT A PIPLICABLE (S5) MIN HORZ UNDERCLER ON RIGHT: NOT A PIPLICABLE (S6) MIN HORZ UNDERCLER ON RIGHT: NOT A PIPLICABLE (S6) MIN HORZ UNDERCLER ON RIGHT: NOT APPLICABLE (S6	` '	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(88) DECK: N (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: ASPHALT B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE  AGE AND SERVICE  (27) YEAR THE BRIDGE WAS BUILT: 1993 (106) YEAR THE BRIDGE WAS REHABILITATED: NAA (422) SERVICE ON BRIDGE: WASTENDER	(45) NUMBER OF MAIN SPANS:	———— CONDITION RATINGS
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (A) TYPE OF SURFACE: ASPHALIT B) TYPE MEMBRANE: NOME C) TYPE PROTECTION: NOME C) TYPE PROTECTION: NOME (27) YEAR THE BRIDGE WAS BUILT: 1993 (106) YEAR THE BRIDGE WAS REHABILITATED: NAME (42) SERVICE ON BRIDGE: WASTERWAY (42b) UNDER BRIDGE: OGEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 30.5 FT (52) BRIDGE CURB TO CURB WIDTH: 30.5 FT (52) BRIDGE CURB TO CURB WIDTH: 30.5 FT (52) BRIDGE GURB TO CURB WIDTH: 30.5 FT (52) BRIDGE SKEW: O DEGREE CASTINION (33) BRIDGE FLARE: NO FLARE (33) BRIDGE FLARE: NO FLARE (34) BRIDGE SKEW: O DEGREE CASTINION (35) BRIDGE FLARE: NO FLARE (35) BRIDGE FLARE: NOT A HIGHWAY OR RAILROAD (550) MIN VERTICAL CLEARANCE ON ROADWAY: 30.2 FT (563) HORZ UNDERCLE: NOT A HIGHWAY OR RAILROAD (555) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (556) MORZ UNDERCLER: NOT A HIGHWAY OR RAILROAD (556) MIN HORZ UNDERCLER ON LEFT: NOT APPLICABLE (56) MIN HORZ UNDERCLER ON RIGHT: NOT APPLICABLE (56) MORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (56) MIN HORZ UNDERCLER ON RIGHT: NOT APPLICABLE (56) MORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (56) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (56) MAY CONTROL: NOT APPLICABLE (5	` ,	(58) DECK: N
(80) SUBSTRUCTURE: (81) STREAM CHANNEL AND CHANNEL PROTECTION: 8 (81) STREAM CHANNEL AND CHANNEL PROTECTION: 8 (81) STREAM CHANNEL AND CHANNEL PROTECTION: 8 (82) CULVERT CONDITION (IF APPLICABLE): 7 (82) CULVERT CONDITION (IF APPLICABLE): 7 (83) DESIGN LOAD AND WEIGHT POSTING (62) CULVERT CONDITION (IF APPLICABLE): 7 (84) TOTAL BRIDGE WAS BUILT: 1993 (84) SERVICE ON BRIDGE: HIGHWAY (842) UNDER BRIDGE: HIGHWAY (842) UNDER BRIDGE: WATERWAY (843) MAXIMUM SPAN LENGTH: 12.1 FT (843) MAXIMUM SPAN LENGTH: 12.1 FT (850) LEFT SIDEWALK WIDTH: 0.0 FT (850) RIGHT SIDEWALK WIDTH: 30.5 FT (851) BRIDGE CURB TO CUTR WIDTH: 36.1 FT (852) BRIDGE OUT TO OUT WIDTH: 36.1 FT (852) BRIDGE FLARE: NO BENDIAN: NO MEDIAN (343) BRIDGE SKEW: 0 DEGREES (353) BRIDGE FLARE: NO FLARE (852) MIN VERTICAL CLEARANCE ON ROADWAY: 30.2 FT (544) VERT UNDERCLE: NOT A HIGHWAY OR RAILROAD (555) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (556) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (556) MIN HORZ UNDERCLER NO RIGHT: NOT APPLICABLE (556) MIN HORZ UNDERCLER NO RIGHT: NOT APPLICABLE (556) MIN HORZ UNDERCLER NO RIGHT: NOT APPLICABLE (566) MIN HORZ UNDERCLER ON RIGHT: NOT APPLICABLE (567) MAY GATE ON A POPLICABLE (568) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY OR RAILROAD (569) MIN HORZ UNDERCLER NOT A HIGHWAY	` '	(59) SUPERSTRUCTURE: N
A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE  AGE AND SERVICE  AGE AND SERVICE  (27) YEAR THE BRIDGE WAS BUILT: (1993) (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE: (28b) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDDE: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (50c) BRIDGE CURB TO CURB WIDTH: (50c) BRIDGE CURB TO CURB WIDTH: (50c) APPROACH ROADWAY (W/ SHLDS) WIDTH: (50c) APPROACH ROADWAY (W/ SHLDS) WIDTH: (50c) APPROACH ROADWAY (W/ SHLDS) WIDTH: (50c) MIN VERTICAL CLEARANCE OVER RD: (50c) MIN VERTICAL CLEARANCE OVER RD: (50c) MIN VERTICAL CLEARANCE ON RIGHT: (50	` '	(60) SUBSTRUCTURE: N
B) TYPE MEMBRANE: C) TYPE PROTECTION:  AGE AND SERVICE  AGE AND SERVICE  1993 (106) YEAR THE BRIDGE WAS BUILT: 1903 (128) NUMBER OF LANES CARRIED BY BRIDGE: 2080 NUMBER OF LANES CARRIED BY BRIDGE: 2080 NUMBER OF LANES UNDER THE BRIDGE: 2090 MIN VERTICAL CLEARANCE OVER RD: 33) BRIDGE GURB TO OUT WIDTH: 30, BRIDGE GURB WIDTH: 30, BRIDGE GURB TO CURB WIDTH: 30, APPROACH ROADWAY (W/SHLDS) WIDTH: 30, BRIDGE MEDIAN: 30, BRIDGE MEDIAN: 30, BRIDGE MEDIAN: 30, BRIDGE SKEW: 30, DESIGN LOAD AND WEIGHT POSTING 47) MIN HORIZONTAL CLEARANCE OVER RD: 30, MAN VERTICAL CLEARANCE ON ROADWAY: 30, BRIDGE MEDICAL: 30, MAN VERTICAL CLEARANCE ON RIGHT: 30, NOT A HIGHWAY OR RAILROAD 30, MIN VERTICAL UNDERCLER: 30, MIN VERTICAL UNDERCLER: 30, MIN VERTICAL UNDERCLER: 30, MOT A HIGHWAY OR RAILROAD 30, MIN VERTICAL UNDERCLER: 30, MIN HORZ UNDERCLER: 30, MAN VERTICAL UNDERCLER: 30, NOT A HIGHWAY OR RAILROAD 30, MIN HORZ UNDERCLER: 30, MAN VERTICAL		(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
C) TYPE PROTECTION:  AGE AND SERVICE  (27) YEAR THE BRIDGE WAS BUILT: (28) YEAR THE BRIDGE WAS REHABILITATED: (28) NUMBER OF LANES CARRIED BY BRIDGE: (28) NUMBER OF LANES UNDER THE BRIDGE: (29) MIN VERT LOUT OUT WIDTH: (500) LEFT SIDEWALK WIDTH: (500) RIDGE CURB TO CURB WIDTH: (51) BRIDGE OUT TO OUT WIDTH: (52) APPROACH ROADWAY (W/SHLDS) WIDTH: (53) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (36) SRIDGE FLARE: (520) MIN VERTICAL CLEARANCE ON ROADWAY: (37) MIN HORIZONTAL CLEARANCE ON ROADWAY: (38) NAV CONTROL:  NOT A PHICABLE (56) MIN HORZ UNDERCLR: NOT A PPILICABLE (57) TYPE OF WORK: NOT APPLICABLE (58) DATE OF LAST UNDERWATER INSP FREQUENCY (MONTHS): NA (38) NAV CONTROL:  NO NAVIGATION DATA  (39) DATE OF LAST UNDERWATER INSP FREQUENCY (MONTHS): NA (38) NAV CONTROL:  NO NAVIGATION CONTROL  (31) DESIGN LOAD AND WEIGHT POSTING (31) DESIGN LOADING: WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (41) WT POSTING STUS: (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (69) UNDERCLEARANCE RATING: (69) UNDERCLEARANCE RATING: (69) UNDERCLEARANCE RATING: (69) UNDERCLEARANCE PARICAL (69) UNDERCLEARAN	,	(62) CULVERT CONDITION (IF APPLICABLE): 7
WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS  WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  (70) BRIDGE OPEN  WATERWAY  APPRAISAL  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS  TO BRIDGE OUT: ALL LEGAL LOADS  TO BRIDGE POSTING CODE:  (41) WT POSTING STATUS: OPEN  APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 5  SO DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 5  SO WOOD  (72) APPROACH ROADWAY ALIGNMENT: 8  (36) TRAFFIC SAFETY FEATURES: ONDO  (13) SCOUR CONDITION RATING: 8  (36) TRAFFIC SAFETY FEATURES: ONDO  (13) SCOUR CONDITION RATING: 8  (36) TRAFFIC SAFETY FEATURES: ONDO  (13) SCOUR CONDITION RATING: 8  (36) TRAFFIC SAFETY FEATURES: ONDO  (13) SCOUR CONDITION RATING: 8  (36) TRAFFIC SAFETY FEATURES: ONDO  (36) WINDEROLEARANCE ONDO  (36) BRIDGE MEDIAN: NOT APPLICABLE  (37) TYPE OF WORK: NOT APPLICABLE  (38) BRIDGE MEDIAN: NOT APILICABLE  (39) BRIDGE IMPROVEMENT COST: OST: OST: OST: OST: OST: OST: OST:	,	DESIGN LOAD AND WEIGHT POSTING
WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS (106) YEAR THE BRIDGE WAS REHABILITATED: NAW (42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDER CLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0NOO (50b) RIGHT SIDEWALK WIDTH: 30. FT (52) BRIDGE CURB WIDTH: 36.1 FT (32) APPROACH ROADWAY (W/SHLDS) WIDTH: 35.1 FT (32) APPROACH ROADWAY (W/SHLDS) WIDTH: 35.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE ON ROADWAY: 30.2 FT (54a) VERT UNDERCLE: NOT A HIGHWAY OR RAILROAD (45b) MIN VERTICAL UNDERCLERANCE: NOT A PPLICABLE (55a) HORZ UNDERCLE: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLERANCE: NOT A PPLICABLE (55b) MIN HORZ UNDERCLE ROADWAY: NOT A PPLICABLE (55b) MIN HORZ UNDERCLE ROADWAY: NOT A PPLICABLE (55b) MIN HORZ UNDERCLE ROADWAY OR RAILROAD (55b) MIN HORZ UNDERCLE ROAD (55c) HORZ UND	AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
MA   SRINGE WAS REHABILITATED:   N/A   HIGHWAY		WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE:   HIGHWAY     (42b) UNDER BRIDGE:   WATERWAY     (22a) NUMBER OF LANES CARRIED BY BRIDGE:   2     (28b) NUMBER OF LANES UNDER THE BRIDGE:   0     (4e) MAXIMUM SPAN LENGTH:   12.1 FT     (49) TOTAL BRIDGE LENGTH:   25.9 FT     (50a) LEFT SIDEWALK WIDTH:   0.0 FT     (51) BRIDGE CURB WIDTH:   30.5 FT     (52) BRIDGE OUT TO OUT WIDTH:   36.1 FT     (32) APPROACH ROADWAY (W. SHLDS) WIDTH:   35.1 FT     (33) BRIDGE MEDIAN:   NO MEDIAN     (34) BRIDGE SKEW:   0 DEGREES     (35) BRIDGE FLARE:   NOT A HIGHWAY OR RAILROAD     (47) MIN HORIZONTAL CLEARANCE OVER RD:   NOT APPLICABLE     (56) MIN VERTICAL UNDERCLE:   NOT A HIGHWAY OR RAILROAD     (56) MIN HORZ UNDERCLE ON LEFT:   NOT APPLICABLE     (57) STRUCTURAL EVALUATION:   7	` ,	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(22b) NUMBER OF LANES CARRIED BY BRIDGE: (22b) NUMBER OF LANES UNDER THE BRIDGE: (22c) OMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (50c) BRIDGE CURB TO CURB WIDTH: (50c) BRIDGE CURB TO CURB WIDTH: (50c) BRIDGE OUT TO OUT WIDTH: (50c) BRIDGE OUT TO OUT WIDTH: (50c) BRIDGE OUT TO OUT WIDTH: (50c) BRIDGE MEDIAN: (30) BRIDGE MEDIAN: (30) BRIDGE FLARE: (30) BRIDGE IMPROVEMENT COST: (31) BRIDGE IMPROVEMENT COST: (32) APPROACH ROADWAY (W SHLDS) WIDTH: (34) BRIDGE IMPROVEMENT COST: (35) BRIDGE FLARE: (36) BRIDGE IMPROVEMENT COST: (37) TYPE OF WORK: (38) BRIDGE IMPROVEMENT COST: (39) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (97) YEAR OF IMPROVEMENT COST: (98) DATE OF LAST REGULAR INSPECTION: (98) DATE OF LAST REGULAR INSPECTION (MONTHS): (98) DATE OF SPECIAL INSPECTION (MONTHS): (98	,	(70) BRIDGE POSTING CODE: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 25.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 30.5 FT (52) BRIDGE CURB TO CURB WIDTH: 30.5 FT (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT (32) APPROACH ROADWAY (W. SHLDS) WIDTH: 25.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE: NOT A HIGHWAY OR RAILROAD (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLRANCE: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (55a) HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (55b) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (57b) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (57c) MONAVIGATION CONTROL (57c) STRUCTURAL LEVALUATION: (68) DECK GEOMETRY: (7) WATERWAY ADEQUACY: (7) (77c) MPROACH ROADWAY ALIGNMENT: (86) DECK GEOMETRY: (87c) APPROACH ROADWAY ALIGNMENT: (86) DECK GEOMETRY: (87c) APPROACH ROADWAY ALIGNMENT: (86) DECK GEOMETRY: (75) TYPE OF WORK: NOT APPLICABLE (87c) MARTINGE: (87c) MARTINGE: (87c) APPROACH ROADWAY ALIGNMENT: (87c) APPROACH ROADWAY ALIGNMENT: (87c) APPROACH ROADWAY ALIGNMENT: (87c) APPROACH ROADWA		(41) WT POSTING STATUS: <b>OPEN</b>
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 25.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 30.5 FT (51) BRIDGE CURB WIDTH: 30.5 FT (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (520) MIN VERTICAL CLEARANCE ON ROADWAY: 30.2 FT (54a) VERT UNDERCLE: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (56b) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (56b) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (56b) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (56b) UNDERCLR: NOT APPLICABLE (56b) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (56b) UNDERWATER INSPECTION (MO)/YR): NA  NAVIGATION DATA (59c) SPECIAL INSPECTION (MO)/YR): NA  (38) NAV CONTROL: NO NAVIGATION CONTROL (99c) SPECIAL INSPECTION (MO)/YR): NA	` '	APPRAISAL ————————————————————————————————————
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (52) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE OVER RD: (541) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (86) UNDERCLER SAFETY FEATURES: (872) APPROACH ROADWAY ALIGNMENT: (88) TRAFFIC SAFETY FEATURES: (89) UNDERCLER SAFETY FEATURES: (90) NONO (113) SCOUR CONDITION RATING: (81) SCOUR CONDITION RATING: (81) SCOUR CONDITION RATING: (82) BRIDGE IMPROVEMENTS (83) BRIDGE IMPROVEMENTS (84) BRIDGE IMPROVEMENT COST: (85) ROADWAY IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) DATE OF LAST REQULAR INSPECTION PROJUENCY (MONTHS): (98) DATE OF LAST UNDERWAYER INSP FREQUENCY (MONTHS): (99) DATE OF SPECIAL INSPECTION (MO/YR): (90) DATE OF SPECIAL INSPECTION		(67) STRUCTURAL EVALUATION: 7
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (54a) VERT UNDERCLE: (55a) HORZ UNDERCLER ANCE: (55b) MIN HORZ UNDERCLER ON RIGHT: (56b) MIN HORZ UNDERCLR ON RIGHT: (57e) MIN HORZ UNDERCLR ON RIGHT: (77e) APPROACH ROADWAY ALIGNMENT: (77e) AP	` '	(68) DECK GEOMETRY: 4
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (50c) MID VERTICAL PROADWAY (W/ SHLDS) WIDTH: (50c) MID VERTICAL CLEARANCE OVER RD: (50c) MID VERTICAL CLEARANCE OVER RD: (50c) MIN VERTICAL CLEARANCE OVER RD: (50c) MIN VERTICAL UNDERCLE: (50c) MIN VERTICAL UNDERCLER ON ROADWAY: (50c) MID VERTICAL UNDERCLER NOT A HIGHWAY OR RAILROAD (50c) MID VERTICAL UNDERCLER ON RIGHT: (50c) MID HORZ UNDERCLR ON LEFT: (50c) MID HORZ UNDERCLR ON RIGHT: (50c) MID HORZ		(69) UNDERCLEARANCE RATING: N
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (541) VERT UNDERCLR: (542) VERT UNDERCLR: (544) VERT UNDERCLR: (554) MIN VERTICAL UNDERCLEARANCE: (555) MIN VERTICAL UNDERCLR: (556) MIN HORZ UNDERCLR: (56) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (57) TYPE OF WORK: (75) TYPE OF WORT: (75) TYPE OF WORT: (75) TYPE OF WORT: (75) TYPE OF WORT: (75) TYPE OF WOR		(71) WATERWAY ADEQUACY: 5
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (542) VERT UNDERCLR: (544) VERT UNDERCLR: (554) MIN VERTICAL UNDERCLEARANCE: (555) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (56) MIN HORZ UNDERCLR: (57) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: (75) TYPE OF WORK:		(72) APPROACH ROADWAY ALIGNMENT: 8
(51) BRIDGE CURB VIO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (57) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (75) TYPE OF WORK: (75) TYPE OF WORTHOTH: (75) TYPE OF WORTH		(36) TRAFFIC SAFETY FEATURES: <b>0N00</b>
Secommended improvements   Secommended improvement   Se	` '	(113) SCOUR CONDITION RATING: 8
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (75) TYPE OF WORK: NOT APPLICABLE (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.2 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (93b) DATE OF LAST REGULAR INSPECTION FREQUENCY (MONTHS): NA (92b) UNDERWATER INSP FREQUENCY (MONTHS): N (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSPECTION (MO/YR): N/A	` ,	RECOMMENDED IMPROVEMENTS
(33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54a) VERT UNDERCLEARANCE: (55b) MIN VERTICAL UNDERCLEARANCE: (55b) MIN HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (57e) NOT APPLICABLE (57e) NOT APPLICABLE (59e) DATE OF LAST REGULAR INSPECTION: (97e) PREGULAR INSPECTION: (97e) DATE OF LAST UNDERCURY (MONTHS): (97e) DATE OF LAST UNDERWATER INSP (MO/YR): (97e) DATE OF LAST UNDERWATER INSP (MO/YR): (97e) DATE OF LAST UNDERWATER INSP (MO/YR): (97e) DATE OF SPECIAL INSPECTION (MO/YR): (97e	` '	(75) TYPE OF WORK: NOT APPLICABLE
(34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR: (56) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (57) NOT APPLICABLE (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST: (98) NOTAL PROJECT COST: (99) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (93c) DATE OF SPECIAL INSPECTION (MO/YR): (93c) DATE OF SPECIAL INSPECTION (MO/YR): (93c) DATE OF SPECIAL INSPECTION (MO/YR): (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST: (97) YEAR OF IMPR		(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (57) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST: (98) TOTAL PROJECT COST: (98) TOTAL PROJECT COST: (98) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST		(94) BRIDGE IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.2 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (57) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) DATE OF LAST UNDERVENT ESTIMATE: (99) DATE OF LAST UNDERVENT ESTIMATE: (99) DATE OF LAST UNDERVENT ESTIMATE: (99) DATE OF LAST UNDE		(95) ROADWAY IMPROVEMENT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.2 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (97) YEAR OF IMPROVEMENT COST ESTIMATE:  (98) DATE OF LAST REGULAR INSPECTION: 2/5/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N/A (92c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N	` '	(96) TOTAL PROJECT COST:
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (55b) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (M		(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (92b) UNDERWATER INSP (MO/YR): N/A (38) NAV CONTROL: NO NAVIGATION CONTROL (91) REGULAR INSPECTION FREQUENCY (MONTHS): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N/A (92c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	———— INSPECTION DATES —————
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE  NOT APPLICABLE (93b) DATE OF LAST UNDERWATER INSP (MO/YR): NOT APPLICABLE (92b) UNDERWATER INSP FREQUENCY (MONTHS): NOT APPLICABLE (93c) DATE OF SPECIAL INSPECTION (MO/YR): NOT APPLICABLE (93c) DATE OF SPECIAL INSPECTION (MO/YR): NOT APPLICABLE (93c) DATE OF SPECIAL INSPECTION (MO/YR): NOT APPLICABLE (93c) UNDERWATER INSP FREQUENCY (MONTHS): NOT APPLICABLE (93c) DATE OF LAST UNDERWATER INSP (MO/YR): NOT APPLICABLE (93c) UNDERWATER INSP FREQUENCY (MONTHS): NOT APPLICABLE (93c) UNDERWATER INSP FREQUENCY (MONTHS): NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 2/5/2020
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (92b) UNDERWATER INSP FREQUENCY (MONTHS): N  NOT APPLICABLE (92b) UNDERWATER INSP FREQUENCY (MONTHS): N  (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A  (92c) SPECIAL INSP FREQUENCY (MONTHS): N	(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
NAVIGATION DATA (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A  (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N	(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N	(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
	NAVIGATION DATA	, ,
	(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 420A1520003 BRIDGE OWNER: CITY OF ERIN

> FIPS CODE: 24320 ROAD NAME: MCMILLAN ST. CROSSING: ERIN BRANCH

LOCATION: MCMILLAN ST. IN ERIN.

COUNTY: HOUSTON

ROUTE: 0A152

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 0.01 SUFFICIENCY RATING: 98.0

CLASSIFICATION =

#### (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31485 DEGREES

**NOT APPLICABLE** 

(17a,b) LONGITUDE: 87.72122 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

- IDENTIFICATION

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** 

#### BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE

C) TYPE PROTECTION:

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: NOT APPLICABLE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: **NOT APPLICABLE** 

#### AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 1966 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

### GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** 

(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

#### NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 19-Mar-20

YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

**NOT BEEN DETERMINED** 

#### CONDITION RATINGS =

(58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): 7

#### **DESIGN LOAD AND WEIGHT POSTING**

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN** 

#### APPRAISAL

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0N00 (113) SCOUR CONDITION RATING: 8

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 2/5/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 420A1520001 BRIDGE OWNER: CITY OF ERIN

> FIPS CODE: 24320 ROAD NAME: MCMILLAN ST. CROSSING: ERIN BRANCH

LOCATION: MCMILLAN ST. IN ERIN.

IDENTIFICATION

COUNTY: HOUSTON ROUTE: 0A152

LOG MILE: 0.14

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 80.0

#### (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.31465 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.71890 DEGREES

0

(98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** 

#### BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 1 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** 

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE

NONE C) TYPE PROTECTION:

### AGE AND SERVICE \*

(27) YEAR THE BRIDGE WAS BUILT: 1962 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2

(28b) NUMBER OF LANES UNDER THE BRIDGE:

### GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 14.1 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT

(33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 40 DEGREES

(35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

**NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

## NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL** (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 

CLASSIFICATION

NO **NOT A NHS ROUTE** 

(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** 

(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** 

(102) TRAFFIC DIR: 2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: **NOT APPLICABLE** 

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

**NOT BEEN DETERMINED** 

#### CONDITION RATINGS

(58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 (62) CULVERT CONDITION (IF APPLICABLE): 7

#### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: OTHER OR UNKNOWN WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN** 

#### APPRAISAL

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING:

#### RECOMMENDED IMPROVEMENTS

8

\$62,000.00

2020

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** NEEDED)

(76) LENGTH OF BRIDGE IMPROVEMENT: 22 FT (94) BRIDGE IMPROVEMENT COST: \$41,000.00 ROADWAY IMPROVEMENT COST: (95)\$5,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

TOTAL PROJECT COST:

### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 2/5/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 420A1520005 BRIDGE OWNER: CITY OF ERIN

> FIPS CODE: 24320 ROAD NAME: MCMILLAN ST. CROSSING: ERIN BRANCH

LOCATION: MCMILLAN ST. IN ERIN.

COUNTY: HOUSTON

ROUTE: 0A152

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 0.27 SUFFICIENCY RATING: 59.4

#### - IDENTIFICATION CLASSIFICATION

(16a,b) LATITUDE: Ν 36.31483 DEGREES (17a,b) LONGITUDE: 87.71657 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** 

#### BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 1 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: OTHER (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

**ASPHALT** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

#### — AGE AND SERVICE \*

(27) YEAR THE BRIDGE WAS BUILT: 1981 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

### GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 19.0 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 16.7 FT (52) BRIDGE OUT TO OUT WIDTH: 16.7 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT

(33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 20 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 16.7 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

#### NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL** (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A N/A

(40) NAVIGATION HORZ CLEARANCE:

(112) MEETS NBIS BRIDGE LENGTH: NO (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** 

#### CONDITION RATINGS

(58) DECK: 7 (59) SUPERSTRUCTURE: 6 (60) SUBSTRUCTURE: 5 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 (62) CULVERT CONDITION (IF APPLICABLE): N

#### **DESIGN LOAD AND WEIGHT POSTING**

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** 

#### APPRAISAL

(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 2 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** NEEDED)

(76) LENGTH OF BRIDGE IMPROVEMENT: 22 FT (94) BRIDGE IMPROVEMENT COST: \$85,000.00 ROADWAY IMPROVEMENT COST: (95)\$9,000.00 TOTAL PROJECT COST: \$128,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 2/5/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



YES

Ν

Ν

Ν

6

6

6

Ν

6

8

8

N/A

1/7/2020

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 420A1580001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A158 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PEACH GROVE RD. COUNTY SEQUENCE: 1 CROSSING: AVERITT BRANCH LOG MILE: 0.05 SUFFICIENCY RATING: 86.8 LOCATION: 3.5 M. S. ERIN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36,27000 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.68453 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE \* **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1971 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



HS-20-44

7

8

2/4/2020

ROUTE: 0A161

LOG MILE: 1.65

BRIDGE ID NUMBER: 420A1610001 COUNTY: HOUSTON **BRIDGE OWNER: HOUSTON COUNTY** SPECIAL CASE: 0

FIPS CODE: 00000

ROAD NAME: LONG BRANCH RD. CROSSING: LEWIS BRANCH

LOCATION: 3.5 M. S. TENN. RIDGE.

IDENTIFICATION

#### - CLASSIEICATION -

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 97.0

IDENTIFICAT	ION		CLASSIFICAT	ION
(16a,b) LATITUDE:	N	36.28175 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	87.79415 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND I	ИΔТ	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(42-) MAIN CRAN MATERIAL CONCR			(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** 

CONDITION RATINGS

(45) NUMBER OF MAIN SPANS:	3	CONDITION RATINGS	
(46) NUMBER OF APPROACH S	PANS: 0	(58) DECK:	N
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SURF	ACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:	N
A) TYPE OF SURFACE:	ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
B) TYPE MEMBRANE:	NONE	(62) CULVERT CONDITION (IF APPLICABLE):	7
-, · · · = · · · = · · · · · · · · · · ·			

#### DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE =

**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE:

(67) STRUCTURAL EVALUATION:

(42a) SERVICE ON BRIDGE: **HIGHWAY** 

(41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2

0

(28b) NUMBER OF LANES UNDER THE BRIDGE: (68) DECK GEOMETRY: 5 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 15.1 FT

(71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 56.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT

(113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS

(52) BRIDGE OUT TO OUT WIDTH: 26.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN:

(94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES

(95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD:

**NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT

INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION:

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 420A1640003 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY FIPS CODE: 00000

ROAD NAME: LEWIS BRANCH RD. CROSSING: LEWIS BRANCH

LOCATION: 3 M. S. TENNESSEE RIDGE.

# ROUTE: 0A164

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.38

SUFFICIENCY RATING: 96.9

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.28150 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.77520 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(62) CULVERT CONDITION (IF APPLICABLE):  6
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1991	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	APPRAISAI -
(20a) NUMBER OF LANCE CARRIED BY RRIDGE.	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	_
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  12.1 FT	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 54.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 54.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION:6(68) DECK GEOMETRY:5(69) UNDERCLEARANCE RATING:N(71) WATERWAY ADEQUACY:7
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 54.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	<ul> <li>(67) STRUCTURAL EVALUATION:</li> <li>(68) DECK GEOMETRY:</li> <li>(69) UNDERCLEARANCE RATING:</li> <li>(71) WATERWAY ADEQUACY:</li> <li>(72) APPROACH ROADWAY ALIGNMENT:</li> <li>8</li> </ul>
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0N00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 20  12.1 FT 21.7 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  20  12.1 FT 21.7 FT 21.6 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW:  12.1 FT 24.1 FT 25.2 FT 27.6 FT 27.6 FT 27.6 FT 37.6 FT 38.3 BRIDGE MEDIAN: NO MEDIAN 45 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (76) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  12.1 FT 0.0 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (76) TYPE OF WORK:  NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  12.1 FT 0.0 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 2/6/2020
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (54a) VERT UNDERCLE: (55a) HORZ UNDERCLE: (NOT A HIGHWAY OR RAILROAD)	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 2/6/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (541) NOT A HIGHWAY OR RAILROAD (545) MIN VERTICAL UNDERCLEARANCE: (550) MIN VERTICAL UNDERCLEARANCE (550) MIN VERTICAL UNDERCLEARANCE: (550) MIN VERTICAL UNDERCLEARANCE: (550) HORZ UNDERCLR: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR ON RIGHT: (551) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 420A1640001



COUNTY: HOUSTON

YES

Ν

Ν

Ν

6

7

7

5

Ν

5

8

8

N/A

1/15/2020

24

Ν

Ν

N/A

N/A

0N00

HS-20-44

BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A164 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LEWIS BRANCH RD. COUNTY SEQUENCE: 1 CROSSING: FRANKS BRANCH LOG MILE: 5.58 SUFFICIENCY RATING: 95.9 LOCATION: 4.5 M. S. STEWART. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25668 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.82533 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 34.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

6

7

7

5

Ν

6

8

8

N/A

2/3/2020

24

N/A

N/A

Ν

Ν

1N11

HS-20-44

BRIDGE ID NUMBER: 420A1690001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A169 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HARVEY RD. COUNTY SEQUENCE: 1 CROSSING: HALF PONE BRANCH LOG MILE: 1.06 SUFFICIENCY RATING: 93.9 LOCATION: JUDY BRANCH ROAD - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27868 DEGREES 87.67768 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2007 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.3 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 8 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:

## NATIONAL BRIDGE INVENTORY



YES

Ν

Ν

Ν

5

7

6

4

Ν

4

6

8

0000

H-15-44

**ALL LEGAL LOADS** 

**ALL LEGAL LOADS** 

**NOT A NHS ROUTE** 

**NOT APPLICABLE** 

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 420A1700001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A170 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ALSOBROOKS CEMETERY LN. COUNTY SEQUENCE: 1 CROSSING: AVERITT BRANCH LOG MILE: 0.03 LOCATION: 2.8 M. S. ERIN. SUFFICIENCY RATING: 67.7 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27868 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.67768 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1954 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 11.2 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 37.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 12.1 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 14.1 FT (75) TYPE OF WORK: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 12.1 FT

**NO MEDIAN** 

**NO FLARE** 

11.8 FT

26 DEGREES

NO RESTRICTION

**BRIDGE WIDENING (NO DECK REPAIRS** NEEDED)

(76) LENGTH OF BRIDGE IMPROVEMENT: 37.1 FT (94) BRIDGE IMPROVEMENT COST: \$115.000.00 ROADWAY IMPROVEMENT COST: (95)\$12,000.00 TOTAL PROJECT COST: \$173,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 1/7/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not

> > waive the provisions of §409

(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(520) MIN VERTICAL CLEARANCE OVER RD:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:



YES

Ν

Ν

Ν

6

7

7

5

Ν

6

6

8

N/A

1/14/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 420A1710001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A171 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SALMON BRANCH RD. COUNTY SEQUENCE: 1 CROSSING: SALMON BRANCH LOG MILE: 3.20 SUFFICIENCY RATING: 97.0 LOCATION: SALMON BRANCH RD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.23720 DEGREES 87.60223 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

BRIDGE ID NUMBER: 420A1860001

BRIDGE OWNER: HOUSTON COUNTY



COUNTY: HOUSTON

ROUTE: 0A186

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HUFF HOLLOW LN. COUNTY SEQUENCE: 1 CROSSING: LEWIS BRANCH LOG MILE: 0.03 SUFFICIENCY RATING: 93.5 LOCATION: LEWIS BRANCH RD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.29263 DEGREES 87.76520 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2002 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 26.6 FT (72) APPROACH ROADWAY ALIGNMENT: 6 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/6/2020 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 19-Mar-20

(40) NAVIGATION HORZ CLEARANCE:

## NATIONAL BRIDGE INVENTORY



YES

Ν

Ν

Ν

7

7

R

5

Ν

8

8

8

1111

HS-20-44

2-WAY TRAFFIC

**NOT APPLICABLE** 

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 420A1920001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A192 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MAPLE RD. COUNTY SEQUENCE: 1 CROSSING: S FORK HURRICANE CREEK LOG MILE: 1.21 SUFFICIENCY RATING: 99.0 LOCATION: MAPLE RD. - HOUSTON CO. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.30630 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.85047 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2003 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS 24 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 35 DEGREES

**NO FLARE** 

22.3 FT

N/A

N/A

N/A

**NO RESTRICTION** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT A HIGHWAY OR RAILROAD** 

**NOT A HIGHWAY OR RAILROAD** 

NO NAVIGATION CONTROL

N/A

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 1/17/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA



YES

8

7

8

8

Ν

7

5

Ν

8

8

8

N/A

1/17/2020

24

N/A

N/A

Ν

Ν

1111

HS-20-44

BRIDGE ID NUMBER: 420A1980001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A198 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WALFORD HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: CANE CREEK LOG MILE: 0.04 SUFFICIENCY RATING: 98.7 LOCATION: 2 M W OF STEWART IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31650 DEGREES 87.87157 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 2003 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 65.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 70.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 420A1800003 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A206 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: W. B. SUMMERS LN. COUNTY SEQUENCE: 1 CROSSING: CURT BRANCH LOG MILE: 0.78

LOCATION: 3.5 M S OF MCKIN	INON	SUFFICIENCY RATING: 97.0		
IDENTIFICATIO	N ———			
(16a,b) LATITUDE:	N 36.26655 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES	
	W 87.88790 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD	
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC	
• •	ATERIAL —	(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
BRIDGE TYPE AND MA		` '	NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: <b>CONCRET</b> (44a) APPR SPAN MATERIAL: <b>NOT APPL</b>		(37) HISTORICAL CLASS: HISTORIC	AL SIGNIFICANCE HAS	
(44a) AFFR SFAN MATERIAL. NOT AFFE	ICABLE		N DETERMINED	
(45) NUMBER OF MAIN SPANS:	3	———— CONDITION RAT	INGS ————	
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	N	
(107) TYPE OF DECK: CO	NCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:	N	
(108) TYPE OF WEARING SURFACE AND	DECK PROTECTION:	(60) SUBSTRUCTURE:	N	
•	MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL	PROTECTION: 6	
B) TYPE MEMBRANE:	NONE	(62) CULVERT CONDITION (IF APPLICAL	BLE): <b>7</b>	
C) TYPE PROTECTION:	NONE	DESIGN LOAD AND WEIG	GHT POSTING ———	
AGE AND SERV	ICF ———	(31) DESIGN LOADING:	HS-20-44	
(27) YEAR THE BRIDGE WAS BUILT:	1984	WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS BOILT.		WEIGHT POSTING (3 OR MORE AXLES)	: ALL LEGAL LOADS	
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE:	5	
(42b) UNDER BRIDGE:	WATERWAY	(41) WT POSTING STATUS: OPEN		
(28a) NUMBER OF LANES CARRIED BY BI				
(28b) NUMBER OF LANES UNDER THE BR		(67) STRUCTURAL EVALUATION:	7	
		(68) DECK GEOMETRY:	5	
GEOMETRIC DA		(69) UNDERCLEARANCE RATING:	N	
(48) MAXIMUM SPAN LENGTH:	12.1 FT	(71) WATERWAY ADEQUACY:	6	
(49) TOTAL BRIDGE LENGTH:	55.1 FT	(70) ADDDO A OLL DO ADWAY ALLONMENT	· ·	

### (113) SCOUR CONDITION RATING:

(75)	TYPE OF WORK:	NOT APPLICABLE
(13)	TIFE OF WORK.	NO I AFFLICABLE

(72) APPROACH ROADWAY ALIGNMENT:

(36) TRAFFIC SAFETY FEATURES:

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

RECOMMENDED IMPROVEMENTS

6

8

0N00

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	1/23/2020
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



YES

7

6

8

N

6

5

N

8

6

8

N/A

1/7/2020

24

N/A

1

Ν

Ν

1000

HS-20-44

BRIDGE ID NUMBER: 420A2070001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A207 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOONE HOLLOW LN. COUNTY SEQUENCE: 1 CROSSING: WELLS CREEK LOG MILE: 0.10 SUFFICIENCY RATING: 91.8 LOCATION: BOONE HOLLOW RD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.28438 DEGREES 87.67788 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 70.2 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 72.2 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS 24 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 12.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

This document is covered by 23 USC §409 and its production pursuant to a public document records request does not

PUBLIC RECORDS REQUEST



BRIDGE ID NUMBER: 420A2110001 COUNTY: HOUSTON ROUTE: 0A211 BRIDGE OWNER: HOUSTON COUNTY SPECIAL CASE: 0

FIPS CODE: 00000

ROAD NAME: CANE CREEK BOAT DOCK LN.

CROSSING: CANE CREEK

LOCATION: 1.5 M SW OF MCKINNON

#### CLASSIFICATION -

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 97.0

IDENTIFICAT	ION		CLASSIFICATION —	
(16a,b) LATITUDE:	N	36.29855 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	87.92197 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL		(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
		(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK	

(58) DECK:

(59) SUPERSTRUCTURE:

(60) SUBSTRUCTURE:

(31) DESIGN LOADING:

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

CONDITION RATINGS =

**DESIGN LOAD AND WEIGHT POSTING** 

(61) STREAM CHANNEL AND CHANNEL PROTECTION:

(62) CULVERT CONDITION (IF APPLICABLE):

**NOT BEEN DETERMINED** 

Ν

Ν

Ν

6

N/A

HS-20-44

**ALL LEGAL LOADS** 

**ALL LEGAL LOADS** 

LOG MILE: 0.05

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:

0
CAST-IN-PLACE
ROTECTION:
ASPHALT

B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

### AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: HI (42b) UNDER BRIDGE: WAT (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: n

### GEOMETRIC DATA -

9.8 FT	(48) MAXIMUM SPAN LENGTH:
22.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
24.6 FT	(51) BRIDGE CURB TO CURB WIDTH:
26.2 FT	(52) BRIDGE OUT TO OUT WIDTH:
18.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: <b>24.3 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHV
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:

### NAVIGATION DATA

**NOT A HIGHWAY OR RAILROAD** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

EKWAI	ADE	D 4 10 4 1
TERWAY	(41) WI FOSTING STATOS.	OPEN
IGHWAY	(41) WT POSTING STATUS:	OPEN
IGHWAY	(70) BRIDGE POSTING CODE	:
N/A	•	,
1976	WEIGHT POSTING (3 OR MOI	DE AVI ECI.
4070	WEIGHT POSTING (2 AXLE V	EHICLES):
	` ,	

#### 1) WT POSTING STATUS: OPEN APPRAISAL

(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

#### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE

(76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 1/16/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



BRIDGE ID NUMBER: 420A2240001

BRIDGE OWNER: CITY OF ERIN

FIPS CODE: 24320

ROAD NAME: E. MAPLE ST.

CROSSING: ERIN BRANCH

LOCATION: E MAPLE ST IN ERIN

IDENTIFICATION

16a,b) LATITUDE:

N 36.31800 DEGREES

(112) MEETS NBIS BRIDGE LENGTH:

(104) NATIONAL HIGHWAY SYSTEM:

NOT A

0011101E1101111110. 70.0
CLASSIFICATION —
(112) MEETS NBIS BRIDGE LENGTH: YES
(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(102) TRAFFIC DIR: 2-WAY TRAFFIC
(103) TEMPORARY BRIDGE: NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
NOT BEEN DETERMINED
CONDITION RATINGS
(58) DECK: <b>N</b>
(59) SUPERSTRUCTURE: N
(60) SUBSTRUCTURE: N
(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
(62) CULVERT CONDITION (IF APPLICABLE): 6
DESIGN LOAD AND WEIGHT POSTING
(31) DESIGN LOADING: HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(70) BRIDGE POSTING CODE: 5
(41) WT POSTING STATUS: <b>OPEN</b>
APPRAISAL —————
(67) STRUCTURAL EVALUATION: 6
(68) DECK GEOMETRY: 4
(69) UNDERCLEARANCE RATING:
(71) WATERWAY ADEQUACY: 3
(72) APPROACH ROADWAY ALIGNMENT: 8
(36) TRAFFIC SAFETY FEATURES: 1N00
(113) SCOUR CONDITION RATING: 8
RECOMMENDED IMPROVEMENTS
(75) TYPE OF WORK: <b>BRIDGE REHABILITATION</b>
(76) LENGTH OF BRIDGE IMPROVEMENT: 44.6 FT
(94) BRIDGE IMPROVEMENT COST: \$206,000.00
(95) ROADWAY IMPROVEMENT COST: \$21,000.00
(96) TOTAL PROJECT COST: \$310,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020
INSPECTION DATES
(90) DATE OF LAST REGULAR INSPECTION: 2/7/2020
(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

4

N

6

6

8

N/A

1/28/2020

24

Ν

Ν

N/A

N/A

0N00

HS-20-44

BRIDGE ID NUMBER: 420A2530001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A253 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BUCKEYE RD. COUNTY SEQUENCE: 1 CROSSING: BOOSTER BRANCH LOG MILE: 0.35 SUFFICIENCY RATING: 86.2 LOCATION: 3.3 M N OF ERIN IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.36580 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.68287 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 37.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 25.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

5

Ν

5

8

8

N/A

1/7/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 420A2620001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A262 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GUS NORFLEET LN. COUNTY SEQUENCE: 1 CROSSING: POLLARD BRANCH LOG MILE: 0.05 SUFFICIENCY RATING: 96.0 LOCATION: 4 M S OF ERIN TN IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.26145 DEGREES 87.66620 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 55.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HOUSTON

BRIDGE ID NUMBER: 420A3370001 BRIDGE OWNER: HOUSTON COUNTY

FIPS CODE: 00000

ROAD NAME: S. MATIHS LN. CROSSING: WELLS CREEK

LOCATION: 1 M N LONG BRANCH RD

ROUTE: 0A337

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 0.01

SUFFICIENCY RATING: 93.9

IDENTIFICATION	
(16a,b) LATITUDE: N 36.30655 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: <b>W</b> 87.67695 <b>DEGREES</b>	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 2	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>8</b> (59) SUPERSTRUCTURE: <b>7</b>
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	
B) TYPE MEMBRANE: NONE	,
C) TYPE PROTECTION: <b>EPOXY COATED REINFORCING</b>	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 2000	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	APPRAISAL  (67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	_
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 58.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 58.1 FT (49) TOTAL BRIDGE LENGTH: 117.1 FT	<ul> <li>(67) STRUCTURAL EVALUATION: 7</li> <li>(68) DECK GEOMETRY: 5</li> <li>(69) UNDERCLEARANCE RATING: N</li> <li>(71) WATERWAY ADEQUACY: 7</li> <li>(72) APPROACH ROADWAY ALIGNMENT: 8</li> </ul>
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 58.1 FT  (49) TOTAL BRIDGE LENGTH: 117.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 58.1 FT  (49) TOTAL BRIDGE LENGTH: 117.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 58.1 FT (49) TOTAL BRIDGE LENGTH: 117.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 22 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 58.1 FT (49) TOTAL BRIDGE LENGTH: 117.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20  CONTROL OF THE BRIDGE:  0  S8.1 FT  117.1 FT  0.0 FT  22 FT  24.3 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (111)  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (111)  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.1 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  8  (36) TRAFFIC SAFETY FEATURES:  (111)  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 58.1 FT  (49) TOTAL BRIDGE LENGTH: 117.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 22 FT  (51) BRIDGE CURB TO CURB WIDTH: 22.5 FT  (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (1113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 58.1 FT  (49) TOTAL BRIDGE LENGTH: 117.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 22 FT  (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (111)  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  1/6/2020
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 58.1 FT  (49) TOTAL BRIDGE LENGTH: 117.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 22 FT  (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  1/6/2020  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 58.1 FT  (49) TOTAL BRIDGE LENGTH: 117.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 22 FT  (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE  (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (111)  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  24  (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  N/A

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

7

R

5

N

6

8

8

N/A

1/9/2020

24

N/A

N/A

Ν

Ν

1111

HS-20-44

BRIDGE ID NUMBER: 420A3980001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A398 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JOHN BROOKS LN. COUNTY SEQUENCE: 1 CROSSING: BATEMAN BRANCH LOG MILE: 0.05 LOCATION: JOHN BROOKS LANE SUFFICIENCY RATING: 93.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.26680 DEGREES 87.62388 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 2005 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 35.4 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 27.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

7

7

7

6

N

5

7

2

N

6

8

5

0000

36.7 FT

2020

24

N/A

N/A

Ν

Ν

\$14,000.00

1/7/2020

BRIDGE ID NUMBER: 420A4100001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A410 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: CARL NORFLEET LN. COUNTY SEQUENCE: 1 CROSSING: POLLARD BRANCH LOG MILE: 0.09 LOCATION: 2 M S OF TENN RIDGE SUFFICIENCY RATING: 78.0 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.26657 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 87.66863 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** ONE LANE BRIDGE FOR 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: WOOD OR TIMBER (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: WOOD OR TIMBER A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE • WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2016 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: #Frror (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.7 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 36.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 10.8 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 12.1 FT (75) TYPE OF WORK: **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 9.2 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$134,000.00 (34) BRIDGE SKEW: 0 DEGREES (95)ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$202,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 10.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: NOT APPLICABLE **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO

N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

6

4

N

6

6

8

N/A

1/28/2020

24

Ν

Ν

N/A

N/A

0N00

HS-20-44

BRIDGE ID NUMBER: 420A0340001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A455 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BUCKEYE RD. COUNTY SEQUENCE: 1 CROSSING: BOOSTER BRANCH LOG MILE: 0.01 SUFFICIENCY RATING: 83.2 LOCATION: 3.5 M. NE. ERIN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.36800 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.67817 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 68.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HOUSTON

ROUTE: 0A455

LOG MILE: 1.35

BRIDGE ID NUMBER: 420A0340003 BRIDGE OWNER: HOUSTON COUNTY SPECIAL CASE: 0

FIPS CODE: 00000

ROAD NAME: BUCKEYE RD. CROSSING: WELLS CREEK

LOCATION: 3 M. NE. ERIN.

### - CLASSIEICATION -

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 81.0

IDENTIFICAT	ION		CLASSIFICATION	
(16a,b) LATITUDE:	N	36.35455 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	
(17a,b) LONGITUDE:	W	87.66523 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NO.
(98a) BORDER BRIDGE STATE CODE:		N/A (26) FUNCTIONAL CLASS:		LOCA
(98b) PERCENT SHARE:		N/A (101) PARALLEL BRIDGE:		NO PAR
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE (102) TRAFFIC DIR:		:
			(103) TEMPORARY BRIDGE:	NC

NOT APPLICABLE

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT A HIGHWAY OR RAILROAD** 

#### BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

**CONTINUOUS** 

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

**MONOLITHIC CONCRETE** A) TYPE OF SURFACE:

B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

#### — AGE AND SERVICE —

1988	YEAR THE BRIDGE WAS BUILT:	(27)
N/A	) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY	) SERVICE ON BRIDGE:	(42a)
WATERWAY	) UNDER BRIDGE:	(42b)
2	) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0	) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

#### - GEOMETRIC DATA -

56.1 FT	(48) MAXIMUM SPAN LENGTH:
169.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
22 FT	(51) BRIDGE CURB TO CURB WIDTH:
24.3 FT	(52) BRIDGE OUT TO OUT WIDTH:
27.9 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
O RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD: NC
: 22.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:
Y OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHWAY

### NAVIGATION DATA =

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	ANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	E: <b>N/A</b>
(40) NAVIGATION HORZ CLEARANCE	E: <b>N/A</b>

## **PUBLICATION DATE** 19-Mar-20

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(55a) HORZ UNDERCLR:

YES OT A NHS ROUTE AL RURAL ROAD RALLEL BRIDGE 2-WAY TRAFFIC **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** 

#### CONDITION RATINGS =

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION	l: <b>4</b>
(62) CULVERT CONDITION (IF APPLICABLE):	N

#### DESIGN LOAD AND WEIGHT POSTING

HS-20-44		(31) DESIGN LOADING:
<b>ALL LEGAL LOADS</b>	EHICLES):	WEIGHT POSTING (2 AXLE V
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO
5		(70) BRIDGE POSTING CODE
	OPEN	(41) WT POSTING STATUS:

APPRAISAL	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	1000
(113) SCOUR CONDITION RATING:	8

#### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	1/28/2020
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



YES

Ν

Ν

Ν

5

6

5

N

5

6

8

N/A

1/14/2020

24

Ν

Ν

N/A

N/A

0N00

HS-20-44

BRIDGE ID NUMBER: 420A0930003 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A476 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: S. BEAR CREEK RD. COUNTY SEQUENCE: 1 CROSSING: CHILDERS BRANCH LOG MILE: 0.20 SUFFICIENCY RATING: 96.0 LOCATION: BEAR CR. RD. -HOUSTON CO. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24333 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.54120 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1997 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 11.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 25.6 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.7 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

5

5

5

Ν

7

8

8

N/A

1/14/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 420A0930001 COUNTY: HOUSTON BRIDGE OWNER: HOUSTON COUNTY ROUTE: 0A476 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: S. BEAR CREEK RD. COUNTY SEQUENCE: 1 CROSSING: BEAN CREEK LOG MILE: 1.37 SUFFICIENCY RATING: 86.0 LOCATION: 10.5 M. SE. ERIN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.23260 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.53537 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 58.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 5 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



COUNTY: HOUSTON

BRIDGE ID NUMBER: 420A4790001 BRIDGE OWNER: HOUSTON COUNTY

> FIPS CODE: 00000 ROAD NAME: OLSON LN. CROSSING: LEWIS CREEK

LOCATION: 2 M S OF TENN RIDGE

ROUTE: 0A479

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 1.80 SUFFICIENCY RATING: 99.0

#### IDENTIFICATION CLASSIFICATION =

(16a,b) LATITUDE: Ν 36.28553 DEGREES 87.76805 DEGREES (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** 

#### BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE

**EPOXY COATED REINFORCING** C) TYPE PROTECTION:

#### AGE AND SERVICE =

2001 (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

### GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 34.1 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 23.3 FT 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 18 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.3 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

**NOT APPLICABLE** 

N/A

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

#### NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE:

(112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** 

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

**NOT BEEN DETERMINED** 

#### CONDITION RATINGS =

(58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): 7

#### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN** 

#### APPRAISAL

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1N11 (113) SCOUR CONDITION RATING: 8

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 2/6/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A



BRIDGE ID NUMBER: 42SR0130001

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: HWY. 13 S. CROSSING: BRANCH

LOCATION: 3 MI.N.OF HUMPHREYS CO.

COUNTY: HOUSTON ROUTE: SR013

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 3.07

SUFFICIENCY RATING: 81.5

IDENTIFICATION	
(16a,b) LATITUDE: N 36.26725 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: <b>W 87.68617 DEGREES</b>	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE:  NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1928	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE. WATERWAY	ADDDAICAL ————
(28a) NI IMBED OF LANES CAPPIED BY BRIDGE:	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES LINDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  9.8 FT	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 23.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 23.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 23.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 23.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 23.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.10 FT UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 23.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: 0.0 TO UNDER FILL 0.0 FT UNDER FILL 0.0 FT 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 23.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: 032) APPROACH ROADWAY (W/ SHLDS) WIDTH: 033) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 23.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 5 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 5 DEGREES (35) BRIDGE FLARE:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 23.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 5 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (76) LENGTH OF BRIDGE IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 12/2/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: (155a) HORZ UNDERCLR: (1500 METAL OLD A HIGHWAY OR RAILROAD (1500 METAL OLD A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (76) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (48) MAXIMUM SPAN LENGTH: (48) MERIDGE LENGTH: (500) RIGHT SIDEWALK (510) WIDTH: (51) MIN HORIZONTAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55c) HORZ UNDERCLR: (55c) MIN HORZ UNDERCLR ON RIGHT: (55d) MIN HORZ UNDERCLR ON RIGHT: (55d) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK: NOT APPLICABLE (38) BRIDGE IMPROVEMENTS (39) ROADWAY IMPROVEMENT COST: (30) TOTAL PROJECT COST: (30) TOTAL PROJECT COST: (31) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (32) (34) DATE OF LAST REGULAR INSPECTION: (35) REGULAR INSPECTION: (36) DATE OF LAST UNDERWATER INSP (MO/YR): (37) N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 42SR0130003 COUNTY: HOUSTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR013 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HWY. 13 S. COUNTY SEQUENCE: 1 CROSSING: POLLARD BRANCH LOG MILE: 4.05 LOCATION: 2.2 MILES SOUTH OF ERIN SUFFICIENCY RATING: 74.2

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.27933 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.67683 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
PRINCE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 3	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N (60) SUBSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE):  6
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NONE	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44 WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1972	WEIGHT POSTING (2 AXLE VEHICLES):  WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	· · · · · · · · · · · · · · · ·
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(71) WATERWAY ADEQUACY: 5
(49) TOTAL BRIDGE LENGTH: 44.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0N00
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING:
(51) BRIDGE CURB TO CURB WIDTH: 35.4 FT	RECOMMENDED IMPROVEMENTS —
(52) BRIDGE OUT TO OUT WIDTH:  40 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT	NEEDED)
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 44.9 FT
(34) BRIDGE SKEW: 30 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$49,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$5,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$74,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 12/2/2019
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HOUSTON

ROUTE: SR013

BRIDGE ID NUMBER: 42SR0130005

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: HWY. 13 S.

CROSSING: BATEMAN BRANCH

LOCATION: .8 MILE SOUTH OF ERIN

# SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 5.59 SUFFICIENCY RATING: 77.1

LOCATION: .8 MILE SOUTH OF ERIN SUFFICIENCY RATING: 77.1	
IDENTIFICATION	
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE:	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIO DIR. (103) TRAFFIO DIR.
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1972	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 67.9 FT	(71) WATERWAY ADEQUACY: 5
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0N00
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0N00 (113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 35.4 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 39.7 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 67.9 FT
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$69,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$7,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$104,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.1 FT	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 12/2/2019
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b> (55b) MIN HORZ UNDERCLR ON RIGHT: <b>NOT APPLICABLE</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE  NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
• •	
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

BRIDGE ID NUMBER: 42SR0130007 COUNTY: HOUSTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR013 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CLARKSVILLE HWY. COUNTY SEQUENCE: 1 CROSSING: MUSTER GROUND CREEK LOG MILE: 6.95 SUFFICIENCY RATING: 53.3 LOCATION: IN ERIN CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.31975 DEGREES (104) NATIONAL HIGHWAY SYSTEM: 87.67187 DEGREES N/A (26) FUNCTIONAL CLASS:

(17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **ASPHALT** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: AGE AND SERVICE \* (27) YEAR THE BRIDGE WAS BUILT: 1928 (106) YEAR THE BRIDGE WAS REHABILITATED: 1973 (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: 2

(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 26.9 FT (49) TOTAL BRIDGE LENGTH: 80.1 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 38.1 FT 41.3 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.7 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL
 (39) NAVIGATION VERTICAL CLEARANCE: N/A
 (116) LIFT BRIDGE VERT CLEARANCE: N/A
 (40) NAVIGATION HORZ CLEARANCE: N/A

(104) NATIONAL HIGHWAY SYSTEM:
(26) FUNCTIONAL CLASS:
(101) PARALLEL BRIDGE:
(102) TRAFFIC DIR:
(103) TEMPORARY BRIDGE:
(110) NATIONAL TRUCK ROUTE:
(37) HISTORICAL CLASS:

CONDITION RATINGS

NOT A NHS ROUTE
RURAL MAJOR COLLECTOR
NO PARALLEL BRIDGE
2-WAY TRAFFIC
NOT APPLICABLE
NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:
NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:
(59) SUPERSTRUCTURE:
(60) SUBSTRUCTURE:
(61) STREAM CHANNEL AND CHANNEL PROTECTION:
(62) CULVERT CONDITION (IF APPLICABLE):

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:
WEIGHT POSTING (2 AXLE VEHICLES):
WEIGHT POSTING (3 OR MORE AXLES):
ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:
5

(41) WT POSTING STATUS: **OPEN** 

APPRAISAL

(67) STRUCTURAL EVALUATION:

(68) DECK GEOMETRY:

(69) UNDERCLEARANCE RATING:

(71) WATERWAY ADEQUACY:

(72) APPROACH ROADWAY ALIGNMENT:

8

(36) TRAFFIC SAFETY FEATURES:

(0N00

(113) SCOUR CONDITION RATING:

3

RECOMMENDED IMPROVEMENTS
(75) TYPE OF WORK: BRIDGE REHABILITATION

(76) LENGTH OF BRIDGE IMPROVEMENT: 80.1 FT
 (94) BRIDGE IMPROVEMENT COST: \$479,000.00
 (95) ROADWAY IMPROVEMENT COST: \$48,000.00

(96) TOTAL PROJECT COST: \$719,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

N

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν



COUNTY: HOUSTON

ROUTE: SR013

BRIDGE ID NUMBER: 42SR0130009

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: CLARKSVILLE HWY.

CROSSING: BRANCH

LOCATION: 4.7 MI.NORTHEAST OF ERIN

## COUNTY SEQUENCE: 1 LOG MILE: 10.97

SPECIAL CASE: 0

SUFFICIENCY RATING: 77.6

#### IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.33700 DEGREES YES 87.60908 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1928 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1978 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 7.9 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 46.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0N01 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 38.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 42.3 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 38.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 12/5/2019 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N/A

Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 42SR0130011 COUNTY: HOUSTON
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR013
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: CLARKSVILLE HWY. COUNTY SEQUENCE: 1

ROAD NAME: CLARKSVILLE HWY.

CROSSING: GRICES CREEK

LOCATION: 4.85 MI.NORTHEAST OF ERIN

COUNTY SEQUENCE: 1

LOCATION: 4.85 MI.NORTHEAST OF ERIN

SUFFICIENCY RATING: 84.7

LOCATION: 4.85 MI.NORTHEAST OF ERIN		SUFFICIENCY RATING: 84.7	
IDENTIFICATION —			
(16a,b) LATITUDE: N 36.33797	DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE: W 87.60648	DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A N	HS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR CO	LLECTOR
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE: NO PARALLE	L BRIDGE
(99) BORDER BRIDGE NUMBER: NOT AP	PLICABLE	(102) TRAFFIC DIR: 2-WA	Y TRAFFIC
BRIDGE TYPE AND MATERIAL		(103) TEMPORARY BRIDGE: NOT AP	PLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS		(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK	NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	,	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE NOT BEEN DETERMINED	HAS
(45) NUMBER OF MAIN SPANS:	3	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	N
(107) TYPE OF DECK: CONCRETE CAST	•	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SURFACE AND DECK PROTEC		(60) SUBSTRUCTURE:	N
A) TYPE OF SURFACE:	ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
B) TYPE MEMBRANE:	NONE	(62) CULVERT CONDITION (IF APPLICABLE):	6
C) TYPE PROTECTION:	NONE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE		(31) DESIGN LOADING:	HS-20-44
(27) YEAR THE BRIDGE WAS BUILT:	1978	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEG	AL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEG	AL LOADS
` '	HIGHWAY	(70) BRIDGE POSTING CODE:	5
	ATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	APPRAISAL -	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:	6
GEOMETRIC DATA		(68) DECK GEOMETRY:	5
(48) MAXIMUM SPAN LENGTH:	15.1 FT	(69) UNDERCLEARANCE RATING:	N
(49) TOTAL BRIDGE LENGTH:	47.9 FT	(71) WATERWAY ADEQUACY:	6
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES:	0N0N
(51) BRIDGE CURB TO CURB WIDTH:	38.1 FT	(113) SCOUR CONDITION RATING:	8
(52) BRIDGE OUT TO OUT WIDTH:	42.3 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	34.1 FT	(75) TYPE OF WORK: NOT APPLICABLE	
	O MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
	DEGREES	(94) BRIDGE IMPROVEMENT COST:	
	NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RES		(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	38.1 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR I		INSPECTION DATES	
`	PLICABLE	(90) DATE OF LAST REGULAR INSPECTION:	12/5/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR I	RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT AP	PLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT AP	PLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
NAVIGATION DATA		(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(38) NAV CONTROL: NO NAVIGATION	CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

N/A

N/A

N/A

PUBLICATION DATE
19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 42561430001 COUNTY: HOUSTON
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR046
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: HWY. 46 S. COUNTY SEQUENCE: 1

CROSSING: SHOULDER STRAP BRANCH LOG MILE: 0.82 LOCATION: 1.4 MILE SOUTH OF SR049 SUFFICIENCY RATING: 84.4

LOCATION. 1.4 WILE SOUTH OF SRU49	SUPPOLING RATING. 04.4
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.22655 DEGRE	ES (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.54520 DEGRE	ES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	I/A (26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE:	I/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICAB	LE (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	0 (58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLA	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHA	
B) TYPE MEMBRANE: NO	DEGIGN LOAD AND WEIGHT DOCTING
C) TYPE PROTECTION: NO	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 19	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS  (72) PRINCE POSTING CORE
(42a) SERVICE ON BRIDGE: HIGHW	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERW	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0 (67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
(48) MAXIMUM SPAN LENGTH: 9.8	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 34.1	(71) WATERWAY ADEQUACY: 5
(50a) LEFT SIDEWALK WIDTH: 0.0	(72) APPROACH ROADWAY ALIGNMENT: 8 FT (22) TRAFFIC CAFFTY FFATURES
(50b) RIGHT SIDEWALK WIDTH: 0.0	(36) TRAFFIC SAFETY FEATURES: 0111  FT (443) COUR CONDITION PATING:
(51) BRIDGE CURB TO CURB WIDTH: 25.9	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 30.2	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9	
(33) BRIDGE MEDIAN: NO MEDI	
(34) BRIDGE SKEW: 15 DEGRE	
(35) BRIDGE FLARE: NO FLA	(20) TOTAL BROJECT COOT
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILRO	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICAB	· · · · · · · · · · · · · · · · · · ·
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILRO	· · ·
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICAB	· · ·
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICAB	) (
NAVIGATION DATA	
(38) NAV CONTROL: NO NAVIGATION CONTR	OL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

PRODUCED PURSUANT TO

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



**NOT APPLICABLE** 

NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS

**NOT BEEN DETERMINED** 

LOG MILE: 5.03

SUFFICIENCY RATING: 50.4

BRIDGE ID NUMBER: 42S61440001 COUNTY: HOUSTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR046 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: CUMBERLAND CITY RD. COUNTY SEQUENCE: 1

CROSSING: GUICES CREEK LOCATION: .2 M S JCT SR13&SR46

> - IDENTIFICATION CLASSIFICATION =

(16a,b) LATITUDE:	N	36.33487 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	87.60447 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC

NONE

28.5 FT

25.9 FT

N/A

#### BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:

(52) BRIDGE OUT TO OUT WIDTH:

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

C) TYPE PROTECTION:

0	ROACH SPANS:	(46) NUMBER OF APPROA
CAST-IN-PLACE	CONCRETE	(107) TYPE OF DECK:
OTECTION:	NG SURFACE AND DECK PR	(108) TYPE OF WEARING
ASPHALT	•	A) TYPE OF SURFACE:
NONE		B) TYPE MEMBRANE:

AGE AND SERVICE		
1964	(27) YEAR THE BRIDGE WAS BUILT:	
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:	
HIGHWAY	(42a) SERVICE ON BRIDGE:	
WATERWAY	(42b) UNDER BRIDGE:	
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:	

(28b) NUMBER OF LANES UNDER THE BRIDGE:	0
GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	29.9 FT
(49) TOTAL BRIDGE LENGTH:	94.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT

	(,
NO MEDIAN	(33) BRIDGE MEDIAN:
38 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD: NO
Y: <b>24.0 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADWAY
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHWAY
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE: NO
AY OR RAILROAD	(55a) HORZ UNDERCLR: <b>NOT A HIGHWA</b>
NOT APPLICABLE	(55b) MIN HORZ UNDERCLR ON RIGHT: NO
NOT APPLICABLE	(56) MIN HORZ UNDERCLR ON LEFT: NO

NAVIGATION DATA		
(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	:: <b>N/A</b>

(40) NAVIGATION HORZ CLEARANCE:

(58) DECK:	6
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	4
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	N

CONDITION RATINGS

(103) TEMPORARY BRIDGE:

(37) HISTORICAL CLASS:

(110) NATIONAL TRUCK ROUTE:

### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	
APPRAISAL	

	7
4	(67) STRUCTURAL EVALUATION:
4	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
6	(71) WATERWAY ADEQUACY:
8	(72) APPROACH ROADWAY ALIGNMENT:
0000	(36) TRAFFIC SAFETY FEATURES:
3	(113) SCOUR CONDITION RATING:

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** 

	NEEDED)	
94.2 FT	LENGTH OF BRIDGE IMPROVEMENT:	(76)
\$110,000.00	BRIDGE IMPROVEMENT COST:	(94)
\$12,000.00	ROADWAY IMPROVEMENT COST:	(95)
\$166,000.00	TOTAL PROJECT COST:	(96)
2020	YEAR OF IMPROVEMENT COST ESTIMATE:	(97)
INSPECTION DATES		

(90) DATE OF LAST REGULAR INSPECTION: 12/5/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 42017870003

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: GUICES CREEK RD. CROSSING: GUICES CREEK

LOCATION: 1.5 M N JCT SR13&SR46

# OF TRANSPORTATION

ROUTE: SR046

COUNTY: HOUSTON

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 6.71

SUFFICIENCY RATING: 77.3

IDENTIFICATION	CLASSIFICATION —
(16a,b) LATITUDE: N 36.35727 DEGREE	S (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.60980 DEGREE	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	A (26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	NO PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABL	E (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLAC	(59) SUPERSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 5
A) TYPE OF SURFACE: MONOLITHIC CONCRET	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NON	(62) CHI VERT CONDITION (IE ARRI ICARI E).
C) TYPE PROTECTION: NON	DESIGN LOAD AND WEIGHT POSTING —
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
(27) YEAR THE BRIDGE WAS BUILT: 197	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT.  (106) YEAR THE BRIDGE WAS REHABILITATED:	WFIGHT POSTING (3 OR MORF AXI FS) ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWA	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWA	(41) WT POSTING STATUS: <b>OPEN</b>
( ','	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL
•	APPRAISAL  (67) STRUCTURAL EVALUATION:  5
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(CZ) CTDLICTLIDAL EVALUATION:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 27.9 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 27.9 F  (49) TOTAL BRIDGE LENGTH: 83.0 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 27.9 F	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 1000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 27.9 F (49) TOTAL BRIDGE LENGTH: 83.0 F (50a) LEFT SIDEWALK WIDTH: 0.0 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 3
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 27.9 F (49) TOTAL BRIDGE LENGTH: 83.0 F (50a) LEFT SIDEWALK WIDTH: 0.0 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 F (51) BRIDGE CURB TO CURB WIDTH: 27.9 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 27.9 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: 83 FT
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: \$390,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: \$390,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (58)  58  58  50  50  50  50  50  50  50  50
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  27.9 F NO MEDIAN NO FLAR	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97)
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: 12/5/2019
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (17) NOT A HIGHWAY OR RAILROADWAY: (18) VERT UNDERCLR: (19) MOT A HIGHWAY OR RAILROADWAY: (19) M	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 27.9 F (49) TOTAL BRIDGE LENGTH: 83.0 F (50a) LEFT SIDEWALK WIDTH: 0.0 F (50b) RIGHT SIDEWALK WIDTH: 27.9 F (51) BRIDGE CURB TO CURB WIDTH: 27.9 F (52) BRIDGE OUT TO OUT WIDTH: 29.9 F (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 F (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 31 DEGREE: (35) BRIDGE FLARE: NO FLAR (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.6 F (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAN (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABL (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAN (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (99) DATE OF LAST REGULAR INSPECTION: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 27.9 F (49) TOTAL BRIDGE LENGTH: 83.0 F (50a) LEFT SIDEWALK WIDTH: 0.0 F (50b) RIGHT SIDEWALK WIDTH: 27.9 F (51) BRIDGE CURB TO CURB WIDTH: 27.9 F (52) BRIDGE OUT TO OUT WIDTH: 29.9 F (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 F (33) BRIDGE MEDIAN: NO MEDIAI (34) BRIDGE SKEW: 31 DEGREE: (35) BRIDGE FLARE: NO FLAR (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.6 F (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAN (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABL (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABL (55b) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (35) BRIDGE FLARE: (36) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (17) NOT APPLICABLE (18) MOT APPLICABLE (18) MOT APPLICABLE (18) MOT APPLICABLE (18) MOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

7

7

5

8

N

5

4

Ν

8

6

8

1111

209 FT

2019

24

N/A

N/A

Ν

Ν

\$681.000.00

\$1,022,000.00

\$69,000.00

12/11/2019

HS-20-44

BRIDGE ID NUMBER: 42SR0490001 COUNTY: HOUSTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR049 SPECIAL CASE: 0 FIPS CODE: 24320 ROAD NAME: E. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: ERIN BRANCH LOG MILE: 5.38 SUFFICIENCY RATING: 56.8 LOCATION: IN ERIN CITY LIMITS IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.32083 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 87.68372 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1941 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2009 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 43.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 209.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 30.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

6

3

5

6

Ν

HS-20-44

**ALL LEGAL LOADS** 

**ALL LEGAL LOADS** 

**NOT A NHS ROUTE** 

**RURAL ARTERIAL** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

**NO PARALLEL BRIDGE** 

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 42SR0490003 COUNTY: HOUSTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR049 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: E. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: WELLS CREEK LOG MILE: 5.88 LOCATION: IN ERIN CITY LIMITS SUFFICIENCY RATING: 15.9 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.31923 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.67537 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: N/A (101) PARALLEL BRIDGE: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED**  CONDITION RATINGS 5 (58) DECK: 0 (59) SUPERSTRUCTURE: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): NONE **DESIGN LOAD AND WEIGHT POSTING** NONE (31) DESIGN LOADING: AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): 1932 WEIGHT POSTING (3 OR MORE AXLES): 4005 W GEOMETRIC DATA -

1965	(70) BRIDGE POSTING CODE:	5
HIGHWAY	(41) WT POSTING STATUS: OPEN	
VATERWAY 2		
0	(67) STRUCTURAL EVALUATION:	3
	(68) DECK GEOMETRY:	3
05.4 FT	(69) UNDERCLEARANCE RATING:	N
35.1 FT	(71) WATERWAY ADEQUACY:	5
174.9 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
0.0 FT	(36) TRAFFIC SAFETY FEATURES:	1010
0.0 FT	(113) SCOUR CONDITION RATING:	8
29.9 FT	PECOMMENDED IMPROVEMENTS	

RECOMMENDED IMPROVEMENTS ———			
	TYPE OF WORK: BRIDGE REPLACEMENT	(75)	
208.7 FT	LENGTH OF BRIDGE IMPROVEMENT:	(76)	
\$1,711,000.00	BRIDGE IMPROVEMENT COST:	(94)	
\$172,000.00	ROADWAY IMPROVEMENT COST:	(95)	
\$2,567,000.00	TOTAL PROJECT COST:	(96)	
2019	YEAR OF IMPROVEMENT COST ESTIMATE:	(97)	
INSPECTION DATES			

#### (90) DATE OF LAST REGULAR INSPECTION: 12/11/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



YES

**NATIONAL BRIDGE INVENTORY** TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 42SR0490005 COUNTY: HOUSTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR049 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: STATE HWY. 49 E. COUNTY SEQUENCE: 1 CROSSING: MUSTER GROUND CREEK LOG MILE: 6.10 LOCATION: IN ERIN CITY LIMITS SUFFICIENCY RATING: 62.7 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: N 36.31835 DEGREES (17a.b) LONGITUDE: (104) NIATIONIAL HIGHWAY SYSTEM: 87 67162 DECDEES

(17a,b) LONGITUDE: W 87.67162 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: NOT APPLICABLE  BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(26) FUNCTIONAL CLASS: RURAL ARTERIAL (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: NOT APPLICABLE (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	(50) 550(
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(64) STREAM CHANNEL AND CHANNEL DROTECTION:
A) TYPE OF SURFACE:  ASPHALT	(62) CHI VERT CONDITION (IF ARRIVED IN A RECORDED IN A REC
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1932	WEIGHT POSTING (3 OR MORE AXI ES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(07) OTPLICTUPAL EVALUATION
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(68) DECK GEOMETRY:
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 28.9 FT	(71) WATERWAY ADEQUACY:
(49) TOTAL BRIDGE LENGTH: 86.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0001
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING:
(51) BRIDGE CURB TO CURB WIDTH: 20 FT	PECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 23.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF PRIDGE IMPROVEMENT.
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$344,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$35,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$517,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.7 FT	(07) VEAD OF IMPROVEMENT COST FOUNDATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
	(OO) DATE OF OPEOIAL INODECTION (MODIC)

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A

Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



COUNTY: HOUSTON

ROUTE: SR049

LOG MILE: 12.76

BRIDGE ID NUMBER: 42SR0490007

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 49 E. CROSSING: TOWN CREEK

LOCATION: 6.1 MI.SOUTHEAST OF ERIN IDENTIFICATION

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 69.8

(16a,b) LATITUDE:	N	36.27637	DEGREES	(112) MI
(17a,b) LONGITUDE:	W	87.56740	<b>DEGREES</b>	(104) NA
(98a) BORDER BRIDGE STATE CODE:			N/A	(26) FU
(98b) PERCENT SHARE:			N/A	(101) PA
(99) BORDER BRIDGE NUMBER:		NOT AF	PPLICABLE	(102) TF

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE

C) TYPE PROTECTION:

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS	i: 0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(100) TVDE OF WEADING OUDELOS	NID DECK DOCTECTION

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** 

B) TYPE MEMBRANE: NONE NONE

### AGE AND SERVICE =

1932	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:

#### GEOMETRIC DATA -

0_0	
(48) MAXIMUM SPAN LENGTH:	23.0 FT
(49) TOTAL BRIDGE LENGTH:	67.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	25.9 FT

(33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** 

(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

#### NAVIGATION DATA =

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEAR	NCE: N/A

N/A

N/A

(116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE:

 CLASSIFICATION = MEETS NBIS BRIDGE LENGTH:

YES IATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** 

SPECIAL CASE: 0

UNCTIONAL CLASS: **RURAL ARTERIAL** 

ARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR:

2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** 

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

**NOT BEEN DETERMINED** 

#### CONDITION RATINGS =

(58) DECK:	6
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

#### DESIGN LOAD AND WEIGHT POSTING

HS-20-44	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
5	(70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN** 

#### APPRAISAL

6	(67) STRUCTURAL EVALUATION:
2	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
6	(71) WATERWAY ADEQUACY:
8	(72) APPROACH ROADWAY ALIGNMENT:
0111	(36) TRAFFIC SAFETY FEATURES:
8	(113) SCOUR CONDITION RATING:

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** NEEDED)

(76) LENGTH OF BRIDGE IMPROVEMENT: 67.9 FT (94) BRIDGE IMPROVEMENT COST: \$229,000.00 (95) ROADWAY IMPROVEMENT COST: \$23,000.00 TOTAL PROJECT COST: \$344,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020

### INSPECTION DATES

12/12/2019	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 42SR0490009

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: **STATE HWY. 49 E.** CROSSING: **SALMON CREEK** 

LOCATION: 7.1 MI.SOUTHEAST OF ERIN

OF TRANSPORTAT

ROUTE: SR049

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 13.52

SUFFICIENCY RATING: 71.0

IDENTIFICATION —————	CLASSIFICATION —
(16a,b) LATITUDE: N 36.26640 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.56222 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>7</b>
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 5
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1932	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: 2000	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(68) DECK GEOMETRY:
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 39.0 FT	(71) WATERWAY ADEQUACY: 7
(49) TOTAL BRIDGE LENGTH: 78.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1110
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 32.2 FT	RECOMMENDED IMPROVEMENTS —
(52) BRIDGE OUT TO OUT WIDTH: 34.1 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 37.4 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: 78.1 FT
(33) BRIDGE MEDIAN: NO MEDIAN	(94) BRIDGE IMPROVEMENT COST: \$482,000.00
(34) BRIDGE SKEW: 20 DEGREES	(95) ROADWAY IMPROVEMENT COST: \$49,000.00
(35) BRIDGE FLARE:  NO FLARE  (53) MIN VERTICAL OF FARANCE OVER RD: NO PETTION OF THE PROPERTY	(96) TOTAL PROJECT COST: \$724,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT	INSPECTION DATES
(54a) VERT UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b> (54b) MIN VERTICAL UNDERCLEARANCE: <b>NOT APPLICABLE</b>	(90) DATE OF LAST REGULAR INSPECTION: 12/12/2019
(54b) MIN VERTICAL UNDERCLEARANCE: <b>NOT APPLICABLE</b> (55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE  NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
NAVIGATION DATA  NO NAVIGATION CONTROL	
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

## NATIONAL BRIDGE INVENTORY



YES

Ν

Ν

Ν

6

7

8

**NOT A NHS ROUTE** 

**RURAL ARTERIAL** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 42SR0490013 COUNTY: HOUSTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR049 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: STATE HWY. 49 E. COUNTY SEQUENCE: 1 CROSSING: DRY CREEK LOG MILE: 14.30 SUFFICIENCY RATING: 89.2 LOCATION: 8 MILES SOUTHEAST OF ERIN IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25693 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.55380 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1970

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

N/A

**NOT A HIGHWAY OR RAILROAD** 

(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

### GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 34.1 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 42.0 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

## (56) MIN HORZ UNDERCLR ON LEFT:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE:

## **DESIGN LOAD AND WEIGHT POSTING**

HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN** 

#### APPRAISAL

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0N00

### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(113) SCOUR CONDITION RATING:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 12/12/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:



BRIDGE ID NUMBER: 42SR0490011 COUNTY: HOUSTON
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR049
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: STATE HWY. 49 E. COUNTY SEQUENCE: 1
CROSSING: YELLOW CREEK LOG MILE: 15.14
LOCATION: .75 MILE W.OF DICKSON CO. SUFFICIENCY RATING: 93.2

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.24723 DEGREE	S (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.54620 DEGREE	S (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/	A (26) FUNCTIONAL CLASS: RURAL ARTERIAL
(98b) PERCENT SHARE: N/	A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABL	E (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	) (58) DECK: 8
(107) TYPE OF DECK: CONCRETE CAST-IN-PLAC	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRET	
B) TYPE MEMBRANE: NON	
C) TYPE PROTECTION: <b>EPOXY COATED REINFORCIN</b>	DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 199	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWA	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWA	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL ———
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
(48) MAXIMUM SPAN LENGTH: 80.7 F	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 244.1 F	(71) WATERWAY ADEQUACY: 7
(50a) LEFT SIDEWALK WIDTH: 0.0 F	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 F	(36) TRAFFIC SAFETY FEATURES: 1000
(51) BRIDGE CURB TO CURB WIDTH: 36.1 F	(113) SCOUR CONDITION RATING:
(51) BRIDGE CURB TO CURB WIDTH: 36.1 F (52) BRIDGE OUT TO OUT WIDTH: 38.4 F	(113) SCOUR CONDITION RATING: 8
` '	RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT ARRUGABLE
(52) BRIDGE OUT TO OUT WIDTH: 38.4 F	RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(52) BRIDGE OUT TO OUT WIDTH: 38.4 F (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 F	(113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:
(52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  38.4 F NO MEDIA	RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  NO MEDIA  O DEGREE	RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  NO FLAR	RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTIO	RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTIO  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  38.4 F.  36.1 F.	RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 12/12/2019
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROA  (54b) MIN VERTICAL UNDERCLEARANCE:  NOT A PPLICABL  (55a) HORZ UNDERCLR:  NOT A HIGHWAY OR RAILROA	RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 12/12/2019  (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROA  (54b) MIN VERTICAL UNDERCLEARANCE:  NOT A HIGHWAY OR RAILROA  (55b) MIN HORZ UNDERCLR:  NOT A HIGHWAY OR RAILROA  (55b) MIN HORZ UNDERCLR ON RIGHT:  NOT APPLICABL	RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 12/12/2019  (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24  (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROA  (54b) MIN VERTICAL UNDERCLEARANCE:  NOT A HIGHWAY OR RAILROA  (55a) HORZ UNDERCLR:  NOT A HIGHWAY OR RAILROA  (55b) MIN HORZ UNDERCLR ON RIGHT:  NOT APPLICABL  (56) MIN HORZ UNDERCLR ON LEFT:  NOT APPLICABL	RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 12/12/2019  (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24  (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROA  (54b) MIN VERTICAL UNDERCLEARANCE:  NOT A HIGHWAY OR RAILROA  (55b) MIN HORZ UNDERCLR:  NOT A HIGHWAY OR RAILROA  (55b) MIN HORZ UNDERCLR ON RIGHT:  NOT APPLICABL	RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  (90) DATE OF LAST REGULAR INSPECTION: 12/12/2019  (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24  (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A  (92c) UNDERWATER INSP FREQUENCY (MONTHS): N  (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 42SR0490015

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 49 E. CROSSING: JORDAN BRANCH

LOCATION: .5 M. E. OF DICKSON CO LN

IDENTIFICATION =

COUNTY: HOUSTON

ROUTE: SR049 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 15.93

### CLASSIFICATION =

SUFFICIENCY RATING: 95.1

	. •			0=/.00.
(16a,b) LATITUDE:	N	36.24660	DEGREES	(112) MEETS NBIS BRIDGE LEI
(17a,b) LONGITUDE:	W	87.53247	<b>DEGREES</b>	(104) NATIONAL HIGHWAY SYS
(98a) BORDER BRIDGE STATE CODE:			N/A	(26) FUNCTIONAL CLASS:
(98b) PERCENT SHARE:			N/A	(101) PARALLEL BRIDGE:
(99) BORDER BRIDGE NUMBER:		NOT A	PPLICABLE	(102) TRAFFIC DIR:

### BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS	: <b>0</b>
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE A	AND DECK PROTECTION:
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE

B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

### AGE AND SERVICE

1989	YEAR THE BRIDGE WAS BUILT:	(27)
N/A	) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY	) SERVICE ON BRIDGE:	(42a)
WATERWAY	) UNDER BRIDGE:	(42b)
2	) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0	) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

## GEOMETRIC DATA

9.8 FT	(48) MAXIMUM SPAN LENGTH:
22.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
36.7 FT	(51) BRIDGE CURB TO CURB WIDTH:
40.4 FT	(52) BRIDGE OUT TO OUT WIDTH:
25.9 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: <b>36.7 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADW.
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

**NOT APPLICABLE** 

(55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

### NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL C	LEARANCE: N/A
(116) LIFT BRIDGE VERT CLEAF	RANCE: N/A
(40) NAVIGATION HORZ CLEAR	RANCE: N/A

**PUBLICATION DATE** 19-Mar-20

NGTH: YES STEM: **NOT A NHS ROUTE RURAL ARTERIAL NO PARALLEL BRIDGE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** 

### CONDITION RATINGS =

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

### DESIGN LOAD AND WEIGHT POSTING

HS-20-44		(31) DESIGN LOADING:
ALL LEGAL LOADS	EHICLES):	WEIGHT POSTING (2 AXLE V
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO
5	:	(70) BRIDGE POSTING CODE
	OPEN	(41) WT POSTING STATUS:

APPRAISAL	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N00
(113) SCOUR CONDITION RATING:	8

### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A
(04)	BRIDGE IMPROVE	MENT COST:	

(94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

## INSPECTION DATES

12/12/2019	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):



COUNTY: HOUSTON

ROUTE: SR147

LOG MILE: 5.77

BRIDGE ID NUMBER: 42SR1470001

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: **STATE HWY. 147** 

CROSSING: BRANCH

LOCATION: 2.7 MI.E.OF TENN.RIDGE

## SUFFICIENCY RATING: 94.5

COUNTY SEQUENCE: 1

SPECIAL CASE: 0

LOCATION. 2.7 WILE.OF TENN.RIDGE	SUPPOLING RATING. 94.5
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.32000 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.84833 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	
(00 ) ANNIADED OF LANES CARRIED BY PRIDGE	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL  (67) STRUCTURAL EVALUATION:  6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  12.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 30.8 FT	<ul> <li>(67) STRUCTURAL EVALUATION:</li> <li>(68) DECK GEOMETRY:</li> <li>(69) UNDERCLEARANCE RATING:</li> <li>(71) WATERWAY ADEQUACY:</li> <li>6</li> </ul>
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT  (49) TOTAL BRIDGE LENGTH: 30.8 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	<ul> <li>(67) STRUCTURAL EVALUATION:</li> <li>(68) DECK GEOMETRY:</li> <li>(69) UNDERCLEARANCE RATING:</li> <li>(71) WATERWAY ADEQUACY:</li> <li>(72) APPROACH ROADWAY ALIGNMENT:</li> <li>8</li> </ul>
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 30.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION:6(68) DECK GEOMETRY:6(69) UNDERCLEARANCE RATING:N(71) WATERWAY ADEQUACY:6(72) APPROACH ROADWAY ALIGNMENT:8(36) TRAFFIC SAFETY FEATURES:00000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 34.4 FT	(67) STRUCTURAL EVALUATION:6(68) DECK GEOMETRY:6(69) UNDERCLEARANCE RATING:N(71) WATERWAY ADEQUACY:6(72) APPROACH ROADWAY ALIGNMENT:8(36) TRAFFIC SAFETY FEATURES:0000(113) SCOUR CONDITION RATING:8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 39 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  00 12.1 FT 13.1 FT 13.1 FT 13.1 FT 13.1 FT 13.2 APPROACH ROADWAY (W/ SHLDS) WIDTH: 28.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (554a) VERT UNDERCLR:  NO 12.1 FT  30.8 FT  30.8 FT  34.4 FT  15.1 FT  12.1 FT  30.8 FT  30.8 FT  34.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 12/9/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (541) NOT A HIGHWAY OR RAILROAD (545) MIN VERTICAL UNDERCLEARANCE: (550) MIN HORZ UNDERCLR: (551) MOT A HIGHWAY OR RAILROAD (555) MIN HORZ UNDERCLR: (552) NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 30.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 34.4 FT (52) BRIDGE CURB TO CURB WIDTH: 39 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 28.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.4 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENTS (75) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (541) NOT A HIGHWAY OR RAILROAD (545) MIN VERTICAL UNDERCLEARANCE: (550) MIN HORZ UNDERCLR: (551) MOT A HIGHWAY OR RAILROAD (555) MIN HORZ UNDERCLR: (552) NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 42\$R1470003

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 147

CROSSING: NORTH FORK CANE CREEK

LOCATION: 6.2 MI.E.OF TENN.RIVER

## COUNTY: HOUSTON ROUTE: SR147

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 6.16

SUFFICIENCY RATING: 77.0

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.31833 DEC	GREES (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.84167 DEC	GREES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A (26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE:	N/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLI	CABLE (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	) (E0) DECK:
(46) NUMBER OF APPROACH SPANS:	(50) SUBERSTRUCTURE:
(107) TYPE OF DECK: CONCRETE CAST-IN-	LACE (99) OUROTRUCTURE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTIO	(C1) CTDEAM CHANNEL AND CHANNEL DROTECTION:
A) TYPE OF SURFACE: MONOLITHIC CON	(62) CHI VERT CONDITION (IE ARRI ICARI E)
B) TYPE MEMBRANE:	TOTAL
C) TYPE PROTECTION: EPOXY COATED REINFO	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44  WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT:	1984 WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A (70) BRIDGE POSTING CODE:
(42a) SERVICE ON BRIDGE: HIG	HWAY (41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATE	RWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:	0 (67) STRUCTURAL EVALUATION: 5
	0 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA	0 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 3	2 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 3 (49) TOTAL BRIDGE LENGTH: 7	2 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 3 (49) TOTAL BRIDGE LENGTH: 7 (50a) LEFT SIDEWALK WIDTH:	2 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 1011
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 3 (49) TOTAL BRIDGE LENGTH: 7 (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH:	2 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 3
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 33 (52) BRIDGE OUT TO OUT WIDTH: 33	Control of the cont
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 3	10
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 33 (33) BRIDGE MEDIAN: NO M	(67) STRUCTURAL EVALUATION:   5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO M (34) BRIDGE SKEW: 25 DEC	(67) STRUCTURAL EVALUATION:   5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 33 (33) BRIDGE MEDIAN: NO M (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO	0 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 3 (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: 74.1 FT GREES (94) BRIDGE IMPROVEMENT COST: \$383,000.00 (95) ROADWAY IMPROVEMENT COST: \$39,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRI	Comparison
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (35) BRIDGE FLARE: (47) MIN VERTICAL CLEARANCE OVER RD: NO RESTRI	(67) STRUCTURAL EVALUATION:   5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (35) BRIDGE FLARE: (47) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAII	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (73) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) RECOMMENT COST: (78) TYPE OF WORK: STIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: STIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: BRIDGE REHABILITATION (78) TYPE OF WORK: BRIDGE REHABILITATION (77) TYPE OF WORK: BRIDGE REHABILITATION (78) TYPE OF WORK: BRIDGE REHABILITATION (78) TYPE OF WORK: BRIDGE REHABILITATION (78) TYPE OF WORK: BRIDGE REHABILITATION (79) TYPE OF WORK: BRIDGE REH
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 3 (33) BRIDGE MEDIAN: NO M (34) BRIDGE SKEW: 25 DEC (35) BRIDGE FLARE: NO (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRI (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 3 (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAII (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICATION.	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (73) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) DATE OF LAST REGULAR INSPECTION: (12/9/2019)
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 3 (33) BRIDGE MEDIAN: NO M (34) BRIDGE SKEW: 25 DEC (35) BRIDGE FLARE: NO (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRI (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 3 (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAII (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAII	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 3 (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) PEAR OF IMPROVEMENT COST ESTIMATE: (97) PEAR OF IMPROVEMENT COST ESTIMATE: (98) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (12/9/2019) (12/9/2019)
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 3 (33) BRIDGE MEDIAN: NO M (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRI (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 3 (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAII (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICE (55c)	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 3 (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) DATE OF LAST REGULAR INSPECTION: (991) REGULAR INSPECTION FREQUENCY (MONTHS): (993) DATE OF LAST UNDERWATER INSP (MO/YR): (12/9/2019) (14) REGULAR INSPECTION FREQUENCY (MONTHS): (15) TYPE OF WORK: (16) UNDERCLEARANCE RATING: (17) WATERWAY ADEQUENCY (MONTHS): (10) TOTAL PROJECT COST: (10) TOTAL PROJECT COST: (11) TOTAL PROJECT COST: (12) TOTAL PROJECT COST: (13) TOTAL PROJECT COST: (14) TOTAL PROJECT COST: (15) TYPE OF WORK: (16) UNDERCLEARANCE RATING: (17) WATERWAY ADEQUENCY (MONTHS): (16) UNDERCLEARANCE RATING: (17) WATERWAY ADEQUENCY (MONTHS): (10) TOTAL PROJECTION FREQUENCY (MONTHS): (10) TOTAL PROJECTION FREQUENCY (MONTHS): (10) TOTAL PROJECTION FREQUENCY (MONTHS): (11) TOTAL PROJECTION FREQUENCY (MONTHS): (12) TOTAL PROJECTION FREQUENCY (MONTHS): (11) TOTAL PROJECTION FREQUENCY (MONTHS): (12) TOTAL PROJECTION FREQUENCY (MONTHS): (11) TOTAL PROJECTION FREQUENCY (MONTHS): (12) TOTAL PROJECTION FREQUENCY (MONTHS): (13) TOTAL PROJECTION FREQUENCY (MONTHS): (14) TOTAL PROJECTION FREQUENCY (MONTHS): (15) TOTAL PROJECTION FREQUENCY (MONTHS): (16) TOTAL PROJECTION FREQUENCY (MONTHS): (17) TOTAL PR
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 3 (49) TOTAL BRIDGE LENGTH: 7 (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 3 (52) BRIDGE OUT TO OUT WIDTH: 3 (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 3 (33) BRIDGE MEDIAN: NO M (34) BRIDGE SKEW: 25 DEC (35) BRIDGE FLARE: NO RESTRI (47) MIN VERTICAL CLEARANCE OVER RD: NO RESTRI (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 3 (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAII (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLIC (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAII (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLIC	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) DATE OF LAST REGULAR INSPECTION: (99) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (94) BRIDGE WATER INSP FREQUENCY (MONTHS): (95) ROADWAY IMPROVEMENT COST ESTIMATE: (96) DATE OF LAST UNDERWATER INSP (MO/YR): (97) ROAD (98) DATE OF LAST UNDERWATER INSP (MO/YR): (99) DATE OF LAST UNDERWATER INSP (MO/YR): (90) DATE OF LAST UNDERWATER INSP (MO/YR): (90) DATE OF LAST UNDERWATER INSP (MO/YR): (90) DATE OF LAST UNDERWATER INSP (MO/YR): (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93) DATE OF LAST UNDERWATER INSP (MO/YR): (94) REGULAR INSPECTION FREQUENCY (MONTHS): (95) DATE OF LAST UNDERWATER INSP (MO/YR): (96) DATE OF LAST UNDERWATER INSP (MO/YR): (97) PROMOTOR OF TART OF T
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 3 (33) BRIDGE MEDIAN: NO M (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRI (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 3 (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAII (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICE (55c)	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (75) REES (94) BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) ROAD (97) REGULAR INSPECTION DATES (98) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): (94) NA

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 42SR1490003 COUNTY: HOUSTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR149 SPECIAL CASE: 0 FIPS CODE: 24320 ROAD NAME: CUMBERLAND CITY HWY. COUNTY SEQUENCE: 1 CROSSING: MUSTERGOUND CREEK LOG MILE: 0.06 LOCATION: IN CITY OF ERIN SUFFICIENCY RATING: 73.8

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.32018 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.67648 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 3	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>7</b> (59) SUPERSTRUCTURE: <b>5</b>
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	` '
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	
B) TYPE MEMBRANE: NONE	,
C) TYPE PROTECTION: <b>EPOXY COATED REINFORCING</b>	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1992	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	APPRAISAL (67) STRUCTURAL EVALUATION: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  62.0 FT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 9
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 62.0 FT (49) TOTAL BRIDGE LENGTH: 190.9 FT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 9 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 62.0 FT  (49) TOTAL BRIDGE LENGTH: 190.9 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 9 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 62.0 FT  (49) TOTAL BRIDGE LENGTH: 190.9 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 9 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 9 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 49.9 FT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 9 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  62.0 FT 47.9 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  Occupants	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  62.0 FT 47.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1011) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  O 20.0 FT 190.9 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  O 20.0 FT 190.9 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (48) MORDING: (420) MEDIAN (44) MIN HORIZONTAL CLEARANCE ON ROADWAY: (45) MEDIAN (46) MAXIMUM SPAN LENGTH: (46) 0.0 FT (47.9 FT (47.9 FT) (48) MAXIMUM SPAN LENGTH: (48) MAXIMUM SPAN LENGTH: (47.9 FT) (48) MAXIMUM SPAN LENGTH: (48) MAXIMUM SPAN LENGTH: (48) MAXIMUM SPAN LENGTH: (48) MAXIMUM SPAN LENGTH: (49.0 FT (49.0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR:  (62.0 FT  190.9 FT  190.	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1011 (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 12/4/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: (190.9 FT (	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (80) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (12/4/2019) (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

**NOT A NHS ROUTE** 

**RURAL ARTERIAL** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS

**NOT BEEN DETERMINED** 

BRIDGE ID NUMBER: 42SR1490005 COUNTY: HOUSTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR149 SPECIAL CASE: 0

FIPS CODE: 00000

ROAD NAME: CUMBERLAND CITY HWY.

CROSSING: WELL'S CREEK

LOCATION: 4 M S STEWART CO LINE

# CLASSIFICATION =

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 84.8

LOG MILE: 0.65

 IDENTIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.32773 DEGREES Ν (17a,b) LONGITUDE: 87.67070 DEGREES (104) NATIONAL HIGHWAY SYSTEM: (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE:

### BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

**MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE

**EPOXY COATED REINFORCING** C) TYPE PROTECTION:

### AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1992 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

## GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 64.0 FT (49) TOTAL BRIDGE LENGTH: 192.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT (52) BRIDGE OUT TO OUT WIDTH: 49.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 25 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** 47.9 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

### NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE: N/A

## CONDITION RATINGS =

(58) DECK: 7 (59) SUPERSTRUCTURE: 7 (60) SUBSTRUCTURE: 7 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 (62) CULVERT CONDITION (IF APPLICABLE): N

### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN** 

(110) NATIONAL TRUCK ROUTE:

(37) HISTORICAL CLASS:

### APPRAISAL

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 9 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8

### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

## INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 12/4/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



COUNTY: HOUSTON

ROUTE: SR149

LOG MILE: 0.83

SPECIAL CASE: 0

BRIDGE ID NUMBER: 42SR1490007

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: CUMBERLAND CITY HWY.

CROSSING: WELL'S CREEK

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 83.3

IDENTIFICATI	ON			ON ———
(16a,b) LATITUDE:	N	36.33010 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	87.66960 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL ARTERIAL
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL  (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE		(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
		(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: PRESTRI			(37) HISTORICAL CLASS: HISTORIC	CAL SIGNIFICANCE HAS

### **NOT BEEN DETERMINED** CONDITION RATINGS -

(58) DECK:	7
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CUI VERT CONDITION (IF APPLICABLE):	N

### **DESIGN LOAD AND WEIGHT POSTING**

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	

APPRAISAL	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1011
(113) SCOUR CONDITION RATING:	8

### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	E IMPROVEMENT:	N/A

- (94) BRIDGE IMPROVEMENT COST:
- (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	12/4/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

### LOCATION: 3.8 M S STEWART CO LINE (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: MONOLITHIC CONCRETE B) TYPE MEMBRANE: NONE **EPOXY COATED REINFORCING** C) TYPE PROTECTION: AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1992 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **WATERWAY** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 64.0 FT (49) TOTAL BRIDGE LENGTH: 192.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 00 FT (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT (52) BRIDGE OUT TO OUT WIDTH: 49.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A



BRIDGE ID NUMBER: 42SR1490009

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: CUMBERLAND CITY HWY.

CROSSING: SPRING BRANCH

LOCATION: 3 M S STEWART CO LINE

DENTIFICATION

N. 36 33688 DEGREES (112) MEETS NRIS BRIDGE LENGTH:

IDENTIFICATION -			
(16a,b) LATITUDE: N 3	6.33688 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE: W 8	7.66737 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A N	IHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS: RURAL	ARTERIAL
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE: NO PARALL	EL BRIDGE
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	(102) TRAFFIC DIR: 2-WA	Y TRAFFIC
BRIDGE TYPE AND MATER	ΙΔΙ ————	(103) TEMPORARY BRIDGE: NOT A	PPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CON		(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK	NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABL		(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANC NOT BEEN DETERMINED	E HAS
(45) NUMBER OF MAIN SPANS:	3	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	N
(107) TYPE OF DECK:	NOT APPLICABLE	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SURFACE AND DECK	PROTECTION:	(60) SUBSTRUCTURE:	N
A) TYPE OF SURFACE:	NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
B) TYPE MEMBRANE:	NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE):	7
C) TYPE PROTECTION:	NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING	<del>, —</del>
AGE AND SERVICE		(31) DESIGN LOADING:	HS-20-44
(27) YEAR THE BRIDGE WAS BUILT:	1992	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEG	SAL LOADS
(106) YEAR THE BRIDGE WAS BEHABILITATED		WEIGHT POSTING (3 OR MORE AXLES): ALL LEG	SAL LOADS
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE:	5
(42b) UNDER BRIDGE:	WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
(28a) NUMBER OF LANES CARRIED BY BRIDGE		APPRAISAL —	
(28b) NUMBER OF LANES UNDER THE BRIDGE		(67) STRUCTURAL EVALUATION:	7
GEOMETRIC DATA		(68) DECK GEOMETRY:	N
(48) MAXIMUM SPAN LENGTH:	12.1 FT	(69) UNDERCLEARANCE RATING:	N
(49) TOTAL BRIDGE LENGTH:	43.0 FT	(71) WATERWAY ADEQUACY:	7
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES:	1N11
(51) BRIDGE CURB TO CURB WIDTH:	<b>UNDER FILL</b>	(113) SCOUR CONDITION RATING:	8
(52) BRIDGE OUT TO OUT WIDTH:	<b>UNDER FILL</b>	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH	: 47.9 FT	(75) TYPE OF WORK: <b>NOT APPLICABLE</b>	
(33) BRIDGE MEDIAN:	NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(34) BRIDGE SKEW:	30 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE:	NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADV	VAY: <b>47.9 FT</b>	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
	WAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION:	12/3/2019
•	WAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N N/A
NAVIGATION DATA		(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(38) NAV CONTROL: NO NAV	IGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: HOUSTON

ROUTE: SR149

LOG MILE: 2.10

SPECIAL CASE: 0

BRIDGE ID NUMBER: 42SR1490001

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: CUMBERLAND CITY HWY.

CROSSING: WELLS CREEK

LOCATION: 1.96 MILE NORTH OF ERIN

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 83.8

IDENTIFICATION				
(16a,b) LATITUDE:	N	36.34667	DEGREES	
(17a,b) LONGITUDE:	W	87.66667	DEGREES	
(98a) BORDER BRIDGE STATE CODE:			N/A	
(98b) PERCENT SHARE:			N/A	
(99) BORDER BRIDGE NUMBER:		NOT A	PPLICABLE	

- IDENTIFICATION -

### BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

**CONTINUOUS** 

NONE

36 1 ET

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

C) TYPE PROTECTION:

(48) MAXIMLIM SPAN LENGTH:

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** 

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE

### AGE AND SERVICE =

1980	YEAR THE BRIDGE WAS BUILT:	(27)
N/A	) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY	) SERVICE ON BRIDGE:	(42a)
WATERWAY	) UNDER BRIDGE:	(42b)
2	) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0	) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

### ─ GEOMETRIC DATA ─

30.1 1 1	(40) MAXIMON OF AN ELIVOTTI.
144.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
44 FT	(51) BRIDGE CURB TO CURB WIDTH:
45.9 FT	(52) BRIDGE OUT TO OUT WIDTH:
40.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
30 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

### NAVIGATION DATA =

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	. <b>N/A</b>
(40)	NAVIGATION HORZ CLEARANCE	: <b>N/A</b>

**PUBLICATION DATE** 19-Mar-20

 CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** 

### CONDITION RATINGS =

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

### DESIGN LOAD AND WEIGHT POSTING

HS-20-44
ALL LEGAL LOADS
ALL LEGAL LOADS
5

### **APPRAISAL**

ALLINAIDAE			
7			
6			
N			
8			
8			
1001			
5			

### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	GE IMPROVEMENT:	N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	12/3/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



YES

2019

NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS

**NOT BEEN DETERMINED** 

BRIDGE ID NUMBER: 42SR1490011 COUNTY: HOUSTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR149

FIPS CODE: 00000

ROAD NAME: CUMBERLAND CITY HWY.

CROSSING: CAVE BRANCH

LOCATION: 2 M S STEWART CO LINE

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 69.8

SPECIAL CASE: 0

LOG MILE: 2.26

 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.35012 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.66610 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** 

9.8 FT

### BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: NOT APPLICABLE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION:

### AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 1992 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

## GEOMETRIC DATA

(49) TOTAL BRIDGE LENGTH: 33.1 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 96.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

## NAVIGATION DATA

**NOT A HIGHWAY OR RAILROAD** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

CONDITION RATINGS =

(110) NATIONAL TRUCK ROUTE:

(37) HISTORICAL CLASS:

(58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE):

### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** 

### APPRAISAL

(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1N11 (113) SCOUR CONDITION RATING: 8

### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE REHABILITATION** (76) LENGTH OF BRIDGE IMPROVEMENT:

33.1 FT (94) BRIDGE IMPROVEMENT COST: \$297,000.00 ROADWAY IMPROVEMENT COST: \$30,000.00

(96) TOTAL PROJECT COST: \$446,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 12/3/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(48) MAXIMUM SPAN LENGTH:



YES

Ν

Ν

Ν

7

7

7

Ν

Ν

7

8

8

N/A

12/3/2019

24

N/A

N/A

Ν

Ν

**1N0N** 

HS-20-44

BRIDGE ID NUMBER: 42SR1490013 COUNTY: HOUSTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR149 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CUMBERLAND CITY HWY. COUNTY SEQUENCE: 1 CROSSING: LICKSKILLET BRANCH LOG MILE: 3.38 LOCATION: .5 M S STEWART CO LINE SUFFICIENCY RATING: 84.8 - IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: 36.36217 DEGREES Ν

(16a,b) LATITUDE: (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.65362 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

6

5

5

Ν

N

7

8

8

N/A

12/9/2019

24

N/A

N/A

Ν

Ν

0N10

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 42S62250001 COUNTY: HOUSTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR231 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-231 COUNTY SEQUENCE: 1 CROSSING: HALF PONE HOLLOW BRANCH LOG MILE: 0.96 SUFFICIENCY RATING: 85.4 LOCATION: 7.5 MI.SOUTHEAST OF ERIN - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21423 DEGREES 87.65080 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 55.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



COUNTY: HOUSTON

ROUTE: SR232

LOG MILE: 1.78

SPECIAL CASE: 0

BRIDGE ID NUMBER: 42FA1230001

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: HURRICANE CREEK RD. CROSSING: HURRICANE CREEK

LOCATION: 1.8 MI.N.OF MCKINNON

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 60.0

IDENTIFICAT	ION			
(16a,b) LATITUDE:	N	36.33333	DEGREES	(112) M
(17a,b) LONGITUDE:	W	87.91500	<b>DEGREES</b>	(104) N
(98a) BORDER BRIDGE STATE CODE:			N/A	(26) FI
(98b) PERCENT SHARE:			N/A	(101) P
(99) BORDER BRIDGE NUMBER:		NOT AF	PPLICABLE	(102) TI
				(103) TI

### BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **ASPHALT** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE

C) TYPE PROTECTION: AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 1961 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 28.9 FT (49) TOTAL BRIDGE LENGTH: 113.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24.6 FT 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD NOT APPLICABLE** 

(54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 

 CLASSIFICATION = MEETS NBIS BRIDGE LENGTH: YES NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** PARALLEL BRIDGE: **NO PARALLEL BRIDGE** TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** 

CONDITION RATINGS =

(58) DECK: 6 (59) SUPERSTRUCTURE: 4 (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 4 (62) CULVERT CONDITION (IF APPLICABLE):

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 +MOD WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN** 

NONE

### APPRAISAL

(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 4 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 3

### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE REHABILITATION** 

(76) LENGTH OF BRIDGE IMPROVEMENT: 113.8 FT (94) BRIDGE IMPROVEMENT COST: \$492,000.00 (95) ROADWAY IMPROVEMENT COST: \$50,000.00

(96) TOTAL PROJECT COST: \$739,000.00 2020

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 12/19/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν