

YFS

7

7

7

4

Ν

7

7

N

8

6

8

N/A

3/18/2020

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 93\$43660001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 01140 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: COUNTY HOUSE RD. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 7.72 LOCATION: 8MI EAST OF SR1 SUFFICIENCY RATING: 91.9 IDENTIFICATION CLASSIFICATION = 35.86740 DEGREES (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: (17a.b) LONGITUDE: 85.47278 DEGREES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1973 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 65.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 319.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 32.5 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: **NO FLARE** (35) BRIDGE FLARE: (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N/A (39) NAVIGATION VERTICAL CLEARANCE: PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

PUBLIC RECORDS REQUEST

NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 93\$42510001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 01159 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HICKORY VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: CANEY FORK RIVER LOG MILE: 0.87 SUFFICIENCY RATING: 91.8 LOCATION: 1 MI N OF VAN BUREN CO LI IDENTIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: N 35.82417 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.41722 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN

	AGE AND SERVICE —
1970	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:
	CEOMETRIC DATA

	OLOMET MO DATA
159.1 FT	(48) MAXIMUM SPAN LENGTH:
426.8 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
29.9 FT	(51) BRIDGE CURB TO CURB WIDTH:
34.1 FT	(52) BRIDGE OUT TO OUT WIDTH:
34.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD: NC
29.9 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:
	(5.4.) \ (5.6

NO MEDIAN		3) BRIDGE MEDIAN:	(
0 DEGREES		4) BRIDGE SKEW:	(
NO FLARE		5) BRIDGE FLARE:	(
RESTRICTION	LEARANCE OVER RD: NO	20) MIN VERTICAL CLEAR	(
29.9 FT	CLEARANCE ON ROADWAY:	7) MIN HORIZONTAL CLEA	(
OR RAILROAD	R: NOT A HIGHWAY	4a) VERT UNDERCLR:	(
T APPLICABLE	INDERCLEARANCE: NO	4b) MIN VERTICAL UNDER	(
OR RAILROAD	R: NOT A HIGHWAY	5a) HORZ UNDERCLR:	(
T APPLICABLE	RCLR ON RIGHT: NO	5b) MIN HORZ UNDERCLR	(
T APPLICABLE	RCLR ON LEFT: NO	6) MIN HORZ UNDERCLR	(

•	NA	VIG/	NOITA	DATA
---	----	------	-------	------

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	RANCE: N/A
(116) LIFT BRIDGE VERT CLEARANC	E: N/A
(40) NAVIGATION HORZ CLEARANC	CE: N/A

PUBLICATION DATE 19-Mar-20

CLASSIFICATION = YES **NOT A NHS ROUTE RURAL MINOR COLLECTOR NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS = 7

(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

HS-20-44	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
E	(70) PRINCE POSTING CODE:

-	
APPRAISAL	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

TYPE OF WORK:	NOT APPLICABLE	
LENGTH OF BRIDG	SE IMPROVEMENT:	N/A
BRIDGE IMPROVE	MENT COST:	
	LENGTH OF BRIDG	TYPE OF WORK: NOT APPLICABLE LENGTH OF BRIDGE IMPROVEMENT: BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	3/27/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	05/2019
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	Y60
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

7

7

6

4

N

8

8

8

0000

70.9 FT

2020

24

N/A

N/A

Ν

Ν

\$112.000.00

\$12,000.00

\$169,000.00

2/3/2020

H-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 93\$42510003 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 01159 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: HICKORY VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: HICKORY VALLEY BRANCH LOG MILE: 1.68 LOCATION: 5MI EAST OF SR111 SUFFICIENCY RATING: 73.4 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83233 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.42675 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1952 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 70.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.6 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 40 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR):

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



YES

Ν

Ν

Ν

5

5

5

4

N

6

8

8

0000

90.9 FT

2018

24

N/A

N/A

Ν

Ν

\$142,000,00

\$15,000.00

\$214,000.00

2/19/2020

HS-20-44 +MOD

BRIDGE ID NUMBER: 93\$42510005 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 01159 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: HICKORY VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: HICKORY VALLEY BRANCH LOG MILE: 2.49 SUFFICIENCY RATING: 67.9 LOCATION: 5MI NORTH OF VAN BUREN CO - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.84272 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.42503 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1952 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 90.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

5

N

6

8

8

0000

50.9 FT

\$87.000.00

\$131,000.00

2/19/2020

\$9,000.00

2018

24

N/A

N/A

Ν

Ν

H-15-44

BRIDGE ID NUMBER: 93S42510007 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 01159 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: HICKORY VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: HICKORY VALLEY BRANCH LOG MILE: 3.07 LOCATION: 5MI NORTH OF VAN BUREN CO SUFFICIENCY RATING: 46.7 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.85068 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.42267 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1952 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 50.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.6 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

6

N

6

5

N

7

6

8

N/A

2/3/2020

24

N/A

N/A

Ν

Ν

1000

HS-20-44

BRIDGE ID NUMBER: 93\$42450001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY **ROUTE: 01163** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHERRY CREEK RD. COUNTY SEQUENCE: 1 CROSSING: CHERRY CREEK LOG MILE: 0.68 SUFFICIENCY RATING: 90.9 LOCATION: .68MI FROM SR84 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.00057 DEGREES 85.42865 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 46.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 132.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 30.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

5

7

7

5

Ν

6

8

8

N/A

2/3/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 93\$42450003 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY **ROUTE: 01163** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHERRY CREEK RD. COUNTY SEQUENCE: 1 CROSSING: CHERRY CREEK LOG MILE: 2.29 SUFFICIENCY RATING: 91.5 LOCATION: 5MI SOUTH OF PUTNAM CO IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.01680 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.44557 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 49.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 30.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

Ν

Ν

6

8

8

N/A

2/3/2020

24

N/A

N/A

Ν

Ν

000N

HS-20-44

BRIDGE ID NUMBER: 93S42450005 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY **ROUTE: 01163** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHERRY CREEK RD. COUNTY SEQUENCE: 1 CROSSING: POST OAK CREEK LOG MILE: 6.06 SUFFICIENCY RATING: 97.8 LOCATION: 1MI FROM PUTNAM CO LINE - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06600 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.46652 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1956 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

6

7

7

4

Ν

7

6

8

0000

33.1 FT

\$53,000.00

\$80,000.00

\$6,000.00

2/3/2020

2020

24

N/A

N/A

Ν

Ν

H-15-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 93S42450007 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY **ROUTE: 01163** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHERRY CREEK RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 6.20 SUFFICIENCY RATING: 81.9 LOCATION: .5MI FROM PUTNAM CO LINE - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06788 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.46692 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1952 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

6

7

7

7

N

7

5

Ν

7

3

8

N/A

3/26/2018

05/2019

24

Y60

N/A

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 93021860001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 02186 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FREMONT RD. COUNTY SEQUENCE: 1 CROSSING: CANEY FORK RIVER LOG MILE: 0.00 LOCATION: 1MI FROM US70S SUFFICIENCY RATING: 76.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.81478 DEGREES 85.51760 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1976 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 232.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 471.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

6

7

7

7

N

7

5

Ν

7

3

8

N/A

3/26/2018

05/2019

24

Y60

N/A

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 93021860001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 02186 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RENO RD. COUNTY SEQUENCE: 1 CROSSING: CANEY FORK RIVER LOG MILE: 0.00 LOCATION: 1MI FROM US70S SUFFICIENCY RATING: 76.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.81478 DEGREES 85.51760 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1976 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 232.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 471.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

7

7

7

7

N

7

5

Ν

7

6

8

N/A

2/3/2020

24

N/A

N/A

Ν

Ν

1011

HL-93

BRIDGE ID NUMBER: 93021900001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 02190 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BIG BOTTOM RD. COUNTY SEQUENCE: 1 CROSSING: CANEY FORK RIVER LOG MILE: 1.41 SUFFICIENCY RATING: 90.8 LOCATION: DODSON COMMUNITY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.82418 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.39442 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2012 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 175.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 175.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.6 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



BRIDGE ID NUMBER: 93021900005 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 02190
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: BIG BOTTOM RD. COUNTY SEQUENCE: 1
CROSSING: DRY CREEK LOG MILE: 4.00
LOCATION: 4 M E INT WITH NFA 1159 SUFFICIENCY RATING: 92.8

IDENTIFICATION ————	
(16a,b) LATITUDE: N 35.83702 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: NO
(17a,b) LONGITUDE: W 85.36083 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(AE) NILIMPED OF MAIN CDANC.	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: H-15-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1950	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	
(, , ,	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	ALLINAIDAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 18.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 18.0 FT (49) TOTAL BRIDGE LENGTH: 20.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) MOON (113) SCOUR CONDITION RATING: (38) REPROACH ROADWAY ALIGNMENT: (39) REPROACH ROADWAY ALIGNMENT: (30) REPROACH ROADWAY ALIGNMENT: (30) REPROACH ROADWAY ALIGNMENT: (31) REPROACH ROADWAY ALIGNMENT: (32) REPROACH ROADWAY ALIGNMENT: (33) REPROACH ROADWAY ALIGNMENT: (34) REPROACH ROADWAY ALIGNMENT: (35) REPROACH ROADWAY ALIGNMENT: (45) REPROACH ROADWAY ALIGNMENT: (47) REPROACH ROADWAY ALIGNMENT: (48) REPROACH ROADWAY ALIGNMENT: (49) REPROACH ROADWAY ALIGNMENT: (49) REPROACH ROADWAY ALIGNMENT: (40) REPROACH ROADWAY ALIGNMENT: (41) REPROACH ROADWAY ALIGNMENT: (42) REPROACH ROADWAY ALIGNMENT: (43) REPROACH ROADWAY ALIGNMENT: (44) REPROACH ROADWAY ALIGNMENT: (45) REPROACH ROADWAY ALIGNMENT: (46) REPROACH ROADWAY ALIGNMENT: (47) REPROACH ROADWAY ALIGNMENT: (47) REPROACH ROADWAY ALIGNMENT: (48) REPROACH ROADWAY ALIGNMENT
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 18 FT (52) BRIDGE OUT TO OUT WIDTH: 19.7 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 000N (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 18 FT (52) BRIDGE OUT TO OUT WIDTH: 19.7 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 11.1 T	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: 12 20 18.0 FT 20.0 FT 19.7 FT 19.7 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: DATA 18.0 FT 20.0 FT 10.0 FT 11.1 FT NO MEDIAN NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 18 FT (52) BRIDGE OUT TO OUT WIDTH: 19.7 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 5 DEGREES (35) BRIDGE FLARE:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) BRIDGE IMPROVEMENT: (78) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENTS (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 2/3/2020
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENTS (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 5 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENTS (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

6

6

N

7

6

Ν

7

8

8

N/A

2/19/2020

24

Ν

Ν

N/A

N/A

0000

H-15-44

BRIDGE ID NUMBER: 93021900003 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 02190 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BIG BOTTOM RD. COUNTY SEQUENCE: 1 CROSSING: LOST CREEK LOG MILE: 5.62 SUFFICIENCY RATING: 90.4 LOCATION: 7MI NORTH OF VAN BUREN CO IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.85905 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.36232 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 41.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 100.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:

BRIDGE ID NUMBER: 930A2380001



YES

Ν

Ν

Ν

5

5

5

Ν

Ν

7

8

8

N/A

2/25/2020

24

N/A

N/A

Ν

Ν

000N

HS-20-44

COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02202 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: EASTLAND RD. COUNTY SEQUENCE: 1 CROSSING: CLIFTY CREEK LOG MILE: 8.04 SUFFICIENCY RATING: 85.1 LOCATION: 2MI SOUTH OF CUMBERLANDCO - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.88583 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.25110 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 93022060005 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 02206 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BLUE SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: WILDCAT CREEK LOG MILE: 1.35 LOCATION: 1.5 MI EAST OF SR 84 SUFFICIENCY RATING: 78.8 IDENTIFICATION (16a,b) LATITUDE: N 35.94388 DEGREES (17a,b) LONGITUDE: 85.42833 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE

b) THE MEMBICANE.	NONE
C) TYPE PROTECTION:	NONE
AGE AND SERVICE -	
(27) YEAR THE BRIDGE WAS BUILT:	1987
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0
GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	45.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.3 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	26.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN

(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT	
(52) BRIDGE OUT TO OUT WIDTH:	25.3 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH	: 26.9 FT	
(33) BRIDGE MEDIAN:	NO MEDIAN	
(34) BRIDGE SKEW:	45 DEGREES	
(35) BRIDGE FLARE:	NO FLARE	
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION	
(47) MIN HORIZONTAL CLEARANCE ON ROADV	VAY: 21.3 FT	
(54a) VERT UNDERCLR: NOT A HIGH	WAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE	
(55a) HORZ UNDERCLR: NOT A HIGH	WAY OR RAILROAD	
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE	
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE	
NAVIGATION DATA		

NO NAVIGATION CONTROL (38) NAV CONTROL: (39) NAVIGATION VERTICAL CLEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

CLASSIFICATION —	
(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM: NOT A	NHS ROUTE
(26) FUNCTIONAL CLASS: RURAL MINOR (COLLECTOR
(101) PARALLEL BRIDGE: NO PARAL	LEL BRIDGE
(102) TRAFFIC DIR: 2-W	AY TRAFFIC
(103) TEMPORARY BRIDGE: NOT A	APPLICABLE
(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK	K NETWORK
(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANO	CE HAS
NOT BEEN DETERMINED CONDITION RATINGS	
(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6
DESIGN LOAD AND WEIGHT POSTIN	-
(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES): ALL LE	GAL LOADS
WEIGHT POSTING (3 OR MORE AXLES): ALL LE	GAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	
APPRAISAL	
APPRAISAL (67) STRUCTURAL EVALUATION:	6
	6 3
(67) STRUCTURAL EVALUATION:	_
(67) STRUCTURAL EVALUATION:(68) DECK GEOMETRY:(69) UNDERCLEARANCE RATING:(71) WATERWAY ADEQUACY:	3
(67) STRUCTURAL EVALUATION:(68) DECK GEOMETRY:(69) UNDERCLEARANCE RATING:(71) WATERWAY ADEQUACY:(72) APPROACH ROADWAY ALIGNMENT:	3 N
 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 	3 N 8
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:	3 N 8 6 000N 8
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS	3 N 8 6 000N 8
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION	3 N 8 6 000N 8
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT:	3 N 8 6 000N 8
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:	3 N 8 6 000N 8 45.9 FT \$224,000.00
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:	3 N 8 6 000N 8 45.9 FT \$224,000.00 \$23,000.00
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:	3 N 8 6 000N 8 45.9 FT \$224,000.00 \$23,000.00 \$337,000.00
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:	3 N 8 6 000N 8 45.9 FT \$224,000.00 \$23,000.00
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES	3 N 8 6 000N 8 45.9 FT \$224,000.00 \$23,000.00 \$337,000.00 2018
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION:	3 N 8 6 000N 8 45.9 FT \$224,000.00 \$23,000.00 \$337,000.00 2018
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS):	3 N 8 6 000N 8 45.9 FT \$224,000.00 \$23,000.00 \$337,000.00 2018 2/3/2020 24
(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION:	3 N 8 6 000N 8 45.9 FT \$224,000.00 \$23,000.00 \$337,000.00 2018

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A

Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

BRIDGE ID NUMBER: 93022060003



YES

Ν

Ν

Ν

6

6

Ν

Ν

7

6

8

N/A

2/3/2020

24

N/A

N/A

Ν

Ν

000N

HS-20-44

COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02206 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BLUE SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: BLUE SPRING CREEK LOG MILE: 3.25 SUFFICIENCY RATING: 97.8 LOCATION: 5MI NORTH OF US 70 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.96388 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.41195 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1981 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 19-Mar-20

(40) NAVIGATION HORZ CLEARANCE:

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

7

6

7

7

N

7

6

Ν

8

6

8

N/A

2/19/2020

24

Ν

Ν

N/A

N/A

1000

HS-20-44

BRIDGE ID NUMBER: 93022060001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 02206 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FRANK SIMS RD. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 6.09 SUFFICIENCY RATING: 94.9 LOCATION: 2 MI SOUTH OF SR 84 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98993 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.39388 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1989 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 61.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 210.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

BRIDGE ID NUMBER: 93022080001



YES

7

6

7

7

N

6

4

Ν

7

6

8

N/A

2/19/2020

24

Ν

Ν

N/A

N/A

1000

HS-20-44

COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02208 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHARLIE HICKEY RD. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 1.21 SUFFICIENCY RATING: 85.4 LOCATION: 5MI EAST OF SR 111 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.97147 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν 85.41658 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 71.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 206.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

6

6

7

Ν

N

7

9

9

Ν

8

Ν

N/A

1/29/2020

24

Ν

Ν

N/A

N/A

1000

HS-20-44

BRIDGE ID NUMBER: 93SR1110005 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 02212 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DUCK POND RD. COUNTY SEQUENCE: 1 CROSSING: SR 135 / SR 111 LOG MILE: 0.16 SUFFICIENCY RATING: 97.8 LOCATION: NORTH OF SPARTA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98528 DEGREES 85.50000 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 118.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 232.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 44 FT RECOMMENDED IMPROVEMENTS 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 87.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.93 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 32.48 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 24.93 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

4

Ν

7

8

8

N/A

2/19/2020

24

Ν

Ν

N/A

N/A

0000

HS-20-44

BRIDGE ID NUMBER: 93022140001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 02214 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FANCHER MILL RD. COUNTY SEQUENCE: 1 CROSSING: ZION BRANCH LOG MILE: 0.91 LOCATION: 1MI NORTH OF US 70 SUFFICIENCY RATING: 79.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.97987 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.57492 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 46.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

6

7

7

4

Ν

7

8

8

N/A

2/19/2020

24

Ν

Ν

N/A

N/A

0001

HS-20-44

BRIDGE ID NUMBER: 93022140003 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 02214 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FANCHER MILL RD. COUNTY SEQUENCE: 1 CROSSING: TAYLOR CREEK LOG MILE: 2.54 SUFFICIENCY RATING: 80.8 LOCATION: 2.5 MI NORTH OF US 70 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99387 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.59643 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 49.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS 27.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 5 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

BRIDGE ID NUMBER: 93022140005



YES

Ν

Ν

Ν

4

7

7

4

Ν

7

6

8

N/A

2/19/2020

24

Ν

Ν

N/A

N/A

0N01

HS-20-44

COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02214 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FANCHER MILL RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 3.24 SUFFICIENCY RATING: 86.4 LOCATION: NW OF SR-1 & SR-136 JCT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99760 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.60607 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1999 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 29.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 23.6 FT RECOMMENDED IMPROVEMENTS 29.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

6

6

7

H-15-44

ALL LEGAL LOADS

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

NO PARALLEL BRIDGE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 93022160001 COUNTY: WHITE ROUTE: 02216 BRIDGE OWNER: WHITE COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BUNKER HILL RD. COUNTY SEQUENCE: 1 CROSSING: FALLING WATER RIVER LOG MILE: 5.09 LOCATION: 5MI SOUTH OF PUTNAM CO SUFFICIENCY RATING: 74.5 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.05365 DEGREES N (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.54202 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 7 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1963 WEIGHT POSTING (3 OR MORE AXLES): (10 (42 (42 (28 (28

 (27) TEAR THE BRIDGE WAS BUILT. (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 	N/A N/A HIGHWAY WATERWAY	WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN APPRAISAL	AL LOADS 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA	0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY:	6 4
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH:	51.8 FT 219.2 FT	(69) UNDERCLEARANCE RATING:(71) WATERWAY ADEQUACY:(72) APPROACH ROADWAY ALIGNMENT:	N 7
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH:	0.0 FT 0.0 FT 24.6 FT	(72) AFFROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:	8 0000 8
(51) BRIDGE CURB TO CURB WIDTH:	24.0 FI	RECOMMENDED IMPROVEMENTS	

(52) BRIDGE OUT TO OUT WIDTH:	28.5 FT	RECOMM	ENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:		(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECKNEEDED)	REPAIRS
(33) BRIDGE MEDIAN:	NO MEDIAN	(76) LENGTH OF BRIDG	SE IMPROVEMENT:	219.2 FT
(34) BRIDGE SKEW:	15 DEGREES	(94) BRIDGE IMPROVE	MENT COST:	\$404,000.00
(35) BRIDGE FLARE:	NO FLARE	(95) ROADWAY IMPRO	VEMENT COST:	\$41,000.00
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION	(96) TOTAL PROJECT O	COST:	\$607,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADW.	AY: 24.3 FT	(97) YEAR OF IMPROVE	EMENT COST ESTIMATE:	2018
(54a) VERT UNDERCLR: NOT A HIGHW	AY OR RAILROAD	INS	PECTION DATES ——	
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE	(90) DATE OF LAST REG	ULAR INSPECTION:	2/11/2020
(55a) HORZ UNDERCLR: NOT A HIGHW	AY OR RAILROAD	(91) REGULAR INSPECT	ION FREQUENCY (MONTHS):	24

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

0 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA =



BRIDGE ID NUMBER: 93SR1110007 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 02218 SPECIAL CASE: 0

FIPS CODE: 00000

ROAD NAME: OVERPASS RD.

CROSSING: SR 111

LOCATION: 6 MI. NORTH OF SPARTA

IDENTIFICATION

CLASSIFICATION =

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 96.5

LOG MILE: 0.24

(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.01727 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50843 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE

EPOXY COATED REINFORCING C) TYPE PROTECTION:

AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1986 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY HIGHWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 125.0 FT (49) TOTAL BRIDGE LENGTH: 241.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT NO MEDIAN (33) BRIDGE MEDIAN: 16 DEGREES **NO FLARE**

(34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.67 FT (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE**

(55b) MIN HORZ UNDERCLR ON RIGHT: 29.86 FT 29.53 FT

(56) MIN HORZ UNDERCLR ON LEFT:

NAVIGATION DATA

(38) NAV CONTROL: **NOT APPLICABLE** (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A N/A

(40) NAVIGATION HORZ CLEARANCE:

YES **NOT A NHS ROUTE RURAL MINOR COLLECTOR** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: **NATIONAL REGISTER**

CONDITION RATINGS =

(58) DECK: 6 (59) SUPERSTRUCTURE: 6 (60) SUBSTRUCTURE: 7 (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν (62) CULVERT CONDITION (IF APPLICABLE): N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: 8 (71) WATERWAY ADEQUACY: Ν (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: Ν

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 1/29/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

8

7

7

7

N

7

4

Ν

7

6

8

N/A

2/3/2020

24

N/A

N/A

Ν

Ν

1000

HS-20-44

BRIDGE ID NUMBER: 930A0070001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A007 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOBS LN. COUNTY SEQUENCE: 1 CROSSING: CHERRY CREEK LOG MILE: 0.05 SUFFICIENCY RATING: 80.0 LOCATION: 5 M NORTH OF SR 1 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.01212 DEGREES (17a,b) LONGITUDE: 85.43988 DEGREES (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 68.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 88.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT (75) TYPE OF WORK: OTHER STRUCTURAL WORK (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

7

6

7

Ν

N

N/A

Ν

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

LOCAL RURAL ROAD

NO PARALLEL BRIDGE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 93SR1110015 COUNTY: WHITE ROUTE: 0A017 BRIDGE OWNER: STATE OF TENNESSEE SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: N. COOKEVILLE LN. COUNTY SEQUENCE: 1 CROSSING: SR 111 LOG MILE: 0.01 LOCATION: 0.5 MI. FROM PUTMAN CO LN SUFFICIENCY RATING: 98.0 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07355 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50663 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** APPRAISAL (67) STRUCTURAL EVALUATION:

(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	4
GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	122.0 FT
(49) TOTAL BRIDGE LENGTH:	244.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	34.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	36.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	34.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWA	AY: 33.8 FT
(54a) VERT UNDERCLR: HIGHWAY I	BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.67 FT

NAVIGATION DATA		
(38)	NAV CONTROL:	NOT APPLICABLE
(39)	NAVIGATION VERTICAL CLEARANCE:	N/A
(116)	LIFT BRIDGE VERT CLEARANCE:	N/A

HIGHWAY BENEATH BRIDGE

27.89 FT

28.22 FT

(40) NAVIGATION HORZ CLEARANCE: N/A

DESIGN LOAD AND WEIGHT POSTING HS-20-44 **ALL LEGAL LOADS ALL LEGAL LOADS** 7 (68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: 7 (71) WATERWAY ADEQUACY: Ν (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: Ν RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 1/30/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

PUBLICATION DATE 19-Mar-20

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(55a) HORZ UNDERCLR:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

7

6

7

6

N

6

5

Ν

7

6

8

N/A

2/25/2020

24

Ν

Ν

N/A

N/A

1000

HS-20-44

BRIDGE ID NUMBER: 930A0290001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A029 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RANDOLPH MILL RD. COUNTY SEQUENCE: 1 CROSSING: FALLING WATER RIVER LOG MILE: 2.16 SUFFICIENCY RATING: 93.9 LOCATION: 3.2 MI FROM SR111 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07698 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.52168 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 71.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 75.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: WHITE

BRIDGE ID NUMBER: 930A0430001 BRIDGE OWNER: WHITE COUNTY FIPS CODE: 00000

ROAD NAME: N. ALLEN RD. CROSSING: TOWN CREEK

LOCATION: .23 MILES FROM PUTNAM CO

ROUTE: 0A043 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.03

SUFFICIENCY RATING: 97.0

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.06588 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.56507 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE ———	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1973	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: 1983	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(40h) INDER RRIDGE.	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	455541041
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(, , ,	(67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 25.9 FT	 (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 30.8 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0N00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0N00 (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0N00 (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22.7 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: 25.9 FT 30.8 FT 20.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (76) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (77) NYA (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (711) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT (54a) VERT UNDERCLR: NO FLARE (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 2/25/2020
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (55a) HORZ UNDERCLE: (55a) HORZ UNDERCLE: (55a) HORZ UNDERCLE: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

BRIDGE ID NUMBER: 930A0710001



YES

7

8

7

6

N

7

5

Ν

6

8

8

N/A

2/13/2020

24

Ν

Ν

N/A

N/A

1110

HS-20-44

COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A071 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FANCHERS MILL RD. COUNTY SEQUENCE: 1 CROSSING: TAYLOR CREEK LOG MILE: 0.20 SUFFICIENCY RATING: 93.6 LOCATION: 3MI NORTH OF US70 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99785 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.61682 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2010 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 80.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 200.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 32 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

7

8

7

7

N

7

4

Ν

7

6

8

N/A

2/19/2020

24

Ν

Ν

N/A

N/A

1000

HS-20-44

BRIDGE ID NUMBER: 930A0820001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A082 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LIBERTY RD. COUNTY SEQUENCE: 1 CROSSING: TAYLOR CREEK LOG MILE: 0.09 SUFFICIENCY RATING: 80.9 LOCATION: 3MI NORTH OF US 70 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99515 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.60597 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1989 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 37.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 5 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

5

7

7

5

Ν

7

8

8

N/A

2/19/2020

24

Ν

Ν

N/A

N/A

0N00

HS-20-44

BRIDGE ID NUMBER: 930A1360001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A136 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: POST OAK BRIDGE RD. COUNTY SEQUENCE: 1 CROSSING: POST OAK CREEK LOG MILE: 0.67 SUFFICIENCY RATING: 97.0 LOCATION: .67MI SOUTH OF PUTNAM CO - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06408 DEGREES 85.48988 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 49.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

5

7

6

5

Ν

7

6

8

N/A

2/3/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 930A1640001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A164 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MONTGOMERY RD. COUNTY SEQUENCE: 1 CROSSING: CHERRY CREEK LOG MILE: 0.04 SUFFICIENCY RATING: 86.1 LOCATION: 5MI SOUTH OF PUTNAM CO IN IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.00458 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.43300 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 930A1740001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A174 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ENGLAND COVE RD. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER

LOG MILE: 0.02 SUFFICIENCY RATING: 76 8 LOCATION: OR MI EDOM DUTNAM CO IN

LOCATION: .02 MI FROM PUTNAM CO IN	SUFFICIENCY RATING: 76.8
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.03185 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.33598 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF ARRESTAND	(58) DECK: 7
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 5
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(60) SUBSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1988	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 56.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 167.0 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 3
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1000
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 24.3 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 167 FT
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$658,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$66,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$988,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 2/20/2020
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(29) NAVICATION CONTROL	(CO.) ODEOLAL INOD EDEOLIENOV (MONTHO)
(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A	(92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

8

7

6

N

7

4

Ν

8

8

8

N/A

2/20/2020

24

Ν

Ν

N/A

N/A

1000

H-10-44

BRIDGE ID NUMBER: 930A1780001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A178 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MACK FLOYD RD. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 0.16 SUFFICIENCY RATING: 86.1 LOCATION: .1MI SOUTH OF SR84 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.01263 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.35932 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 46.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 143.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

7

N

6

5

Ν

6

8

U

N/A

2/20/2020

24

Ν

Ν

N/A

N/A

1111

HS-20-44

BRIDGE ID NUMBER: 930A1790001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A179 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MACK FLOYD RD. COUNTY SEQUENCE: 1 CROSSING: SIMMS BRANCH LOG MILE: 2.47 SUFFICIENCY RATING: 88.8 LOCATION: 5MI WORTH OF US 70 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98640 DEGREES 85.38003 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2002 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 28.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

BRIDGE ID NUMBER: 93022020001



YES

7

8

7

7

N

7

5

Ν

6

8

8

N/A

2/11/2020

24

Ν

Ν

N/A

N/A

1111

HS-20-44

COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A238 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD RAILROAD GRADE RD. COUNTY SEQUENCE: 1 CROSSING: CLIFTY CREEK LOG MILE: 3.72 SUFFICIENCY RATING: 98.1 LOCATION: 4 MI SE OF SR1 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.91362 DEGREES 85.27278 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 2008 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 92.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 92.8 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

6

7

7

5

Ν

5

6

8

N/A

2/19/2020

24

Ν

Ν

N/A

N/A

0N00

HS-20-44

BRIDGE ID NUMBER: 930A2790001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A279 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GUYS RD. COUNTY SEQUENCE: 1 CROSSING: FOX HOLLOW CREEK LOG MILE: 3.11 SUFFICIENCY RATING: 90.8 LOCATION: 4MI EAST OF SR111 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83598 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 85.40358 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

7

7

7

7

N

6

5

N

7

3

8

N/A

2/11/2020

24

Ν

Ν

N/A

N/A

1000

HS-20-44

BRIDGE ID NUMBER: 930A2850001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A285 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LOST CREEK RD. COUNTY SEQUENCE: 1 CROSSING: LOST CREEK LOG MILE: 0.94 SUFFICIENCY RATING: 83.7 LOCATION: 2 MI W OF BOTTOM RD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.87218 DEGREES 85.34775 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 44.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 89.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

BRIDGE ID NUMBER: 930A3110001



YES

6

7

7

7

N

7

6

N

7

8

8

N/A

3/26/2018

05/2019

24

Y60

N/A

Ν

0000

HS-20-44

COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A311 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: E. COLE RD. COUNTY SEQUENCE: 1 CROSSING: CANEY FORK RIVER LOG MILE: 0.04 SUFFICIENCY RATING: 96.9 LOCATION: 6MI WEST OF SR111 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.79702 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.54025 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1974 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 266.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 538.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 31.5 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 19-Mar-20

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 930A4150001

BRIDGE OWNER: WHITE COUNTY

FIPS CODE: 00000

ROAD NAME: POWER HOUSE RD.

CROSSING: CANEY FORK & WESTERN RR

LOCATION: .3 MI FROM VAN BUREN CO

IDENTIFICATION

N. 35 80583 DECREES (112) MEETS NRIS RRIDGE LENGTH:

IDENTIFICATION	
(16a,b) LATITUDE: N 35.80583 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.60695 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: STEEL (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1987	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: 1998	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: RAILROAD	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
	(68) DECK GEOMETRY: 5
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING: 7
(48) MAXIMUM SPAN LENGTH: 41.0 FT	(71) WATERWAY ADEQUACY: N
(49) TOTAL BRIDGE LENGTH: 43.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 3
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: N
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	RECOMMENDED IMPROVEMENTS ———
(52) BRIDGE OUT TO OUT WIDTH: 24.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE	INSPECTION DATES ————
(54b) MIN VERTICAL UNDERCLEARANCE: 29.3 FT	(90) DATE OF LAST REGULAR INSPECTION: 2/3/2020
(55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: 19.03 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NOT APPLICABLE	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	DDODUCED DUDGUANT TO

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



NO

7

7

7

7

N

6

4

N

6

8

U

0000

21 FT

2018

24

N/A

N/A

Ν

Ν

\$56,000.00

\$85,000.00

2/13/2020

\$6,000.00

BRIDGE ID NUMBER: 930A4390001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A439 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DARKEY SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: GLEASON CREEK LOG MILE: 0.31 LOCATION: 4 MI SOUTH OF CASSVILLE SUFFICIENCY RATING: 72.4 - IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.90393 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.59670 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 14.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 21.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 22.6 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: WHITE

ROUTE: 0A469

LOG MILE: 0.45

BRIDGE ID NUMBER: 930A4690001 BRIDGE OWNER: WHITE COUNTY FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: FARLEY RD. CROSSING: POST OAK CREEK

SHEELCIENCY DATING: 00 E

COUNTY SEQUENCE: 1

LOCATION: 1 MI N HAMPTON CROSSROADS	SUFFICIENCY RATING: 88.5
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.06583 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: NO
(17a,b) LONGITUDE: W 85.50077 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	• •
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	: (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	(50) DECK:
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(50) SUBERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHAL	- (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(CO) CUILVEDT CONDITION (IE ADDUICADI E).
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
(27) YEAR THE BRIDGE WAS BUILT: 196	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BEHABILITATED:	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	, (70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAI ————
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 21.0 FT	(71) WATERWAY ADEQUACY:
(50a) LEFT SIDEWALK WIDTH: 0.0 F7	. (72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 F	(36) TRAFFIC SAFETY FEATURES: 0N00
(51) BRIDGE CURB TO CURB WIDTH: 21.7 F	(113) SCOUR CONDITION RATING: U
(52) BRIDGE OUT TO OUT WIDTH: 23.3 FT	
(52) BRIDGE OUT TO OUT WIDTH: 23.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
` '	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 13 DEGREES	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: 121.0 FT NO MEDIAN 13 DEGREES NO FLARE	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 13 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.3 FT	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 F (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 13 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.3 F (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 2/25/2020
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 F (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 13 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.3 F (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 2/25/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 2/25/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 2/25/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE NOT APPLICABLE NOT APPLICABLE NOT APPLICABLE	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 2/25/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 2/25/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

7

7

5

7

6

N

7

3

8

N/A

2/25/2020

24

N/A

N/A

Ν

Ν

1110

BRIDGE ID NUMBER: 930A4730001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A473 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PARKER RD. COUNTY SEQUENCE: 1 CROSSING: SMALL BRANCH LOG MILE: 0.68 SUFFICIENCY RATING: 96.0 LOCATION: 2MI WEST OF US 70S IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.91138 DEGREES 85.51077 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 24.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 26.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.6 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

5

N

7

6

8

N/A

2/3/2020

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 930A7100001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A710 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SWINDELL MILL RD. COUNTY SEQUENCE: 1 CROSSING: CLIFF CREEK LOG MILE: 1.09 SUFFICIENCY RATING: 94.7 LOCATION: 1MI FROM CENTER POINT TN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.86983 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.61102 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

4

4

5

6

2

N

7

8

8

0000

205.7 FT

2018

24

N/A

\$1,585,000.00

\$2,378,000.00

\$159,000.00

2/25/2020

H-15-44

ALL LEGAL LOADS

ALL LEGAL LOADS

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

BRIDGE ID NUMBER: 93SR0420001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A966 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ROBERTS-MATTHEWS HWY. COUNTY SEQUENCE: 1 CROSSING: POST OAK CREEK LOG MILE: 5.30 SUFFICIENCY RATING: 48.7 LOCATION: 1 FM PUTNAM WHITE CO LI IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06657 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50682 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING UNKNOWN** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1942 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 43.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 171.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 42.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN:

25 DEGREES

NO RESTRICTION

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

NO FLARE

24.0 FT

N/A

N/A

N/A

(92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409

(94) BRIDGE IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

ROADWAY IMPROVEMENT COST:

(90) DATE OF LAST REGULAR INSPECTION:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

INSPECTION DATES

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA



YES

4

4

7

n

0

N

7

8

8

0000

249 FT

2020

24

N/A

N/A

Ν

Ν

2/6/2020

\$1,897,000.00

\$2,846,000.00

\$190,000.00

H-15-44

BRIDGE ID NUMBER: 93SR0420003 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A966 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ROBERTS-MATTHEWS HWY. COUNTY SEQUENCE: 1 CROSSING: FALLING WATER RIVER LOG MILE: 6.34 SUFFICIENCY RATING: 34.8 LOCATION: AT PUTNAM COUNTY LINE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08155 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50583 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 5 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1935 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: CLOSED **WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 43.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 214.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 93SR0010009 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR001
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: MEMORIAL HWY. COUNTY SEQUENCE: 1

CROSSING: CALFKILLER RV & DEMPS RD LOG MILE: 7.03 LOCATION: 5 MI E. OF SR285 JCT. SUFFICIENCY RATING: 98.7

LOCATION: 5 MI E. OF SR285 JCT.	SUFFICIENCY RATING: 98.7
IDENTIFICATION —	CLASSIFICATION ———
(16a,b) LATITUDE: N 35.86790 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.47428 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: RIGHT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS:	
(46) NUMBER OF APPROACH SPANS:	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	
B) TYPE MEMBRANE: NONE	
C) TYPE PROTECTION: EPOXY COATED REINFORCING	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1996	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: HIGHWAY-WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 8
(48) MAXIMUM SPAN LENGTH: 136.2 F7	(69) UNDERCLEARANCE RATING: 9
(49) TOTAL BRIDGE LENGTH: 590.9 F7	(71) WATERWAY ADEQUACY:
(50a) LEFT SIDEWALK WIDTH: 0.0 F7	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 100N
(51) BRIDGE CURB TO CURB WIDTH: 42 FT	(113) SCOUR CONDITION RATING:
(52) BRIDGE OUT TO OUT WIDTH: 44 FT	RECOMMENDED IMPROVEMENTS ———
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 42.0 F1	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 25 DEGREES	
(35) BRIDGE FLARE: NO FLARE	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT	
(54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	INSPECTION DATES —————
(54b) MIN VERTICAL UNDERCLEARANCE: 25 FT	(90) DATE OF LAST REGULAR INSPECTION: 1/28/2020
(55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: 13.45 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	. (92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



7

7

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 93SR0010010 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR001 FIPS CODE: 00000 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 ROAD NAME: MEMORIAL HWY. CROSSING: CALFKILLER RV & DEMPS RD LOG MILE: 7.03 SUFFICIENCY RATING: 98.7 LOCATION: 5 MI E OF SR285 JCT CLASSIEICATION - IDENTIFICATION (16a,b) LATITUDE: N 35.86798 DEGREES (17a,b) LONGITUDE: 85.47465 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE **CONTINUOUS** (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 5 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (6 MONOLITHIC CONCRETE A) TYPE OF SURFACE: (6 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: — AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS:

1996	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WAY-WATERWAY	(42b) UNDER BRIDGE: HIGHV
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
2	(28b) NUMBER OF LANES UNDER THE BRIDGE:
	GEOMETRIC DATA
136.2 FT	(48) MAXIMUM SPAN LENGTH:
592.8 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
42 FT	(51) BRIDGE CURB TO CURB WIDTH:
44 FT	(52) BRIDGE OUT TO OUT WIDTH:
40.0 ==	(OO) ADDDO AOU DO ADWAY (MV OU DO) MUDTU

42 FT	(51) BRIDGE CURB TO CURB WIDTH:
44 FT	(52) BRIDGE OUT TO OUT WIDTH:
H: 42.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTI
NO MEDIAN	(33) BRIDGE MEDIAN:
25 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
WAY: 42.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROAD
Y BENEATH BRIDGE	(54a) VERT UNDERCLR: HIGHWA
25 FT	(54b) MIN VERTICAL UNDERCLEARANCE:
Y BENEATH BRIDGE	(55a) HORZ UNDERCLR: HIGHWA
32.81 FT	(55b) MIN HORZ UNDERCLR ON RIGHT:
14.44 FT	(56) MIN HORZ UNDERCLR ON LEFT:

	-	NA	V	IGA	TI	ON	DATA	
--	---	----	---	-----	----	----	------	--

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	ANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	E: N/A
(40) NAVIGATION HORZ CLEARANC	E: N/A

PUBLICATION DATE
19-Mar-20

CLASSIFICATION		
(112) MEETS NBIS BRIDGE LENGTH:	YES	
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE	
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY	
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE	
(102) TRAFFIC DIR:	1-WAY TRAFFIC	
(103) TEMPORARY BRIDGE: NOT APPLICABLE		
(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK		
(37) HISTORICAL CLASS: BRIDGE IS NO	T ELIGIBLE FOR THE	
NATIONAL REGISTER		
CONDITION RATINGS		

(61)	STREAM CHANNEL AND CHANNEL PROTECTION:	
(62)	CULVERT CONDITION (IF APPLICABLE):	

HS-20-44 **ALL LEGAL LOADS ALL LEGAL LOADS**

(11) 1111 0011110 0111110	
APPRAISAL	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	8
(69) UNDERCLEARANCE RATING:	9
(71) WATERWAY ADEQUACY:	9
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	100N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A
(94)	BRIDGE IMPROVE	MENT COST:	

- (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

1/28/2020	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):



COUNTY: WHITE

ROUTE: SR001

LOG MILE: 8.22

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 93SR0010003

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 70180

ROAD NAME: MAYBERRY ST. CROSSING: TOWN CREEK

LOCATION: IN SPARTA CITY LIMITS

CLASSIFICATION =

SUFFICIENCY RATING: 44.9

·					
(16a,b) LATITUDE:	N	35.92505	DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	
(17a,b) LONGITUDE:	W	85.47978	DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	
(98a) BORDER BRIDGE STAT	ΓE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURA
(98b) PERCENT SHARE:			N/A	(101) PARALLEL BRIDGE:	

(99) BORDER BRIDGE NUMBER: NOT APPLICABLE

IDENTIFICATION

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE

2	(45) NUMBER OF MAIN SPANS:
0	(46) NUMBER OF APPROACH SPANS:
CONCRETE CAST-IN-PLACE	(107) TYPE OF DECK:
ND DECK PROTECTION:	(108) TYPE OF WEARING SURFACE A

A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: UNKNOWN NONE C) TYPE PROTECTION:

AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1923 (106) YEAR THE BRIDGE WAS REHABILITATED: 1962 (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

33.1 FT	(48) MAXIMUM SPAN LENGTH:
65.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
27.9 FT	(51) BRIDGE CURB TO CURB WIDTH:
33.5 FT	(52) BRIDGE OUT TO OUT WIDTH:
34.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 27.9 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:

NAVIGATION DATA

NOT A HIGHWAY OR RAILROAD

NOT APPLICABLE

NOT APPLICABLE

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	RANCE: N/A
(116) LIFT BRIDGE VERT CLEARANG	CE: N/A
(40) NAVIGATION HORZ CLEARANG	CE: N/A

(40) NAVIGATION HORZ CLEARANCE:

YES **NOT A NHS ROUTE** AL MAJOR COLLECTOR **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED**

CONDITION RATINGS =

(58) DECK:	6
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING.	п-13-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5

(41) WT POSTING STATUS: **WEIGHT POSTED**

APPRAISAL

5	(67) STRUCTURAL EVALUATION:
2	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
7	(71) WATERWAY ADEQUACY:
8	(72) APPROACH ROADWAY ALIGNMENT:
1N11	(36) TRAFFIC SAFETY FEATURES:
8	(113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

	BRIDGE REPLACEMENT	TYPE OF WORK:	(75)
90.6 FT	DGE IMPROVEMENT:	LENGTH OF BRID	(76)
\$785,000.00	'EMENT COST:	BRIDGE IMPROVE	(94)
\$79,000.00	OVEMENT COST:	ROADWAY IMPRO	(95)
\$1,178,000.00	COST:	TOTAL PROJECT	(96)
2020	VEMENT COST ESTIMATE:	YEAR OF IMPROV	(97)
	SPECTION DATES —	——— INS	

(90) DATE OF LAST REGULAR INSPECTION:	1/27/2020
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



YES

7

6

6

N/A

HS-20-44

ALL LEGAL LOADS

ALL LEGAL LOADS

NHS ROUTE

RURAL ARTERIAL

2-WAY TRAFFIC

NOT APPLICABLE

NO PARALLEL BRIDGE

ON TRUCK NETWORK

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 93SR0010007 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR001 SPECIAL CASE: 0 FIPS CODE: 70180 ROAD NAME: W. BOCKMAN WAY COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 9.35 LOCATION: IN SPARTA CITY LIMITS SUFFICIENCY RATING: 81.7 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.92695 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.46750 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 6 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: PREFORMED FABRIC DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** APPRAISAL

NOT APPLICABLE

APPLICABLE

APPLICABLE

NOT A HIGHWAY OR RAILROAD

	AGE AND SERVICE -
1949	(27) YEAR THE BRIDGE WAS BUILT:
1996	(106) YEAR THE BRIDGE WAS REHABILITATED:
AY-PEDESTRIAN	(42a) SERVICE ON BRIDGE: HIGHW
WATERWAY	(42b) UNDER BRIDGE:
4	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:
	GEOMETRIC DATA
	(40) MANYIMI INA ORANI I ENIOTI I

43.0 FT	(48) MAXIMUM SPAN LENGTH:
229.0 FT	(49) TOTAL BRIDGE LENGTH:
6.9 FT	(50a) LEFT SIDEWALK WIDTH:
6.9 FT	(50b) RIGHT SIDEWALK WIDTH:
64 FT	(51) BRIDGE CURB TO CURB WIDTH:
80.1 FT	(52) BRIDGE OUT TO OUT WIDTH:
64.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 64.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW

	NAVIGATION DATA	
	NAVIOATION DATA	
(56)	MIN HORZ UNDERCLR ON LEFT:	NOT
(55b)	MIN HORZ UNDERCLR ON RIGHT:	NOT

(54b) MIN VERTICAL UNDERCLEARANCE:

(38)	NAV CONTROL:	NO NAVIGATION CONTROL	
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A	
(116)	LIFT BRIDGE VERT CLEARANCE	: N/A	

(40) NAVIGATION HORZ CLEARANCE: N/A (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 1/29/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:



BRIDGE ID NUMBER: 93SR0260001 COUNTY: WHITE
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR026
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: SMITHVILLE HWY. COUNTY SEQUENCE: 1

CROSSING: BRANCH LOG MILE: 5.06

LOCATION: 0.2 MI, W. OF SR-136 JCT. SUFFICIENCY RATING: 59.7

LOCATION: 0.2 MI. W. OF SR-136 JCT.	SUFFICIENCY RATING: 59.7	
IDENTIFICATION	CLASSIFICATION —	
(16a,b) LATITUDE: N 35.95478 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 85.57420 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL ARTERIAL	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS	
()	NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS:		
(46) NUMBER OF APPROACH SPANS: 0		
(107) TYPE OF DECK: NOT APPLICABLE		
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N	
A) TYPE OF SURFACE: NOT APPLICABLE	(CO) CUILVERT CONDITION (IE ADDI ICADI E).	
B) TYPE MEMBRANE: NOT APPLICABLE	DEGION LOAD AND WEIGHT DOOTING	
C) TYPE PROTECTION: NOT APPLICABLE		
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44 WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1951	,	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	,	
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2		
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0		
GEOMETRIC DATA	(68) DECK GEOMETRY:	
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(69) UNDERCLEARANCE RATING: N	
(49) TOTAL BRIDGE LENGTH: 39.0 FT	(71) WATERWAY ADEQUACY: 6	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: ONON	
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(113) SCOUR CONDITION RATING: 8	
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT	
(33) BRIDGE MEDIAN: NO MEDIAN		
(34) BRIDGE SKEW: 30 DEGREES		
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$53,000.00	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$781,000.00	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 1/6/2020	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):	
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO	
	ENCHUL PURSUANT IU	

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 93SR0260003

COUNTY: WHITE
BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: W. BOCKMAN WAY

COUNTY SEQUENCE: 1

CROSSING: TOWN CREEK

LOG MILE: 9.49

LOCATION: 0.7 MI. W. OF SR-111 JCT.

IDENTIFICATION

CLASSIFICATION

CLASSIFICATION

LOCATION: 0.7 MI. W. OF SR-111 JCT.	SUFFICIENCY RATING: 75.4	
IDENTIFICATION —	CLASSIFICATION —	
(16a,b) LATITUDE: N 35.93983 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 85.49757 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL ARTERIAL	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
DRIDGE TIFE AND WATERIAL	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(45) NUMBER OF MAIN ORANG	——— CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS: 3	(58) DECK: N	
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE:	
(107) TYPE OF DECK: NOT APPLICABLE	(60) SUBSTRUCTURE:	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6	
A) TYPE OF SURFACE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 6	
B) TYPE MEMBRANE: NOT APPLICABLE C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44	
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1951	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —————	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6	
GEOMETRIC DATA	(68) DECK GEOMETRY: N	
	(69) UNDERCLEARANCE RATING: N	
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(71) WATERWAY ADEQUACY: 6	
(49) TOTAL BRIDGE LENGTH: 42.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: ONON	
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(113) SCOUR CONDITION RATING: 8	
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 37.1 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 42 FT	
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$281,000.00	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$29,000.00	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$422,000.00	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.7 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 1/6/2020	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N	

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 93SR0260005 COUNTY: WHITE
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR026
FIPS CODE: 70180 SPECIAL CASE: 0
ROAD NAME: W. BOCKMAN WAY COUNTY SEQUENCE: 1
CROSSING: SR 111 LOG MILE: 10.19

LOCATION: IN SPARTA SUFFICIENCY RATING: 98.3

LOCATION: IN SPARTA	SUFFICIENCY RATING: 98.3
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 35.93682 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.48553 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: BUILT-UP	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44 +MOD
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1975	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: HIGHWAY	APPRAISAL -
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 4	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 4	(68) DECK GEOMETRY: 9
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING: 7
(48) MAXIMUM SPAN LENGTH: 128.9 FT	(71) WATERWAY ADEQUACY:
(49) TOTAL BRIDGE LENGTH: 257.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 1.6 FT	(36) TRAFFIC SAFETY FEATURES: 100N
(50b) RIGHT SIDEWALK WIDTH: 1.6 FT	(113) SCOUR CONDITION RATING: N
(51) BRIDGE CURB TO CURB WIDTH: 88.6 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 91.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 76.1 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(33) BRIDGE MEDIAN: CLOSED MEDIAN - NO BARRIER	(94) BRIDGE IMPROVEMENT COST:
(34) BRIDGE SKEW: 19 DEGREES	(95) ROADWAY IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(96) TOTAL PROJECT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 88.3 FT	, ,
(54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: 16.34 FT	(90) DATE OF LAST REGULAR INSPECTION: 1/13/2020
(55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: 27.56 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: 30.51 FT	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NOT APPLICABLE	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

PRODUCED PURSUANT TO

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

6

N

7

6

N

7

8

8

N/A

1/13/2020

24

Ν

Ν

1

100N

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 93SR0840001 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR084 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: MONTEREY HWY. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 1.58 SUFFICIENCY RATING: 92.5 LOCATION: 2 MI.N.OF SR001 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.94377 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: 85,44998 DEGREES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **BUILT-UP** DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1976 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 111.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 224.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 38.4 FT RECOMMENDED IMPROVEMENTS 42 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 37.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 38.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS):

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

4

7

7

Ν

Ν

5

6

8

N/A

1/8/2020

24

N/A

N/A

Ν

Ν

1N1N

HS-20-44

BRIDGE ID NUMBER: 93SR0840003 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR084 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MONTEREY HWY. COUNTY SEQUENCE: 1 CROSSING: CHERRY CREEK LOG MILE: 5.75 SUFFICIENCY RATING: 95.7 LOCATION: 6 MI.EAST OF SR001 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99378 DEGREES 85.41930 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1963 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 47.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 93\$R0840005 COUNTY: WHITE
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: \$R084
FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: MONTEREY HWY.

CROSSING: PLUM CREEK

LOG MILE: 7.09

LOCATION: 7 MI.S.OF PUTNAM CO.

SUFFICIENCY RATING: 93.8

ECCATION. 7 WILS.OF PUTIVAMICO.	SOFFICIENCY RATING. 93.0	
IDENTIFICATION —	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.00025 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 85.39818 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(47) 111117777 07 11111 07 1110	——— CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS:	(58) DECK: N	
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N	
(107) TYPE OF DECK: NOT APPLICABLE	(60) SUBSTRUCTURE:	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7	
A) TYPE OF SURFACE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 7	
B) TYPE MEMBRANE: NOT APPLICABLE C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING	
,	(31) DESIGN LOADING: HS-20-44	
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1966	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN	
(42b) UNDER BRIDGE: WATERWAY	APPRAISAI -	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL (67) STRUCTURAL EVALUATION:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	 (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 00000	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: 2 0 9.8 FT 22.0 FT 0.0 FT UNDER FILL UNDER FILL UNDER FILL VNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.8 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.8 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 1/6/2020	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (313) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (16/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLE: (540) VERT UNDERCLE: (550) MIN VERTICAL UNDERCLEARANCE: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR ON RIGHT: (500) MIN HORZ UNDERCLR O	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TYPE OF WORK: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (574) NOT APPLICABLE (575) MIN HORZ UNDERCLR ON LEFT: (575) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (66) TRAFFIC SAFETY FEATURES: (76) LENGTH OF BRIDGE IMPROVEMENTS (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (78) ROADWAY IMPROVEMENT COST: (79) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (79) PEGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLE: (540) VERT UNDERCLE: (550) MIN VERTICAL UNDERCLEARANCE: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR ON RIGHT: (500) MIN HORZ UNDERCLR O	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TYPE OF WORK: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: WHITE

ROUTE: SR084

LOG MILE: 8.67

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 99.1

BRIDGE ID NUMBER: 93SR0840007 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: MONTEREY HWY. CROSSING: FLATT BRANCH

LOCATION: 3 MI.S.OF PUTNAM CO.

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

- CLASSIFICATION -

IDENTIFICATION —		CLASSIFICATION —		
(16a,b) LATITUDE:	N	36.00727 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	85.37258 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL		ERIAI ————	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
UNIDGE TIPE AND I			(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

(45) NUMBER OF MAIN SPANS:	2	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	N
(107) TYPE OF DECK:	NOT APPLICABLE	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SURFACE AND DECK	PROTECTION:	(60) SUBSTRUCTURE:	N
A) TYPE OF SURFACE:	NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTEC	TION: 7
B) TYPE MEMBRANE:	NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE):	7
C) TYPE PROTECTION:	NOT APPLICABLE	DESIGN LOAD AND WEIGHT PO	STING ——
AGE AND SERVICE		(31) DESIGN LOADING:	HS-20-44
	4066	WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT:	1966	WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED	: N/A	(70) BRIDGE POSTING CODE:	5

GE WAS REHABILITATED: DGE:	N/A HIGHWAY	(70) BRIDGE POSTING CODE:		
DGE.	HIGHWAT	(41) WT POSTING STATUS:	OPEN	

(42a) SERVICE ON BRID (42b) UNDER BRIDGE: **WATERWAY**

APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2

(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:	7
GEOMETRIC DATA		(68) DECK GEOMETRY:	N
(48) MAXIMUM SPAN LENGTH:	00 FT	(69) UNDERCLEARANCE RATING:	N
(40) IVIAAIIVIUIVI SPAIN LEING I A.	9.8 FT	(74) WATERWAY AREQUARY	_

(71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N11 0.0 FT (50b) RIGHT SIDEWALK WIDTH:

(113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS

UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT

N/A (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN:

(94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST:

(35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**

(97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.7 FT

INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION:

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public

N/A

document records request does not waive the provisions of §409

8

1/6/2020

(39) NAVIGATION VERTICAL CLEARANCE:



YES

7

7

7

Ν

N

7

9

7

Ν

8

Ν

N/A

1/13/2020

24

Ν

Ν

N/A

N/A

1000

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 93SR0010011 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SPENCER HWY. COUNTY SEQUENCE: 1 CROSSING: SR 1 LOG MILE: 3.54 SUFFICIENCY RATING: 81.5 LOCATION: 5 MI S OF SR 26 JCT IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: 35.87187 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν 85.47090 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 146.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 496.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 71.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 75.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 67.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **CLOSED MEDIAN - WITH BARRIER** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 57 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 18.34 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 25.59 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 21.33 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY



YES

NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

RURAL EXPRESSWAY

NO PARALLEL BRIDGE

ON TRUCK NETWORK

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 93SR1110001 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SPENCER HWY. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 6.37 LOCATION: 6 MI.N.OF VAN BUREN CO. SUFFICIENCY RATING: 89.2 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: 35.91123 DEGREES N (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.47557 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK. (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: PREFORMED FABRIC **NONE** C) TYPE PROTECTION:

AGE AND SERVICE -	
(27) YEAR THE BRIDGE WAS BUILT:	1971
(106) YEAR THE BRIDGE WAS REHABILITATED:	1995
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0
GEOMETRIC DATA	

134.8 FT	PAN LENGTH:	(48) MAXIMUM SPA
490.2 FT	GE LENGTH:	(49) TOTAL BRIDGE
0.0 FT	WALK WIDTH:	(50a) LEFT SIDEWA
0.0 FT	EWALK WIDTH:	(50b) RIGHT SIDEW
86 FT	RB TO CURB WIDTH:	(51) BRIDGE CURB
87.9 FT	T TO OUT WIDTH:	(52) BRIDGE OUT T
86.0 FT	ROADWAY (W/ SHLDS) WIDTH:	(32) APPROACH RC
I - WITH BARRIER	DIAN: CLOSED MEDIAN	(33) BRIDGE MEDIA
15 DEGREES	∃W:	(34) BRIDGE SKEW:
NO FLARE	ARE:	(35) BRIDGE FLARE
NO RESTRICTION	CAL CLEARANCE OVER RD:	(520) MIN VERTICAL
Y: 86.0 FT	ONTAL CLEARANCE ON ROADWA	(47) MIN HORIZONT
AY OR RAILROAD	ERCLR: NOT A HIGHW	(54a) VERT UNDER
NOT APPLICABLE	CAL UNDERCLEARANCE:	(54b) MIN VERTICAL

(56)	MIN HORZ UNDERCLR ON LEFT:	
	NAVIGATION DATA	

(55b) MIN HORZ UNDERCLR ON RIGHT:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE:

NOT A HIGHWAY OR RAILROAD

NOT APPLICABLE NOT APPLICABLE

N/A (40) NAVIGATION HORZ CLEARANCE:

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CUI VERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

HS-20-44		(31) DESIGN LOADING:
ALL LEGAL LOADS	EHICLES):	WEIGHT POSTING (2 AXLE V
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO
5	:	(70) BRIDGE POSTING CODE
	OPEN	(41) WT POSTING STATUS:

APPRAISAL —	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1001
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A

- (94) BRIDGE IMPROVEMENT COST:
- (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	1/22/2020
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



COUNTY: WHITE

ROUTE: SR111

LOG MILE: 6.95

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 93SR0010001

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: **70180**

ROAD NAME: SPENCER HWY.

CROSSING: SR 1 (US 70S) & NFA 2727

LOCATION: IN SPARTA	SUFFICIENCY RATING: 88.0
IDENTIFICATION	CLASSIFICATION ————
(16a,b) LATITUDE: N 35.91752 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.48240 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1971	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: 1995	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 4	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 6	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 9
(48) MAXIMUM SPAN LENGTH: 94.2 FT	(69) UNDERCLEARANCE RATING: 6
(49) TOTAL BRIDGE LENGTH: 188.0 FT	(71) WATERWAY ADEQUACY:
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 100N
(51) BRIDGE CURB TO CURB WIDTH: 84 FT	(113) SCOUR CONDITION RATING:
(52) BRIDGE OUT TO OUT WIDTH: 87.9 FT	RECOMMENDED IMPROVEMENTS ———
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 84.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: CLOSED MEDIAN - WITH BARRIER	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 9 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: 16.34 FT	(90) DATE OF LAST REGULAR INSPECTION: 1/29/2020
(55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: 14.76 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: 5.25 FT	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(20) NAV CONTROL . NOT ARRUGARIE	(OO-) CDECIAL INCD EDECLIENCY (MONTHS).

NOT APPLICABLE

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



COUNTY: WHITE

ROUTE: SR111

LOG MILE: 8.26

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 81.1

BRIDGE ID NUMBER: 93SR1110019

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 70180

ROAD NAME: SPENCER HWY. CROSSING: TOWN CREEK

LOCATION: 0.1 MI. S. OF SR-26 JCT.

(16a,b) LATITUDE:	N	35.93520 DEGREES	(112) MEETS NBIS BRIDG
(17a,b) LONGITUDE:	W	85.48605 DEGREES	(104) NATIONAL HIGHWA
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLAS
(98h) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE

(99) BORDER BRIDGE NUMBER: NOT APPLICABLE

IDENTIFICATION =

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 1 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **NOT APPLICABLE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **NOT APPLICABLE** B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION:

AGE AND SERVICE =

1975	YEAR THE BRIDGE WAS BUILT:	(27)
N/A	YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
WATERWAY) UNDER BRIDGE:	(42b)
4	NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0	NUMBER OF LANES UNDER THE BRIDGE:	(28b)

─ GEOMETRIC DATA ─

22.0 FT	(48) MAXIMUM SPAN LENGTH:
22.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
87.9 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
45 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
Y: 44.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR:

NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA =

(38)	NAV CONTROL:	NO NAVIGATION CONT	ROL
(39)	NAVIGATION VERTICAL CLEARA	NCE:	N/A
(116)	LIFT BRIDGE VERT CLEARANCE:		N/A
(40)	NAVIGATION HORZ CLEARANCE		N/A

PUBLICATION DATE 19-Mar-20

 CLASSIFICATION = GE LENGTH: YES VAY SYSTEM: **NHS ROUTE** ASS. **RURAL EXPRESSWAY** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

CONDITION RATINGS =

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING =

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5

(41) WT POSTING STATUS:

— APPRAISAL —	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE
(10)	, , , , , , , , , , , , , , , , , , , ,	INO I AI I LIGADEL

N/A (76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	1/9/2020
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



COUNTY: WHITE

ROUTE: SR111

BRIDGE ID NUMBER: 93SR1110009

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 111 CROSSING: SR 111 / NFA A119

LOCATION: 3.5 MI S OF PUTMAN CO LN

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 15.23 SUFFICIENCY RATING: 87.2

CLASSIFICATION	WAY DGE FFIC BLE
(17a,b) LONGITUDE: W 85.50792 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: NOT APPLICABLE BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (104) NATIONAL HIGHWAY SYSTEM: NHS RC (26) FUNCTIONAL CLASS: RURAL EXPRESS (104) PARALLEL BRIDGE: RIGHT LANE BRI (102) TRAFFIC DIR: 1-WAY TRA (103) TEMPORARY BRIDGE: NOT APPLICA (110) NATIONAL TRUCK ROUTE: ON TRUCK NETW (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED CONDITION RATINGS (58) DECK:	WAY DGE FFIC
(98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: NOT APPLICABLE (43a) MAIN SPAN MATERIAL: (43a) MAIN SPAN MATERIAL: (44a) APPR SPAN MATERIAL: (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: NOT APPLICABLE (110) NATIONAL TRUCK ROUTE: ON TRUCK NETW (37) HISTORICAL CLASS: NOT BEEN DETERMINED CONDITION RATINGS (58) DECK:	WAY DGE FFIC BLE
(98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: NOT APPLICABLE BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: NOT APPLICA (110) NATIONAL TRUCK ROUTE: ON TRUCK NETW (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED CONDITION RATINGS (58) DECK:	DGE FFIC BLE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: O (58) DECK: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: NOT APPLICAB (104) NATIONAL TRUCK ROUTE: ON TRUCK NETW (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED (58) DECK:	FFIC
BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (103) TEMPORARY BRIDGE: NOT APPLICA (110) NATIONAL TRUCK ROUTE: ON TRUCK NETW (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED CONDITION RATINGS (58) DECK:	BLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (47a) MATIONAL TRUCK ROUTE: ON TRUCK NETW (37) HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED (58) DECK:	
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF APPROACH SPANS: (46) NUMBER OF APPROACH SPANS: (470) NATIONAL TRUCK ROUTE: ON TRUCK NETW (37) HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED (48) DECK:	ORK
CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED CONDITION RATINGS (58) DECK:	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (58) DECK:	
(46) NUMBER OF APPROACH SPANS: (58) DECK:	
(40) NOMBER OF ALL ROADITS AND.	
	7
(107) TYPE OF DECK: CONCRETE PRECAST PANELS (59) SUPERSTRUCTURE:	5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (60) SUBSTRUCTURE:	7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE (61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
B) TYPE MEMBRANE: NONE (62) CULVERT CONDITION (IF APPLICABLE):	N
C) TYPE PROTECTION: EPOXY COATED REINFORCING DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE ————————————————————————————————————	0-44
(27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LC	_
(106) YEAR THE BRIDGE WAS REHABILITATED: WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LC	
(42a) SERVICE ON BRIDGE: HIGHWAY	5
(41) WT POSTING STATUS: OPEN (42b) UNDER BRIDGE: HIGHWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (67) STRUCTURAL EVALUATION:	5
GEOMETRIC DATA (68) DECK GEOMETRY:	8
(48) MAXIMUM SPAN LENGTH: 74.1 FT (69) UNDERCLEARANCE RATING:	9
(49) TOTAL BRIDGE LENGTH: (71) WATERWAY ADEQUACY:	N
(50a) LEFT SIDEWALK WIDTH (72) APPROACH ROADWAY ALIGNMENT:	0
	8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	8 100N
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (113) SCOUR CONDITION RATING:	_
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE CURB TO CURB WIDTH: (53) BRIDGE CURB TO CURB WIDTH: (54) BRIDGE CURB TO CURB WIDTH: (54) BRIDGE CURB TO CURB WIDTH: (54) BRIDGE CURB TO CURB WIDTH:	100N
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (53) BRIDGE OUT TO OUT WIDTH: (54) FT (113) SCOUR CONDITION RATING: (113) SCOUR CONDITION RATING: (113) SCOUR CONDITION RATING: (113) SCOUR CONDITION RATING:	100N
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (113) SCOUR CONDITION RATING: (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT:	100N
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (34) FT (113) SCOUR CONDITION RATING: (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: NOT APPLICABLE	100N N
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (113) SCOUR CONDITION RATING: (114) SCOUR CONDITION RATING: (115) SCOUR CONDITION RATING: (116) RECOMMENDED IMPROVEMENTS (117) TYPE OF WORK: NOT APPLICABLE (118) SCOUR CONDITION RATING:	100N N
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (500) RIGHT SIDEWALK WIDTH: (42) FT (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:	100N N
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (36) BRIDGE FLARE: (37) SCOUR CONDITION RATING: (113) SCOUR CONDITION RATING:	100N N
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (500) RIGHT SIDEWALK WIDTH: (42) FT RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:	100N N
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (500) MIN VERTICAL CLEARANCE ON ROADWAY: (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (113) SCOUR CONDITION RATING:	100N N
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (500) MIN VERTICAL CLEARANCE ON ROADWAY: (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (113) SCOUR CONDITION RATING:	N/A
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (500) MIN VERTICAL UNDERCLEARANCE: (51) BRIDGE CURB TO CURB WIDTH: (44) FT RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:	N/A
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (51) BRIDGE CURB TO CURB WIDTH: (42 FT RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) DATE OF LAST REGULAR INSPECTION: (99) DATE OF LAST REGULAR INSPECTION: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS):	N/A N/A
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55b) MIN VERTICAL UNDERCLR: (55b) MIN HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR: (51) BRIDGE CURB TO CURB WIDTH: (42 FT RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) DATE OF LAST REGULAR INSPECTION: (99) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A N/A
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WERT UNDERCLR: (540) WIN VERTICAL UNDERCLR: (540) MIN VERTICAL UNDERCLR: (540) MIN VERTICAL UNDERCLR: (550) MIN VERTICAL UNDERCLR: (550) MIN VERTICAL UNDERCLR: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR ON RIGHT: (560) MIN HORZ UNDERCLR ON LEFT: (570) TYPE OF WORK: (77) TYPE OF WORK: (78) NOT APPLICABLE (79) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) DATE OF LAST REGULAR INSPECTION: (99) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (91) REGULAR INSPECTION FREQUENCY (MONTHS):	N/A N/A N/A N

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: WHITE

ROUTE: SR111

LOG MILE: 15.23

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 93\$R1110010

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: **STATE HWY. 111**CROSSING: **SR 111 / NFA A119**

LOCATION: 3.5 MI S OF PUTMAN CO	LN	SUFFICIENCY RATING: 70	6.9
IDENTIFICATION —			
(16a,b) LATITUDE: N 36.	03132 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE: W 85.	50836 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	(102) TRAFFIC DIR:	1-WAY TRAFFIC
BRIDGE TYPE AND MATERIA	<u> </u>	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CO		(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(43a) IVIAIN SPAN IVIATERIAL. PRESTRESSED CONTINUOUS	JNCKETE	(37) HISTORICAL CLASS: HISTORICAL SIG	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE		NOT BEEN DETE	
(45) NUMBER OF MAIN SPANS:	3	CONDITION RATINGS	j —
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	7
(107) TYPE OF DECK: CONCRETE P	RECAST PANELS	(59) SUPERSTRUCTURE:	5
(108) TYPE OF WEARING SURFACE AND DECK P	ROTECTION:	(60) SUBSTRUCTURE:	7
A) TYPE OF SURFACE: MONOL	ITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROT	
B) TYPE MEMBRANE:	NONE	(62) CULVERT CONDITION (IF APPLICABLE):	N
C) TYPE PROTECTION: EPOXY COATI	ED REINFORCING	DESIGN LOAD AND WEIGHT F	OSTING ——
AGE AND SERVICE		(31) DESIGN LOADING:	HS-20-44
(27) YEAR THE BRIDGE WAS BUILT:	1988	WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE:	5
(42b) UNDER BRIDGE:	HIGHWAY	(41) WT POSTING STATUS: OPEN	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2	(67) STRUCTURAL EVALUATION:	5
GEOMETRIC DATA	_	(68) DECK GEOMETRY:	8
	744 FT	(69) UNDERCLEARANCE RATING:	9
(48) MAXIMUM SPAN LENGTH:	74.1 FT	(71) WATERWAY ADEQUACY:	N
(49) TOTAL BRIDGE LENGTH:	191.9 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES:	100N
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH:	0.0 FT 42 FT	(113) SCOUR CONDITION RATING:	N
(52) BRIDGE OUT TO OUT WIDTH:	42 FT 44 FT	RECOMMENDED IMPROVE	MENTS —
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT	(75) TYPE OF WORK: BRIDGE REHABILITA	ATION
(33) BRIDGE MEDIAN:	NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT:	191.9 FT
(34) BRIDGE SKEW:	45 DEGREES	(94) BRIDGE IMPROVEMENT COST:	\$1,219,000.00
(35) BRIDGE FLARE:	NO FLARE	(95) ROADWAY IMPROVEMENT COST:	\$122,000.00
	NO RESTRICTION	(96) TOTAL PROJECT COST:	\$1,829,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWA		(97) YEAR OF IMPROVEMENT COST ESTIMA	TE: 2020
	ENEATH BRIDGE	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE:	20.67 FT	(90) DATE OF LAST REGULAR INSPECTION:	1/8/2020
` '	ENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MC	
(55b) MIN HORZ UNDERCLR ON RIGHT:	13.78 FT	(93b) DATE OF LAST UNDERWATER INSP (MC	,
	NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MON	,
NAVIGATION DATA		(93c) DATE OF SPECIAL INSPECTION (MO/YR)	•
	NOT APPLICABLE	(92c) SPECIAL INSP FREQUENCY (MONTHS):	
(39) NAVIGATION VERTICAL CLEARANCE:	N/A		
(110) 155 150		PRODUCED PUF	RSUANT TO

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

NATIONAL BRIDGE INVENTORY



7

7

7

N

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 93SR1110013 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 **ROAD NAME: STATE HWY. 111** COUNTY SEQUENCE: 1 CROSSING: POST OAK CREEK LOG MILE: 17.67 LOCATION: 1 MI S OF PUTNAM CO LN SUFFICIENCY RATING: 98.3 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08153 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50633 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: PERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANEL** BSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: MONOLITHIC CONCRET A) TYPE OF SURFACE: B) TYPE MEMBRANE: **EPOXY COATED REINFORCIN** C) TYPE PROTECTION:

	AGE AND SERVICE —
1988	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	62.0 FT
(49) TOTAL BRIDGE LENGTH:	183.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	25 DEGREES
(35) BRIDGE FLARE:	NO FLARE

(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

0 _S	(58) DE(
	(60) SUE
ГΕ	(61) STF
ΙE	(62) CU
IG	
IG	(31) DES
_	(31) DES

YES **NHS ROUTE RURAL EXPRESSWAY** RIGHT LANE BRIDGE 1-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS 7

(61) STREAM CHANNEL AND CHANNEL PROTECTION:	
(62) CULVERT CONDITION (IF APPLICABLE):	
DESIGN LOAD AND WEIGHT POSTING	
(24) DECICALLOADING.	110 00

HS-20-44 SIGN LOADING: **ALL LEGAL LOADS** T POSTING (2 AXLE VEHICLES): T POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** IDGE POSTING CODE: 5

(41) WT POSTING STATUS: **OPEN**

APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 8 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 100N (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 1/8/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



6

N

8

NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

COUNTY: WHITE

ROUTE: SR111

LOG MILE: 17.67

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 87.2

BRIDGE ID NUMBER: 93SR1110014 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 111 CROSSING: POST OAK CREEK

LOCATION: 1 MI S OF PUTNAM CO LN

- IDENTIFICATION

CI ASSIEICATION -

IDENTIFICAT	ION		CLASSIFICATIO	/IN
(16a,b) LATITUDE:	N	36.08160 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	85.50673 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	1-WAY TRAFFIC
BRIDGE TYPE AND I	T	EDIAL ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK:

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

MONOLITHIC CONCRETE A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE

EPOXY COATED REINFORCING C) TYPE PROTECTION:

AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1988 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 62.0 FT (49) TOTAL BRIDGE LENGTH: 183.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 42 FT 44 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 42.0 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 25 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

NAVIGATION DATA

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

CONCRETE PRECAST PANELS

(58) DECK:

(59) SUPERSTRUCTURE: 5 (60) SUBSTRUCTURE: 6 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7

CONDITION RATINGS =

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

(62) CULVERT CONDITION (IF APPLICABLE):

(110) NATIONAL TRUCK ROUTE:

(37) HISTORICAL CLASS:

APPRAISAL

(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 8 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 100N (113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 1/8/2020 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



YES

7

7

7

7

N

7

8

Ν

8

8

8

N/A

1/7/2020

24

N/A

N/A

Ν

Ν

100N

HS-20-44

NHS ROUTE

1-WAY TRAFFIC

BRIDGE ID NUMBER: 93SR1110017 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 **ROAD NAME: STATE HWY. 111** COUNTY SEQUENCE: 1 CROSSING: FALLING WATER RIVER LOG MILE: 18.70 SUFFICIENCY RATING: 98.3 LOCATION: AT PUTNAM CO LN IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08152 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.50627 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 76.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 225.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 42.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 7 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

7

N

7

8

Ν

8

8

8

N/A

1/7/2020

24

N/A

N/A

Ν

Ν

1001

HS-20-44

NHS ROUTE

1-WAY TRAFFIC

BRIDGE ID NUMBER: 93SR1110018 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 **ROAD NAME: STATE HWY. 111** COUNTY SEQUENCE: 1 CROSSING: FALLING WATER RIVER LOG MILE: 18.70 SUFFICIENCY RATING: 98.3 LOCATION: AT PUTNAM CO LN IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08192 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.50673 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 76.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 225.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 42.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 7 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

7

6

7

Ν

N

6

8

9

Ν

6

Ν

N/A

1/7/2020

24

1111

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

ALL LEGAL LOADS

ALL LEGAL LOADS

NO PARALLEL BRIDGE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 93SR1110021 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR135 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: BURGESS FALLS RD. COUNTY SEQUENCE: 1 CROSSING: SR 135 / SR 111 LOG MILE: 2.23 LOCATION: NORTH OF SPARTA SUFFICIENCY RATING: 99.3 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99058 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50052 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: OPEN **HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:

(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	4
GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	118.1 FT
(49) TOTAL BRIDGE LENGTH:	232.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	44 FT
(52) BRIDGE OUT TO OUT WIDTH:	45.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	44.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	10 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWA	AY: 44.0 FT
(54a) VERT UNDERCLR: HIGHWAY I	BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.57 FT
(55a) HORZ UNDERCLR: HIGHWAY I	BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	32.48 FT

NAVIGATION DATA

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A	
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N	
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A	
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N	
PRODUCED PURSUANT TO		
PUBLIC RECORDS REQUEST		
This document is covered by 23 USC	8409	

RECOMMENDED IMPROVEMENTS

INSPECTION DATES

NOT APPLICABLE

(71) WATERWAY ADEQUACY:

(75) TYPE OF WORK:

24.93 FT

N/A

N/A

N/A

NOT APPLICABLE

(36) TRAFFIC SAFETY FEATURES:

(113) SCOUR CONDITION RATING:

(72) APPROACH ROADWAY ALIGNMENT:

(76) LENGTH OF BRIDGE IMPROVEMENT:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

(94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

6

7

7

Ν

Ν

7

8

8

N/A

1/6/2020

24

N/A

N/A

Ν

Ν

000N

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 93SR1360003 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR136 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD KENTUCKY RD. COUNTY SEQUENCE: 1 CROSSING: RUM CREEK LOG MILE: 13.81 SUFFICIENCY RATING: 93.6 LOCATION: 2 MI N OF SR 26 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98563 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.55558 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 7.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 20.3 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR):

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



ALL LEGAL LOADS

5

5

7

Ν

8

Ν

N/A

1/7/2020

24

N/A

N/A

Ν

Ν

1011

BRIDGE ID NUMBER: 93SR1110011

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: HAMPTONS CROSSROADS

CROSSING: SR 136 / SR 111

COUNTY: WHITE
ROUTE: SR136
SPECIAL CASE: 0

LOG MILE: 19.85

COUNTY SEQUENCE: 1

WEIGHT POSTING (3 OR MORE AXLES):

US: OPEN Appraisal

RECOMMENDED IMPROVEMENTS

INSPECTION DATES

NOT APPLICABLE

(70) BRIDGE POSTING CODE: (41) WT POSTING STATUS:

(67) STRUCTURAL EVALUATION:

(69) UNDERCLEARANCE RATING:

(36) TRAFFIC SAFETY FEATURES:

(113) SCOUR CONDITION RATING:

(72) APPROACH ROADWAY ALIGNMENT:

(76) LENGTH OF BRIDGE IMPROVEMENT:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

(94) BRIDGE IMPROVEMENT COST:(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(71) WATERWAY ADEQUACY:

(68) DECK GEOMETRY:

(75) TYPE OF WORK:

LOCATION: 2 MI S OF PUTNAM CO LN SUFFICIENCY RATING: 86.9 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.05560 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50803 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): N B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES):

AGE AND SERVICE ————		
1988	(27) YEAR THE BRIDGE WAS BUILT:	
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:	
HIGHWAY	(42a) SERVICE ON BRIDGE:	
HIGHWAY	(42b) UNDER BRIDGE:	
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:	
4	(28b) NUMBER OF LANES UNDER THE BRIDGE:	
	CEOMETRIC DATA	

	GEOWETRIC DATA
136.2 FT	(48) MAXIMUM SPAN LENGTH:
255.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
34.1 FT	(51) BRIDGE CURB TO CURB WIDTH:
36.1 FT	(52) BRIDGE OUT TO OUT WIDTH:
34.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
16 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AV: 04.4 FT	(47) MINI LIGHTONITAL OLEANANCE ON DOADIA

(00) = 1 = 0 = 1 = 1 = 1		
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICT	ION	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 81.1	FT	
(54a) VERT UNDERCLR: HIGHWAY BENEATH BRII	DGE	
(54b) MIN VERTICAL UNDERCLEARANCE: 16.57	FT FT	
(55a) HORZ UNDERCLR: HIGHWAY BENEATH BRII	DGE	
(55b) MIN HORZ UNDERCLR ON RIGHT: 27.89	FT	
(56) MIN HORZ UNDERCLR ON LEFT: 28.54	FT	
NAVIGATION DATA		

— NAVIGATION DATA	
TDOL.	NO

(38)	NAV CONTROL:	NOT APPLICABLE
(39)	NAVIGATION VERTICAL CLEARANCE:	N/A
(116)	LIFT BRIDGE VERT CLEARANCE:	N/A
(40)	NAVIGATION HORZ CLEARANCE:	N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

PUBLIC RECORDS F

(40) NAVIGATION HORZ CLEARANCE:

PUBLICATION DATE

19-Mar-20

N/A

PUBLIC RECORDS F

This document is covered b

and its production pursua
document records requirements to be a provinced by the provinced by th



YES

6

5

7

7

N

5

6

N

8

8

8

0000

323.2 FT

2020

24

Y60

N/A

Ν

\$1,835,000.00

\$2,753,000.00

\$184,000.00

1/16/2020

05/2019

2-WAY TRAFFIC

HS-20-44 +MOD

BRIDGE ID NUMBER: 93E00090001 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR285 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: E. GOOSENECK RD. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 1.46 SUFFICIENCY RATING: 74.2 LOCATION: 2 MI E OF US RT 70S IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.84195 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.48167 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** 1971 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 106.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 323.2 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 2.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 2.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 34.1 FT (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

7

6

7

Ν

N

6

6

7

Ν

8

Ν

N/A

1/7/2020

24

N/A

N/A

Ν

Ν

1001

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 93SR1110003 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR289 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: N. SPRING ST. COUNTY SEQUENCE: 1 CROSSING: SR 289 / SR 111 LOG MILE: 2.61 SUFFICIENCY RATING: 97.5 LOCATION: EAST OF SPARTA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.96562 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.48595 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 126.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 244.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 44 FT RECOMMENDED IMPROVEMENTS 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 83.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.44 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 29.86 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 29.86 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL: