## HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



BRIDGE ID NUMBER: 100A8690003

BRIDGE OWNER: CARTER COUNTY

ROAD NAME: EARL WILLIAMS RD

CROSSING: STONEY CREEK

LATITUDE:: N 36.38785 DEGREES
LONGITUDE: W 82.12833 DEGREES

COUNTY: CARTER
ROUTE: 0A919
SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 0.48
YEAR BUILT: 1980

20.	10.11000 PIG.1210		12/11 BOILT 1990
		TYPE OF SUPERSTRUCTURE	
MAIN SPAN:	STEEL - STRINGER/MULTI-BEAM O	R GIRDER APPR. SPA	N: NOT APPLICABLE
		TYPE OF SUBSTRUCTURE	
ABUTMENTS:	CONCRETE FULL HEIGHT ABUTME	NT ON CONCRETE SPREAD FO	OTING FOUNDATION
BENTS:	NOT APPLICABLE		
PIERS:	NOT APPLICABLE		
		SCOUR EVALUATION	
Bridge is sco	our critical, but countermeasures	have been installed to reduce	ce the risk of bridge failure during a flood
event. Deter			TDOT for assessment. Monitor bridge in lieu
		INSPECTION PROCEDURES	
What Initiated the Call-out Inspection?		[ ] BridgeWatch Alert	
	·		ocal Maintenance Personnel
		[ ] THP or Local Law I	Enforcement Personnel
		[ ] Other:	
Things to c	heck on a bridge during floods	<u>s:</u>	
[ ] - Span	movement - horizontally as we	ell as vertically	
1. 0	Sheck displacement / deflection	n along curb line, both brid	dge rails and outer edge of bridge deck.
2. 0	Check for plumb of piers or bei	nts.	
[ ] - Chec	k for embankment erosion		
[ ] - Chec	k for drift build-up on piers or	bents	
[ ] - Chec	k pier exposure, if possible, ar	nd compare to previous in	spection
[ ] - Revie	ew the latest bridge inspection	report versus current field	d conditions
<u>If Closure is</u>	recommended:		
Coun temp	nty or City Maintenance Person	nnel. Use Barricade Tape, t ists to stay off of the bridg	secured and properly closed by District, raffic cones and/or traffic flares as ge until such time as the bridge may
[ ] - Conta	act: (1) District Maintenance S	supervisor ( if bridge is Sta	ate maintained )
	(2) City or County Highwa	y Maintenance Official ( if	bridge is not State maintained )
	(3) Tennessee Highway Pa	atrol and/or local law enfo	cement Officers as appropriate
	(4) TDOT Regional Bridge	Engineer	
	Bridge should remain closed u TDOT bridge inspection team.		a daylight visual inspection is made

## **PUBLICATION DATE**

## HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



units and they are determined to be structurally stable.  CONTACT PERSONNEL:  COUNTY MAYOR'S OFFICE  HWY. CHIEF ADMINISTRATOR'S OFFICE  COUNTY SHERIFF'S OFFICE  (42  COUNTY SHERIFF'S OFFICE  (43  COUNTY SHERIFF'S OFFICE  (43  COUNTY SHERIFF'S OFFICE  (44)	e or local highway maintenance letour route shall be checked			
COUNTY MAYOR'S OFFICE  HWY. CHIEF ADMINISTRATOR'S OFFICE  (42 COUNTY SHERIFF'S OFFICE  (42  [ ] - Summarize and submit findings from the inspection to BridgeWatch The report shall include the date and time of the inspection, a brief s as appropriate, photographs of the bridge and stream channel meas	The bridge can be re-opened only after a TDOT bridge inspection team checks the substructure units and they are determined to be structurally stable.			
HWY. CHIEF ADMINISTRATOR'S OFFICE  COUNTY SHERIFF'S OFFICE  (42  [ ] - Summarize and submit findings from the inspection to BridgeWatch The report shall include the date and time of the inspection, a brief s as appropriate, photographs of the bridge and stream channel meas	PHONE NUMBER:			
COUNTY SHERIFF'S OFFICE  (42  [ ] - Summarize and submit findings from the inspection to BridgeWatch The report shall include the date and time of the inspection, a brief s as appropriate, photographs of the bridge and stream channel meas	23) 542-1801			
[ ] - Summarize and submit findings from the inspection to BridgeWatch The report shall include the date and time of the inspection, a brief s as appropriate, photographs of the bridge and stream channel meas	23) 543-2331			
The report shall include the date and time of the inspection, a brief s as appropriate, photographs of the bridge and stream channel meas	23) 543-2211			
[ ] - Summarize and submit findings from the inspection to BridgeWatch scour monitoring system. The report shall include the date and time of the inspection, a brief summary of findings and, as appropriate, photographs of the bridge and stream channel measurements. If significant scouring has occurred, the report shall also be copied to Bridge Inspection Headquarters.				
COMMENTS:				
Suggested List of Equipment to conduct the Inspection:  Latest Bridge Inspection Report	· · · · · · · · · · · · · · · · · · ·			
Scour POA Report with the above Checklist				
Bridge Design Plans, if available				
Tape measure with weight				
Plumb bob				
Range Pole	Hawing managers.			
A 1000 Foot Roll of yellow Polyethylene Barricade Tape printed with the fo	liowing message.			

Traffic Cones - Minimum of four (4)

A Barricade Tape Dispenser with serrated cutter

**TDOT radio directory (State Personnel only)** 

Traffic Safety Flares - Minimum of four (4) or set of electronic warning flashers

TDOT two-way radio (State Personnel only) and/or cellular telephone

BRIDGE ID 100A8690003

A roll of Duct Tape