HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



BRIDGE ID NUMBER: 190E1470001 COUNTY: DAVIDSON
BRIDGE OWNER: NASHVILLE DEPARTMENT OF TRANSPORTATION ROUTE: 0D224
ROAD NAME: PINE VALLEY RD SPECIAL CASE: 0

CROSSING: BULL RUN CREEK

LATITUDE:: N 36.23323 DEGREES
LONGITUDE: W 86.95488 DEGREES

COUNTY SEQUENCE: 1 LOG MILE: 0.05 YEAR BUILT: 1970

LON	IGITUDE: W 86.95488 DEGREES	i	YEAR BUILT: 1970
MAIN SPAN:	STEEL - STRINGER/MULTI-BEAM O	TYPE OF SUPERSTRUCTURE • R GIRDER APPR SPAN:	NOT APPLICABLE
		TYPE OF SUBSTRUCTURE	
	NTS: CONCRETE FULL HEIGHT ABUTMENT ON CONCRETE SPREAD FOOTING FOUNDATION		
BENTS:	NOT APPLICABLE		
PIERS:	NOT APPLICABLE		
		SCOUR EVALUATION	
	inknown foundations. Risk of sco icant flood events. Monitor bridge		bridge shall be monitored for distress ntermeasures.
		INSPECTION PROCEDURES	
What Initiate	ed the Call-out Inspection?	[] BridgeWatch Alert	
	•	[] TDOT District or Loca	al Maintenance Personnel
		[] THP or Local Law En	forcement Personnel
		[] Other:	
Things to cl	heck on a bridge during floods	<u>s:</u>	
1. C 2. C	movement - horizontally as w Check displacement / deflectio Check for plumb of piers or be k for embankment erosion	n along curb line, both bridg	e rails and outer edge of bridge deck.
[] - Checl	k for drift build-up on piers or	bents	
[] - Checl	k pier exposure, if possible, ar	nd compare to previous insp	ection
[] - Revie	w the latest bridge inspection	report versus current field o	conditions
f Closure is	recommended:		
		avaaa vaad watii bridga ia aa	erred and manager aloned by District
Coun temp	ity or City Maintenance Persor	nnel. Use Barricade Tape, tra rists to stay off of the bridge	cured and properly closed by District, ffic cones and/or traffic flares as until such time as the bridge may
[] - Conta	act: (1) District Maintenance S	Supervisor (if bridge is State	e maintained)
	(2) City or County Highwa	y Maintenance Official (if b	ridge is not State maintained)
	(3) Tennessee Highway Pa	atrol and/or local law enforce	ement Officers as appropriate
	(4) TDOT Regional Bridge	Engineer	
	Bridge should remain closed u TDOT bridge inspection team.		daylight visual inspection is made

PUBLICATION DATE

HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



	tate District maintenance or local highway maintenance bridge on the selected detour route shall be checked		
	dge can be re-opened only after a TDOT bridge inspection team checks the substructure nd they are determined to be structurally stable.		
CONTACT PERSONNEL:	TELEPHONE NUMBER:		
CITY ENGINEER'S OFFICE	(615) 862-8760		
POLICE OFFICE	(615) 762-7400		
as appropriate, photographs of the bridge ar	pection to BridgeWatch scour monitoring system. the inspection, a brief summary of findings and, and stream channel measurements. If significant be copied to Bridge Inspection Headquarters.		
COMMENTS:			
Suggested List of Equipment to conduct the Inspe	ection:		
Latest Bridge Inspection Report			
Scour POA Report with the above Checklist			
Bridge Design Plans, if available			
Tape measure with weight			
Plumb bob			
Range Pole			
A 1000 Foot Roll of yellow Polyethylene Barricade			
SAFETY HAZARD KEE	EP AWAY		
A Barricade Tape Dispenser with serrated cutter			
A roll of Duct Tape			
Traffic Cones - Minimum of four (4)			
Traffic Safety Flares - Minimum of four (4) or set o	_		
TDOT two-way radio (State Personnel only) and/or	cellular telephone		

TDOT radio directory (State Personnel only)