HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



BRIDGE ID NUMBER: 240A2100001
BRIDGE OWNER: FAYETTE COUNTY
ROAD NAME: SUGAR HILL RD
CROSSING: TEAGUE BRANCH

LATITUDE:: N 34.99644 DEGREES LONGITUDE: W 89.45622 DEGREES

COUNTY: FAYETTE
ROUTE: 0A210
SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 0.56

LON	NGITUDE: W 89.45622 DEGREES	YEAR BUILT: 1965	
MAIN SPAN:	CONCRETE - CHANNEL BEAM	TYPE OF SUPERSTRUCTURE APPR. SPAN: NOT APPLICABLE	
ADLITMENTO:	TIMBER CAP ON TIMBER PILE FOU	TYPE OF SUBSTRUCTURE	
		INDATION	
BENTS:	NOT APPLICABLE		
PIERS:	NOT APPLICABLE		
		SCOUR EVALUATION	
-		our cannot be determined. The bridge shall be monitored for distress e in lieu of installing scour countermeasures.	
		INSPECTION PROCEDURES	
What Initiated the Call-out Inspection?		[] BridgeWatch Alert	
		TDOT District or Local Maintenance Personnel	
		THP or Local Law Enforcement Personnel	
		[] Other:	
Things to c	heck on a bridge during flood	s <u>:</u>	
[] - Span	movement - horizontally as w	ell as vertically	
		n along curb line, both bridge rails and outer edge of bridge deck.	
	Check for plumb of piers or be		
	k for embankment erosion		
	k for drift build-up on piers or	hents	
	• •		
[] - Check pier exposure, if possible, and compare to previous inspection[] - Review the latest bridge inspection report versus current field conditions			
[] - Kevie	w the latest bridge inspection	report versus current neia conditions	
If Closure is	recommended:		
Cour temp	nty or City Maintenance Persor	cross road until bridge is secured and properly closed by District, nnel. Use Barricade Tape, traffic cones and/or traffic flares as rists to stay off of the bridge until such time as the bridge may	
[] - Contact: (1) District Maintenance Supervisor (if bridge is State maintained)			
	(2) City or County Highwa	y Maintenance Official (if bridge is not State maintained)	
	(3) Tennessee Highway P	atrol and/or local law enforcement Officers as appropriate	
	(4) TDOT Regional Bridge		
[] - The E	()	ntil the water recedes and a daylight visual inspection is made	
	TDOT bridge inspection team.	· · · · · · · · · · · · · · · · · · ·	

PUBLICATION DATE

HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



	tate District maintenance or local highway maintenance bridge on the selected detour route shall be checked	
- The bridge can be re-opened only after a TDOT bridge inspection team checks the substructure units and they are determined to be structurally stable.		
CONTACT PERSONNEL:	TELEPHONE NUMBER:	
COUNTY MAYOR'S OFFICE	(901) 465-5202	
HWY. CHIEF ADMINISTRATOR'S OFFICE	(901) 465-5232	
COUNTY SHERIFF'S OFFICE	(901) 465-3456	
 Summarize and submit findings from the inspection to BridgeWatch scour monitoring system. The report shall include the date and time of the inspection, a brief summary of findings and, as appropriate, photographs of the bridge and stream channel measurements. If significant scouring has occurred, the report shall also be copied to Bridge Inspection Headquarters. 		
COMMENTS:		
Suggested List of Equipment to conduct the Inspe	ection:	
Latest Bridge Inspection Report		
Scour POA Report with the above Checklist		
Bridge Design Plans, if available		
Tape measure with weight		
Plumb bob		
Range Pole		
A 1000 Foot Roll of yellow Polyethylene Barricade		
SAFETY HAZARD KE	EP AWAY	

PUBLICATION DATE

A roll of Duct Tape

A Barricade Tape Dispenser with serrated cutter

TDOT radio directory (State Personnel only)

Traffic Safety Flares - Minimum of four (4) or set of electronic warning flashers

TDOT two-way radio (State Personnel only) and/or cellular telephone

Traffic Cones - Minimum of four (4)

07-Nov-24