## HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



BRIDGE ID NUMBER: 490A0210001

BRIDGE OWNER: LAUDERDALE COUNTY
ROAD NAME: OLD FULTON RD

CROSSING: BRANCH

LATITUDE:: N 35.61047 DEGREES
LONGITUDE: W 89.87711 DEGREES

COUNTY: LAUDERDALE
ROUTE: 0A021

SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 0.24
YEAR BUILT: 1995

		TYPE OF SUPERSTRUCTURE =		
MAIN SPAN:	STEEL - STRINGER/MULTI-BEAM OF		NOT APPLICABLE	
		TYPE OF SUBSTRUCTURE -		
ABUTMENTS:	TIMBER CAP ON TIMBER PILE FOU	NDATION		
BENTS:	NOT APPLICABLE			
PIERS:	NOT APPLICABLE			
		SCOUR EVALUATION -		
Bridge has u	unknown foundations. Risk of sco	ur cannot be determined. The	bridge shall be monitored for distress	
	icant flood events. Monitor bridge			
		INSPECTION PROCEDURES =		
What Initiat	ed the Call-out Inspection?	[ ] BridgeWatch Alert		
	•		al Maintenance Personnel	
		[ ] THP or Local Law Enf	forcement Personnel	
Things to c	heck on a bridge during floods	<u>:</u>		
[ ] - Span	movement - horizontally as we	ell as vertically		
	· · · · · · · · · · · · · · · · · · ·	•	e rails and outer edge of bridge deck.	
2. 0	Check for plumb of piers or ber	its.	-	
[ ] - Chec	k for embankment erosion			
[ ] - Chec	k for drift build-up on piers or	bents		
[ ] - Chec	k pier exposure, if possible, an	d compare to previous inspe	ection	
[ ] - Review the latest bridge inspection report versus current field conditions				
	-	•		
If Closure is	recommended:			
<ul> <li>Stay at bridge with vehicle pulled across road until bridge is secured and properly closed by District, County or City Maintenance Personnel. Use Barricade Tape, traffic cones and/or traffic flares as temporary measures to warn motorists to stay off of the bridge until such time as the bridge may be properly closed and barricaded.</li> </ul>				
[ ] - Conta	act: (1) District Maintenance S	upervisor ( if bridge is State	maintained )	
	(2) City or County Highway	y Maintenance Official ( if br	idge is not State maintained )	
	(3) Tennessee Highway Pa	trol and/or local law enforce	ement Officers as appropriate	
	(4) TDOT Regional Bridge	Engineer		
	<ul> <li>The Bridge should remain closed until the water recedes and a daylight visual inspection is made by a TDOT bridge inspection team.</li> </ul>			

## **PUBLICATION DATE**

## HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



	rith State District maintenance or local highway maintenance Any bridge on the selected detour route shall be checked		
	ridge can be re-opened only after a TDOT bridge inspection team checks the substructure and they are determined to be structurally stable.		
CONTACT PERSONNEL:	TELEPHONE NUMBER:		
COUNTY MAYOR'S OFFICE	(731) 635-3500		
HWY. CHIEF ADMINISTRATOR'S OFFICE	(731) 635-9251		
COUNTY SHERIFF'S OFFICE	(731) 635-1311		
The report shall include the date and tir as appropriate, photographs of the brid	Summarize and submit findings from the inspection to BridgeWatch scour monitoring system. The report shall include the date and time of the inspection, a brief summary of findings and, as appropriate, photographs of the bridge and stream channel measurements. If significant scouring has occurred, the report shall also be copied to Bridge Inspection Headquarters.		
COMMENTS:			
Suggested List of Equipment to conduct the Latest Bridge Inspection Report	Inspection:		
Scour POA Report with the above Checklist			
Bridge Design Plans, if available			
Tape measure with weight			
Plumb bob			
Range Pole			
•	cade Tape printed with the following message:		

**PUBLICATION DATE** 

A roll of Duct Tape

A Barricade Tape Dispenser with serrated cutter

**TDOT radio directory (State Personnel only)** 

Traffic Safety Flares - Minimum of four (4) or set of electronic warning flashers

TDOT two-way radio (State Personnel only) and/or cellular telephone

Traffic Cones - Minimum of four (4)

17-Apr-19