HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



BRIDGE ID NUMBER: 49SR0870025

BRIDGE OWNER: STATE OF TENNESSEE

ROAD NAME: SR87
CROSSING: BRANCH

LATITUDE:: N 35.68061 DEGREES
LONGITUDE: W 89.70639 DEGREES

COUNTY: LAUDERDALE
ROUTE: SR087
SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 11.75

LON	NGITUDE: W 89.70639 DEGREE	5	YEAR BUILT: 1986
		TYPE OF SUPERSTRUCTURE	
MAIN SPAN:	STEEL - STRINGER/MULTI-BEAM C	OR GIRDER APPR. SPAN:	NOT APPLICABLE
		TYPE OF SUBSTRUCTURE	
ABUTMENTS:	TIMBER CAP ON TIMBER PILE FOL	JNDATION	
BENTS:	NOT APPLICABLE		
PIERS:	NOT APPLICABLE		
		SCOUR EVALUATION	
	unknown foundations. Risk of sc icant flood events. Monitor bridg		bridge shall be monitored for distress termeasures.
		INSPECTION PROCEDURES	
What Initiated the Call-out Inspection?		[] BridgeWatch Alert	
		[] TDOT District or Loca	al Maintenance Personnel
		[] THP or Local Law En	forcement Personnel
		[] Other:	
Things to c	<u>heck on a bridge during flood</u>	<u>s:</u>	
[] - Span	movement - horizontally as w	vell as vertically	
1. 0	Check displacement / deflection	on along curb line, both bridg	e rails and outer edge of bridge deck.
2. 0	Check for plumb of piers or be	nts.	
[] - Chec	k for embankment erosion		
[] - Chec	k for drift build-up on piers or	bents	
[] - Chec	k pier exposure, if possible, a	nd compare to previous insp	ection
[] - Revie	ew the latest bridge inspection	report versus current field c	onditions
		•	
<u>If Closure is</u>	recommended:		
Coun temp	nty or City Maintenance Perso	nnel. Use Barricade Tape, tra rists to stay off of the bridge	cured and properly closed by District, ffic cones and/or traffic flares as until such time as the bridge may
[] - Conta	act: (1) District Maintenance \$	maintained)	
	(2) City or County Highwa	ay Maintenance Official (if br	ridge is not State maintained)
	(3) Tennessee Highway P	atrol and/or local law enforce	ement Officers as appropriate
	(4) TDOT Regional Bridge	e Engineer	-
] - The Bridge should remain closed until the water recedes and a daylight visual inspection is made by a TDOT bridge inspection team.		

PUBLICATION DATE

HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



 The bridge inspection team will work with State officials in establishing a detour route. Any bridge prior to signing the detour route. 	District maintenance or local highway maintenance ge on the selected detour route shall be checked		
	The bridge can be re-opened only after a TDOT bridge inspection team checks the substructure units and they are determined to be structurally stable.		
CONTACT PERSONNEL:	TELEPHONE NUMBER:		
REGION BRIDGE ENGINEER	(731) 234-9561		
DISTRICT MAINTENANCE SUPERVISOR	(901) 484-2610		
TENNESSEE HIGHWAY PATROL	(901) 543-6256		
 Summarize and submit findings from the inspect The report shall include the date and time of the as appropriate, photographs of the bridge and st scouring has occurred, the report shall also be c 	inspection, a brief summary of findings and, ream channel measurements. If significant		
COMMENTS:			
Suggested List of Equipment to conduct the Inspection	<u>n:</u>		
Latest Bridge Inspection Report			
Scour POA Report with the above Checklist			
Bridge Design Plans, if available			
Tape measure with weight			
Plumb bob			
Range Pole			
A 1000 Foot Roll of yellow Polyethylene Barricade Tap			
SAFETY HAZARD KEEP A	WAY		

PUBLICATION DATE

A roll of Duct Tape

A Barricade Tape Dispenser with serrated cutter

TDOT radio directory (State Personnel only)

Traffic Safety Flares - Minimum of four (4) or set of electronic warning flashers

TDOT two-way radio (State Personnel only) and/or cellular telephone

Traffic Cones - Minimum of four (4)

17-Apr-19