## **HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT**



COUNTY: McMINN ROUTE: 10075

SPECIAL CASE: 0

BRIDGE ID NUMBER: 54100750004

BRIDGE OWNER: STATE OF TENNESSEE

ROAD NAME: 175

CROSSING: MOUSE CREEK	COUNTY SEQUENCE: 1
LATITUDE:: N 35.33301 DEGREE LONGITUDE: W 84.75741 DEGREE	
MAIN SPAN: PRESTRESSED CONCRETE CON' STRINGER/MULTI-BEAM OR GIRE	
	TYPE OF SUBSTRUCTURE
ABUTMENTS: CONCRETE STUB ABUTMENT ON	STEEL PILE FOUNDATION
BENTS: NOT APPLICABLE	
PIERS: CONCRETE HAMMERHEAD PIER	ON STEEL PILE FOUNDATION
	SCOUR EVALUATION ————————————————————————————————————
Bridge is scour critical; bridge foundations of lieu of installing scour countermeasures.	determined to be unstable for calculated scour conditions. Monitor bridge in
	INSPECTION PROCEDURES
What Initiated the Call-out Inspection? [ ] BridgeWatch Alert	
	[ ] TDOT District or Local Maintenance Personnel
	[ ] THP or Local Law Enforcement Personnel
	[ ] Other:
Things to check on a bridge during floor	<u>ds:</u>
[ ] - Span movement - horizontally as	-
-	on along curb line, both bridge rails and outer edge of bridge deck.
2. Check for plumb of piers or b	ents.
[ ] - Check for embankment erosion	
[ ] - Check for drift build-up on piers o	
[ ] - Check pier exposure, if possible,	·
[ ] - Review the latest bridge inspection	n report versus current field conditions
f Closure is recommended:	
[ ] - Stay at bridge with vehicle pulled	across road until bridge is secured and properly closed by District,
County or City Maintenance Person	onnel. Use Barricade Tape, traffic cones and/or traffic flares as orists to stay off of the bridge until such time as the bridge may
	Supervisor (if bridge is State maintained)
(2) City or County Highw	yay Maintenance Official (if bridge is not State maintained)
(3) Tennessee Highway	Patrol and/or local law enforcement Officers as appropriate
(4) TDOT Regional Bridg	je Engineer
<ul> <li>The Bridge should remain closed by a TDOT bridge inspection team</li> </ul>	until the water recedes and a daylight visual inspection is made

## **PUBLICATION DATE**

## HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



	te District maintenance or local highway maintenance idge on the selected detour route shall be checked
[ ] - The bridge can be re-opened only after a TDO units and they are determined to be structural	T bridge inspection team checks the substructure ly stable.
CONTACT PERSONNEL:	TELEPHONE NUMBER:
REGION BRIDGE ENGINEER	(423) 290-7467
DISTRICT MAINTENANCE SUPERVISOR	(423) 290-7491
TENNESSEE HIGHWAY PATROL	(423) 634-6898
[ ] - Summarize and submit findings from the inspe The report shall include the date and time of th as appropriate, photographs of the bridge and scouring has occurred, the report shall also be	ne inspection, a brief summary of findings and, stream channel measurements. If significant
COMMENTS:	
Suggested List of Equipment to conduct the Inspect  Latest Bridge Inspection Report	ion:
Scour POA Report with the above Checklist	
Bridge Design Plans, if available	
Tape measure with weight	
Plumb bob	
Range Pole	
A 1000 Foot Roll of yellow Polyethylene Barricade Ta	ape printed with the following message:
CAPETY HAZADO MED	A18/A3/

**PUBLICATION DATE** 

A roll of Duct Tape

A Barricade Tape Dispenser with serrated cutter

**TDOT radio directory (State Personnel only)** 

Traffic Safety Flares - Minimum of four (4) or set of electronic warning flashers

TDOT two-way radio (State Personnel only) and/or cellular telephone

Traffic Cones - Minimum of four (4)

07-Nov-24