## HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



BRIDGE ID NUMBER: 57100400014

BRIDGE OWNER: STATE OF TENNESSEE

ROAD NAME: 140

CROSSING: CUB CREEK

LATITUDE:: N 35.63711 DEGREES
LONGITUDE: W 88.93578 DEGREES

COUNTY: MADISON
ROUTE: 10040
SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 8.35

| LON                                     | IGITUDE: W 88.93578 DEGREES  | YEAR BUILT: 1960   |  |
|---|--|--|--|
|   |  | TYPE OF SUPERSTRUCTURE   |  |
| MAIN SPAN:                              | CONCRETE - TEE BEAM  | APPR. SPAN: NOT APPLICABLE   |  |
|   |  | TYPE OF SUBSTRUCTURE   |  |
| ABUTMENTS:                              | CONCRETE STUB ABUTMENT ON C  | ONCRETE PILE FOUNDATION  |  |
| BENTS:                                  | CONCRETE PILE BENT ON PILE FO  | UNDATION   |  |
| PIERS:                                  | NOT APPLICABLE   |  |  |
|   |  | SCOUR EVALUATION   |  |
| •                                       | our critical; bridge foundations de stalled and is in good condition.  | termined to be unstable for calculated scour conditions. Rip-rap protection  |  |
|   |  | INSPECTION PROCEDURES  |  |
| What Initiated the Call-out Inspection? |  | [ ] BridgeWatch Alert  |  |
|   | •  | [ ] TDOT District or Local Maintenance Personnel   |  |
|   |  | [ ] THP or Local Law Enforcement Personnel   |  |
|   |  | [ ] Other:   |  |
|   |  |  |  |
| Things to cl                            | <u>heck on a bridge during floods</u>  | <u>:</u>   |  |
| [ ] - Span                              | movement - horizontally as we  | ell as vertically  |  |
| 1. C                                    | Check displacement / deflection  | along curb line, both bridge rails and outer edge of bridge deck.  |  |
| 2. 0                                    | check for plumb of piers or ber  | its.   |  |
| [ ] - Chec                              | k for embankment erosion   |  |  |
| [ ] - Check                             | k for drift build-up on piers or l   | pents  |  |
| [ ] - Check                             | k pier exposure, if possible, an   | d compare to previous inspection   |  |
| [ ] - Revie                             | w the latest bridge inspection   | report versus current field conditions   |  |
|   |  |  |  |
|   |  |  |  |
| <u>If Closure is </u>                   | recommended:   |  |  |
| Coun<br>temp                            | ty or City Maintenance Person  | ross road until bridge is secured and properly closed by District, nel. Use Barricade Tape, traffic cones and/or traffic flares as sts to stay off of the bridge until such time as the bridge may |  |
| [ ] - Conta                             | act: (1) District Maintenance S  | upervisor ( if bridge is State maintained )  |  |
|   | (2) City or County Highway   | Maintenance Official (if bridge is not State maintained)   |  |
|   | (3) Tennessee Highway Pa   | trol and/or local law enforcement Officers as appropriate  |  |
|   | (4) TDOT Regional Bridge   | Engineer   |  |
|   | <ul> <li>The Bridge should remain closed until the water recedes and a daylight visual inspection is made<br/>by a TDOT bridge inspection team.</li> </ul> |  |  |

## **PUBLICATION DATE**

## HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



|   | th State District maintenance or local highway maintenance Any bridge on the selected detour route shall be checked   |  |  |
|---|---|--|--|
| [ ] - The bridge can be re-opened only after a units and they are determined to be stru   | <ul> <li>The bridge can be re-opened only after a TDOT bridge inspection team checks the substructure<br/>units and they are determined to be structurally stable.</li> </ul> |  |  |
| CONTACT PERSONNEL:  | TELEPHONE NUMBER:   |  |  |
| REGION BRIDGE ENGINEER  | (731) 234-9561  |  |  |
| DISTRICT MAINTENANCE SUPERVISOR   | (731) 694-6673  |  |  |
| TENNESSEE HIGHWAY PATROL  | (731) 423-6635  |  |  |
| - Summarize and submit findings from the inspection to BridgeWatch scour monitoring system.<br>The report shall include the date and time of the inspection, a brief summary of findings and, as appropriate, photographs of the bridge and stream channel measurements. If significant scouring has occurred, the report shall also be copied to Bridge Inspection Headquarters. |   |  |  |
| COMMENTS:   |   |  |  |
| Suggested List of Equipment to conduct the In   | nspection:  |  |  |
| Latest Bridge Inspection Report   |   |  |  |
| Scour POA Report with the above Checklist   |   |  |  |
| Bridge Design Plans, if available  Tape measure with weight   |   |  |  |
| Plumb bob   |   |  |  |
| Range Pole  |   |  |  |
| A 1000 Foot Roll of yellow Polyethylene Barrica   | ade Tane printed with the following message:  |  |  |
| SAFETY HAZADD   |   |  |  |

**PUBLICATION DATE** 

A roll of Duct Tape

A Barricade Tape Dispenser with serrated cutter

**TDOT radio directory (State Personnel only)** 

Traffic Safety Flares - Minimum of four (4) or set of electronic warning flashers

TDOT two-way radio (State Personnel only) and/or cellular telephone

Traffic Cones - Minimum of four (4)