## HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



COUNTY: SULLIVAN

BRIDGE ID NUMBER: 82L38860003
BRIDGE OWNER: CITY OF KINGSPORT
ROAD NAME: W SULLIVAN ST
CROSSING: REEDY CREEK

LATITUDE:: N 36.55643 DEGREES
LONGITUDE: W 82.56545 DEGREES

ROUTE: 03886

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 0.14

| LON  | GITUDE: W 82.56545 DEGREES   | 3  | YEAR BUILT: 1979   |  |
|--|--|--|--|--|
|  |  | TYPE OF SUPERSTRUCTURE   |  |  |
| MAIN SPAN:                                 | PRESTRESSED CONCRETE - BOX GIRDERS - MULTIPLE  | BEAM OR APPR. SPAN:  | NOT APPLICABLE   |  |
|  |  | TYPE OF SUBSTRUCTURE   |  |  |
| ABUTMENTS:                                 | CONCRETE FULL HEIGHT ABUTME  | ENT ON UNKNOWN FOUNDATION  |  |  |
| BENTS:                                     | NOT APPLICABLE   |  |  |  |
| PIERS:                                     | NOT APPLICABLE   |  |  |  |
|  |  | SCOUR EVALUATION =   |  |  |
| Dridge bee u                               | nknown foundations. Bick of so   |  | bridge shall be manitored for distress   |  |
|  | cant flood events. Monitor bridg   |  | bridge shall be monitored for distress termeasures.  |  |
|  |  | INSPECTION PROCEDURES =  |  |  |
| What Initiated the Call-out Inspection?    |  | [ ] BridgeWatch Alert  |  |  |
|  | ·  | [ ] TDOT District or Loca  | al Maintenance Personnel   |  |
|  |  | [ ] THP or Local Law En  | forcement Personnel  |  |
|  |  | [ ] Other:   |  |  |
|  |  |  |  |  |
| Things to cl                               | neck on a bridge during flood  | <u>s:</u>  |  |  |
| 1. C<br>2. C<br>[ ] - Checl<br>[ ] - Checl | movement - horizontally as we heck displacement / deflection heck for plumb of piers or be k for embankment erosion k for drift build-up on piers or k pier exposure, if possible, and we the latest bridge inspection | n along curb line, both bridg<br>nts.<br>bents<br>nd compare to previous inspe |  |  |
| f Closure is                               | recommended:   |  |  |  |
| Coun<br>temp                               | ty or City Maintenance Person  | nnel. Use Barricade Tape, tra<br>rists to stay off of the bridge               | cured and properly closed by District,<br>ffic cones and/or traffic flares as<br>until such time as the bridge may |  |
| [ ] - Conta                                | ct: (1) District Maintenance Supervisor ( if bridge is State maintained )  |  |  |  |
|  | (2) City or County Highwa  | y Maintenance Official ( if b  | ridge is not State maintained )  |  |
|  | (3) Tennessee Highway P  | atrol and/or local law enforce   | ement Officers as appropriate  |  |
|  | (4) TDOT Regional Bridge   | Engineer   |  |  |
|  | Bridge should remain closed u<br>FDOT bridge inspection team.  |  | daylight visual inspection is made   |  |

## **PUBLICATION DATE**

## HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



|   | am will work with State District maintenance or local highway maintenance a detour route. Any bridge on the selected detour route shall be checked ur route.   |  |  |
|---|--|--|--|
|   | The bridge can be re-opened only after a TDOT bridge inspection team checks the substructure units and they are determined to be structurally stable.  |  |  |
| CONTACT PERSONNEL:                                | TELEPHONE NUMBER:  |  |  |
| CITY MAYOR'S OFFICE                               | (423) 229-9400   |  |  |
| POLICE OFFICE                                     | (423) 229-9423   |  |  |
| PUBLIC WORKS DIRECTOR                             | (423) 229-9470   |  |  |
| The report shall include as appropriate, photogra | Summarize and submit findings from the inspection to BridgeWatch scour monitoring system. The report shall include the date and time of the inspection, a brief summary of findings and, as appropriate, photographs of the bridge and stream channel measurements. If significant scouring has occurred, the report shall also be copied to Bridge Inspection Headquarters. |  |  |
| COMMENTS:   |  |  |  |
| Suggested List of Equipment t                     | o conduct the Inspection:  |  |  |
| Latest Bridge Inspection Repo                     | rt   |  |  |
| Scour POA Report with the ab                      | ove Checklist  |  |  |
| Bridge Design Plans, if availab                   | le   |  |  |
| Tape measure with weight                          |  |  |  |
| Plumb bob   |  |  |  |
| Range Pole  |  |  |  |
| A 1000 Foot Roll of yellow Poly                   | ethylene Barricade Tape printed with the following message:  |  |  |
| SA  | FETY HAZARD KEEP AWAY  |  |  |

**PUBLICATION DATE** 

A roll of Duct Tape

A Barricade Tape Dispenser with serrated cutter

**TDOT radio directory (State Personnel only)** 

Traffic Safety Flares - Minimum of four (4) or set of electronic warning flashers

TDOT two-way radio (State Personnel only) and/or cellular telephone

Traffic Cones - Minimum of four (4)

07-Nov-24