

Technical Appendices

Programmatic Categorical Exclusion Reevaluation

State Route 1

Bridge over Muddy Creek, LM 2.13 (IA)

Haywood County

PIN 128113.03

**State Transportation Improvement Program (STIP)
Fiscal Years 2017-2020**

STIP Project List

STIP # 1799003 **TDOT PIN #** **LENGTH IN MILES** **LEAD AGENCY** TDOT

COUNTY STATEWIDE - RURAL **TOTAL PROJECT COST** \$671,200,000

ROUTE

TERMINI NATIONAL HIGHWAY PERFORMANCE PROGRAM (NHPP) - GROUPING

PROJECT DESCRIPTION SEE APPENDIX STATE GROUPING DESCRIPTION FOR A COMPREHENSIVE LISTING OF ACTIVITIES INCLUDED BUT NOT LIMITED FOR ELIGIBILITY

REMARKS



COUNTY MAP

| FY | PHASE | FUNDING | TOTAL FUNDS | FED FUNDS | STATE FUNDS | LOCAL FUNDS |
|------|----------------|---------|-------------|-------------|-------------|-------------|
| 2017 | PE, ROW, CONST | NHPP | 167,800,000 | 134,240,000 | 33,560,000 | |
| 2018 | PE, ROW, CONST | NHPP | 167,800,000 | 134,240,000 | 33,560,000 | |
| 2019 | PE, ROW, CONST | NHPP | 167,800,000 | 134,240,000 | 33,560,000 | |
| 2020 | PE, ROW, CONST | NHPP | 167,800,000 | 134,240,000 | 33,560,000 | |



VICINITY MAP

ALL SCHEDULES SUBJECT TO AVAILABILITY OF FUNDS

Appendices


| Grouping Category | Function of Grouping Activities | Allowable Work Types |
|--|---|---|
| <p>National Highway Performance Program (NHPP) Grouping</p> <p>STIP# 1799003</p> | <p>Projects for the preservation and improvement of the conditions and performance of the National Highway System (NHS), including</p> <ul style="list-style-type: none"> • Rehabilitation, resurfacing, restoration, preservation, and operational improvements, • Traffic operations, • Bridge and tunnel improvements, • Safety improvements, • Bicycle and pedestrian improvements, and • Environmental mitigation. | <ul style="list-style-type: none"> • Minor rehabilitation, pavement resurfacing, preventative maintenance, restoration, and pavement preservation treatments to extend the service life of highway infrastructure, including pavement markings and improvements to roadside hardware or sight distance • Highway improvement work including slide repair, rock fall mitigation, drainage repairs, or other preventative work necessary to maintain or extend the service life of the existing infrastructure in a good operational condition • Minor operational and safety improvements to intersections and interchanges such as adding turn lanes, addressing existing geometric deficiencies, and extending on/off ramps • Capital and operating costs for intelligent transportation systems (ITS) and traffic monitoring, management, and control facilities and programs: <ul style="list-style-type: none"> ○ Infrastructure-based intelligent transportation systems (ITS) capital improvements ○ Traffic Management Center (TMC) operations and utilities ○ Freeway service patrols ○ Traveler information • Bridge and tunnel construction (no additional travel lanes), replacement, rehabilitation, preservation, protection, inspection, evaluation, and inspector training and inspection and evaluation of other infrastructure assets, such as signs, walls, and drainage structures • Development and implementation of a State Asset Management Plan including data collection, maintenance and integration, software costs, and equipment costs that support the development of performance-based management systems for infrastructure • Rail-highway grade crossing improvements • Highway safety improvements: <ul style="list-style-type: none"> ○ Installation of new or improvement of existing guardrail ○ Installation of traffic signs and signals/lights ○ Spot safety improvements • Sidewalk improvements • Pedestrian and/or bicycle facilities • Traffic calming and traffic diversion improvements • Noise walls • Wetland and/or stream mitigation • Environmental restoration and pollution abatement • Control of noxious weeds and establishment of native species |

Appendices

| Grouping Category | Function of Grouping Activities | Allowable Work Types |
|---|---|---|
| <p>National Highway Performance Program (NHPP) Grouping</p> <p>STIP# 1799003</p> | <p>Projects for the preservation and improvement of the conditions and performance of the National Highway System (NHS), including</p> <ul style="list-style-type: none"> • Rehabilitation, resurfacing, restoration, preservation, and operational improvements, • Traffic operations, • Bridge and tunnel improvements, • Safety improvements, • Bicycle and pedestrian improvements, and • Environmental mitigation. | <ul style="list-style-type: none"> • Minor rehabilitation, pavement resurfacing, preventative maintenance, restoration, and pavement preservation treatments to extend the service life of highway infrastructure, including pavement markings and improvements to roadside hardware or sight distance • Highway improvement work including slide repair, rock fall mitigation, drainage repairs, or other preventative work necessary to maintain or extend the service life of the existing infrastructure in a good operational condition • Minor operational and safety improvements to intersections and interchanges such as adding turn lanes, addressing existing geometric deficiencies, and extending on/off ramps • Capital and operating costs for intelligent transportation systems (ITS) and traffic monitoring, management, and control facilities and programs: <ul style="list-style-type: none"> ○ Infrastructure-based intelligent transportation systems (ITS) capital improvements ○ Traffic Management Center (TMC) operations and utilities ○ Freeway service patrols ○ Traveler information • Bridge and tunnel construction (no additional travel lanes), replacement, rehabilitation, preservation, protection, inspection, evaluation, and inspector training and inspection and evaluation of other infrastructure assets, such as signs, walls, and drainage structures • Development and implementation of a State Asset Management Plan including data collection, maintenance and integration, software costs, and equipment costs that support the development of performance-based management systems for infrastructure • Rail-highway grade crossing improvements • Highway safety improvements: <ul style="list-style-type: none"> ○ Installation of new or improvement of existing guardrail ○ Installation of traffic signs and signals/lights ○ Spot safety improvements • Sidewalk improvements • Pedestrian and/or bicycle facilities • Traffic calming and traffic diversion improvements • Noise walls • Wetland and/or stream mitigation • Environmental restoration and pollution abatement • Control of noxious weeds and establishment of native species |

Project Development

TENNESSEE
DEPARTMENT OF TRANSPORTATION



TRANSPORTATION INVESTMENT REPORT
IMPROVE Act


State Route 1
Bridge over Muddy Creek,
Log Mile 2.13 Haywood County
PIN 124505.00

PREPARED BY KCI TECHNOLOGIES INC. FOR THE
TENNESSEE DEPARTMENT OF TRANSPORTATION

Approved by Tetsu A. Smith Date 04-02-18 Approved by Paul Doyle Date 4/2/18
Chief of Environment and Planning Deputy Commissioner and Chief Engineer



| Approved by: | Signature | DATE |
|---|-----------|----------|
| TRANSPORTATION DIRECTOR STRATEGIC TRANSPORTATION INVESTMENTS DIVISION | | 3-26-18 |
| ENGINEERING DIRECTOR DESIGN DIVISION | | 03/22/18 |
| ENGINEERING DIRECTOR STRUCTURES DIVISION | | 3/27/18 |

This document is covered by 23 USC § 409 and its production pursuant to fulfilling public planning requirements does not waive the provisions of § 409.






HAYWOOD COUNTY

BRIDGE NUMBER: 38SR0010001
(BRIDGE OVER MUDDY CREEK)





AREA MAP
BRIDGE TIR
STATE ROUTE 1 (US HWY 70)
BRIDGE OVER MUDDY CREEK (LM 2.13)
HAYWOOD COUNTY





TOPO MAP
 BRIDGE TIR
 STATE ROUTE 1 (US HWY 70)
 BRIDGE OVER MUDDY CREEK (LM 2.13)
 HAYWOOD COUNTY







HAYWOOD COUNTY



BRIDGE NUMBER: 38SR0010001
(BRIDGE OVER MUDDY CREEK)



PROJECT MAP
BRIDGE TIR
STATE ROUTE 1 (US HWY 70)
BRIDGE OVER MUDDY CREEK (LM 2.13)
HAYWOOD COUNTY





STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
STRATEGIC TRANSPORTATION INVESTMENTS DIVISION
SUITE 1000, JAMES K. POLK BUILDING
505 DEADERICK STREET
NASHVILLE, TN 37243
(615) 741-2208

JOHN C. SCHROER
COMMISSIONER

BILL HASLAM
GOVERNOR

MEMORANDUM

TO: Steve Allen, Transportation Director
Strategic Transportation Investments Division

FROM: David Duncan P.E., C.E. Manager 1
Strategic Transportation Investments Division

DATE: March 9, 2018

SUBJECT: TIR Field Review (IMPROVE Act)
State Route 1/US-70 (SR001), Bridge over Muddy Creek
Bridge ID: 38SR0010001
Log Mile 2.13
Haywood County
PIN: 124505.00

A field review was held for the above-mentioned project on January 11, 2018.

The existing structure, built in 1926, is a two (2) span steel beam and concrete deck girder bridge crossing Muddy Creek. The structure has an out-to-out width of 34 feet 5 inches. The overall structure length is 65 feet, and the sufficiency rating for this structure is 48.6 based on the Bridge Inspection Report from December 17, 2015.

The discharges for the drainage basin were determined using StreamStats, which used a drainage area of 5.81 square miles. The 10-year discharge rate (Q10) was 1,950 cubic feet per second (cfs), Q50 was 2,670 cfs, and Q100 was 2,970 cfs.

The bridge project will potentially need a bat survey to be performed and an endangered plant study since these studies may be required by TWRA as part of the project. Additionally the environmental field review team mentioned Swallows nests under the bridge that need to be removed before April.

The proposed alignment and grade for the replacement structure will remain the same as the existing structure including the 90-degree skew with the river channel. There is a 55 mph posted speed limit on State Route 1, which will also be the design speed based on the tangent alignment. Per TDOT Hydraulic recommendations, the proposed structure will be a two (2) span pre-stressed box beam structure with a total length of 70 feet. Two unequal spans of 30 feet and 40 feet will make up the length of the bridge and allow the pier to be moved out of the creek. It is estimated that two (2) tracts of land will be affected resulting in approximately 0.34 acres of right-of-way (ROW) acquisition. It is also estimated that underground and overhead utilities will need to be relocated. Construction phasing for both bridges on State Route 1 (Bridge over Muddy Creek at LM 2.13 and Bridge over Branch at LM 2.89) need to accommodate access to the property located in between the two (2) bridges in Haywood County. Detour routes are provided in report. The official detour will be the only detour route that is signed.

The route has a base year 2022 AADT of 1,650 and a design year 2042 AADT of 1,980. The existing structure and roadway approaches consist of two (2) 12-foot travel lanes. The route is classified as a Rural Arterial Road and Standard Drawing RD01-TS-3 was used for design considerations. Based on Table II from the standard drawing, it is recommended that the proposed curb-to-curb width over the structure will be 40 feet based on a design year AADT between 1,500-2,000 and a design speed of 55 MPH. Therefore, the typical section on the proposed structure will consist of two (2) 12-foot travel lanes with eight (8) foot shoulders and single slope concrete parapets for a total structure out-to-out width of 41 feet 3 inches. The project will extend 150 feet from the structure to the east and to the west in order to install guardrail and to taper the paved shoulders back into the existing roadway.

The total cost for the estimated required approach work, estimated replacement and estimated preliminary engineering for this bridge replacement is approximately \$1,055,000.

cc: File

TENNESSEE D.O.T.

S.I.P.D.

FILE NO.

| TYPE | YEAR | COUNTY | FIGURE NO. |
|--------|------|---------|------------|
| BRIDGE | 2018 | HAYWOOD | |



3/23/2008 3:44:47 PM
M:\2018\04080002 (TDOT) BR - Bridge over Muddy Creek Haywood County Design Sheet's\Proposed Alignment Haywood Co. Bridge Over Muddy Creek.dgn



BRIDGE TIR

STATE ROUTE 1 (US HWY 70)
BRIDGE OVER MUDDY CREEK @ L.M. 2.13
HAYWOOD COUNTY

55 MPH DESIGN SPEED

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
S.T.A.S.

BRIDGE REPLACEMENT
SR001
L.M. 2.13

TENNESSEE D.O.T.

S.T.I.D.

FILE NO.

| TYPE | YEAR | COUNTY | FIGURE NO. |
|--------|------|---------|------------|
| BRIDGE | 2018 | HAYWOOD | 1 |

STUDY AREA IS APPROX. 105 FEET FROM EXISTING CENTERLINE (50.0 FEET FROM PROP. R.O.W.)

STUDY AREA BEGINS 300 FEET BEFORE BEGINNING OF PROJECT

BEGIN PROJECT

MUDDY CREEK >>>

END PROJECT

STUDY AREA ENDS 300 FEET AFTER END OF PROJECT

150' 150'

HWY 70/S.R. 1

PROPOSED R.O.W.

EXISTING 60' R.O.W.

STUDY AREA IS APPROX. 105 FEET FROM EXISTING CENTERLINE (50.0 FEET FROM PROP. R.O.W.)

R.R.

ENVIRONMENTAL TECHNICAL STUDY AREA



ENVIRONMENTAL TECHNICAL STUDY AREA


STATE ROUTE 1 (US HWY 70)
BRIDGE OVER MUDDY CREEK @ L.M. 2.13
HAYWOOD COUNTY

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
E.T.A.S.



FIGURE 1
BRIDGE REPLACEMENT
SR001
L.M. 2.13

3/23/2018 3:48:40 PM
M:\2018\06\06\002_11001_TIR - Bridge over Muddy Creek\Approved City\Design\Sheet\Proposed EnvironmentalPlan\Haywood Co.Bridge Over Muddy Creek.txd

EXISTING STRUCTURE (INLET)




PROPOSED STRUCTURE (INLET)




PROPOSED PROFILE
STATE ROUTE 1 (US HWY 70) HAYWOOD COUNTY
BRIDGE OVER MUDDY CREEK @ L.M. 2.13
BRIDGE ID: 38SR0010001

EXISTING STRUCTURE



TOTAL WIDTH: 34'-5"

PROPOSED STRUCTURE




TOTAL WIDTH: 41'-3"




SCALE: 1" = 10'

PROPOSED TYPICAL SECTION
STATE ROUTE 1 (US HWY 70) HAYWOOD COUNTY
BRIDGE OVER MUDDY CREEK L.M. 2.13
BRIDGE ID: 38SR0010001




BRIDGE NUMBER: 38SR0010001
 (BRIDGE OVER MUDDY CREEK)
 DETOUR: 26.8 MILES, 32 MINUTES



OFFICIAL DETOUR MAP
 BRIDGE TIR
 STATE ROUTE 1 (US HWY 70)
 BRIDGE OVER MUDDY CREEK (LM 2.13)
 HAYWOOD COUNTY





BRIDGE NUMBER: 38SR0010001
(BRIDGE OVER MUDDY CREEK)
DETOUR: 21 MILES, 25 MINUTES



LOCAL ROUTE DETOUR MAP
BRIDGE TIR
STATE ROUTE 1 (US HWY 70)
BRIDGE OVER MUDDY CREEK (LM 2.13)
HAYWOOD COUNTY



COST ESTIMATE SUMMARY

Route: SR001 STATE ROUTE 1 (U.S. HIGHWAY 70)
 Description: REPLACEMENT OF BRIDGE OVER MUDDY CREEK
 County: HAYWOOD
 Length: 0.07 MILES
 Date: March 9, 2018



| DESCRIPTION | LOCAL | STATE | FEDERAL | TOTAL |
|--|-------|-------------|---------|--------------|
| | 0% | 100% | 0% | |
| Construction Items | | | | |
| Pavement Removal | \$0 | \$6,600 | \$0 | \$6,600 |
| Asphalt Paving | \$0 | \$31,000 | \$0 | \$31,000 |
| Concrete Pavement | \$0 | \$0 | \$0 | \$0 |
| Drainage | \$0 | \$5,900 | \$0 | \$5,900 |
| Appurtenances | \$0 | \$0 | \$0 | \$0 |
| Structures | \$0 | \$405,700 | \$0 | \$405,700 |
| Fencing | \$0 | \$0 | \$0 | \$0 |
| Signalization | \$0 | \$0 | \$0 | \$0 |
| Railroad Crossing or Separation | \$0 | \$0 | \$0 | \$0 |
| Earthwork | \$0 | \$88,800 | \$0 | \$88,800 |
| Clearing and Grubbing | \$0 | \$10,600 | \$0 | \$10,600 |
| Seeding & Sodding | \$0 | \$3,200 | \$0 | \$3,200 |
| Rip-Rap or Slope Protection | \$0 | \$0 | \$0 | \$0 |
| Guardrail | \$0 | \$25,100 | \$0 | \$25,100 |
| Signing | \$0 | \$600 | \$0 | \$600 |
| Pavement Markings | \$0 | \$1,700 | \$0 | \$1,700 |
| Maintenance of Traffic | \$0 | \$23,700 | \$0 | \$23,700 |
| Mobilization (5%) | \$0 | \$30,100 | \$0 | \$30,100 |
| Other Items = 10% | \$0 | \$63,300 | \$0 | \$63,300 |
| Const. Contingency = 15% | \$0 | \$43,600 | \$0 | \$43,600 |
| Construction Estimate | \$0 | \$739,900 | \$0 | \$739,900 |
| Interchanges & Unique Intersections | | | | |
| Roundabouts | \$0 | \$0 | \$0 | \$0 |
| Interchanges | \$0 | \$0 | \$0 | \$0 |
| Right-of-Way & Utilities | | | | |
| | LOCAL | STATE | FEDERAL | TOTAL |
| | 0% | 100% | 0% | |
| Right-of-Way | \$0 | \$61,100 | \$0 | \$61,100 |
| Utilities | \$0 | \$77,900 | \$0 | \$77,900 |
| Preliminary & Construction Engineering and Inspection | | | | |
| Prelim. Eng. 10% | \$0 | \$87,900 | \$0 | \$87,900 |
| Const. Eng. & Inspec. 10% | \$0 | \$87,900 | \$0 | \$87,900 |
| Total Project Cost | \$0 | \$1,054,700 | \$0 | \$ 1,055,000 |

PAY ITEM SUMMARY

| TDOT PAY ITEM | TDOT DESCRIPTION | UNIT | TOOL QUANTITIES | ADDITIONAL QUANTITIES | TOOL QUANTITIES + ADDITIONAL QUANTITIES | Statewide UNIT COST | TOTAL COST |
|---|---|------|-----------------|-----------------------|---|---------------------|---------------|
| Pavement Removal | | | | | | | |
| 202-03.01 | Removal of Asphalt Pavement | SY | 22 | | 22 | \$ 25.98 | \$ 577.42 |
| 415-01.02 | Cold Planning Bituminous Pavement | SY | 788 | | 788 | \$ 7.63 | \$ 6,015.21 |
| PAVEMENT REMOVAL TOTAL (ROUNDED) | | | | | | | \$ 6,600 |
| Asphalt Roads | | | | | | | |
| 303-01 | Mineral Aggregate, Type A Base, Grading D | TON | 600 | | 600 | \$ 32.05 | \$ 19,235.58 |
| 402-01 | Bituminous Material For Prime Coat (PC) | TON | 1 | | 1 | \$ 713.46 | \$ 519.53 |
| 402-02 | Aggregate For Cover Material (PC) | TON | 3 | | 3 | \$ 66.09 | \$ 173.70 |
| 403-01 | Bituminous Material For Tack Coat (TC) | TON | 0 | | 0 | \$ 781.26 | \$ 186.67 |
| 411-01.07 | ACS (PG64-22) GR "E" | TON | 42 | | 42 | \$ 112.44 | \$ 4,765.36 |
| 411-02.10 | ACS Mix(PG70-22) Grading D | TON | 52 | | 52 | \$ 115.30 | \$ 6,022.65 |
| PAVING TOTAL (ROUNDED) | | | | | | | \$ 31,000 |
| Concrete Roads | | | | | | | |
| CONCRETE RAMPS AND ROADWAYS TOTAL (ROUNDED) | | | | | | | \$ - |
| Drainage | | | | | | | |
| 607-05.02 | 24" Concrete Pipe Culvert (Class III) | LF | 42 | | 42 | \$ 85.50 | \$ 3,590.85 |
| 611-07.01 | Class A Concrete (Pipe Endwalls) | CY | 2 | | 2 | \$ 1,054.36 | \$ 1,901.22 |
| 611-07.02 | Steel Bar Reinforcement (Pipe Endwalls) | LB | 171 | | 171 | \$ 2.31 | \$ 395.80 |
| DRAINAGE TOTAL (ROUNDED) | | | | | | | \$ 5,900 |
| Appurtenances | | | | | | | |
| ROADWAY AND PAVEMENT APPURTENANCES TOTAL (ROUNDED) | | | | | | | \$ - |
| Earthwork & Mineral | | | | | | | |
| 105-01 | Construction Stakes, Lines, and Grades | LS | 1 | -0.8 | 0.2 | \$ 112,407.96 | \$ 22,481.59 |
| 203-01 | Road & Drainage Excavation (Unclassified) | CY | 2260 | | 2260 | \$ 16.78 | \$ 37,935.73 |
| 203-03 | Borrow Excavation (Unclassified) | CY | 1884 | | 1884 | \$ 15.04 | \$ 28,323.13 |
| EARTHWORK & MINERAL TOTAL (ROUNDED) | | | | | | | \$ 88,800 |
| Structures | | | | | | | |
| N/A | Removal of Bridge | SF | 2236 | | 2236 | \$ 20.00 | \$ 44,720.00 |
| N/A | New Bridge (Concrete Girder) | SF | 2888 | | 2888 | \$ 125.00 | \$ 360,937.50 |
| STRUCTURES TOTAL (ROUNDED) | | | | | | | \$ 405,700 |
| Interchanges and Unique Intersections | | | | | | | |
| INTERCHANGES AND UNIQUE INTERSECTIONS TOTAL (ROUNDED) | | | | | | | \$ - |
| Lighting & Signalization | | | | | | | |
| LIGHTING & SIGNALIZATION TOTAL (ROUNDED) | | | | | | | \$ - |
| Guardrail | | | | | | | |
| 705-01.01 | Guardrail at Bridge Ends | LF | 100 | | 100 | \$ 73.64 | \$ 7,364.49 |
| 705-02.02 | Single Guardrail (Type 2) | LF | 163 | | 162.624 | \$ 18.82 | \$ 3,060.28 |
| 705-04.07 | Tan Energy Absg Term (NCHRP, 350, TL3) | EA | 5 | -1 | 4 | \$ 2,352.59 | \$ 9,410.38 |
| 705-04.09 | Earth Pad for Type 38 GR End Treatment | EA | 5 | -1 | 4 | \$ 1,294.80 | \$ 5,179.21 |
| GUARDRAIL TOTAL (ROUNDED) | | | | | | | \$ 25,100 |
| Seeding and Sodding | | | | | | | |
| 801-01 | Seeding (With Mulch) | UNIT | 26 | | 26 | \$ 78.14 | \$ 2,021.75 |
| 801-01.07 | Temporary Seeding (With Mulch) | UNIT | 19 | | 19 | \$ 29.93 | \$ 580.75 |
| 801-02 | Seeding (Without Mulch) | UNIT | 19 | | 19 | \$ 28.50 | \$ 552.97 |
| SODDING TOTAL (ROUNDED) | | | | | | | \$ 3,200 |
| Maintenance of Traffic | | | | | | | |
| N/A | Traffic Control | LS | 1 | | 1 | | \$ 23,168.00 |
| 712-02.02 | Interconnected Portable Barrier Rail | LF | 15 | | 15 | \$ 31.96 | \$ 472.52 |
| MAINTENANCE OF TRAFFIC TOTAL (ROUNDED) | | | | | | | \$ 23,700 |
| Signs | | | | | | | |
| Not Listed | Signs (Construction) | LS | 1 | | 1 | \$ - | \$ 600 |
| SIGNING TOTAL (ROUNDED) | | | | | | | \$ 600 |
| Pavement Markings | | | | | | | |
| 716-13.06 | Spray Thermo P.M. (40 mil 4") | LM | 0.6 | | 0.6 | \$ 2,887.70 | \$ 1,617.11 |
| PAVEMENT MARKINGS TOTAL (ROUNDED) | | | | | | | \$ 1,700 |
| Fencing | | | | | | | |
| FENCE TOTAL (ROUNDED) | | | | | | | \$ - |
| Rip-Rap | | | | | | | |
| RIP-RAP & SLOPE PROTECTION TOTAL (ROUNDED) | | | | | | | \$ - |
| Clearing and Grubbing | | | | | | | |
| 201-01 | Clearing and Grubbing | LS | | 0.04 | 0.04 | \$ 264,380.06 | \$ 10,575.20 |
| CLEAR AND GRUBBING TOTAL (ROUNDED) | | | | | | | \$ 10,600.00 |
| Railroad At-Grade Crossing | | | | | | | |
| RAILROAD CROSSING OR SEPARATION TOTAL (ROUNDED) | | | | | | | \$ - |
| Utilities | | | | | | | |
| N/A | Overhead Distribution | LM | 0.07 | | 0.07 | \$ 375,000 | \$ 26,250 |
| N/A | Underground Communication | LM | 0.07 | | 0.07 | \$ 500,000 | \$ 35,000 |
| N/A | Underground Water | LM | 0.07 | | 0.07 | \$ 237,600 | \$ 16,632 |
| UTILITIES TOTAL (ROUNDED) | | | | | | | \$ 77,900.00 |
| Right-of-Way | | | | | | | |
| N/A | Right-of-Way | LS | 1 | | 1 | \$ 61,090.91 | \$ 61,090.91 |
| RIGHT-OF-WAY TOTAL (ROUNDED) | | | | | | | \$ 61,100.00 |

BRIDGE TIR

Haywood
State Route 1

| LOCATION | | | |
|------------|---------------|----------------------|--------------------|
| Bridge #: | 38SR0010001 | Feature Crossed: | Little Muddy Creek |
| Road Name: | State Route 1 | Log mile: | 2.13 |
| Route ID: | SR001 | System: | 5-STP Rural, State |
| City: | Stanton | Functional Class: | Rural Arterial |
| County: | Haywood | State Project Number | 38002-0216-94 |
| PIN: | 124505.00 | | |

| ROADWAY | | |
|------------------------------|-----------------------------|--|
| | Existing | Proposed (Preliminary Design Estimate) |
| Design Standard | | RD01-TS-3 / 2011 Green Book |
| Route Characteristics | | |
| AADT: | 1650 | 1980 |
| AADT Year: | 2022 | 2042 |
| Terrain: | Rolling | Rolling |
| No. Lanes: | 2 | 2 |
| Speed(Posted): | 55 | 55 |
| Speed (Design): | | 55 |
| Approach Character. | | |
| Lane Width (ft): | 12 | 12 |
| Shoulder Width (ft): | 4 | 8 |
| ROW Width (ft): | 60 | 110 |
| ROW Tracts Affected | | 2 |
| ROW Required (acre) | | 0.34 |
| Cross Section Width (ft): | 24/32/60 | 24/40/110 |
| Approach Length (ft): | | 150' (east), 150' (west) |
| Alignment: | tangent | tangent |
| Grade: | | grade to remain the same as existing |
| Surface Material: | Pavement | Pavement |
| Sidewalks (R/L): | No | No |
| App. Lower Than Structure | No | No |
| Utilities (list) | UG: Water, FOC OH: Electric | N/A |
| Utilities to be Relocated | N/A | UG: Water, FOC OH: Electric |
| Comments | | |

BRIDGE TIR

Haywood
State Route 1

| STRUCTURE | | |
|-------------------------------|--|--|
| | Existing | Proposed (Preliminary Design Estimate) |
| Bridge Characteristics | | |
| Year Built | 1926 | |
| Load Limit | 20 tons(inspection report), 40 tons(signed) | |
| Sufficiency Rating | 48.6 | |
| Skew | 90 | 90 |
| Structure Type | Concrete Deck Girder/Steel Beam | Prestressed Box Beam |
| Structures in Channel | Yes | No |
| Length (ft) | 65 | 70 |
| No. Spans (App./Main) | 0 2 | 0 2 |
| Width (curb to curb) (ft) | 28.2 | 40 |
| Width (o to o) (ft) | 34.4 | 41.3 |
| Sidewalks on Structure | No | No |
| Vert. Clearance (ft) | 8 | 9.2 |
| Superstructure Depth (in) | 86 | 67 |
| Girder Depth (in) | 36 (Conc. Deck Girder) / 24 (Steel Beams) | 21 |
| Finish Grade-Low Girder (in) | 45 | 31 |
| High Water Marks | N/A | |
| Bridge Rail Type | Conc. Rail w/ Guardrail | Single Slope Concrete Parapet |
| Bridge Rail Height (ft) | 2.7 | 3 |
| Indication Overtopping | No | |
| Local Scour | No | |
| Obstructions | No | |
| Other Structures | N/A | N/A |
| Comments | Heavy corrosion on I-beams in several spots. Poor pavement condition on bridge deck. Bridge deck, girders and approaches have spalling and cracks. Abutment #1 has cracks. | |

BRIDGE TIR

Haywood
State Route 1

FLOW RATES (from USGS StreamStats)

| | |
|------------------------------------|------|
| Drainage Area (sq. miles) | 5.81 |
| 10 Year Discharge Rate (Q10) cfs | 1950 |
| 50 Year Discharge Rate (Q50) cfs | 2670 |
| 100 Year Discharge Rate (Q100) cfs | 2970 |

CHANNEL

| | |
|--------------------------------|--------------------------------------|
| Depth (ft) | 4.2 |
| Width of Normal Flow (ft) | 22 |
| Depth of Normal Flow (ft) | 4.2 |
| Skew of Channel with Roadway | 90 |
| Type of Material in Stream Bed | sand and silt |
| Type of Vegetation on Banks | low growth, large timber, dead trees |
| Are Channel Banks Stable | Yes |
| Signs of Stream Aggradation | No |
| Signs of Stream Degradation | No |
| Drift or Drift Potential | Yes |
| Comments | |

FLOODPLAIN

| | |
|----------------------------------|---------------------------------|
| Skew Same as Channel | Yes |
| Symmetrical About Channel | Yes |
| Approx. Floor Elevations | N/A |
| Type of Vegetation in Floodplain | low growth, large timber, grass |
| Any Buildings in Floodplain | No |
| Flood Information From Locals | N/A |
| Comments | |

MAINTENANCE OF TRAFFIC

| | |
|-------------------------------|---|
| Method of Maintaining Traffic | temporary detour |
| Description | <u>Offical Detour:</u> Detour thru-traffic east of bridge onto State Route 179 heading west, next onto State Route 14 heading south, then onto State Route 59 heading east, lastly back onto State Route 1 heading west . Detour thru-traffic west of bridge using the same route in reverse order. This is the only detour route that will be signed. |
| Comments | <u>Detour for Local Traffic:</u> Detour thru-traffic east of bridge onto State Route 179 heading west, next onto Charleston-Mason Rd heading south, then back onto State Route 1 heading west. Detour thru-traffic west of bridge using the same route in reverse order. Construction phasing for both bridges on State Route 1 (Bridge over Muddy Creek at LM 2.13 and Bridge over Branch at LM 2.89) need to accommodate access to the property located in between the two (2) bridges in Haywood County. |

**TENNESSEE DEPARTMENT OF TRANSPORTATION
STRATEGIC TRANSPORTATION INVESTMENTS DIVISION**

PROJECT NO.: 38002-1216-94 ROUTE: S.R. 1
 COUNTY: HAYWOOD CITY: _____
 PROJECT PIN NUMBER: 124505.00
 PROJECT DESCRIPTION: HWY. 70 E. BRIDGE OVER MUDDY CREEK (L.M. 2.13)
BRIDGE ID: 38SR0010001

DIVISION REQUESTING:

| | | | |
|--------------------------|-------------------------------------|-------------------------|--------------------------|
| MAINTENANCE | <input type="checkbox"/> | PAVEMENT DESIGN | <input type="checkbox"/> |
| S.T.I.D. | <input checked="" type="checkbox"/> | STRUCTURES | <input type="checkbox"/> |
| PROG. DEVELOPMENT & ADM. | <input type="checkbox"/> | SURVEY & ROADWAY DESIGN | <input type="checkbox"/> |
| PUBLIC TRANS. & AERO. | <input type="checkbox"/> | TRAFFIC SIGNAL DESIGN | <input type="checkbox"/> |
| | | OTHER _____ | <input type="checkbox"/> |

YEAR PROJECT PROGRAMMED FOR CONSTRUCTION: _____
 PROJECTED LETTING DATE: _____

TRAFFIC ASSIGNMENT:

| BASE YEAR | | DESIGN YEAR | | | | | DESIGN ROADWAY % TRUCKS | | DESIGN AVERAGE DAILY LOADS | |
|-----------|------|-------------|-----|----|------|-----------|-------------------------|------|----------------------------|-------|
| AADT | YEAR | AADT | DHV | % | YEAR | DIR.DIST. | DHV | AADT | FLEX | RIGID |
| 1,650 | 2022 | 1,980 | 218 | 11 | 2042 | 65-35 | 9 | 13 | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

REQUESTED BY: NAME DAVID DUNCAN DATE 11/6/17
 DIVISION S.T.I.D.
 ADDRESS DEADERICK STREET
NASHVILLE, TN. 37243

REVIEWED BY: TONY ARMSTRONG *Tony Armstrong* DATE 11.30.17
 TRANSPORTATION MANAGER I
 SUITE 1000, JAMES K. POLK BUILDING



APPROVED BY: JIM WATERS *Jim Waters* DATE 12/1/17
 ASSISTANT DIRECTOR
 SUITE 1000, JAMES K. POLK BUILDING

COMMENTS:

THIS TRAFFIC BASED ON 2017 CYCLE COUNTS. THE DESIGN YEAR TRAFFIC IS BASED ON GROWTH RATE FROM THE ADAM COMPUTER PROGRAM.

DHV'S ARE NOT REQUIRED FOR SIDE ROADS LESS THAN 1000 AADT.

NOTE: FOR BRIDGE REPLACEMENT PROJECTS, ADLs ARE NOT REQUIRED FOR ADTs OF 1000 OR LESS AND PERCENTAGE OF TRUCKS OF 7% OR LESS.
 SEE ATTACHMENTS FOR TURNING MOVEMENTS AND/OR OTHER DETAILS.



PANEL 0305D

FIRM
FLOOD INSURANCE RATE MAP

**HAYWOOD COUNTY,
TENNESSEE
AND INCORPORATED AREAS**


PANEL 305 OF 400
(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

| COMMUNITY | NUMBER | PANEL | SUFFIX |
|----------------|--------|-------|--------|
| HAYWOOD COUNTY | 470227 | 0305 | D |

Notice to User: The **Map Number** shown below should be used when placing map orders; the **Community Number** shown above should be used on insurance applications for the subject community.


MAP NUMBER
47075C0305D
EFFECTIVE DATE
APRIL 16, 2008


Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT On-Line. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps check the FEMA Flood Map Store at www.msc.fema.gov

StreamStats Report

Region ID: TN
 Workspace ID: TN20180105164809997000
 Clicked Point (Latitude, Longitude): 35.45055, -89.43871
 Time: 2018-01-05 10:47:40 -0600



Basin Characteristics

| Parameter Code | Parameter Description | Value | Unit |
|----------------|---|--------|--------------------|
| CONDA | Area that contributes flow to a point on a stream | 5.81 | square miles |
| DRNAREA | Area that drains to a point on a stream | 5.81 | square miles |
| RECESS | Number of days required for streamflow to recede one order of magnitude when hydrograph is plotted on logarithmic scale | 32 | days per log cycle |
| PERMGTE2IN | Percent of area underlain by soils with permeability greater than or equal to 2 inches per hour | 37.002 | percent |
| CLIMFAC2YR | Two-year climate factor from Lichy and Karlinger (1990) | 2.403 | dimensionless |
| SOILPERM | Average Soil Permeability | 1.07 | inches per hour |

Peak-Flow Statistics Parameters [DAOnly Area 4]

| Parameter Code | Parameter Name | Value | Units | Min Limit | Max Limit |
|----------------|----------------------------|-------|--------------|-----------|-----------|
| CONDA | Contributing Drainage Area | 5.81 | square miles | 0.76 | 2308 |

Peak-Flow Statistics Flow Report [DAOnly Area 4]

PII: Prediction Interval-Lower, Plu: Prediction Interval-Upper, SEp: Standard Error of Prediction, SE: Standard Error (other -- see report)

| Statistic | Value | Unit | PII | Plu | SE | SEp | Equiv. Yrs. |
|---------------------|-------|--------------------|------|------|------|------|-------------|
| 2 Year Peak Flood | 1100 | ft ³ /s | 588 | 2070 | 38.7 | 38.7 | 1.8 |
| 5 Year Peak Flood | 1610 | ft ³ /s | 879 | 2960 | 37.2 | 37.2 | 2.4 |
| 10 Year Peak Flood | 1950 | ft ³ /s | 1050 | 3610 | 38 | 38 | 3.1 |
| 25 Year Peak Flood | 2370 | ft ³ /s | 1240 | 4540 | 40.1 | 40.1 | 3.8 |
| 50 Year Peak Flood | 2670 | ft ³ /s | 1350 | 5290 | 42.2 | 42.2 | 4.2 |
| 100 Year Peak Flood | 2970 | ft ³ /s | 1450 | 6090 | 44.7 | 44.7 | 4.4 |
| 500 Year Peak Flood | 3670 | ft ³ /s | 1630 | 8270 | 51.1 | 51.1 | 4.7 |

Peak-Flow Statistics Citations

Law, G.S., and Tasker G.D., 2003, Flood-Frequency Prediction Methods for Unregulated Streams of Tennessee, 2000: U.S. Geological Survey Water-Resources Investigations Report 03-4176, 79p. (<http://pubs.usgs.gov/wri/wri034176/>)

Low-Flow Statistics Parameters [Low Flow West Region 2009 5159]

| Parameter Code | Parameter Name | Value | Units | Min Limit | Max Limit |
|----------------|--------------------------------------|--------|--------------------|-----------|-----------|
| DRNAREA | Drainage Area | 5.81 | square miles | 2 | 2405 |
| RECESS | Recession Index | 32 | days per log cycle | 32 | 350 |
| PERMGTE2IN | Percent permeability gte 2 in per hr | 37.002 | percent | 2 | 98 |

Low-Flow Statistics Flow Report [Low Flow West Region 2009 5159]

PII: Prediction Interval-Lower, Plu: Prediction Interval-Upper, SEp: Standard Error of Prediction, SE: Standard Error (other -- see report)

| Statistic | Value | Unit | SEp |
|------------------------|---------|--------------------|------|
| 7 Day 10 Year Low Flow | 0.00927 | ft ³ /s | 123 |
| 30 Day 5 Year Low Flow | 0.0245 | ft ³ /s | 93.5 |

Low-Flow Statistics Citations

Law, G.S., Tasker, G.D., and Ladd, D.E., 2009, Streamflow-characteristic estimation methods for unregulated streams of Tennessee: U.S. Geological Survey Scientific Investigations Report 2009-5159, 212 p., 1 pl. (<http://pubs.usgs.gov/sir/2009/5159/>)

Annual Flow Statistics Parameters [Low Flow West Region 2009 5159]

| Parameter Code | Parameter Name | Value | Units | Min Limit | Max Limit |
|----------------|----------------|-------|--------------|-----------|-----------|
| DRNAREA | Drainage Area | 5.81 | square miles | 2 | 2405 |

| Parameter Code | Parameter Name | Value | Units | Min Limit | Max Limit |
|----------------|--------------------------------------|--------|--------------------|-----------|-----------|
| RECESS | Recession Index | 32 | days per log cycle | 32 | 350 |
| CLIMFAC2YR | Tennessee Climate Factor 2 Year | 2.403 | dimensionless | 2.307 | 2.455 |
| PERMGTE2IN | Percent permeability gte 2 in per hr | 37.002 | percent | 2 | 98 |

Annual Flow Statistics Flow Report [Low Flow West Region 2009 5159]

PII: Prediction Interval-Lower, PIu: Prediction Interval-Upper, SEp: Standard Error of Prediction, SE: Standard Error (other -- see report)

| Statistic | Value | Unit | SEp |
|------------------|-------|--------------------|------|
| Mean Annual Flow | 6.84 | ft ³ /s | 13.1 |

Annual Flow Statistics Citations

Law, G.S., Tasker, G.D., and Ladd, D.E., 2009, Streamflow-characteristic estimation methods for unregulated streams of Tennessee: U.S. Geological Survey Scientific Investigations Report 2009-5159, 212 p., 1 pl. (<http://pubs.usgs.gov/sir/2009/5159/>)

Seasonal Flow Statistics Parameters [Low Flow West Region 2009 5159]

| Parameter Code | Parameter Name | Value | Units | Min Limit | Max Limit |
|----------------|--------------------------------------|--------|--------------------|-----------|-----------|
| DRNAREA | Drainage Area | 5.81 | square miles | 2 | 2405 |
| RECESS | Recession Index | 32 | days per log cycle | 32 | 350 |
| PERMGTE2IN | Percent permeability gte 2 in per hr | 37.002 | percent | 2 | 98 |

Seasonal Flow Statistics Flow Report [Low Flow West Region 2009 5159]

PII: Prediction Interval-Lower, PIu: Prediction Interval-Upper, SEp: Standard Error of Prediction, SE: Standard Error (other -- see report)

| Statistic | Value | Unit | SEp |
|------------------|-------|--------------------|------|
| Summer Mean Flow | 1.16 | ft ³ /s | 38.3 |

Seasonal Flow Statistics Citations

Law, G.S., Tasker, G.D., and Ladd, D.E., 2009, Streamflow-characteristic estimation methods for unregulated streams of Tennessee: U.S. Geological Survey Scientific Investigations Report 2009-5159, 212 p., 1 pl. (<http://pubs.usgs.gov/sir/2009/5159/>)

Flow-Duration Statistics Parameters [Low Flow West Region 2009 5159]

| Parameter Code | Parameter Name | Value | Units | Min Limit | Max Limit |
|----------------|--------------------------------------|--------|--------------------|-----------|-----------|
| DRNAREA | Drainage Area | 5.81 | square miles | 2 | 2405 |
| RECESS | Recession Index | 32 | days per log cycle | 32 | 350 |
| PERMGTE2IN | Percent permeability gte 2 in per hr | 37.002 | percent | 2 | 98 |
| CLIMFAC2YR | Tennessee Climate Factor 2 Year | 2.403 | dimensionless | 2.307 | 2.455 |
| SOILPERM | Average Soil Permeability | 1.07 | inches per hour | 0.97 | 2.44 |

Flow-Duration Statistics Flow Report [Low Flow West Region 2009 5159]

PIl: Prediction Interval-Lower, PIu: Prediction Interval-Upper, SEp: Standard Error of Prediction, SE: Standard Error (other -- see report)

| Statistic | Value | Unit | SEp |
|-----------------------|--------------|--------------------|------------|
| 99.5 Percent Duration | 0.00858 | ft ³ /s | 122 |
| 99 Percent Duration | 0.0131 | ft ³ /s | 105 |
| 98 Percent Duration | 0.018 | ft ³ /s | 96.4 |
| 95 Percent Duration | 0.0261 | ft ³ /s | 90.5 |
| 90 Percent Duration | 0.0361 | ft ³ /s | 85.8 |
| 80 Percent Duration | 0.0592 | ft ³ /s | 79.6 |
| 70 Percent Duration | 0.0964 | ft ³ /s | 75 |
| 60 Percent Duration | 0.203 | ft ³ /s | 69.2 |
| 50 Percent Duration | 0.338 | ft ³ /s | 57 |
| 40 Percent Duration | 0.713 | ft ³ /s | 46.9 |
| 30 Percent Duration | 1.92 | ft ³ /s | 36.6 |
| 20 Percent Duration | 6.24 | ft ³ /s | 27.4 |
| 10 Percent Duration | 13.6 | ft ³ /s | 17.7 |

Flow-Duration Statistics Citations

Law, G.S., Tasker, G.D., and Ladd, D.E., 2009, Streamflow-characteristic estimation methods for unregulated streams of Tennessee: U.S. Geological Survey Scientific Investigations Report 2009-5159, 212 p., 1 pl. (<http://pubs.usgs.gov/sir/2009/5159/>)

CHECK LIST OF DETERMINANTS FOR LOCATION STUDY

If any of the following facilities or ESE categories are located within the project area or corridor, place an "x" in the blank opposite the item. Where more than one alternate is to be considered, place its letter designation in the blank.

| | | |
|-----|---|---|
| 1. | Agricultural land usage | X |
| 2. | Airport (existing or proposed) | |
| 3. | Commercial area, shopping center | |
| 4. | Floodplains | X |
| 5. | Forested land | |
| 6. | Historical, cultural, or natural landmark | |
| 7. | Industrial park, factory | |
| 8. | Institutional usages | |
| | a. School or other educational institution | |
| | b. Church or other religious institution (Cemetery) | |
| | c. Hospital or other medical facility | |
| | d. Public building, e.g., fire station | |
| | e. Defense installation | |
| 9. | Recreation usages | |
| | a. Park or recreational area | |
| | b. Game preserve or wildlife area | |
| 10. | Residential establishment | |
| 11. | Urban area, town, city, or community | X |
| 12. | Waterway, lake, pond, river, stream, spring | X |
| | Permit required: Coast Guard | |
| | Section 404 | X |
| | TVA Section 26a review | |
| | NPDES | X |
| | Aquatic Resource Alteration | X |
| 13. | Other | |
| 14. | Location coordinated with local officials | |
| 15. | Railroad crossings | |
| 16. | Hazardous materials site | |

Comments: Additional environmental information includes a bat survey needs to be performed, Swallows nests under the bridge need to be removed before April and an endangered plant study.

BRIDGE TIRHaywood
State Route 1

| SITE VISIT ATTENDEES | | | DATE: 1/11/2018 |
|-----------------------------|-----------------|--------------|--------------------------|
| Name | Organization | Phone | Email |
| David Duncan | TDOT (STID) | 615-532-6131 | david.a.duncan@tn.gov |
| Joseph Clement | TDOT (STID) | 615-770-1035 | joseph.clement@tn.gov |
| Willie Coleman | TDOT Utilities | 731-935-0160 | willie.coleman@tn.gov |
| Robert Hope | TDOT Survey | 731-935-0241 | robert.hope@tn.gov |
| Branden Garcia | TDOT Operations | 731-695-5776 | branden.garcia@tn.gov |
| Burt Hutchins | R4 Project Dev. | 731-935-0142 | burt.hutchins@tn.gov |
| Nicholas Stephens | R4 Project Dev. | 731-935-0133 | nicholas.stephens@tn.gov |
| Evelyn DiOrio | R4 Env. Tech | 731-935-0302 | evelyn.diorio@tn.gov |
| Eric Philipps | R4 Env. Tech | 731-935-0174 | eric.philipps@tn.gov |
| Derek Ryan | R4 Traffic | | derek.ryan@tn.gov |
| Brandon Taylor | KCI | 615-559-0158 | brandon.taylor@kci.com |
| Daniel Keener | KCI | 980-288-6763 | daniel.keener@kci.com |
| Drew Randolph | KCI | 615-559-0157 | drew.randolph@kci.com |
| | | | |
| | | | |



Bridge Number



Upstream From Bridge



Downstream From Bridge



Upstream From West Bank



Downstream From East Bank



Looking Westbound from Bridge



Looking Eastbound from Bridge



Westbound Approach of Bridge



Eastbound Approach of Bridge



Weight Limit Sign at West Approach



Fiber Optic Cable Warning Sign



Existing Utility Pole on North Side of Bridge



Inlet



Outlet



Corrosion on Girder at Outlet



Extensive Decay of Pier near Girder and Foundation at Inlet



Outlet Pier from East Bank



Extensive Pavement Cracking and Rutting on Bridge



Corrosion and Decay at Girder Connection to East Abutment on Inlet Side



Extensive Pavement Cracking and Rutting Leaving Bridge Eastbound



Corrosion of Outlet Girder between West Abutment and Pier



East Abutment




West Abutment



Bridge Beams

Pre- RFQ Contractor Review Meeting
For
Bridge Replacement Bundle, Region 4
Design-Build Project DB1901
(BR-STP-REG4(199), 98400-1216-94)
Carroll, Haywood, Madison, Fayette, and Lauderdale Counties
June 18, 2019, 10:00 am (C.T.) - 12:00pm (C.T.)
Region 4 Auditorium
300 Benchmark Place, Jackson, TN 38301



The Pre- RFQ Proposal meeting was held on June 18, 2019, at 10:00 am. (C.T.), TDOT Region 4 Auditorium. The meeting introduced attendees to the Design Build Bridge Bundle contract delivery method prior to the release of the RFQ. The meeting gave an overall introduction to the project as scoped, and included an opportunity for TDOT to answer questions about the project and process. The TDOT Project Management team for the project was present.

PROJECT DESCRIPTION

The Tennessee Department of Transportation (TDOT) Construction Division is proposing construction of a Design-Build Bridge Replacement Project for TDOT Region 4 (Project). The Project is considered a pilot project for bundling bridge improvements under one Design-Build Contract (BR-STP-REG4(199), 98400-1216-94). The Project consists of the replacement of six (6) bridges, which are located in the following Tennessee counties: Carroll, Haywood, Madison, Fayette, and Lauderdale. The work generally includes the design and construction of the replacement structures and associated roadway, drainage, and pavement approaches and transitions. The bridges to be replaced are listed on the following pages. See additional information at the project website:

<https://www.tn.gov/tdot/tdot-construction-division/transportation-construction-alternative-contracting/bridge-replacement-bundle-region-4.html>

Bridge Replacement Bundle, Region 4

Design-Build Contract DB1901

(BR-STP-REG4(199), 98400-1216-94)

Carroll, Haywood, Madison, Fayette, and Lauderdale Counties

- **Bridge No. 1:** Log Mile 0.68 of SR-436 (Reedy Creek Road) over Reedy Creek in Carroll County – The current sufficiency rating of the bridge (ID 09S821330001) is 47.1. The existing structure consists of a four-span bridge with pre-stressed concrete beams and reinforced concrete deck having two (2) 9-foot travel lanes.
- **Bridge No. 2:** Log Mile 11.48 SR-193 (Macon Road) over Branch in Fayette County – The current sufficiency rating of the bridge (ID 24015420001) is 68.9. The existing structure consists of a two-span concrete channel beam bridge with timber substructures having two (2) 9-foot travel lanes.
- **Bridge No. 3:** Log Mile 2.89 SR-1 (US-70/79) over Branch in Haywood County – The current sufficiency rating of the bridge (ID 38SR0010003) is 37.1. The existing structure consists of a single-span precast concrete slab bridge with two (2) 12-foot travel lanes.
- **Bridge No. 4:** Log Mile 2.13 SR-1 (US-70/79) over Muddy Creek in Haywood County – The current sufficiency rating of the bridge (ID 38SR0010001) is 48.2. The existing structure consists of a two-span bridge with steel and concrete girders and reinforced concrete deck and two (2) 12-foot travel lanes.
- **Bridge No. 5:** Log Mile 3.88 SR-87 over Overflow in Lauderdale County – The current sufficiency rating of the bridge (ID 49SR0870011) is 49.5. The existing structure consists of a single-span steel I-beam with timber deck and asphalt overlay having two (2) 10-foot travel lanes.
- **Bridge No. 6:** Log Mile 2.28 SR-223 (Shady Grove Road) over Branch in Madison County – The sufficiency rating of the bridge (ID 57S81960003) is 27.4 (8/2017) and maintenance has replaced it with a temporary bridge. The original structure consisted of a single-span steel I-beam bridge with precast concrete deck panels having two (2) 9-foot travel lanes. The temporary bridge is a precast concrete slab.

Meeting Presentation Slides

Draft



Bridge Replacement Bundle

Region 4 – DB1901



© 2016 HDR, Inc., all rights reserved.




01 TDOT Design-Build Process

02 Project Specific Information

Draft

01 TDOT Design-Build Process





Request for Qualifications (RFQ)

- Solicitation of RFQ (website only); RFQ Package is only released by email request to Lia Obaid (Lia.Obaid@tn.gov).
- The RFQ will:
 - Be released prior to the conclusion of the NEPA review process, if necessary.
 - State the general status of the NEPA process.
 - Outline the tentative general scope, description, location, and anticipated procurement process.
 - State the evaluation criteria and scoring of the Statement of Qualifications (SOQs)
 - Outline the basic SOQ format, schedule, stipend amount, DBE goal, and selection method for the RFP.
- The SOQ submittal package in response to the RFQ will need to include:
 - A letter of interest.
 - Response to all categories and evaluation criteria for scoring.
 - A demonstration of the Design-Builder's strengths and specialized capabilities.



SOQ Scoring Criteria

- Design-Builder Experience
- Key Personnel and Organization
- Project Understanding and Approach
- Project Management Approach

Draft



Short-Listing

- TDOT will short-list at least three (if any) of the most qualified Design-Builders.
- TDOT will notify all teams submitting SOQs of their selection results.
- The short-listed firms will be posted to the project website.
- Short-listed Design-Builders will be invited to submit proposals in response to the RFP.



Request for Proposals (RFP)

- Approval of FHWA is required to release the RFP.
- Release of the RFP will be to the short-listed Design-Builder's by email.
- The RFP will further define the:
 - Contract requirements,
 - Proposal submittal instructions,
 - Scope of Work,
 - Project description and location,
 - Procurement schedule,
 - Specific evaluation criteria of the Technical Proposal,
 - Submittal criteria for the Price Proposal,
 - Selection method for the DB project, and
 - Stipend



Request for Proposals (RFP continued)

- The RFP Document Structure will include:
 - RFP Contract Book 1 (Instructions to Design-Builders - ITDB)
 - RFP Contract Book 2 (Design-Build Contract)
 - RFP Contract Book 3 (Project Specific Information)
 - Reference Documents, such as the Department's:
 - DB Standard Guidance and Addendum,
 - Standard Specifications,
 - Supplemental Specifications,
 - Design Guidelines, and Addendums,
 - Construction Circular Letters,
 - Standard Drawings, and
 - Other programmatic plans and reference documents.

Request for Proposals (RFP continued)

- The Design-Builder's Technical Proposal package will include:
 - Response to all categories of the evaluation criteria including the Technical Solution (Concept).
 - A clear demonstration of the Design-Builder's approach to:
 - Project Delivery,
 - Project Management,
 - Schedule Management,
 - Environmental Compliance,
 - Implementing Innovation, and
 - Considering Context Sensitive Solutions.
 - Oral Presentation/Interview.
 - Technical Proposals will be evaluated as Pass/Fail.
 - From passing Technical Proposals, Award of the Project will be to lowest Price Proposal (A + B Bidding).


02 Project Information



Identifying and Allocating Risk

- This will be one Design-Build Contract with Six (6) Project Sites.
- Issues related to this Design-Build contract to consider include:

| | | |
|--------------------------|---------------------|-----------------------------|
| Utility Relocations | NEPA Commitments | Stream/Wetland Mitigation |
| Right-of-Way Acquisition | Permit Requirements | Staged Construction/MOT |
| Seismic Design | Hydraulic Design | Railroad Agreement |
| Third Party Involvement | DB Contract terms | Public Involvement |
| CPM Scheduling | Liquidated Damages | Geotechnical Investigations |
| | | |
| | | |



Scope of Work

- The Design-Builder's Scope of Work for the Project is anticipated to include, but not be limited to:
 - Final Design including Geotechnical Investigation,
 - Railroad Coordination and Insurance (for survey),
 - Removing and Replacing the Existing Bridge Structures,
 - Reconstruction of Roadway Approaches, as needed,
 - Erosion and Sediment Control,
 - Pavement Markings and Roadway Signing,
 - Providing for Maintenance of Traffic during construction,
 - Obtaining and meeting all requirements for Environmental Permits,
 - Compliance with all NEPA Commitments including mitigation design and construction,
 - Environmental Services and NEPA Document Reevaluation for Design-Builder changes, and
 - Right-of-way Acquisition.

Scope of Work




- TDOT's Scope of Work for the Project is anticipated to include but may not be limited to:
 - Utility Coordination for Chapter 86 Utility Relocations,
 - Railroad Coordination for access to railroad right-of-way (Haywood County), and
 - NEPA documentation for concept plans provided in the RFP.

NOTES:

1. The project is currently being re-evaluated for NEPA due to the changes in design since the TIR documents were prepared. The Re-evaluations will be complete prior to FHWA approval for issuing the RFP. Any further changes to design requiring NEPA re-evaluation, will be the responsibility of the Design-Builder.
2. No Alternate Technical Concepts requiring Design Exceptions will be allowed.

Carroll County – SR 436 over Reedy Creek, LM 0.68





Carroll County – SR 436 over Reedy Creek LM 0.68

TIR Comparison

| | |
|---|--|
| <p><u>TIR</u></p> <ul style="list-style-type: none"> ▪ Design Speed - 50mph ▪ Typical: RD01-TS-2 ▪ 2 Lanes @ 11' with 3' Shoulders ▪ Single Span 90' PS Girder ▪ 10' Alignment Shift ▪ ROW – 1.1 acres estimated ▪ MOT – One lane maintained with signal | <p><u>Proposed</u></p> <ul style="list-style-type: none"> ▪ Design Speed - 45mph ▪ Typical: RD11-TS-2 ▪ 2 Lanes @ 11' with 4' Shoulders ▪ Single Span 90' PS Girder ▪ 24' Alignment Shift ▪ ROW – 4.2 acres estimated ▪ MOT – One 16' lane maintained with signal (limited closure and detour may be allowed) |
|---|--|




Carroll County – SR 436 over Reedy Creek LM 0.68




- Environmental Commitments
 - Seasonal Tree Removal for Bat Habitat
 - Cliff/Barn Swallows, Eggs, and Nests Disturbance Restrictions

- Utilities
 - OH Power (Carroll Co. Elec. Dept.)



Fayette County – SR 193 over Branch LM 11.48





Fayette County – SR 193 over Branch LM 11.48

TIR Comparison


| | |
|--|---|
| <p><u>TIR</u></p> <ul style="list-style-type: none"> ▪ Design Speed - 50mph ▪ Typical: RD01-TS-2 ▪ 2 Lanes @ 11' with 6' Shoulders ▪ Double 18'x6' RCBB ▪ ROW – 0.16 acres estimated ▪ MOT – One lane maintained with signal | <p><u>Proposed</u></p> <ul style="list-style-type: none"> ▪ Design Speed - 45mph ▪ Typical: RD11-TS-2 ▪ 2 Lanes @ 11' with 6' Shoulders ▪ Double 18'x9' RCBB ▪ ROW – 0.9 acres estimated ▪ MOT – One lane maintained with signal (however, closure and detour may be allowed) |
|--|---|




Fayette County – SR 193 over Branch LM 11.48

- Environmental Commitments
 - Cliff/Barn Swallows, Eggs, and Nests Disturbance Restrictions

- Utilities
 - Cable (AT&T)
 - Electric (Chickasaw Elec. Co-Op)
 - Gas (Somerville LG&W)
 - Telephone (AT&T)

**Haywood County – SR 1 over Branch LM 2.89**



Haywood County – SR 1 over Branch LM 2.89

TIR Comparison

| | |
|---|---|
| <p><u>TIR</u></p> <ul style="list-style-type: none"> ▪ Design Speed - 55mph ▪ Typical: RD01-TS-3 ▪ 2 Lanes @ 12' with 8' Shoulders ▪ Double 18'x16' RCBB ▪ ROW – 0.3 acres estimated ▪ MOT – Detour | <p><u>Proposed</u></p> <ul style="list-style-type: none"> ▪ Design Speed - 55mph ▪ Typical: RD11-TS-3 ▪ 2 Lanes @ 12' with 6' Shoulders ▪ Single 18'x16' RCBC ▪ ROW – 1.95 acres estimated ▪ MOT – One lane maintained with signal and closure is not allowed |
|---|---|




Haywood County – SR 1 over Branch LM 2.89



- Environmental Commitments
 - Cliff/Barn Swallows, Eggs, and Nests Disturbance Restrictions
 - Also, Potential Wetland Impacts


- Utilities
 - Cable (AT&T)
 - Electric (Southwest Elec. Memb.)
 - Telephone (AT&T)
 - Water (Town of Mason)



Haywood County – SR 1 over Muddy Creek LM 2.13



Haywood County – SR 1 over Muddy Creek LM 2.13



Haywood County – SR 1 over Muddy Creek LM 2.13



TIR Comparison

TIR

- Design Speed - 55mph
- Typical: RD01-TS-3
- 2 Lanes @ 12' with 8' Shoulders
- Two Span 30'-40' PS Girder
- ROW – 0.3 acres estimated
- MOT – Detour

Proposed

- Design Speed - 55mph
- Typical: RD11-TS-3
- 2 Lanes @ 12' with 6' Shoulders
- Single Span 70' PS Girder
- ROW – 1.47 acres estimated
- MOT – One lane maintained with signal and closure is not allowed.



Haywood County – SR 1 over Muddy Creek LM 2.13



▪ Environmental Commitments

- None
- However, Potential Wetland Impacts & 303d List Stream

▪ Utilities


- Cable (AT&T)
- Electric (Southwest Elec. Memb.)
- Telephone (AT&T)
- Water (Town of Mason)



Lauderdale County – SR 87 over Overflow LM 3.88



Lauderdale County – SR 87 over Overflow LM 3.88



Lauderdale County – SR 87 over Overflow LM 3.88



TIR Comparison

TIR

- Design Speed - 55mph
- Typical: RD01-TS-2
- 2 Lanes @ 11' with 3' Shoulders
- Single Span 32' PS Girder
- ROW – 0.14 acres estimated
- MOT – One lane maintained with signal

Proposed

- Design Speed - 55mph
- Typical: RD11-TS-2
- 2 Lanes @ 11' with 4' Shoulders
- Single 18'x8' RCBC
- ROW – 1.3 acres estimated
- MOT – One 16' lane maintained with signal and closure is not allowed.



Lauderdale County – SR 87 over Overflow LM 3.88



- Environmental Commitments

- Seasonal Tree Removal (Bat Habitat)


- Utilities

- Telephone (AT&T)
- Water (Lauderdale Co. Water Sys.)
- Electric (Southwest TN Elec. Membership Corp.)



Madison County – SR 223 over Branch LM 2.28







Madison County – SR 223 over Branch LM 2.28

TN TDOT
Department of
Transportation

TIR Comparison

| <u>TIR</u> | <u>Proposed</u> |
|---|--|
| <ul style="list-style-type: none"> ▪ Design Speed - 45mph ▪ Typical: RD01-TS-2 ▪ 2 Lanes @ 11' with 3' Shoulders ▪ Double 12'x5' RCBB ▪ ROW – 0.06 acres estimated ▪ MOT – Detour | <ul style="list-style-type: none"> ▪ Design Speed - 45mph ▪ Typical: RD11-TS-2 ▪ 2 Lanes @ 11' with 4' Shoulders ▪ Double 12'x5' RCBB ▪ ROW – 0.7 acres estimated ▪ MOT – Detour (closure allowed) |

See Project Web Site for Information

- <https://www.tn.gov/tdot/tdot-construction-division/transportation-construction-alternative-contracting/bridge-replacement-bundle-region-4.html>

The screenshot shows the TDOT website interface. At the top right is the TDOT logo. Below it is a navigation bar with a search box labeled 'Search TDOT' and a 'Goto TN.gov' link. The main content area is titled 'Bridge Replacement Bundle Region 4' with the ID 'DB1901'. A left-hand navigation menu lists various categories like 'Construction', 'Bid Lettings', 'Alternative Contracting', etc. The main content area contains a disclaimer: 'The files presented here are FOR INFORMATION ONLY. TDOT makes no warranty of any kind, express or implied, with respect to the file(s) and specifically makes no warranty that said file(s) shall be fit for any particular purpose. Furthermore, any description of said file(s) shall not be deemed to create an express warranty that such file(s) shall conform to said description. Receiver assumes all risk and liability for any losses, damages, claims or expenses resulting from the use or possession of any file(s) furnished by TDOT.' Below this are links for 'Contractor Review Meeting Information - 5/28/19', 'Current Consultant Selection Results - 1/10/19', and 'Reference Material - Updated 04/03/19'.

Questions?



R4BB Industry Review Meeting – Q&A

Questions

1. Are Design-Builders precluded from contacting Utility owners that are potentially impacted by the project site?
 - a. No, the Design-Builders may contact the Utility owners directly but the teams will not be allowed to discuss the project with TDOT's Owner's Representative Consultant or anyone at TDOT other than Lia Obaid.
2. Has the ROW been purchased for the project sites?
 - a. No, it is currently planned for the Design-Builder to be responsible for Right-of-way (ROW) Acquisition
3. Have the existing bridges been evaluated for Asbestos Containing Material (ACM)?
 - a. Yes, results of the phase 1 studies are contained in the NEPA documents for each bridge site and available on the project web site. No ACM was detected at the bridge sites during the phase 1 studies.
4. Are the Design-Builder to provide full ROW services?
 - a. Yes, all services except for condemnation, which will be provided by the State.
5. Which party is responsible for writing the check for ROW and easement acquisition?
 - a. TDOT will pay the costs for purchasing ROW and easements, however, the Design-Builder will be responsible to provide (at their cost) all ROW acquisition services, such as appraisals, review appraisals, negotiations, relocations services, and all other services with the exception of those associated with condemnation.
6. Can bridge spans and culvert opening be modified from what is shown in the functional plans?
 - a. Yes, the Design-Builder can modify the structure type/span/etc. to give them the most economical solution at each site. Innovation is encouraged. The Design-Builder will be responsible for meeting TDOT design guidelines and specifications outlined in the RFP. Deviation from the design criteria or terms of the RFP will require an Alternate Technical Concept and TDOT approval. This process will be defined in the RFP.
7. The project will be awarded to Design-Builder with a passing technical proposal with the lowest price proposal using A+B bidding, is the "B" portion per site or per project?
 - a. The "B" portion of the bid will be based on the overall schedule. This will include ROW acquisition, Utility relocation, etc.
 - b. Note: each site is anticipated to have its own Liquidated Damages for exceeding the site specific construction durations specified in the RFP.
8. Are there timeline restrictions on TDOT's response to submitted ATC's?
 - a. ATC's will be submitted and evaluated prior to Design-Builder proposals are to be submitted. TDOT will hold one-on-one meetings with short listed teams to discuss design and ATC's. ATC's will be either accepted or denied at that time. ATC requirements and schedule, including deadline for TDOT response, will be further outlined in the RFP.
9. Has the stipend for this project been established?
 - a. No, this is still being evaluated but expected to be relatively similar to Polk County.
10. Have all Utility owners been notified of this project?
 - a. Yes, early utility contacts have been made to owners.
11. Will any project sites require Public Involvement/Meeting?
 - a. Public Involvement requirements have not been fully defined for the project sites but it is anticipated to be a Design-Builder scope of work.

Meeting Sign-In Sheets

Draft



Region 4 Bridge Bundle Design-Build
 Pre-RFQ Industry Review Meeting
 Tuesday, June 18, 2019



| NAME | ORGANIZATION | PHONE | EMAIL |
|------------------|-----------------------------|--------------|-------------------------------|
| Wes Hughson | Arcadis | 423-596-3179 | Wesley.Hughson@Arcadis.com |
| Shea Sporter | Qk4 | 859-608-6078 | sporter@qk4.com |
| Clint Butler | Arcadis | 423-310-0201 | clint.butler@arcadis.com |
| Kristi A. Coffey | Harold Coffey Const. | 270-236-3102 | Kristi@hcoffey.com |
| Charles Scott | Jones Bros Contractors, LLC | 615-218-9441 | cscott@jonesbrosconst.com |
| Jeff Hoye | TDOT | 615-741-2126 | |
| John Rehm | Arcadis | 615-414-6299 | john.rehm@arcadis.com |
| Jeff Anderson | Superior Construction | 615-917-2233 | jeff@superiorconstruction.com |
| Matt Thomson | Thomson & Thomson, Inc. | 731-668-1950 | mthomson@tandthbridge.com |
| Shane Hollid | A24 | 901-372-0404 | shaneh@a24.com |
| Henry Pate | Neel-Schaffer | 615-383-8420 | Henry.Pate@neel-schaffer.com |
| Sharon Sanders | TDOT | 615-253-1234 | sharon.sanders@tn.gov |
| Mark Christian | TERRACON | 901-881-1670 | mark.christian@terracon.com |
| Kent Starwalt | TRBA | 615-255-5751 | kent@trba.org |
| Adam Pipkin | Thomson & Thomson | 731-668-1950 | a.pipkin@tandthbridge.com |
| Ly Chad | DENEUT | 731-431-2175 | ly@deneutconstruction.com |
| Will Demant | Demant | 731-424-6306 | will@demantconstruction.com |
| Tripp Hise | " | " - " - " | thise@demantconstruction.com |

Previous Environmental Documentation

Programmatic Categorical Exclusion

State Route (SR) 1

Bridge over Muddy Creek, Log Mile (LM) 2.13

Haywood County

PIN 124505.00

Submitted Pursuant to the National Environmental Policy Act of 1969, 42 U.S.C. 4332(2)

Project Information

General Information

Route: SR-1 (US-70)
Termini: Bridge over Muddy Creek, LM 2.13
Municipality: Unincorporated (west of Stanton)
County: Haywood
PIN: 124505.00
Plans: Transportation Investment Report (TIR)
Date of Plans: 04/02/2018


Project Funding

Planning Area: Southwest Tennessee Rural Planning Organization (RPO)
STIP/TIP: 1799003 - National Highway Performance Program (NHPP) Grouping

| Funding Source | Preliminary Engineering | Right-of-Way | Construction |
|----------------|-------------------------|---------------|---------------|
| Federal | BR-NH-1(382) | BR-NH-1(382) | BR-NH-1(382) |
| State | 38002-1216-94 | 38002-2216-94 | 38002-3216-94 |

Project Location

Project Location Map PIN 124505.00 Haywood County SR-1 Bridge over Muddy Creek (LM 2.13)



Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, OpenStreetMap contributors, and the GIS User Community

0.150 0.075 0 0.15 0.3 0.45 0.6
Miles

Project Overview

Introduction

The Tennessee Department of Transportation (TDOT), in cooperation with the Federal Highway Administration (FHWA), is proposing to replace the SR-1 bridge over Muddy Creek at log mile (LM) 2.13 in Haywood County.

Background

Every two years, TDOT performs a comprehensive inspection and subsequent evaluation of all public bridges across the state in order to determine the status of their working condition and operating limits to ensure that they are in accordance with the Federal Highway Administration (FHWA) National Bridge Inspection Standards (NBIS). These inspections are recorded and published in the National Bridge Inventory (NBI) Tennessee Inventory and Appraisal Report. One of the components of this evaluation is the designation of a sufficiency rating. A sufficiency rating is calculated for each individual bridge that is used to carry vehicular traffic. Ratings are measured on a scale of 0 to 100. A rating of 100 corresponds to a bridge that qualifies as an “entirely sufficient bridge,” while a rating of 0 denotes a bridge that is “entirely deficient.” Bridges that receive a sufficiency rating of less than 80.0 are eligible for rehabilitation; bridges that earn a rating below 50.0 are eligible for replacement. Another component of the NBI are the condition ratings. Condition ratings are used to describe the existing, in-place bridge as compared to the as-built condition. The physical condition of the deck, superstructure, and substructure components of a bridge are evaluated for a condition rating. Condition ratings are assigned codes ranging from 0-9, with 0 being failed condition and 9 being excellent condition.

According to the NBI, Tennessee Inventory and Appraisal Report published on 07/27/2018, located in the Technical Appendices, the SR-1 Bridge over Muddy Creek at LM 2.13 received a sufficiency rating of 45.8. This qualifies the bridge for replacement. The bridge's superstructure received a condition rating of 4, or poor condition, indicating advanced section loss, deterioration, spalling or scour. The bridge's deck and substructure received a condition rating of 5, or fair condition, indicating all of the primary structural elements are sound but may have minor section loss, cracking, spalling or scour. The bridge's stream channel and channel protection received a condition rating of 6, or satisfactory condition, indicating the structural elements show some minor deterioration.

This project contains an official detour route of 26.8 miles in length which exceeds the 25 mile threshold for a rural detour route prompting Federal Highway Administration (FHWA) coordination/approval; however, a local detour route of 21 miles is also proposed which allows this document to be processed as a Programmatic Categorical Exclusion (PCE). Correspondence with FHWA is located in the Technical Appendices.

Project Development

Need

The proposed project is needed to address insufficient structural elements of the SR-1 bridge over Muddy Creek as indicated by the assigned condition ratings and overall sufficiency rating of 45.8.

Purpose

The purpose of the proposed project is to improve structural elements of the SR-1 bridge over Muddy Creek by replacing the existing bridge.

Range of Alternatives

Other than the selected design, were any alternative build designs developed for this project?

No

No-Build

In the development of design solutions that address the needs outlined above and achieve the purpose of the project, TDOT evaluated the potential consequences should the project not be implemented. This option, known as the No-Build alternative, assumed the continuation of current conditions and set the baseline from which the impacts of the selected design were compared.

Public Involvement

Has there been any public involvement for the project?

No

Project Design

Existing Conditions and Layout

Based on the TIR dated 04/02/2018, located in the Technical Appendices, the project bridge is classified as a Rural Arterial Road carrying two 12-foot travel lanes, one in either direction, and consists of two main spans, steel beams, a concrete deck and asphalt surface. The structure has an out-to-out width of 34 feet-five inches and an overall structure length of 65 feet. The project bridge was constructed on 1926 and was rehabilitated in 1959.

Scope of Work

The proposed alignment and grade for the replacement structure will remain the same as the existing structure. The proposed structure will be a two span prestressed box beam structure with a total length of 70 feet. Two unequal spans of 30 feet and 40 feet will make up the length of the bridge and will allow the pier to be moved out of the creek. The proposed structure will consist of two 12-foot travel lanes with eight (8) foot shoulders and single slope concrete parapets for a total structure out-to-out width of 41 feet-three inches. The project will extend 150 feet from the structure to the east and to the west in order to install guardrail and to taper the paved shoulders back into the existing roadway.

Right-of-Way

Does this project require the acquisition of right-of-way or easements?

Yes

Right-of-Way Acquisition Table

| Permanent Acquisition | | | Temporary Acquisition | | |
|-----------------------|--------------------|--------------|-----------------------|------------------------|--------------|
| R.O.W Acquisition | Drainage Easements | Total | Slope Easements | Construction Easements | Total |
| 0.340 | 0.000 | 0.340 | 0.000 | 0.000 | 0.000 |

*Measured in acres

According to the TIR, it is estimated that two (2) tracts of land will be affected resulting in approximately 0.34 acres of right-of-way (ROW) acquisition. It is also estimated that underground and overhead utilities will need to be relocated.

Displacements and Relocations

Will this project result in residential, business or non-profit displacements and relocations?

No

Changes in Access Control

Will changes in access control impact the functional utility of any adjacent parcels?

No

Traffic and Access Disruption

At this time, are traffic control measures and temporary access information available?

Yes

Will this project involve traffic control measures that may result in major traffic disruptions?

No

According to the TIR, two detour routes will be utilized for the proposed project. The official detour route has a length of 26.8 miles, or 32 minutes. From the project location, this detour would follow SR-1 northeast for 2.2 miles to SR-179. The detour would continue northwest along SR-179 for 9.8 miles to SR-14. The detour would then continue southwest along SR-14 for 2.9 miles to SR-59. The detour would continue south along SR-59 for 5.9 miles where it would reconnect with SR-1. The detour would continue six miles north east back to the project location.

The local route detour has a length of 21 miles, or 25 minutes. This detour would follow SR-1 northeast for 2.2 miles to SR-179. The route would then follow SR-179 northwest 7.2 miles to Charleston-Mason Road. From there, the route would follow Charleston-Mason Road south to reconnect to SR-1. The detour would continue 5.6 miles northeast back to the project location.

Environmental Studies

Water Resources

Are there any water resources, wetlands or natural habitat located within the project area?

Yes

| Labels | Type* | Function | Quality | Estimated Impacts | | |
|-----------------|-----------|------------------|---------------------------|-------------------|-----------|-----------|
| | | | | Permanent | Temporary | Total |
| Wetlands | | | | | | |
| WTL-1 | Emergent | Wildlife habitat | Low Resource value | Unknown** | Unknown** | Unknown** |
| Streams | | | | | | |
| STR-1 | Perennial | | Assessed - Not Supporting | 0 ft | | 0 ft |

*Identification of features has not been reviewed by regulatory agencies and determinations of stream type could possibly be changed. Predicted impacts are considered "preliminary" and will not be completely accurate until the time of permit application.

**Impacts are unknown at this time as no plans are available.

Mitigation of impacts to streams or any other fluvial systems will be accomplished through the avoidance and minimization of potential impacts during the design process. Permanent stream alterations such as relocations, impoundments or channel modification will be mitigated on-site to the extent possible in order to return the channel to its most probable natural state. Impacts that cannot be mitigated on-site will be subject to a compensatory mitigation plan that may include restoration of a comparable resource or application of an in-lieu fee program.

Protected Species

Is the Grouped Programmatic No Effect Activities Consultation (2017) and the TDEC-DNA (2015) MOA applicable to this project?

No

Rare Species Dataviewer:

The TDEC Rare Species Dataviewer was reviewed on 02/08/2018.

| Rare Species List | | | |
|--|--------|---|----------------|
| Species Name | Status | Species Potential within Right-of-Way | Accommodations |
| Reniform sedge (<i>Carex reniformis</i>) | State | Low Potential: Present habitat unsuitable | Not applicable |

As indicated in the Environmental Studies Report (ESR) located in the Technical Appendices, the Rare Species Dataviewer indicated no threatened or endangered species within a one mile radius of the project limits and one species within a one to four mile radius which is shown in the table above.

U.S. Fish and Wildlife Service (USFWS):

Coordination with the USFWS was completed on 02/23/2018.

Coordination with the USFWS on 02/23/2018, located in the Technical Appendices, states, "we believe that the requirements of section 7 of the Endangered Species Act of 1973, as amended, are fulfilled for all species that currently receive protection under the Act. Obligations under section 7 of the Act should be reconsidered if (1) new information reveals impacts of the proposed action that may affect listed species or critical habitat in a manner not previously considered, (2) the proposed action is subsequently modified to include activities which were not considered during this consultation, or (3) new species are listed or critical habitat designated that might be affected by the proposed action.

Our National Wetland Inventory maps indicate that the project is bounded by a sizable wetland on either side of the road. If wetland impacts would occur, the Corps of Engineers and the Tennessee Department of Environment and Conservation should be contacted regarding the presence of regulatory wetlands and the requirements of wetlands protection statutes."

Tennessee Wildlife Resources Agency (TWRA):

Coordination with TWRA was completed on 03/05/2018.

Coordination with the TWRA on 03/05/2018, located in the Technical Appendices, states, "The implementation of standard BMP's will be sufficient to satisfy the needs of the Tennessee Wildlife Resources Agency for this proposed project."

Floodplain Management

Flood Zone: Zone A - No Base Flood Elevations Determined

Portions of this project are located in or near a FEMA defined floodplain however there is no detailed study. The project is located on Flood Insurance Rate Maps in Haywood County, Panel 305 of 400, Map # 47075C0305D. The design of the roadway system will be consistent with the Memorandum of Understanding (MOU) between FHWA and FEMA and with the floodplain management criteria set forth in the National Flood Insurance Regulations of Title 44 of the Code of Federal Regulations (CFR). It will be consistent with the requirements of floodplain management guidelines for implementing Executive Order 11988 and FHWA guidelines 23 CFR 650A. A portion of the FEMA FIRM is included in the Attachments.

Air Quality

Transportation Conformity:

Correspondence dated 04/13/2018 with TDOT's Air Quality and Noise Section states, "This project is in Haywood County which is in attainment for all regulated criteria pollutants. Therefore, conformity does not apply to this project."

Mobile Source Air Toxics (MSAT):

In the correspondence referenced above, it states, "This project qualifies as a categorical exclusion under 23 CFR 771.117 and, therefore, does not require an evaluation of MSATs per FHWA's [Federal Highway Administration] 'Interim Guidance Update on Air Toxic Analysis in NEPA [National Environmental Policy Act] Documents' dated October 2016."

Noise

In accordance with FHWA requirements and TDOT's Noise Policy this project is determined to be **Type III**

No significant noise impacts are anticipated for this project and a noise study is not needed.

Farmland

Is this project exempt from the provisions of the Farmland Protection Policy Act (FPPA)? **Yes**

FPPA Exemption: Small Acreage (3 acres or less for an existing bridge or interchange)

Section 4(f)

Does this project involve the use of property protected by Section 4(f) (49 USC 303)? **No**

Section 6(f)

Does this project involve the use of property assisted by the L&WCF? **No**

Cultural Resources

Does the Interstate Highway exemption or MOU between TDOT and the SHPO (2015) apply? **No**

Are NRHP listed or eligible cultural resources within the project Area of Potential Effect (APE)? **No**

Historic/Architectural Concurrence:

Concurrence from the TN State Historic Preservation Office (TN-SHPO) was received on 06/12/2018.

Correspondence with the TN-SHPO dated 06/12/2018, located in the Technical Appendices, states "no architectural resources eligible for listing in the National Register of Historic Places will be affected by this undertaking. If project plans are changed or archaeological remains are discovered during project construction, please contact this office to determine what further action, if any, will be necessary to comply with Section 106 of the National Historic Preservation Act."

Archaeology Concurrence:

Concurrence from the TN State Historic Preservation Office (TN-SHPO) was received on 06/21/2018.

Correspondence with the TN-SHPO dated 06/21/2018, located in the Technical Appendices, states "no archaeological resources eligible for listing in the National Register of Historic Places will be affected by this undertaking. If project plans are changed or archaeological remains are discovered during project construction, please contact this office to determine what further action, if any, will be necessary to comply with Section 106 of the National Historic Preservation Act."

Native American Consultation

Does this project require Native American consultation?

Yes

Native American Consultation was requested on 04/04/2018.

| Native American Consultation | | | | | |
|-------------------------------------|--------------------------|------------------------------------|-------------------------------------|-------------------------------------|---|
| Sent | Response | | Sent | Response | |
| <input type="checkbox"/> | <input type="checkbox"/> | Absentee Shawnee Tribe of Oklahoma | <input type="checkbox"/> | <input type="checkbox"/> | Muscogee (Creek) Nation |
| <input type="checkbox"/> | <input type="checkbox"/> | Cherokee Nation | <input type="checkbox"/> | <input type="checkbox"/> | Poarch Band of Creek Indians |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Chickasaw Nation | <input type="checkbox"/> | <input type="checkbox"/> | Quapaw Tribe of Oklahoma |
| <input type="checkbox"/> | <input type="checkbox"/> | Choctaw Nation of Oklahoma | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Shawnee Tribe |
| <input type="checkbox"/> | <input type="checkbox"/> | Eastern Band of Cherokee Indians | <input type="checkbox"/> | <input type="checkbox"/> | Thlopthlocco Tribal Town |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Eastern Shawnee Tribe of Oklahoma | <input checked="" type="checkbox"/> | <input type="checkbox"/> | United Keetoowah Band of Cherokee Indians |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Kialegee Tribal Town | <input type="checkbox"/> | <input type="checkbox"/> | Other |

Shawnee Tribe:

The response was received on 04/06/2018.

In a letter dated 04/06/2018, located in the Technical Appendices, the Shawnee Tribe stated, "The Shawnee Tribe's Tribal Historic Preservation Department concurs that no known historic properties will be negatively impacted by this project. We have no issues or concerns at this time, but in the event that archaeological materials are encountered during construction, use, or maintenance of this location, please re-notify us at that time as we would like to resume immediate consultation under such a circumstance."

Environmental Justice

Are there any disproportionately high or adverse effects on low-income or minority populations?

No

The proposed project does not have the potential to cause disproportionately high or adverse effects on low-income or minority populations.

Hazardous Materials

Does the project involve any asbestos containing materials?

No

Does the project involve any other hazardous material sites?

No

Bicycle and Pedestrian

Does this project include accommodations for bicycles and pedestrians?

Yes

Correspondence dated 04/17/2018 with TDOT's Multimodal Transportation Resources Division, located in the Technical Appendices, states, "This project accommodates bicycle and pedestrian traffic with an 8' shoulder in a rural area."

Environmental Commitments

Does this project involve any environmental commitments?

No

Additional Environmental Issues

Are there any additional environmental concerns involved with this project?

No

Conclusion

Review Determination

Determination: Programmatic Categorical Exclusion

This federal-aid highway project qualifies for a Categorical Exclusion under 23 C.F.R 771.117(d) and does not exceed the thresholds listed in Section IV(A)(1)(b) of the 2016 Programmatic Agreement between the Federal Highway Administration, Tennessee Division and the Tennessee Department of Transportation. The Department has determined that the specific conditions and criteria for these CEs are satisfied and that significant environmental impacts will not result from this action. This project is therefore designated as a Programmatic Categorical Exclusion and does not require Administration approval.

Reference Material

All source material used in support of the information and conclusions presented in this document are included in the attachments and technical appendices. The attachments are located at the end of the environmental document and include information on funding, agency concurrence, applicable agency agreements, and special commitment support. The technical appendices are compiled as a separate document and include the project plans, technical reviews, reports and any other additional information.

Preparer Certification

By signing below, you certify that this document has been prepared in compliance with all applicable environmental laws, regulations and procedures. You can attest to the document's quality, accuracy, and completeness, and that all source material has been compiled and included in the attachments and technical appendices.

Abby
Harris

Digitally signed by
Abby Harris
Date: 2018.08.24
11:52:11 -05'00'

Document Preparer

Document Approval

By signing below, you officially concur that this document is in compliance with all applicable environmental laws, regulations and procedures. You have reviewed and verified the document's quality, accuracy, and completeness and that all source material has been compiled and included in the attachments and technical appendices.

Joseph D. Santangelo

Digitally signed by Joseph D. Santangelo
Date: 2018.08.24 13:01:15 -05'00'

Tennessee Department of Transportation

Attachments

Acronyms

| | | | |
|--------------|---------------------------------------|--------------|---|
| AADT | Annual Average Daily Traffic | NRCS | Natural Resources Conservation Service |
| ADA | Americans with Disabilities Act | NRHP | National Register of Historic Places |
| APE | Area of Potential Effect | PCE | Programmatic Categorical Exclusion |
| BMP | Best Management Practice | PIN | Project Identification Number |
| CAA | Clean Air Act | PM | Particulate Matter |
| CE | Categorical Exclusion | PND | Pond |
| CEQ | Council on Environmental Quality | RCRA | Resource Conservation and Recovery Act |
| CFR | Code of Federal Regulations | ROW | Right-of-Way |
| CMAQ | Congestion Mitigation and Air Quality | ROD | Record of Decision |
| DEIS | Draft Environmental Impact Statement | RPO | Rural Planning Organization |
| FEMA | Federal Emergency Management Agency | SIP | State Implementation Plan |
| FONSI | Finding of No Significant Impact | SNK | Sinkhole |
| EA | Environmental Assessment | SR | State Route |
| EIS | Environmental Impact Statement | STIP | State Transportation Improvement Program |
| EJ | Environmental Justice | STR | Stream |
| EPA | Environmental Protection Agency | TDEC | TN Department of Environment and Conservation |
| EPH | Ephemeral Stream | TDOT | Tennessee Department of Transportation |
| FHWA | Federal Highway Administration | TIP | Transportation Improvement Program |
| FIRM | Flood Insurance Rate Map | SHPO | State Historic Preservation Office |
| FPPA | Farmland Protection Policy Act | TPO | Transportation Planning Organization |
| GHG | Greenhouse Gas | TVA | Tennessee Valley Authority |
| GIS | Geographic Information System | TWRA | Tennessee Wildlife Resources Agency |
| IAC | Interagency Consultation | USDOT | U.S. Department of Transportation |
| LWCF | Land and Water Conservation Fund | USACE | U.S. Army Corps of Engineers |
| LOS | Level of Service | USFWS | U.S. Fish and Wildlife Service |
| MOA | Memorandum of Agreement | UST | Underground Storage Tank |
| MOU | Memorandum of Understanding | VMT | Vehicle Miles Traveled |
| MPO | Metropolitan Planning Organization | VPD | Vehicles Per Day |
| MSAT | Mobile Source Air Toxics | WWC | Wet Weather Conveyance |
| NEPA | National Environmental Policy Act | | |

State Transportation Improvement Program

STIP Project List

STIP #
TDOT PIN #
LENGTH IN MILES
LEAD AGENCY

COUNTY
TOTAL PROJECT COST

ROUTE

TERMINI

PROJECT DESCRIPTION

REMARKS



COUNTY MAP

| FY | PHASE | FUNDING | TOTAL FUNDS | FED FUNDS | STATE FUNDS | LOCAL FUNDS |
|------|----------------|---------|-------------|-------------|-------------|-------------|
| 2017 | PE, ROW, CONST | NHPP | 167,800,000 | 134,240,000 | 33,560,000 | |
| 2018 | PE, ROW, CONST | NHPP | 167,800,000 | 134,240,000 | 33,560,000 | |
| 2019 | PE, ROW, CONST | NHPP | 167,800,000 | 134,240,000 | 33,560,000 | |
| 2020 | PE, ROW, CONST | NHPP | 167,800,000 | 134,240,000 | 33,560,000 | |



VICINITY MAP

ALL SCHEDULES SUBJECT TO AVAILABILITY OF FUNDS

| Grouping Category | Function of Grouping Activities | Allowable Work Types |
|--|---|---|
| <p>National Highway Performance Program (NHPP) Grouping</p> <p>STIP# 1799003</p> | <p>Projects for the preservation and improvement of the conditions and performance of the National Highway System (NHS), including</p> <ul style="list-style-type: none"> • Rehabilitation, resurfacing, restoration, preservation, and operational improvements; • Traffic operations; • Bridge and tunnel improvements; • Safety improvements; • Bicycle and pedestrian improvements; and • Environmental mitigation. | <ul style="list-style-type: none"> • Minor rehabilitation, pavement resurfacing, preventative maintenance, restoration, and pavement preservation treatments to extend the service life of highway infrastructure, including pavement markings and improvements to roadside hardware or sight distance • Highway improvement work including slide repair, rock fall mitigation, drainage repairs, or other preventative work necessary to maintain or extend the service life of the existing infrastructure in a good operational condition • Minor operational and safety improvements to intersections and interchanges such as adding turn lanes, addressing existing geometric deficiencies, and extending on/off ramps • Capital and operating costs for intelligent transportation systems (ITS) and traffic monitoring, management, and control facilities and programs: <ul style="list-style-type: none"> ○ Infrastructure-based intelligent transportation systems (ITS) capital improvements ○ Traffic Management Center (TMC) operations and utilities ○ Freeway service patrols ○ Traveler information • Bridge and tunnel construction (no additional travel lanes), replacement, rehabilitation, preservation, protection, inspection, evaluation, and inspector training and inspection and evaluation of other infrastructure assets, such as signs, walls, and drainage structures • Development and implementation of a State Asset Management Plan including data collection, maintenance and integration, software costs, and equipment costs that support the development of performance-based management systems for infrastructure • Rail-highway grade crossing improvements • Highway safety improvements: <ul style="list-style-type: none"> ○ Installation of new or improvement of existing guardrail ○ Installation of traffic signs and signals/lights ○ Spot safety improvements • Sidewalk improvements • Pedestrian and/or bicycle facilities • Traffic calming and traffic diversion improvements • Noise walls • Wetland and/or stream mitigation • Environmental restoration and pollution abatement • Control of noxious weeds and establishment of native species |



United States Department of the Interior

FISH AND WILDLIFE SERVICE
Tennessee ES Office
446 Neal Street
Cookeville, Tennessee 38501



February 23, 2018

Mr. Tim Nehus
Tennessee Department of Transportation
Environmental Planning and Permits Division
Suite 900, James K. Polk Building
505 Deaderick Street
Nashville, Tennessee 37243-0334

Subject: FWS# 18-CPA-0264. Proposed replacement of the State Route 1 Bridge over a Branch over Little Muddy Creek at LM 2.13; PIN 124505.00, P.E. 38002-0216-94, Haywood County, Tennessee.

Dear Mr. Nehus:

Thank you for your correspondence dated February 7, 2018, regarding the proposal to replace the State Route 1 Bridge over Little Muddy Creek in Haywood County, Tennessee. The Tennessee Department of Transportation requests our comments on any federally listed species of concern for this project. Personnel of the U.S. Fish and Wildlife Service (Service) have reviewed the information provided and offer the following comments.

Endangered species collection records available to the Service do not indicate that federally listed or proposed endangered or threatened species occur within the impact area of the project. We note, however, that collection records available to the Service may not be all-inclusive. Our database is a compilation of collection records made available by various individuals and resource agencies. This information is seldom based on comprehensive surveys of all potential habitat and thus does not necessarily provide conclusive evidence that protected species are present or absent at a specific locality. However, based on the best information available at this time, we believe that the requirements of section 7 of the Endangered Species Act of 1973, as amended, are fulfilled for all species that currently receive protection under the Act. Obligations under section 7 of the Act should be reconsidered if (1) new information reveals impacts of the proposed action that may affect listed species or critical habitat in a manner not previously considered, (2) the proposed action is subsequently modified to include activities which were not considered during this consultation, or (3) new species are listed or critical habitat designated that might be affected by the proposed action.

Our National Wetland Inventory maps indicate that the project is bounded by a sizable wetland on either side of the road. If wetland impacts would occur, the Corps of Engineers and the Tennessee Department of Environment and Conservation should be contacted regarding the presence of regulatory wetlands and the requirements of wetlands protection statutes.

If you have any questions regarding our comments, please contact John Griffith of my staff at 931/525-4995 or by email at john_griffith@fws.gov.

Sincerely,

A handwritten signature in blue ink that reads "Mary E. Jennings". The signature is written in a cursive style with a large, stylized "M" and "J".

Mary E. Jennings
Field Supervisor

Tennessee Wildlife Resource Agency Coordination

Tim Nehus

From: Casey Parker
Sent: Monday, March 05, 2018 9:46 AM
To: Tim Nehus; TDOT Env.LocalPrograms
Cc: Rob Todd
Subject: Correction of PIN RE: Haywood Co. SR-1 over L. Muddy Cr. and Branch PINs 124505.00 and 124503.00

Correction: PIN 124505.00 and PIN 124503.00


Subject: Haywood County; SR-1, HWY 70 E. Bridge over Branch at LM 2.89; P.E. 38002-0217-94, PIN 124505.00
Haywood County; SR-1, HWY 70 E. Bridge over Branch at LM 2.89; P.E. 38002-0217-94, PIN 124503.00
Mr. Tim Nehus,

I have reviewed the information that you provided regarding the proposed replacement of the subject bridges in Haywood County, Tennessee. The implementation of standard BMP's will be sufficient to satisfy the needs of the Tennessee Wildlife Resources Agency for this proposed project. Thank you for the opportunity to review and comment, please contact me if you need further assistance.

Casey Parker - Wildlife Biologist
Liaison to TDOT & Federal Highway Administration
Tennessee Wildlife Resources Agency
Environmental Services Division
Email: casey.parker@tn.gov



Floodplain Map





TENNESSEE HISTORICAL COMMISSION
STATE HISTORIC PRESERVATION OFFICE
2941 LEBANON PIKE
NASHVILLE, TENNESSEE 37243-0442
OFFICE: (615) 532-1550
www.tnhistoricalcommission.org

June 12, 2018

Ms. Katherine Looney
Tennessee Department of Transportation
505 Deaderick St
Suite 900
Nashville, TN 37243-1402

RE: FHWA / Federal Highway Administration, Replacement of the SR 1 Bridge over Muddy Creek, Log Mile 2.13/ PIN 124505.00, , Haywood County, TN

Dear Ms. Looney:

In response to your request, we have reviewed the architectural survey report and accompanying documentation submitted by you regarding the above-referenced undertaking. Our review of and comment on your proposed undertaking are among the requirements of Section 106 of the National Historic Preservation Act. This Act requires federal agencies or applicants for federal assistance to consult with the appropriate State Historic Preservation Office before they carry out their proposed undertakings. The Advisory Council on Historic Preservation has codified procedures for carrying out Section 106 review in 36 CFR 800 (Federal Register, December 12, 2000, 77698-77739).

Considering the information provided, we concur that no architectural resources eligible for listing in the National Register of Historic Places will be affected by this undertaking. If project plans are changed or archaeological remains are discovered during project construction, please contact this office to determine what further action, if any, will be necessary to comply with Section 106 of the National Historic Preservation Act. Questions or comments may be directed to Casey Lee (615 253-3163).

Your cooperation is appreciated.

Sincerely,

A handwritten signature in black ink that reads "E. Patrick McIntyre, Jr." in a cursive script.

E. Patrick McIntyre
Executive Director and
State Historic Preservation Officer

EPM/cjl



TENNESSEE HISTORICAL COMMISSION
STATE HISTORIC PRESERVATION OFFICE
2941 LEBANON PIKE
NASHVILLE, TENNESSEE 37243-0442
OFFICE: (615) 532-1550
www.tnhistoricalcommission.org

June 21, 2018

Mr. Phillip R. Hodge
Tennessee Department of Transportation
Suite 900, James K. Polk Building
505 Deaderick Street
Nashville, TN 37243-1402

RE: FHWA / Federal Highway Administration, SR-1/US Highway 70 Bridge Replacement over Little Muddy Creek, Haywood County, TN

Dear Mr. Hodge:

In response to your request, we have reviewed the archaeological report of investigations and accompanying documentation submitted by you regarding the above-referenced undertaking. Our review of and comment on your proposed undertaking are among the requirements of Section 106 of the National Historic Preservation Act. This Act requires federal agencies or applicants for federal assistance to consult with the appropriate State Historic Preservation Office before they carry out their proposed undertakings. The Advisory Council on Historic Preservation has codified procedures for carrying out Section 106 review in 36 CFR 800 (Federal Register, December 12, 2000, 77698-77739).

Considering the information provided, we find that no archaeological resources eligible for listing in the National Register of Historic Places will be affected by this undertaking. If project plans are changed or archaeological remains are discovered during project construction, please contact this office to determine what further action, if any, will be necessary to comply with Section 106 of the National Historic Preservation Act. Complete and/or updated Tennessee Site Survey Forms should be submitted to the Tennessee Division of Archaeology for all sites recorded and/or revisited during the current investigation. Questions or comments may be directed to Jennifer Barnett (615) 687-4780.

Your cooperation is appreciated.

Sincerely,

E. Patrick McIntyre, Jr.
Executive Director and
State Historic Preservation Officer

EPM/jmb

Project Design

Index Of Sheets

PRELIMINARY INDEX OF SHEETS

TITLESHEET 1
 TYPICAL SECTIONS 28
 RIGHT-OF-WAY NOTES, UTILITY NOTES and UTILITY OWNERS 3
 RIGHT-OF-WAY ACQUISITION TABLE(S) and PROPERTY MAP(S) 3A
 PRESENT LAYOUT(S) 4
 RIGHT OF WAY DETAILS 4A
 PROPOSED LAYOUT(S) 4B
 PROPOSED PROFILE(S) 4C
 PRIVATE DRIVE, BUSINESS, AND FIELD ENTRANCE PROFILE(S) 5
 DRAINAGE MAP(S) 6
 ROADWAY CROSS SECTIONS 7-17

STATE OF TENNESSEE
 DEPARTMENT OF TRANSPORTATION
 BUREAU OF ENGINEERING

HAYWOOD COUNTY

S.R. 1 (US 70/79) BRIDGE REPLACEMENT
 OVER MUDDY CREEK AT L.M. 2.13

PRELIMINARY

STATE HIGHWAY NO. 1 U.S. ROUTE NO. 70/79

| | | | |
|--|-----|---|----|
| DOES THIS PROJECT QUALIFY FOR UTILITY CHAPTER 88 | YES | X | NO |
|--|-----|---|----|

| | | |
|--------------------|---------------|-----------|
| TENN. | YEAR | SHEET NO. |
| | 2019 | 1 |
| FED. AID PROJ. NO. | BR-NH-1(383) | |
| STATE PROJ. NO. | 38002-0217-94 | |

PROJECT LOCATION
 BRIDGE ID. # 38SR0010001



PROJECT LOCATION
 BRIDGE ID. #

38002-0217-94
 END PROJECT NO. BR-NH-1(383) PRELIMINARY
 STA. 64+00.00
 N 424835.1013 E 944900.4742


38002-0217-94
 BEGIN PROJECT NO. BR-NH-1(383) PRELIMINARY
 STA. 56+00.00
 N 424521.7562 E 944164.3935

SPECIAL NOTES

PROPOSALS MAY BE REJECTED BY THE COMMISSIONER IF ANY OF THE UNIT PRICES CONTAINED THEREIN ARE OBVIOUSLY UNBALANCED, EITHER EXCESSIVE OR BELOW THE REASONABLE COST ANALYSIS VALUE.

THIS PROJECT TO BE CONSTRUCTED UNDER THE STANDARD SPECIFICATIONS OF THE TENNESSEE DEPARTMENT OF TRANSPORTATION DATED JANUARY 1, 2015 AND ADDITIONAL SPECIFICATIONS AND SPECIAL PROVISIONS CONTAINED IN THE PLANS AND IN THE PROPOSAL CONTRACT.

TDOT C.E. MANAGER 1 OR
 TDOT TRANSPORTATION MANAGER 1 : STEPHANIE KISSELL
 DESIGNED BY: HDR ENGINEERING, INC.
 DESIGNER : GREG CLUCKER CHECKED BY: KEVIN CAGLE
 P.E. NO. 38002-0217-94 (NEPA)
 PIN NO. 128113.04



SCALE: 1" = 1/2 MILES

| | |
|-------------------|---------------|
| R.O.W. LENGTH | 0.152 MILES |
| ROADWAY LENGTH | 0.139 MILES |
| BRIDGE LENGTH | 0.013 MILES |
| BOX BRIDGE LENGTH | 0.000 MILES |
| BOX BRIDGE LENGTH | 0.000 MILES ▲ |
| PROJECT LENGTH | 0.152 MILES |

▲ Not Included In the project length (Non Riding Surface).

NO EXCLUSIONS

PRELIMINARY
 PLANS

CAUTION!
 PRELIMINARY
 PLANS
 SUBJECT TO
 CHANGE

SEALED BY

APPROVED: *Paul D. Degges*
 PAUL D. DEGGES, CHIEF ENGINEER

DATE:

APPROVED: *Clay Bright*
 CLAY BRIGHT, COMMISSIONER

S.R. 1



| SURVEY 10-16-18 | TRAFFIC DATA |
|-----------------|-----------------|
| | ADT (2022) 1650 |
| | ADT (2042) 1980 |
| | DHV (2042) 218 |
| | D 65 - 35 |
| | T (ADT) 13 % |
| | T (DHV) 9 % |
| | V 55 MPH |

COORDINATES ARE NAD 83(1995), ARE DATUM ADJUSTED BY THE FACTOR OF 1.00004 AND TIED TO THE TGRN. ALL ELEVATIONS ARE REFERENCED TO THE NAVD 1988 WITH GEOD 03.


U.S. DEPARTMENT OF TRANSPORTATION
 FEDERAL HIGHWAY ADMINISTRATION

APPROVED: _____ DATE _____
 DIVISION ADMINISTRATOR

| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|--------------|-----------|
| PRELIM | 2019 | BR-NH-1(383) | 2B |
| | | | |
| | | | |



NOTE: DITCH TO BE CONSTRUCTED WHERE DIRECTED BY THE ENGINEER



CAUTION!
PRELIMINARY
PLANS
SUBJECT TO
CHANGE

SEALED BY

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION

TYPICAL
SECTIONS

6/12/2019 12:26:49 PM
c:\pwworking\engine01\1000228570\0285.sht

| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|--------------|-----------|
| PRELIM | 2019 | BR-NH-1(383) | 3 |
| | | | |
| | | | |

RIGHT-OF-WAY

- (1) ALL RAMP MUST CONFORM TO THE DEPARTMENT'S 'POLICY ON FINANCING CONSTRUCTION OF PUBLIC ROAD INTERSECTIONS AND DRIVEWAYS ON HIGHWAY RESURFACING, RECONSTRUCTION AND CONSTRUCTION PROJECTS ON NEW LOCATIONS', THE MANUAL ON RULES AND REGULATIONS FOR CONSTRUCTING DRIVEWAYS ON STATE HIGHWAY RIGHT-OF-WAY, STANDARD DRAWING R-1, AND OTHER ACCEPTED DESIGN AND SAFETY STANDARDS.
- (2) EXISTING PAVED DRIVEWAY PER TRACT REMAINDER WILL BE REPLACED IN KIND TO A TOUCHDOWN POINT.
- (3) WHERE THE EXISTING DRIVEWAY IS UNPAVED AND THE PROPOSED DRIVEWAY EXCEEDS 7 PERCENT IN GRADE, EACH DRIVEWAY WILL BE PAVED TO A TOUCHDOWN POINT OR UNTIL THE GRADE IS LESS THAN 7 PERCENT.
- (4) WHERE THE EXISTING DRIVEWAY IS UNPAVED AND THE PROPOSED DRIVEWAY IS LESS THAN 7 PERCENT IN GRADE, EACH DRIVEWAY WILL BE PAVED A SHOULDER WIDTH FROM THE EDGE OF PAVEMENT AND THE REMAINDER OF THAT DRIVEWAY REPLACED IN KIND TO A TOUCHDOWN POINT.
- (5) ANY NECESSARY PAVING OF DRIVEWAYS WILL BE DONE DURING PAVING OPERATIONS ON THE MAIN ROADWAY.
- (6) NEW DRIVEWAYS PROVIDED IN THE PLANS WILL BE PAVED BASED ON THE 7 PERCENT CRITERIA. THOSE 7 PERCENT OR STEEPER IN GRADE WILL BE PAVED AND THOSE FLATTER THAN 7 PERCENT WILL BE COVERED WITH BASE STONE.
- (7) ON PROJECTS WITHOUT CURB AND GUTTER THAT ARE ON STATE ROUTES, IT WILL BE THE RESPONSIBILITY OF THE OWNER TO SECURE A PERMIT AND TO CONSTRUCT ADDITIONAL DRIVEWAYS AND FIELD ENTRANCES OTHER THAN THOSE PROVIDED IN THE PLANS.

UTILITY

- (1) THE LOCATIONS OF UTILITIES SHOWN WITHIN THESE PLANS ARE APPROXIMATE ONLY. EXACT LOCATIONS SHALL BE DETERMINED IN THE FIELD BY CONTACTING THE UTILITY COMPANIES INVOLVED. NOTIFICATION BY CALLING THE TENNESSEE ONE CALL SYSTEM, INC. AT 1-800-351-1111 AS REQUIRED BY TCA 65-31-106 WILL BE REQUIRED.
- (2) UNLESS OTHERWISE NOTED, ALL UTILITY ADJUSTMENTS WILL BE PERFORMED BY THE UTILITY OR ITS REPRESENTATIVE. THE CONTRACTOR AND UTILITY OWNERS WILL BE REQUIRED TO COOPERATE WITH EACH OTHER IN ORDER TO EXPEDITE THE WORK REQUIRED BY THIS CONTRACT ON CONTRACTS WHERE CONSTRUCTION STAKES, LINES, AND GRADES ARE CONTRACT ITEMS. THE CONTRACTOR WILL BE REQUIRED TO PROVIDE RIGHT-OF-WAY OR SLOPE STAKES, DITCH OR STREAM BED GRADES, OR OTHER ESSENTIAL SURVEY STAKING TO PREVENT CONFLICTS WITH THE HIGHWAY CONSTRUCTION. FREQUENTLY, THIS WILL BE REQUIRED AS THE FIRST ITEM OF WORK AND AT ANY LOCATION ON THE PROJECT DIRECTED BY THE ENGINEER.
- (3) THE CONTRACTOR WILL PROVIDE ALL NECESSARY PROTECTIVE MEASURES TO SAFEGUARD EXISTING UTILITIES FROM DAMAGE DURING CONSTRUCTION OF THIS PROJECT. IN THE EVENT THAT SPECIAL EQUIPMENT IS REQUIRED TO WORK OVER AND AROUND THE UTILITIES, THE CONTRACTOR WILL BE REQUIRED TO FURNISH SUCH EQUIPMENT. THE COST OF PROTECTING UTILITIES FROM DAMAGE AND FURNISHING SPECIAL EQUIPMENT WILL BE INCLUDED IN THE PRICE BID FOR OTHER ITEMS OF CONSTRUCTION.
- (4) PRIOR TO SUBMITTING HIS BID, THE CONTRACTOR WILL BE SOLELY RESPONSIBLE FOR CONTACTING OWNERS OF ALL AFFECTED UTILITIES IN ORDER TO DETERMINE THE EXTENT TO WHICH UTILITY RELOCATIONS AND/OR ADJUSTMENTS WILL HAVE UPON THE SCHEDULE OF WORK FOR THE PROJECT. WHILE SOME WORK MAY BE REQUIRED AROUND UTILITY FACILITIES THAT WILL REMAIN IN PLACE, OTHER UTILITY FACILITIES MAY NEED TO BE ADJUSTED CONCURRENTLY WITH THE CONTRACTOR'S OPERATIONS. ADVANCE CLEAR CUTTING MAY BE REQUIRED BY THE ENGINEER AT ANY LOCATION WHERE CLEARING IS CALLED FOR IN THE SPECIFICATIONS AND CLEAR CUTTING IS NECESSARY FOR A UTILITY RELOCATION. ANY ADDITIONAL COST WILL BE INCLUDED IN THE UNIT PRICE BID FOR THE CLEARING ITEM SPECIFIED IN THE PLANS.
- (5) THE CONTRACTOR SHALL NOTIFY EACH INDIVIDUAL UTILITY OWNER OF HIS PLAN OF OPERATION IN THE AREA OF THE UTILITIES. PRIOR TO COMMENCING WORK, THE CONTRACTOR SHALL CONTACT THE UTILITY OWNERS AND REQUEST THEM TO PROPERLY LOCATE THEIR RESPECTIVE UTILITY ON THE GROUND. THIS NOTIFICATION SHALL BE GIVEN AT LEAST THREE (3) BUSINESS DAYS PRIOR TO COMMENCEMENT OF OPERATIONS AROUND THE UTILITY IN ACCORDANCE WITH TCA 65-31-106.

UTILITY OWNERS

CABLE:

ATA&T - JACKSON
 315 EAST COLLEGE ST
 JACKSON, TN 38301
 CONTACT: COREY BARTHOLOMEW
 OFFICE PHONE: 731 423 0521
 CELL PHONE:
 Email:

ELECTRIC:

SOUTHWEST ELECTRIC MEMBERSHIP
 464 MUNFORD AVE
 MUNFORD, TN 38058
 CONTACT: SUZANNE COPE
 OFFICE PHONE: 901 837 1900
 CELL PHONE:
 Email:

TELEPHONE:

ATA&T - JACKSON
 315 EAST COLLEGE ST
 JACKSON, TN 38301
 CONTACT: COREY BARTHOLOMEW
 OFFICE PHONE: 731 423 0521
 CELL PHONE:
 Email:

WATER:

TOWN OF MASON
 12157 MAIN STREET
 MASON, TN 38049
 CONTACT: RUDOLPH MIDDLEBROOKS
 OFFICE PHONE: 901 451 2860
 CELL PHONE:
 Email:


CAUTION!
PRELIMINARY
PLANS
SUBJECT TO
CHANGE

SEALED BY

STATE OF TENNESSEE
 DEPARTMENT OF TRANSPORTATION

RIGHT-OF-WAY
 NOTES,
 UTILITY NOTES
 AND
 UTILITY OWNERS

| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|--------------|-----------|
| PRELIM | 2019 | BR-NH-1(383) | 3A |
| | | | |
| | | | |



CAUTION!
PRELIMINARY
PLANS
SUBJECT TO
CHANGE

SEALED BY

| DISTURBED AREA | | |
|---|-------|------|
| N BETWEEN SLOPE LINES | 1.223 | (AC) |
| 15 FOOT WIDE STRIP (OUT SIDE SLOPE LINES) | 0.637 | (AC) |
| TOTAL DISTURBED AREA | 1.860 | (AC) |

R.O.W. ACQUISITION TABLE

| TRACT NO. | PROPERTY OWNERS | COUNTY RECORDS | | | | TOTAL AREA (ACRES) | | | AREA TO BE ACQUIRED (ACRES) | | | AREA REMAINING (ACRES) | | | EASEMENT (ACRES) | | | |
|-----------------------------------|--|----------------|------------|-------------------------|-------|--------------------|-------|--------|-----------------------------|-----------|-----------|------------------------|-------|-------|------------------|-------|--------------|------------|
| | | TAX MAP NO. | PARCEL NO. | DEED DOCUMENT REFERENCE | | LEFT | RIGHT | TOTAL | LEFT | RIGHT | TOTAL | LEFT | RIGHT | TOTAL | PERMANENT | SLOPE | CONSTRUCTION | AIR RIGHTS |
| | | | | BOOK | PAGE | | | | | | | | | | | | | |
| 1 | Curtis Leavy and wife, Dessalene | 135 | 9 | 060 | 06010 | | 1.578 | 1.578 | | 2803 S.F. | 2803 S.F. | 2.432 | 1.514 | | | | | |
| 2 | John Cochran and wife, Esther C. | 135 | 29 04 | 428 | 376 | 2.052 | | 2.052 | | | | 2.052 | | | | | | |
| 3 | James A. Johnson and wife, Fannie | 135 | 29 07 | 170 | 00865 | 4.993 | | 4.993 | 33'-8 S.F. | | 3318 S.F. | 4.917 | | | | | | |
| 4 | A D Leavy, Est | 135 | 29 03 | 641 | 124 | 3.959 | | 3.959 | | 0.706 | 0.706 | 3.253 | | | | | | |
| 5 | Christopher Lind Burk and wife, Martha Louise | 135 | 29 02 | 642 | 370 | 10.875 | | 10.875 | 0.619 | | 0.619 | 10.256 | | | | | | |
| 6A | Cherry Boyd and husband, Willie Rivers, c/o Deon McBride | 135 | 26 00 | 31 | 354 | 5.966 | | 5.966 | | | | 5.966 | | | | | | |
| 6B | Cherry Boyd and husband, Willie Rivers, c/o Deon McBride | 135 | 26 00 | 31 | 354 | 9.994 | | 9.994 | | | | 9.994 | | | | | | |
| ACQUISITION TOTALS (ACRES) | | | | | | | | | | | | 1.465 | | | | | | |


COORDINATES ARE NAD 83(1995), ARE DATUM ADJUSTED BY THE FACTOR OF 1.00004 AND TIED TO THE TORN. ALL ELEVATIONS ARE REFERENCED TO THE NAVD 88(1988) WITH GEOID 03.

**STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION**

PROPERTY MAP
AND
RIGHT-OF-WAY
ACQUISITION
TABLE

6/12/2019 12:27:53 PM
c:\pwworking\1002285710\03A.sht

| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|--------------|-----------|
| PRELIM | 2019 | BR-NH-1(383) | 4 |
| | | | |
| | | | |



BEGIN PROJ. NO. BR-NH-1(383) R.O.W.
 STA. 56+00.00
 N 424521.7562
 E 944164.3935

END PROJ. NO. BR-NH-1(383) R.O.W.
 STA. 64+00.00
 N 424835.1013
 E 944900.4742

CAUTION!
 PRELIMINARY
 PLANS
 SUBJECT TO
 CHANGE

SEALED BY

COORDINATES ARE NAD 83(1995), ARE DATUM ADJUSTED BY THE FACTOR OF 1.00004 AND TIED TO THE TORN. ALL ELEVATIONS ARE REFERENCED TO THE NAVD 1988 DATUM (GEOID 03).

STATE OF TENNESSEE
 DEPARTMENT OF TRANSPORTATION


PRESENT LAYOUT

STA. 56+00 TO STA. 64+00
 SCALE: 1"= 50'

| LEGEND | WETLAND IMPACTS (MTL-1) |
|--------|---|
| | AREA OF PERMANENT IMPACT = 0.0075 AC. |
| | VOLUME OF PERMANENT IMPACT = 12.07 C.Y. |

6/12/2019 12:26:44 PM
 C:\pwworking\esb101100258570.004.dgn

| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|--------------|-----------|
| PRELIM | 2019 | BR-NH-1(383) | 4A |
| | | | |
| | | | |



CAUTION!
PRELIMINARY
PLANS
SUBJECT TO
CHANGE

SEALED BY


COORDINATES ARE NAD 83(1995). ARE DATUM ADJUSTED BY THE FACTOR OF 1.00004 AND TIED TO THE TORN. ALL ELEVATIONS ARE REFERENCED TO THE NAVD 88(1988) DATUM.

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION

**RIGHT OF WAY
DETAILS**
STA. 56+00 TO STA. 64+00
SCALE: 1"= 50'

6/12/2019 12:26:24 PM
c:\pwworking\engr\10100228570\0\DATA.sht

| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|--------------|-----------|
| PRELIM | 2019 | BR-NH-1(383) | 4B |
| | | | |
| | | | |



BEGIN PROJ. NO. BR-NH-1(383) R.O.W.
 STA. 56+00.00
 N 424521.7562
 E 944164.3935

END PROJ. NO. BR-NH-1(383) R.O.W.
 STA. 64+00.00
 N 424835.1013
 E 944900.4742

**CAUTION !
 PRELIMINARY
 PLANS
 SUBJECT
 TO CHANGE**

SEALED BY


COORDINATES ARE NAD 83(1995), ARE DATUM ADJUSTED BY THE FACTOR OF 1.00004 AND TIED TO THE TORN. ALL ELEVATIONS ARE REFERENCED TO THE NAVD. 1988 DATUM (GEOID 03).

STATE OF TENNESSEE
 DEPARTMENT OF TRANSPORTATION

**PROPOSED
 LAYOUT**

STA. 56+00 TO STA. 64+00
 SCALE: 1"=50'

| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|--------------|-----------|
| PRELIM | 2019 | BR-NH-1(383) | 4C |



CAUTION!
PRELIMINARY
PLANS
SUBJECT
TO CHANGE

SEALED BY

COORDINATES ARE NAD 83(1983), ARE DATUM ADJUSTED BY THE FACTOR OF 1.00004 AND TIED TO THE TOWN OF THE NAVD 1888 WITH GEOD 03.

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION


**PROPOSED
PROFILE**

STA. 56+00 TO STA. 64+00

SCALE: 1"= 50' HORIZ.
1"= 5' VERT.

6/12/2019 12:28:42 PM
c:\pwworking\esb1011002255730\040401.dwg

| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|-------------|-----------|
| PRELIM | 2019 | BR-NH-(383) | 5 |
| | | | |
| | | | |



**CAUTION !
PRELIMINARY
PLANS
SUBJECT TO
CHANGE**


SEALED BY

COORDINATES ARE NAD 83(1985), ARE DATUM ADJUSTED BY THE FACTOR OF 1.00004 AND TIED TO THE TORN. ALL ELEVATIONS ARE REFERENCED TO THE NAVD 1988 WITH GEOD 03.

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION

PRIVATE DRIVE,
BUSINESS, AND
FIELD ENTRANCE
PROFILE

| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|--------------|-----------|
| PRELIM | 2019 | BR-NH-1(383) | 6 |
| | | | |
| | | | |



CAUTION!
PRELIMINARY
PLANS
SUBJECT TO
CHANGE

SEALED BY


COORDINATES ARE NAD 83(1995), ARE DATUM ADJUSTED BY THE FACTOR OF 1.00004 AND TIED TO THE TORN. ALL ELEVATIONS ARE REFERENCED TO THE NAVD 88 DATUM (GEOID 03).

STATE OF TENNESSEE
 DEPARTMENT OF TRANSPORTATION

DRAINAGE
MAP
 STA. 56+00 TO STA. 64+00
 SCALE: 1"=200'

6/12/2019 12:26:58 PM
 c:\pwworking\p1010022857\101006.dwg


6/12/2018 02:28:06 PM
 C:\Users\king.mcdonell\OneDrive\My Documents



| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|-------------|-----------|
| PRELIM | 2009 | SP48-4583 | 7 |

SR 1
 BEGIN STA. 46+00.00
 END STA. 46+50.00


6/12/2018 02:26:07 PM
 C:\Users\king.martin\OneDrive\Documents\Drawings\Drawings.dwg



| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|-------------|-----------|
| PRELIM | 2018 | SP48-1583 | 8 |

SR 1
 BEGIN STA. 56+75.00
 END STA. 57+25.00


| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|-------------|-----------|
| PRELIM | 2009 | SP49-4583 | 1 |



6/7/2009 02:29:31 PM
 C:\Users\khuang\Documents\029653\1\MS\SS\Sheet1.dwg

SR 1
 BEGIN STA. 59+00.00
 END STA. 59+50.00


| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|-------------|-----------|
| PRELIM | 2009 | SP48-4583 | 12 |



6/12/2009 02:28:22 PM
 C:\Users\pking\workspace\090603\12\MS5\Drawn1.dwg


SR 1
 BEGIN STA. 59+75.00
 END STA. 60+25.00

6/7/2019 02:39:4 PM
 C:\Users\king.mcc@hca.com\Documents\19\190525\Drawings\190525.dwg




SR 1
 BEGIN STA. 61+25.00
 END STA. 61+75.00

6/12/2018 02:26:35 PM
 C:\Users\khuang\OneDrive\Documents\2018\180613\180613.dwg



BEGIN STA. 62+00.00
 END STA. 62+50.00


6/12/2018 02:28:16 PM
 C:\Users\king.martin\Documents\180515\180515.dwg



| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|-------------|-----------|
| PRELIM | 2009 | EP-04-0583 | 18 |

SR 1
 BEGIN STA. 42+75.00
 END STA. 43+25.00

6/12/2018 02:37:17 PM
 C:\Users\king.martin\OneDrive\Documents\Drawings\Drawings.dwg



| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|-------------|-----------|
| PRELIM | 2009 | EP-14-1583 | 17 |

BEGIN STA. 43+50.00
 END STA. 44+00.00

Ecology

Environmental Studies Request

Project Information

Route: SR-1
Termini: Bridge over Muddy Creek, LM 2.13 (IA)
County: Haywood
PIN: 128113.03


Request

Request Type: Environmental Study Reevaluation
Project Plans: Preliminary
Date of Plans: 06/13/2019
Location: Email Attachment

Certification

Requestor: Payton Croak
Title: TDOT Environmental Studies Specialist

Signature: Payton
Croak

 Digitally signed by
Payton Croak
Date: 2019.06.18
12:21:39 -05'00'

Environmental Study

Technical Section

Section: Ecology

Study Results

Based on the plans dated 6/13/2019, an update to the previous environmental boundaries report was necessary. This update, dated 8/16/2019, consisted of one additional wetland with impacts estimated to be less than 0.5 acres. The total number of features present now are one stream and two wetlands. No federally endangered or threatened species are expected to be impacted by the project.

Commitments

Did the study of this project result in any environmental commitments?

No

Additional Information

Is there any additional information or material included with this study?

Yes

Type: Environmental Boundaries Report (EBR)


Location: FileNet

Certification

Responder: Dustin Tucker

Title: TESS Advanced

Signature: Dustin
Tucker

 Digitally signed by
Dustin Tucker
Date: 2019.08.16
08:40:29 -05'00'



Environmental Boundaries Report

**SR-1, Bridge Replacement over Muddy
Creek, LM 2.13**

Project No.: 38002-0216-94

PIN: 128113.03

Haywood County, Tennessee

**Prepared by:
Tennessee Department of Transportation – TDOT
Region 4**

Environmental Boundaries Report Index

| | |
|-----------------------------|---------|
| Memo | Page 3 |
| Maps and Topos | Page 5 |
| NEPA Impact Table | Page 7 |
| Stream Data Sheets | Page 8 |
| Wetland Sheets | Page 10 |
| Species Review | Page 29 |
| Marked-up Plan Sheets | Page 37 |
| Photo Log | Page 39 |



STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
REGION 4 ENVIRONMENTAL TECH OFFICE
300 BENCHMARK PLACE
JACKSON, TENNESSEE 38301
(731) 935-0139

CLAY BRIGHT
COMMISSIONER

BILL LEE
GOVERNOR

MEMORANDUM

To: Stephanie Kissell
Design Division

From: Dustin Tucker
Environmental Tech Office, Region 4

Date: 8/16/2019

Subject: **Environmental Boundaries For:** Haywood County, SR-1, Bridge
Replacement over Muddy Creek, LM 2.13
PE: 38002-0216-94



Digitally signed by
Dustin Tucker
Date: 2019.08.16
14:23:11 -05'00'

PIN: 128113.03

An ecological evaluation of the subject project has been conducted with the following results:

SPRINGS/STREAMS

One (1) stream was observed within the project limits.

- Information concerning the quality and amount of impact can be found in the attached impact table.

WET WEATHER CONVEYANCES/UPLAND DRAINAGE FEATURES

No wet weather conveyances were observed within the project limits.

WETLANDS

Two (2) wetlands were observed within the project limits.

- Information concerning the quality and amount of impact can be found in the attached impact table.

PROTECTED SPECIES

A search of the TDEC rare species database was performed on July 25, 2019. Coordination with TWRA, TDEC Naural Areas and USFWS is included. See attachment for species review.


Your assistance is appreciated. If you have any questions or comments, please contact Dustin Tucker in the Region 4 Environmental Tech Office at 731-935-0101 or dustin.tucker@tn.gov.

xc: Randall Mann
Lou Timms
Jared McCoy
Gary Scruggs
Rachel Webb
Glen Blakenship
James Boyd
John Hewitt
D.J. Wiseman
Michael White
Khalid Ahmed
Sharon Sanders

TDOT.ENV.NEPA
R4.ENVTechOffice
TDOT. Env. Ecology
TDOT. Env Mitigation
TDOT.Env Permits




TN Department of Transportation



SR-1, Bridge Replacement over Muddy Creek, LM 2.13
 Haywood County
 PIN 128113.03





SR-1, Bridge Replacement over Muddy Creek, LM 2.13
 Haywood County
 PIN 128113.03



| Labels | Type * | Function | Quality | Impacts ** | | |
|-----------------|------------|--------------------------------------|---------|------------|-----------|----------|
| | | | | Permanent | Temporary | Total |
| Wetlands | | | | | | |
| WTL-1 | Depression | Water Retention | Low | 0.01 ac. | | 0.01 ac. |
| WTL-2 | Slope | Wildlife habitat, Nutrient retention | Medium | 0.30 ac. | 0.10 ac. | 0.40 ac. |
| | | | | | Total | 0.41 ac. |

| Labels | Type * | Function | Quality | Impacts ** | | |
|----------------|-----------|----------|---------------------------|------------|-----------|--------|
| | | | | Permanent | Temporary | Total |
| Streams | | | | | | |
| STR-1 | Perennial | | Undetermined at this time | 125 ft | | 125 ft |
| | | | | | Total | 125 ft |

* Identification of features has not been reviewed by regulatory agencies and determinations of stream type could possibly be changed.

** Estimated impacts are considered "Preliminary" and will not be completely accurate until the time of Permit Application.

Ecology Field Data Sheet: Water Resources

| | |
|--|--|
| Project: Haywood County; SR-1, HWY 70 E. Bridge over Little Muddy Creek at LM 2.13; P.E. 38002-0216-94, PIN 124505.00 | |
| Biologist: G. Harris, T. Nehus | Affiliation: TDOT |
| Date: 11.29.2018 | |
| 1-Station: from plans | N/A |
| 2-Map label and name | STR-1 (Little Muddy Creek) |
| 3-Latitude/Longitude | 35.450565;-89.438744 |
| 4-Potential impact | Crossing/Bridge, runoff |
| 5-Feature description: | |
| -channel identification | perennial stream <input checked="" type="checkbox"/> intermittent stream <input type="checkbox"/> ephemeral stream <input type="checkbox"/> wwc <input type="checkbox"/> |
| -HD score (if applicable) | N/A (presence of fish other than Gambia primary indicator) |
| -OHWM indicators | bed & banks <input checked="" type="checkbox"/> deposition <input checked="" type="checkbox"/> presence of litter / debris <input type="checkbox"/> scour <input type="checkbox"/> veg absent, bent, matted <input checked="" type="checkbox"/> |
| | change in plant community <input checked="" type="checkbox"/> destruction of terrestrial veg <input type="checkbox"/> multiple observed flow events <input checked="" type="checkbox"/> sediment sorting <input checked="" type="checkbox"/> water staining <input checked="" type="checkbox"/> |
| | change in soil character <input checked="" type="checkbox"/> leaf litter disturbed absent <input checked="" type="checkbox"/> natural line impressed on bank <input checked="" type="checkbox"/> shelving <input type="checkbox"/> wracking <input checked="" type="checkbox"/> |
| -sinuosity | absent <input type="checkbox"/> weak <input type="checkbox"/> moderate <input checked="" type="checkbox"/> strong <input type="checkbox"/> |
| -channel bottom width | 20'-25' |
| -top of bank width | 35'-40' |
| - avg. gradient of stream (%) | |
| -bank height and slope ratio | LDB - 10' RDB - 8' |
| -water flow | fast <input type="checkbox"/> moderate <input type="checkbox"/> slow <input checked="" type="checkbox"/> isolated pools <input type="checkbox"/> none <input type="checkbox"/> |
| -water depth (riffles / pools) | 1.5'-4' continuous run water width (riffles / pools) 20'-25' |
| -bank stability: LDB, RDB | LDB: Stable <input type="checkbox"/> Eroding <input checked="" type="checkbox"/> Undercutting <input type="checkbox"/> Sloughing <input type="checkbox"/> Exposed Roots <input type="checkbox"/> RDB: Stable <input type="checkbox"/> Eroding <input checked="" type="checkbox"/> Undercutting <input type="checkbox"/> Sloughing <input type="checkbox"/> Exposed Roots <input type="checkbox"/> |
| -dominant riparian species: ------(LDB /RDB)----- | LDB: Boxelder seedlings, sycamore, green ash, grasses RDB: Boxelder seedlings, sycamore, green ash, grasses |
| -habitat assessment score | 0 |
| | epifaunal substrate |
| | channel alteration |
| | pool substrate |
| | frequency of re-ox zones |
| | pool variability |
| | bank stability LDB RDB |
| | sediment deposition |
| | bank vegetative protection LDB RDB |
| | channel flow status |
| | riparian veg zone width LDB RDB |
| -benthos | Assumed |
| -fish | Yes |
| -algae or other aquatic life | assumed |
| 6-photo numbers | 1, 2 |
| 7-rainfall information | None previous 3 days |
| 8-HUC -12 Code & Name | Little Muddy Creek - Wesley Lake (080102080511) |
| 9-Confirmed by: | Not required |
| 10-Assessed | yes <input checked="" type="checkbox"/> no <input type="checkbox"/> |
| 11-ETW | yes <input type="checkbox"/> no <input checked="" type="checkbox"/> |
| 12-303 (d) List | yes <input checked="" type="checkbox"/> siltation <input type="checkbox"/> habitat: <input checked="" type="checkbox"/> other: <input checked="" type="checkbox"/> no <input checked="" type="checkbox"/> |
| 13-Notes | No swallow nests. Best option for haul road is west of bridge. |

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

| | | |
|--|---------------------------------|--------------------------------|
| County: Haywood | Named Waterbody: L. Muddy Creek | Date/Time: 11.29.2017 |
| Assessors/Affiliation: GKH / TDOT | | Project ID: 124505.00 |
| Site Name/Description: SR-1 Bridge over Little Muddy Creek at LM 2.13 | | |
| Site Location: SR-1 Bridge over Little Muddy Creek at LM 2.13 | | |
| USGS quad: | HUC (12 digit): TN | Lat/Long: 35.609846/-89.256652 |
| Previous Rainfall (7-days) : None | | |
| Precipitation this Season vs. Normal : very wet wet <u>average</u> dry drought unknown | | |
| Source of recent & seasonal precip data : NOAA | | |
| Watershed Size : 5.81 | Photos: Yes | Number : 1-2 |
| Soil Type(s) / Geology : Convent - somewhat poorly drained, coarse silty, Entisols | | |
| Surrounding Land Use : Agriculture, residential, forested to the east | | |
| Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : | | |
| Severe | <u>Moderate</u> | Slight Absent |

Primary Field Indicators Observed

| Primary Indicators | NO | YES |
|--|----|---------------|
| 1. Hydrologic feature exists solely due to a process discharge | ✓ | WWC |
| 2. Defined bed and bank absent, dominated by upland vegetation / grass | ✓ | WWC |
| 3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions | ✓ | WWC |
| 4. Daily flow and precipitation records showing feature only flows in direct response to rainfall | ✓ | WWC |
| 5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase | | Stream |
| 6. Presence of fish (except <i>Gambusia</i>) | | <u>Stream</u> |
| 7. Presence of naturally occurring ground water table connection | | Stream |
| 8. Flowing water in channel and 7 days since last precipitation in local watershed | | Stream |
| 9. Evidence watercourse has been used as a supply of drinking water | | Stream |

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = STREAM

Secondary Indicator Score (if applicable) = 0

Justification / Notes : Determined as a stream due to the presence of fish that were not *Gambusia*

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Haywood County; SR-1, HWY 70 E. Bridge over Little Muddy Creek at LM 2.13 Map Label: WTL-1
 PE and PIN: 38002-0216-94, 124505.00 Date: 11.29.2018 Station: N/A
 Investigator(s): G. Harris, T. Nehus HUC 12 (code and name): Little Muddy Creek - Wesley Lake (080102080511)
 Landform (hillslope, terrace, etc.): Slope Local relief (concave, convex, none): concave Slope (%): _____
 Subregion (LRR or MLRA): LRR-P Lat: 35.450745 Long: -89.438431 Datum: WGS-84
 Soil Map Unit Name: Convent NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes No _____ (If no, explain in Remarks.)
 Are Vegetation , Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes No _____
 Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

| | |
|--|--|
| Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No _____ Hydric Soil Present? Yes <input checked="" type="checkbox"/> No _____ Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No _____ | Is the Sampled Area within a Wetland? Yes <input checked="" type="checkbox"/> No _____ |
| Remarks: Photos: <u>3</u> Buffer (ft): _____ Approximate size (ac.): _____ Portion Affected (permanent) (ac.): _____ Portion Affected (temporary) (ac.): _____ | Confirmation (by, date): <u>Not Required</u> Mitigation (to be included in design): <u>No</u> Notes: _____ |

HYDROLOGY

| | |
|---|---|
| Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply) _____ ___ Surface Water (A1) ___ Water-Stained Leaves (B9) ___ High Water Table (A2) ___ Aquatic Fauna (B13) <input checked="" type="checkbox"/> Saturation (A3) ___ Marl Deposits (B15) (LRR U) ___ Water Marks (B1) ___ Hydrogen Sulfide Odor (C1) ___ Sediment Deposits (B2) <input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) ___ Drift Deposits (B3) ___ Presence of Reduced Iron (C4) ___ Algal Mat or Crust (B4) ___ Recent Iron Reduction in Tilled Soils (C6) ___ Iron Deposits (B5) ___ Thin Muck Surface (C7) ___ Inundation Visible on Aerial Imagery (B7) ___ Other (Explain in Remarks) _____ | Secondary Indicators (minimum of two required) ___ Surface Soil Cracks (B6) ___ Sparsely Vegetated Concave Surface (B8) ___ Drainage Patterns (B10) ___ Moss Trim Lines (B16) ___ Dry-Season Water Table (C2) ___ Crayfish Burrows (C8) ___ Saturation Visible on Aerial Imagery (C9) ___ Geomorphic Position (D2) ___ Shallow Aquitard (D3) ___ FAC-Neutral Test (D5) |
|---|---|

| | |
|--|--|
| Field Observations: Surface Water Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Water Table Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Saturation Present? Yes <input checked="" type="checkbox"/> No _____ Depth (inches): <u>6"</u> | Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No _____ |
|--|--|

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
 Wetland located in maintained ROW north of bridge

VEGETATION – Use scientific names of plants.

Map Label: WTL-1

| <u>Tree Stratum</u> (Plot sizes: _____) | <u>Absolute % Cover</u> | <u>Dominant Species?</u> | <u>Indicator Status</u> | Dominance Test worksheet: |
|--|-------------------------|--------------------------|-------------------------|--|
| 1. _____ | _____ | _____ | _____ | Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A) Total Number of Dominant Species Across All Strata: <u>3</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100</u> (A/B) |
| 2. _____ | _____ | _____ | _____ | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| 6. _____ | _____ | _____ | _____ | |
| 7. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | Prevalence Index worksheet: Total % Cover of: _____ Multiply by: _____ OBL species _____ x 1 = _____ FACW species _____ x 2 = _____ FAC species _____ x 3 = _____ FACU species _____ x 4 = _____ UPL species _____ x 5 = _____ Column Totals: _____ (A) _____ (B) Prevalence Index = B/A = _____ |
| <u>Sapling Stratum</u> (_____) | | | | |
| 1. <u>Liquidambar styraciflua</u> | _____ | <u>yes</u> | <u>FAC</u> | |
| 2. <u>Fraxinus pennsylvanica</u> | _____ | <u>yes</u> | <u>FACW</u> | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| 6. _____ | _____ | _____ | _____ | |
| 7. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | Hydrophytic Vegetation Indicators: <input type="checkbox"/> Dominance Test is >50% <input type="checkbox"/> Prevalence Index is ≤3.0 ¹ <input type="checkbox"/> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present. |
| <u>Shrub Stratum</u> (_____) | | | | |
| 1. _____ | _____ | _____ | _____ | |
| 2. _____ | _____ | _____ | _____ | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| 6. _____ | _____ | _____ | _____ | |
| 7. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | Definitions of Vegetation Strata: Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH). Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH. Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height. Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size. Includes woody plants, except woody vines, less than approximately 3 ft (1 m) in height. Woody vine – All woody vines, regardless of height. Hydrophytic Vegetation Present? Yes _____ No _____ |
| <u>Herb Stratum</u> (_____) | | | | |
| 1. <u>Juncus effusus</u> | _____ | <u>yes</u> | <u>OBL</u> | |
| 2. _____ | _____ | _____ | _____ | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| 6. _____ | _____ | _____ | _____ | |
| 7. _____ | _____ | _____ | _____ | |
| 8. _____ | _____ | _____ | _____ | |
| 9. _____ | _____ | _____ | _____ | |
| 10. _____ | _____ | _____ | _____ | |
| 11. _____ | _____ | _____ | _____ | |
| 12. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | |
| <u>Woody Vine Stratum</u> (_____) | | | | |
| 1. _____ | _____ | _____ | _____ | |
| 2. _____ | _____ | _____ | _____ | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | |

Remarks: (If observed, list morphological adaptations below).

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

| Depth (inches) | Matrix | | Redox Features | | | | Texture | Remarks |
|-------------------|---------------|---|----------------|----|-------------------|------------------|---------|---------|
| | Color (moist) | % | Color (moist) | % | Type ¹ | Loc ² | | |
| 6"-10" | 10YR4/1 | | 7.5YR5/8 | 35 | C | M | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Organic Bodies (A6) (LRR P, T, U)
- 5 cm Mucky Mineral (A7) (LRR P, T, U)
- Muck Presence (A8) (LRR U)
- 1 cm Muck (A9) (LRR P, T)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Coast Prairie Redox (A16) (MLRA 150A)
- Sandy Mucky Mineral (S1) (LRR O, S)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7) (LRR P, S, T, U)

- Polyvalue Below Surface (S8) (LRR S, T, U)
- Thin Dark Surface (S9) (LRR S, T, U)
- Loamy Mucky Mineral (F1) (LRR O)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR U)
- Depleted Ochric (F11) (MLRA 151)
- Iron-Manganese Masses (F12) (LRR O, P, T)
- Umbric Surface (F13) (LRR P, T, U)
- Delta Ochric (F17) (MLRA 151)
- Reduced Vertic (F18) (MLRA 150A, 150B)
- Piedmont Floodplain Soils (F19) (MLRA 149A)
- Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils³:

- 1 cm Muck (A9) (LRR O)
- 2 cm Muck (A10) (LRR S)
- Reduced Vertic (F18) (outside MLRA 150A,B)
- Piedmont Floodplain Soils (F19) (LRR P, S, T)
- Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- Red Parent Material (TF2)
- Very Shallow Dark Surface (TF12) (LRR T, U)
- Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if observed):

Type: _____
 Depth (inches): _____

Hydric Soil Present? Yes No _____

Remarks:

TRAM USER GUIDE

SITUATION

TRAM

- Application that individually or cumulatively proposes impacts greater than *de minimis*.....YES
- Wetland is a “roadside ditch” and not part of a larger wetland – constructed primarily to convey storm water.....COMPLETE EXCEPTIONAL STATUS WETLAND SECTION ONLY, FULL TRAM ASSESSMENT **NOT** REQUIRED.
- Wetland formed as a result of land use changes or practices that restrict, confine or impound drainage artificially (roadways, culverts, fill material, general development, etc.). These wetlands are typically small and recently formed, of very low resource value, and anthropogenic in nature. Common dominant species can include black willow, cattails, silver maple, red maple, green ash, etc....HAS LOW RESOURCE VALUE, COMPLETE EXCEPTIONAL STATUS WETLAND SECTION, FULL TRAM ASSESSMENT **NOT** REQUIRED
- Fringe wetlands associated with ponds, impoundments, reservoirs, large lakes, and water resource development lands and waters, including flowage easements managed by the Tennessee Valley Authority or the Army Corps of Engineers.....YES- USE NON-HGM TRAM
- Semi-permanent to permanently inundated wetlands (e.g. impoundments and fallow created ponds) (<6.6-feet deep).....YES-USE NON-HGM TRAM

NOTE: The exceptional status wetland section must be completed for all wetlands, including wetlands where full HGM is not required or the Non-HGM TRAM is used.

An affirmative response to 1-6 of the Decision Table identifies the wetland per rule as an Outstanding Natural Resource Water (ONRW) or Exceptional Tennessee Waters (ETW). A positive response to 7-13 requires a final determination by the Department.

| # | Wetland Feature Decision Table | WTL-1 | Yes/No | Affirmative Result |
|----|---|-------|--------|--------------------------------|
| 1 | The wetland has been designated as an Outstanding Natural Resource Water (ONRW) by the Department under 0400-40-03-.06(5)(a). | | No | ONRW |
| 2 | The wetland has previously been designated and documented as an Exceptional Tennessee Water (ETW) by the Department under 0400-40-03-.06(4)(a)(7) | | No | ETW |
| 3 | The wetland is within state or national parks, wildlife refuges, forests, wilderness areas, natural areas, or is a designated State Scenic Rivers or Federal Wild and Scenic Rivers. | | No | ETW |
| 4 | The wetland is known to contain a documented non-experimental population of state or federally listed threatened or endangered aquatic or semi-aquatic plants, or aquatic animals. | | No | ETW |
| 5 | The wetland or the area it is in has been designated by the U.S. Fish and Wildlife Service as " Critical Habitat " for any threatened or endangered aquatic or semi-aquatic plant or aquatic animal species. | | No | ETW |
| 6 | The wetland falls within an area designated as Lands Unsuitable for Mining pursuant to the federal Surface Mining Control and Reclamation Act where such designation is based in whole or in part on impacts to water resource values | | No | ETW |
| 7 | The wetland exhibits outstanding ecological or recreational values such as, but not limited to, those as outlined in 8-12 | | No | Determination Required by TDEC |
| 8 | The wetland fits within the species composition concept for any plant community found in the state of Tennessee ranked G2, G1, or more imperiled at the "Association" classification level according to the NatureServe and Natural Heritage Ranking system (e.g. "bog", "fen", and "wet prairie/barren" communities). | | No | Determination Required by TDEC |
| 9 | The wetland is an uncommon resource (e.g. vernal pools, headwater wetlands, sinks, spring/seeps, glades, newly described communities, high recreational or socioeconomic value) in the region and/or is deemed such by concurrence of qualified scientists. | | No | Determination Required by TDEC |
| 10 | The wetland is an older aged forested wetland comprised of overstory trees with an average diameter at breast height (dbh) being greater than or equal to 30 in within the WAA. | | No | Determination Required by TDEC |
| 11 | The wetland is observed and documented to be a significant waterfowl, songbird, shorebird, amphibian, bat, fish habitat area . These may include rookeries, migratory congregations, nesting sites, breeding areas, etc. | | No | Determination Required by TDEC |
| 12 | The wetland is hydrologically connected to and/or has significant ecological contribution to an ETW | | No | Determination Required by TDEC |
| 13 | The wetland has High Resource Value as determined by a score of 75 and above using the TRAM or non-HGM TRAM (to be determined after completing the quantitative portion of this manual) | | No | Determination Required by TDEC |

End of Narrative Rating. Begin Quantitative Rating on Next Page.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: Haywood County; SR-1, HWY 70 E. Bridge over Little Muddy Creek at LM 2.13 Map Label: UPL-1
 PE and PIN: 38002-0216-94, 124505.00 Date: 11.29.2018 Station: N/A
 Investigator(s): G. Harris, T. Nehus HUC 12 (code and name): Little Muddy Creek - Wesley Lake (080102080511)
 Landform (hillslope, terrace, etc.): Slope Local relief (concave, convex, none): concave Slope (%): _____
 Subregion (LRR or MLRA): LRR-P Lat: 35.450642 Long: -89.438408 Datum: WGS-84
 Soil Map Unit Name: Convent NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes No _____ (If no, explain in Remarks.)
 Are Vegetation , Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes No _____
 Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

| | |
|--|--|
| Hydrophytic Vegetation Present? Yes _____ No <input checked="" type="checkbox"/> Hydric Soil Present? Yes _____ No <input checked="" type="checkbox"/> Wetland Hydrology Present? Yes _____ No <input checked="" type="checkbox"/> | Is the Sampled Area within a Wetland? Yes _____ No <input checked="" type="checkbox"/> |
| Remarks: Photos: <u>4</u> Buffer (ft): _____ Approximate size (ac.): _____ Portion Affected (permanent) (ac.): _____ Portion Affected (temporary) (ac.): _____ | Confirmation (by, date): <u>Not Required</u> Mitigation (to be included in design): <u>No</u> Notes: _____ |

HYDROLOGY

| | |
|---|--|
| Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply) | Secondary Indicators (minimum of two required) |
| <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) (LRR U) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) | <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> FAC-Neutral Test (D5) |

| | |
|---|--|
| Field Observations: Surface Water Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Water Table Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Saturation Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ (includes capillary fringe) | Wetland Hydrology Present? Yes _____ No <input checked="" type="checkbox"/> |
|---|--|

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
 Road slope

VEGETATION – Use scientific names of plants.

Map Label: UPL-1

| <u>Tree Stratum</u> (Plot sizes: _____) | <u>Absolute % Cover</u> | <u>Dominant Species?</u> | <u>Indicator Status</u> | Dominance Test worksheet: |
|---|-------------------------|--------------------------|-------------------------|--|
| 1. _____ | _____ | _____ | _____ | Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A/B) |
| 2. _____ | _____ | _____ | _____ | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| 6. _____ | _____ | _____ | _____ | |
| 7. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | Prevalence Index worksheet: Total % Cover of: _____ Multiply by: _____ OBL species _____ x 1 = _____ FACW species _____ x 2 = _____ FAC species _____ x 3 = _____ FACU species _____ x 4 = _____ UPL species _____ x 5 = _____ Column Totals: _____ (A) _____ (B) Prevalence Index = B/A = _____ |
| <u>Sapling Stratum</u> (_____) | | | | |
| 1. _____ | _____ | no | UPL | |
| 2. _____ | _____ | no | UPL | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| 6. _____ | _____ | _____ | _____ | |
| 7. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | Hydrophytic Vegetation Indicators: <input type="checkbox"/> Dominance Test is >50% <input type="checkbox"/> Prevalence Index is ≤3.0 ¹ <input type="checkbox"/> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present. |
| <u>Shrub Stratum</u> (_____) | | | | |
| 1. _____ | _____ | _____ | _____ | |
| 2. _____ | _____ | _____ | _____ | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| 6. _____ | _____ | _____ | _____ | |
| 7. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | Definitions of Vegetation Strata: Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH). Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH. Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height. Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size. Includes woody plants, except woody vines, less than approximately 3 ft (1 m) in height. Woody vine – All woody vines, regardless of height. Hydrophytic Vegetation Present? Yes _____ No <input checked="" type="checkbox"/> |
| <u>Herb Stratum</u> (_____) | | | | |
| 1. <u>Cynodon dactylon</u> | _____ | yes | FACU | |
| 2. <u>Lamium amplexicauli</u> | _____ | yes | UPL | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| 6. _____ | _____ | _____ | _____ | |
| 7. _____ | _____ | _____ | _____ | |
| 8. _____ | _____ | _____ | _____ | |
| 9. _____ | _____ | _____ | _____ | |
| 10. _____ | _____ | _____ | _____ | |
| 11. _____ | _____ | _____ | _____ | |
| 12. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | |
| <u>Woody Vine Stratum</u> (_____) | | | | |
| 1. _____ | _____ | _____ | _____ | |
| 2. _____ | _____ | _____ | _____ | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | |
| Remarks: (If observed, list morphological adaptations below). | | | | |

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

| Depth (inches) | Matrix | | Redox Features | | | | Texture | Remarks |
|-------------------|---------------|---|----------------|---|-------------------|------------------|---------|---------|
| | Color (moist) | % | Color (moist) | % | Type ¹ | Loc ² | | |
| 0-12" | 10YR3/4 | | none | | C | M | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Organic Bodies (A6) (LRR P, T, U)
- 5 cm Mucky Mineral (A7) (LRR P, T, U)
- Muck Presence (A8) (LRR U)
- 1 cm Muck (A9) (LRR P, T)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Coast Prairie Redox (A16) (MLRA 150A)
- Sandy Mucky Mineral (S1) (LRR O, S)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7) (LRR P, S, T, U)

- Polyvalue Below Surface (S8) (LRR S, T, U)
- Thin Dark Surface (S9) (LRR S, T, U)
- Loamy Mucky Mineral (F1) (LRR O)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR U)
- Depleted Ochric (F11) (MLRA 151)
- Iron-Manganese Masses (F12) (LRR O, P, T)
- Umbric Surface (F13) (LRR P, T, U)
- Delta Ochric (F17) (MLRA 151)
- Reduced Vertic (F18) (MLRA 150A, 150B)
- Piedmont Floodplain Soils (F19) (MLRA 149A)
- Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils³:

- 1 cm Muck (A9) (LRR O)
- 2 cm Muck (A10) (LRR S)
- Reduced Vertic (F18) (outside MLRA 150A,B)
- Piedmont Floodplain Soils (F19) (LRR P, S, T)
- Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- Red Parent Material (TF2)
- Very Shallow Dark Surface (TF12) (LRR T, U)
- Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if observed):

Type: _____
 Depth (inches): _____

Hydric Soil Present? Yes _____ No

Remarks:
 Road Fill

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: SR-1 Haywood 128113.03 City/County: Haywood Sampling Date: 07/03/2019
 Applicant/Owner: Tennessee Department of Transportation State: TN Sampling Point: WTL-2
 Investigator(s): Dustin Tucker Section, Township, Range: _____
 Landform (hillslope, terrace, etc.): Flood Plains Local relief (concave, convex, none): Concave Slope (%): 0-2
 Subregion (LRR or MLRA): 134 Lat: 35.45079 Long: -89.43854 Datum: WGS 84
 Soil Map Unit Name: Convent Silt Loam, frequently flooded NWI classification: PFO1C

Are climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.)
 Are Vegetation , Soil , or Hydrology significantly disturbed? Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

| | |
|---|---|
| Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | Is the Sampled Area within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> |
| Remarks: | |

HYDROLOGY

| | |
|--|---|
| Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply) | Secondary Indicators (minimum of two required) |
| <input checked="" type="checkbox"/> Surface Water (A1) <input checked="" type="checkbox"/> Aquatic Fauna (B13) <input checked="" type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Marl Deposits (B15) (LRR U) <input checked="" type="checkbox"/> Saturation (A3) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Other (Explain in Remarks) <input checked="" type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input checked="" type="checkbox"/> Water-Stained Leaves (B9) | <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) <input checked="" type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input checked="" type="checkbox"/> Crayfish Burrows (C8) <input checked="" type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> FAC-Neutral Test (D5) <input type="checkbox"/> Sphagnum moss (D8) (LRR T, U) |
| Field Observations: Surface Water Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (inches): <u>5</u> Water Table Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (inches): <u>0</u> Saturation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (inches): <u>0</u> (includes capillary fringe) | Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> |
| Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: | |
| Remarks: | |

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: WTL-2

| | Absolute % Cover | Dominant Species? | Indicator Status | | |
|---|------------------|---------------------------|------------------|--|--|
| Tree Stratum (Plot size: _____) | | | | | |
| 1. <u>Ulmus rubra</u> | | Y | FAC | Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>14</u> (A) Total Number of Dominant Species Across All Strata: <u>15</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>93%</u> (A/B) | |
| 2. <u>Acer negundo</u> | | Y | FAC | | |
| 3. <u>Platanus occidentalis</u> | | Y | FACW | | |
| 4. <u>Robinia pseudoacacia</u> | | Y | UPL | | |
| 5. <u>Liquidambar styraciflua</u> | | Y | FAC | | |
| 6. _____ | | | | | |
| 7. _____ | | | | | |
| 8. _____ | | | | | |
| _____ = Total Cover | | | | Prevalence Index worksheet: Total % Cover of: _____ Multiply by: _____ OBL species _____ x 1 = _____ FACW species _____ x 2 = _____ FAC species _____ x 3 = _____ FACU species _____ x 4 = _____ UPL species _____ x 5 = _____ Column Totals: _____ (A) _____ (B) Prevalence Index = B/A = _____ | |
| 50% of total cover: _____ | | 20% of total cover: _____ | | | |
| Sapling/Shrub Stratum (Plot size: _____) | | | | | |
| 1. <u>Ligustrum sinense</u> | | Y | FAC | | |
| 2. <u>Quercus phellos</u> | | Y | FACW | | |
| 3. <u>Asimina triloba</u> | | Y | FAC | | |
| 4. _____ | | | | | |
| 5. _____ | | | | | |
| 6. _____ | | | | | |
| 7. _____ | | | | | |
| 8. _____ | | | | | |
| _____ = Total Cover | | | | Hydrophytic Vegetation Indicators: <input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation <input checked="" type="checkbox"/> 2 - Dominance Test is >50% <input type="checkbox"/> 3 - Prevalence Index is ≤3.0 ¹ <input type="checkbox"/> Problematic Hydrophytic Vegetation ¹ (Explain) | |
| 50% of total cover: _____ | | 20% of total cover: _____ | | | |
| Herb Stratum (Plot size: _____) | | | | | |
| 1. <u>Saururus cernuus</u> | | Y | OBL | | |
| 2. <u>Cephalanthus occidentalis</u> | | Y | OBL | | |
| 3. <u>Urtica dioica</u> | | Y | FAC | | |
| 4. <u>Carex frankii</u> | | Y | OBL | | |
| 5. <u>Toxicodendron radicans</u> | | Y | FAC | | |
| 6. _____ | | | | | |
| 7. _____ | | | | | |
| 8. _____ | | | | | |
| 9. _____ | | | | | |
| 10. _____ | | | | | |
| 11. _____ | | | | | |
| 12. _____ | | | | | |
| _____ = Total Cover | | | | Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vine – All woody vines greater than 3.28 ft in height. | |
| 50% of total cover: _____ | | 20% of total cover: _____ | | | |
| Woody Vine Stratum (Plot size: _____) | | | | | |
| 1. <u>Smilax rotundifolia</u> | | Y | FAC | | |
| 2. <u>Brunnichia ovata</u> | | Y | FACW | | |
| 3. _____ | | | | | |
| 4. _____ | | | | | |
| 5. _____ | | | | | |
| _____ = Total Cover | | | | Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | |
| 50% of total cover: _____ | | 20% of total cover: _____ | | | |
| Remarks: (If observed, list morphological adaptations below). | | | | | |

SOIL

Sampling Point: WTL-2

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

| Depth (inches) | Matrix | | Redox Features | | | | Texture | Remarks |
|-------------------|---------------|----|----------------|----|-------------------|------------------|----------|---------|
| | Color (moist) | % | Color (moist) | % | Type ¹ | Loc ² | | |
| 0-6 | 10yr 5/1 | 90 | 5yr 4/6 | 10 | c | m | Clayloam | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Organic Bodies (A6) (LRR P, T, U)
- 5 cm Mucky Mineral (A7) (LRR P, T, U)
- Muck Presence (A8) (LRR U)
- 1 cm Muck (A9) (LRR P, T)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Coast Prairie Redox (A16) (MLRA 150A)
- Sandy Mucky Mineral (S1) (LRR O, S)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7) (LRR P, S, T, U)

- Polyvalue Below Surface (S8) (LRR S, T, U)
- Thin Dark Surface (S9) (LRR S, T, U)
- Loamy Mucky Mineral (F1) (LRR O)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR U)
- Depleted Ochric (F11) (MLRA 151)
- Iron-Manganese Masses (F12) (LRR O, P, T)
- Umbric Surface (F13) (LRR P, T, U)
- Delta Ochric (F17) (MLRA 151)
- Reduced Vertic (F18) (MLRA 150A, 150B)
- Piedmont Floodplain Soils (F19) (MLRA 149A)
- Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils³:

- 1 cm Muck (A9) (LRR O)
- 2 cm Muck (A10) (LRR S)
- Reduced Vertic (F18) (outside MLRA 150A,B)
- Piedmont Floodplain Soils (F19) (LRR P, S, T)
- Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- Red Parent Material (TF2)
- Very Shallow Dark Surface (TF12)
- Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____
 Depth (inches): _____

Hydric Soil Present? Yes No

Remarks:

HGM FUNCTIONAL ASSESSMENT SLOPE WETLANDS

Date: 6-3-2019

Project Name SR-1 Bridge Replacement over Muddy Creek 128113.03

Field Personnel Dustin Tucker

Wetland Name/Location WTL-2

Read instructions prior to conducting assessments. If project area is large or highly heterogeneous requiring the designation of several WAAs, a separate assessment should be performed for each WAA. CHECK THE APPROPRIATE BLANK(S) BELOW.

V1: Hydroperiod (HYDRO)

- | | | |
|-------------------------------------|---|---|
| <input type="checkbox"/> | 1. Hydrology not altered (SI = 1.0) - no fill material or excessive sediment - no ditches/drainage tiles -no alteration to overland runoff, groundwater discharge/recharge | - no roads or other impediments to surface ground water - no excavation |
| <input type="checkbox"/> | 2. Hydrology slightly altered (SI = 0.75) - portion of site with minimal fill or sediment - portion of site with drainage ditches/tiles -some alteration to overland runoff, groundwater discharge/recharge | - roads or other impediments, water flow slightly altered - minor portion of site excavated |
| <input type="checkbox"/> | 3. Hydrology moderately altered (SI = 0.5) - portion of site with moderate fill or sediment - portion of site with drainage ditches/tiles - some alteration to overland runoff, groundwater discharge/recharge | - roads or other impediments, water flow moderately altered - moderate portion of site excavated |
| <input checked="" type="checkbox"/> | 4. Hydrology significantly altered (SI = 0.25) - portion of site with significant fill or sediment - portion of site with drainage ditches/tiles - significant alteration to overland runoff, groundwater discharge/recharge | - roads or other impediments, water flow significantly altered - significant portion of site excavated |
| <input type="checkbox"/> | 5. Hydrology severely altered (SI = 0.1) - entire site impacted by fill or excessive sediment - entire site with numerous drainage ditches/tiles - no contributions to or from overland runoff, groundwater discharge/recharge | - roads or other impediments, water flow completely blocked - entire wetland affected |

V2: Wetland Watershed Integrity (WSHEDINT)

Use weighted average as discussed on page 10. Examples of land uses and multipliers listed below

- A = Percentage forested with no impervious surfaces 50
- B = Percentage permeable land, e.g. park, golf course, pasture, hay, orchard, tree farm, or similar 50
- C = Percentage low density residential, construction, or similar 0
- D = Percentage high density residential, or similar 0
- E = Percentage urban, commercial, industrial, or similar 0

$$V2 = (A \times 1.0) + (B \times 0.75) + (C \times 0.5) + (D \times 0.25) + (E \times 0.01)/(100) = \underline{0.88}$$

V3: Canopy Tree Size Class (TSIZE)

1. Average size of canopy trees > 3 in. DBH
- ≥ 15 in. (SI = 1.0) 10 – 14 in. (SI = 0.75) 6 – 9 in. (SI = 0.5) 4 – 5 in. (SI = 0.25)
- < 4 in. or no trees present, go to V5

V4: Canopy Tree Density (TDEN)

1. Average number of canopy trees (> 3 in. DBH) per 30-ft. radius plot
- 5 – 10 (SI = 1.0) 11 – 15 (SI = 0.75) > 15 (SI = 0.5) 1 – 4 (SI = 0.5)

V5: Shrub Cover (SCOV)

1. Average percent cover of shrubs (woody stems < 3 in. DBH and taller than 3 ft.) per 30-ft. radius plot

> 20 (SI = 1.0) < 20, go to V6

V6: Ground Vegetation Cover (GVC)

1. Average percent cover of ground vegetation per 30-ft. radius plot

≥ 70 (SI = 1.0) 55 – 69 (SI = 0.75) 45 – 54 (SI = 0.5) 30 – 44 (SI = 0.25) 20 – 29 (SI = 0.1)
 < 20 (SI=0.0)

V7: Vegetation Composition and Diversity (COMP)

1. Check the dominant species from Groups 1, 2, and 3 below using the 50/20 rule. If tree cover is < 20%, check the dominants in the next tallest stratum. If a dominant does not appear in lists below, but is a native species, it can be added as a Group 2 species. Native shrub and herbaceous species are assigned to Group 2. When using shrub or herbaceous write in the number of dominant species. Dominant invasive species are checked regardless of stratum. *

| GROUP 1 (Reference Standard) | | GROUP 2 (Native Ubiquitous) | | GROUP 3 (Invasive) |
|--|---------------------------------------|--|--|---|
| <input type="checkbox"/> Water oak | <input type="checkbox"/> Pin oak | <input type="checkbox"/> American elm | <input type="checkbox"/> Green ash | <input checked="" type="checkbox"/> European/Chinese privet |
| <input type="checkbox"/> Bur oak | <input type="checkbox"/> Shumard oak | <input checked="" type="checkbox"/> Slippery elm | <input type="checkbox"/> Red maple | <input type="checkbox"/> Japanese honeysuckle |
| <input checked="" type="checkbox"/> Willow oak | <input type="checkbox"/> Bald cypress | <input checked="" type="checkbox"/> Sweetgum | <input type="checkbox"/> Silver maple | <input type="checkbox"/> Japanese stiltgrass |
| <input type="checkbox"/> Swamp chestnut oak | <input type="checkbox"/> Water tupelo | <input type="checkbox"/> Blackgum | <input type="checkbox"/> Black willow | <input type="checkbox"/> Purple loosestrife |
| <input type="checkbox"/> Cherrybark oak | <input type="checkbox"/> S. black gum | <input type="checkbox"/> Silky dogwood | <input checked="" type="checkbox"/> Sycamore | <input type="checkbox"/> Giant reed |
| <input type="checkbox"/> Swamp white oak | <input type="checkbox"/> Persimmon | <input checked="" type="checkbox"/> Boxelder | <input type="checkbox"/> _____ | <input type="checkbox"/> Tall fescue |
| <input type="checkbox"/> Nuttall oak | <input type="checkbox"/> Am. hornbeam | <input type="checkbox"/> Tulip poplar | <input type="checkbox"/> _____ | <input type="checkbox"/> Phragmites |
| <input type="checkbox"/> Overcup oak | <input type="checkbox"/> _____ | _____ Number native shrub spp. | | <input type="checkbox"/> _____ |
| <input type="checkbox"/> _____ | <input type="checkbox"/> _____ | _____ Number native herbaceous spp. | | <input type="checkbox"/> _____ |

2. Using the number of dominants in Groups 1, 2, and 3 above, calculate a quality index (Q) using the following formula: $[(1.0 \times \# \text{ of checked dominants in Group 1}) + (0.66 \times \# \text{ of checked dominants in Group 2}) + (0.0 \times \# \text{ of checked dominants in Group 3})] / \text{total } \# \text{ of checked dominants in all groups} = 0.61$

3. Multiply Q above by one of the following constants that reflects species richness:¹

- a) if ≥ 4 species from Groups 1 and/or 2 occur as dominants, multiply Q by 1.0 0.61
- b) if 3 species from Groups 1 and/or 2 occur as dominant, multiply Q by 0.75 _____
- c) if 2 species from Groups 1 and/or 2 occur as dominants, multiply Q by 0.50 _____
- d) if 1 species from Groups 1 and/or 2 occurs as dominant, multiply Q by 0.25 _____
- e) if no species from Groups 1 and/or 2 occurs as dominant, multiply Q by 0.0 _____

4. Calculate the square root of the value from Step 3 above. This is the SI for V7= 0.78

*In some Depression wetlands and in some small WAAs (e.g., <0.5 acres), relatively few species (e.g., overcup oak) may be present. In cases in which this is the normal condition, Q can be multiplied by 1.0 if only 1 or 2 species are dominant.

V8: Soil Organic Matter (ORGANIC)

1. Surface horizons unaltered

100 percent cover of O and/or A horizon present (SI = 1.0)

2. Surface horizons altered. Estimate the percent of the WAA in which neither an O or A horizon is present.

3. Subtract the sum of the values from Step 2 from 100. Convert this value to a decimal. This is the SI for V8 (e.g., if 75 % of the WAA does not have an O or A horizon due to a significant disturbance, it will have an SI of 0.25).

V9: Buffer (BUFFER)

1. Determine the Connection Index (CI) by estimating the percent of the wetland surrounded by suitable buffer habitat.

90% – 100% (CI = 1.0) 75% – 89% (CI = 0.75) 40% – 74% (CI = 0.5) 10% – 39% (CI = 0.25)
 < 10% (CI = 0.1)

2. Multiply the CI by one if the following values:

- a) if average buffer width is ≥ 492 ft., multiply by 1.0
- b) if average buffer is 98 ft to 491 ft., multiply by 0.66
- c) if average buffer width is 33 ft to 97 ft., multiply by 0.33
- d) if average buffer width is < 33 ft., multiply by 0.1

3. This value is the SI for V9 = 0.33.

VALUES USED TO CALCULATE FUNCTIONAL CAPACITY INDICES (FCIs)

SUBINDEX VALUES:

V1 0.25 (HYDRO) V3 0.75 (TSIZE) V5 _____ (SCOV) V7 0.78 (COMP) V9 0.33 (BUFFER)
 V2 0.88 (WSHEDINT) V4 0.5 (TDEN) V6 _____ (GVC) V8 1.0 (ORGANIC)

WETLAND FUNCTIONS

| | | | |
|---|--|--|---------------|
| FUNCTION 1: MAINTAIN HYDROLOGIC REGIME | | | 0.47 |
| FCI 1: | $(V1 \times V2)^{1/2} \Rightarrow (\text{---} \times \text{---})^{1/2}$ | | = <u>0.47</u> |
| FUNCTION 2: MAINTAIN BIOGEOCHEMICAL PROCESSES | | | |
| FCI (trees present)= | $\left((V1 \times V2)^{1/2} \times \left(\frac{V3+V4+V8}{2} \right) \right)^{1/2} \Rightarrow \left((FCI 1) \times \left(\frac{(\text{---}+\text{---})+\text{---}}{2} \right) \right)^{1/2}$ | | = <u>0.62</u> |
| FCI (shrubs present)= | $\left((V1 \times V2)^{1/2} \times \left(\frac{V5+V8}{3} \right) \right)^{1/2} \Rightarrow \left((FCI 1) \times \left(\frac{\text{---}+\text{---}}{3} \right) \right)^{1/2}$ | | = _____ |
| FCI (ground cover) | $\left((V1 \times V2)^{1/2} \times \left(\frac{V6+V8}{5} \right) \right)^{1/2} \Rightarrow \left((FCI 1) \times \left(\frac{\text{---}+\text{---}}{5} \right) \right)^{1/2}$ | | = _____ |
| FUNCTION 3: MAINTAIN CHARACTERISTIC PLANT COMMUNITY | | | |
| FCI (trees present) = | $\frac{(V1 \times V2)^{1/2} + 2\left(\frac{V3+V4+V7}{3}\right)}{3} \Rightarrow \frac{(FCI 1) + 2\left(\frac{\text{---}+\text{---}+\text{---}}{3}\right)}{3}$ | | = <u>0.61</u> |
| FCI (shrubs present) = | $\frac{(V1 \times V2)^{1/2} + 2\left(\frac{V5+V7}{2}\right)}{6} \Rightarrow \frac{(FCI 1) + (\text{---} + \text{---})}{6}$ | | = _____ |
| FCI (groundcover) = | $\frac{(V1 \times V2)^{1/2} + 2\left(\frac{V6+V7}{2}\right)}{9} \Rightarrow \frac{(FCI 1) + (\text{---} + \text{---})}{9}$ | | = _____ |
| FUNCTION 4: MAINTAIN CHARACTERISTIC WILDILFE COMMUNITY | | | |
| FCI (trees) = | $\frac{(V1 \times V2)^{1/2} + 2\left(\frac{V3+V4+V7}{3}\right) + V9}{4} \Rightarrow \frac{(FCI 1) + 2\left(\frac{\text{---}+\text{---}+\text{---}}{3}\right) + \text{---}}{4}$ | | = <u>0.54</u> |
| FCI (shrubs present) = | $\frac{(V1 \times V2)^{1/2} + 2\left(\frac{V5+V7}{2}\right) + V9}{6} \Rightarrow \frac{(FCI 1) + (\text{---} + \text{---} + \text{---})}{6}$ | | = _____ |
| FCI (groundcover) = | $\frac{(V1 \times V2)^{1/2} + 2\left(\frac{V6+V7}{2}\right) + V9}{9} \Rightarrow \frac{(FCI 1) + (\text{---} + \text{---} + \text{---})}{9}$ | | = _____ |

TRAM Summary Worksheet

Project: SR-1 Haywood 128113.03

| Exceptional Status Wetlands | | Check if applicable |
|---|--|--------------------------|
| | 1. ONRW | <input type="checkbox"/> |
| | 2. ETW | <input type="checkbox"/> |
| | 3. Further Review Requested: Attach Wetland Background and Exceptional Status Wetlands Worksheet | <input type="checkbox"/> |
| | COMMENTS/NOTES: WTL-2 | |
| Quantitative Rating scores | Function: Hydrologic Regime | .47 |
| | Function: Biogeochemical Processes | 0.62 |
| | Function: Retain Particulates | |
| | Function: Plant Community | 0.61 |
| | Function: Wildlife Community | 0.54 |
| | Quantitative Score (Average of FCIs x 100) | 56 |
| | Value Added (Significant Size) Total | 3 |
| Total of Quantitative and Value Added Scores | TOTAL SCORE | 59 |

An affirmative response to 1-6 of the Decision Table identifies the wetland per rule as an Outstanding Natural Resource Water (ONRW) or Exceptional Tennessee Waters (ETW). A positive response to 7-13 requires a final determination by the Department.

| # | Wetland Feature Decision Table | WTL-2 | Yes/No | Affirmative Result |
|----|---|-------|--------|--------------------------------|
| 1 | The wetland has been designated as an Outstanding Natural Resource Water (ONRW) by the Department under 0400-40-03-.06(5)(a). | | No | ONRW |
| 2 | The wetland has previously been designated and documented as an Exceptional Tennessee Water (ETW) by the Department under 0400-40-03-.06(4)(a)(7) | | No | ETW |
| 3 | The wetland is within state or national parks, wildlife refuges, forests, wilderness areas, natural areas, or is a designated State Scenic Rivers or Federal Wild and Scenic Rivers. | | No | ETW |
| 4 | The wetland is known to contain a documented non-experimental population of state or federally listed threatened or endangered aquatic or semi-aquatic plants, or aquatic animals. | | No | ETW |
| 5 | The wetland or the area it is in has been designated by the U.S. Fish and Wildlife Service as " Critical Habitat " for any threatened or endangered aquatic or semi-aquatic plant or aquatic animal species. | | No | ETW |
| 6 | The wetland falls within an area designated as Lands Unsuitable for Mining pursuant to the federal Surface Mining Control and Reclamation Act where such designation is based in whole or in part on impacts to water resource values | | No | ETW |
| 7 | The wetland exhibits outstanding ecological or recreational values such as, but not limited to, those as outlined in 8-12 | | No | Determination Required by TDEC |
| 8 | The wetland fits within the species composition concept for any plant community found in the state of Tennessee ranked G2, G1, or more imperiled at the "Association" classification level according to the NatureServe and Natural Heritage Ranking system (e.g. "bog", "fen", and "wet prairie/barren" communities). | | No | Determination Required by TDEC |
| 9 | The wetland is an uncommon resource (e.g. vernal pools, headwater wetlands, sinks, spring/seeps, glades, newly described communities, high recreational or socioeconomic value) in the region and/or is deemed such by concurrence of qualified scientists. | | No | Determination Required by TDEC |
| 10 | The wetland is an older aged forested wetland comprised of overstory trees with an average diameter at breast height (dbh) being greater than or equal to 30 in within the WAA. | | No | Determination Required by TDEC |
| 11 | The wetland is observed and documented to be a significant waterfowl, songbird, shorebird, amphibian, bat, fish habitat area . These may include rookeries, migratory congregations, nesting sites, breeding areas, etc. | | No | Determination Required by TDEC |
| 12 | The wetland is hydrologically connected to and/or has significant ecological contribution to an ETW | | No | Determination Required by TDEC |
| 13 | The wetland has High Resource Value as determined by a score of 75 and above using the TRAM or non-HGM TRAM (to be determined after completing the quantitative portion of this manual) | | No | Determination Required by TDEC |

End of Narrative Rating. Begin Quantitative Rating on Next Page.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: SR-1 Haywood 128113.03 City/County: Haywood Sampling Date: 07/03/2019
 Applicant/Owner: Tennessee Department of Transportation State: TN Sampling Point: UPL-2
 Investigator(s): Dustin Tucker Section, Township, Range: _____
 Landform (hillslope, terrace, etc.): Flood plain Local relief (concave, convex, none): Convex Slope (%): 0-2
 Subregion (LRR or MLRA): 134 Lat: 35.45071 Long: -89.43852 Datum: WGS 84
 Soil Map Unit Name: Convent Silt Loam, frequently flooded NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.)
 Are Vegetation , Soil , or Hydrology significantly disturbed? Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

| | |
|---|---|
| Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Hydric Soil Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> | Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> |
| Remarks: | |

HYDROLOGY

| | |
|--|---|
| Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Marl Deposits (B15) (LRR U) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Water-Stained Leaves (B9) | <u>Secondary Indicators (minimum of two required)</u> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> FAC-Neutral Test (D5) <input type="checkbox"/> Sphagnum moss (D8) (LRR T, U) |
| Field Observations: Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____ Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____ Saturation Present? (includes capillary fringe) Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____ | Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> |
| Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: | |
| Remarks: | |

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: UPL-2

| | Absolute % Cover | Dominant Species? | Indicator Status | |
|---|------------------|-------------------|------------------|--|
| Tree Stratum (Plot size: _____) | | | | |
| 1. _____ | _____ | _____ | _____ | |
| 2. _____ | _____ | _____ | _____ | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| 6. _____ | _____ | _____ | _____ | |
| 7. _____ | _____ | _____ | _____ | |
| 8. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | |
| 50% of total cover: _____ 20% of total cover: _____ | | | | |
| Sapling/Shrub Stratum (Plot size: _____) | | | | |
| 1. _____ | _____ | _____ | _____ | |
| 2. _____ | _____ | _____ | _____ | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| 6. _____ | _____ | _____ | _____ | |
| 7. _____ | _____ | _____ | _____ | |
| 8. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | |
| 50% of total cover: _____ 20% of total cover: _____ | | | | |
| Herb Stratum (Plot size: _____) | | | | |
| 1. <u>Cynodon dactylon</u> | _____ | Y | FACU | |
| 2. _____ | _____ | _____ | _____ | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| 6. _____ | _____ | _____ | _____ | |
| 7. _____ | _____ | _____ | _____ | |
| 8. _____ | _____ | _____ | _____ | |
| 9. _____ | _____ | _____ | _____ | |
| 10. _____ | _____ | _____ | _____ | |
| 11. _____ | _____ | _____ | _____ | |
| 12. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | |
| 50% of total cover: _____ 20% of total cover: _____ | | | | |
| Woody Vine Stratum (Plot size: _____) | | | | |
| 1. _____ | _____ | _____ | _____ | |
| 2. _____ | _____ | _____ | _____ | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| _____ = Total Cover | | | | |
| 50% of total cover: _____ 20% of total cover: _____ | | | | |
| <p>Dominance Test worksheet:</p> <p>Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A)</p> <p>Total Number of Dominant Species Across All Strata: <u>1</u> (B)</p> <p>Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0%</u> (A/B)</p> <hr/> <p>Prevalence Index worksheet:</p> <p>Total % Cover of: _____ Multiply by: _____</p> <p>OBL species _____ x 1 = _____</p> <p>FACW species _____ x 2 = _____</p> <p>FAC species _____ x 3 = _____</p> <p>FACU species _____ x 4 = _____</p> <p>UPL species _____ x 5 = _____</p> <p>Column Totals: _____ (A) _____ (B)</p> <p>Prevalence Index = B/A = _____</p> <hr/> <p>Hydrophytic Vegetation Indicators:</p> <p>___ 1 - Rapid Test for Hydrophytic Vegetation</p> <p>___ 2 - Dominance Test is >50%</p> <p>___ 3 - Prevalence Index is ≤3.0¹</p> <p>___ Problematic Hydrophytic Vegetation¹ (Explain)</p> <p>¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.</p> <hr/> <p>Definitions of Four Vegetation Strata:</p> <p>Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.</p> <p>Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.</p> <p>Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.</p> <p>Woody vine – All woody vines greater than 3.28 ft in height.</p> <hr/> <p>Hydrophytic Vegetation Present? Yes _____ No <input checked="" type="checkbox"/></p> | | | | |
| Remarks: (If observed, list morphological adaptations below). | | | | |

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

| Depth (inches) | Matrix | | Redox Features | | | | Texture | Remarks |
|-------------------|---------------|---|----------------|-----|-------------------|------------------|---------|---------|
| | Color (moist) | % | Color (moist) | % | Type ¹ | Loc ² | | |
| 0-10 | | | 10yr 4/4 | 100 | C | M | Loam | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- . Histosol (A1)
- . Histic Epipedon (A2)
- . Black Histic (A3)
- . Hydrogen Sulfide (A4)
- . Stratified Layers (A5)
- . Organic Bodies (A6) (LRR P, T, U)
- . 5 cm Mucky Mineral (A7) (LRR P, T, U)
- . Muck Presence (A8) (LRR U)
- . 1 cm Muck (A9) (LRR P, T)
- . Depleted Below Dark Surface (A11)
- . Thick Dark Surface (A12)
- . Coast Prairie Redox (A16) (MLRA 150A)
- . Sandy Mucky Mineral (S1) (LRR O, S)
- . Sandy Gleyed Matrix (S4)
- . Sandy Redox (S5)
- . Stripped Matrix (S6)
- . Dark Surface (S7) (LRR P, S, T, U)

- . Polyvalue Below Surface (S8) (LRR S, T, U)
- . Thin Dark Surface (S9) (LRR S, T, U)
- . Loamy Mucky Mineral (F1) (LRR O)
- . Loamy Gleyed Matrix (F2)
- . Depleted Matrix (F3)
- . Redox Dark Surface (F6)
- . Depleted Dark Surface (F7)
- . Redox Depressions (F8)
- . Marl (F10) (LRR U)
- . Depleted Ochric (F11) (MLRA 151)
- . Iron-Manganese Masses (F12) (LRR O, P, T)
- . Umbric Surface (F13) (LRR P, T, U)
- . Delta Ochric (F17) (MLRA 151)
- . Reduced Vertic (F18) (MLRA 150A, 150B)
- . Piedmont Floodplain Soils (F19) (MLRA 149A)
- . Anomalous Bright Loamy Soils (F20) (MLRA 149A, 153C, 153D)

Indicators for Problematic Hydric Soils³:

- . 1 cm Muck (A9) (LRR O)
- . 2 cm Muck (A10) (LRR S)
- . Reduced Vertic (F18) (outside MLRA 150A,B)
- . Piedmont Floodplain Soils (F19) (LRR P, S, T)
- . Anomalous Bright Loamy Soils (F20) (MLRA 153B)
- . Red Parent Material (TF2)
- . Very Shallow Dark Surface (TF12)
- . Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____
 Depth (inches): _____

Hydric Soil Present? Yes _____ No

Remarks:

SPECIES REVIEW

Project: SR-1, Bridge Replacement over Muddy Creek, LM 2.13 PE No.: 38002-0216-94 PIN: 1128113.03
 Date of field study: 7/3/2019 Date TDEC database checked: 7/25/2019 Completed by: Dustin Tucker

Species reported within 1 mile radius of project:

| Species Scientific and common names, followed by (A) for animal or (P) for plant | Status | | Species is potentially present in R-O-W because: (A) it is listed by TDEC within ROW (B) habitat is present (C) observed during site visit (D) critical habitat present within ROW | Species is considered likely NOT present in R-O-W because: (A) Present habitat unsuitable (B) Not observed during site visit (C) Original record questionable (D) Considered extinct/extirpated | Accommodations to minimize impacts: (A) BMPs are sufficient to protect species (B) Special Notes are included on project plans (C) Individuals will be impacted. (D) Accommodations not practical due to broad habitat description or mobility of species | Habitat (include blooming, breeding or other information; where found according to TDEC database; year last observed; reference) | Notes |
|---|--------|----|--|---|---|--|---|
| | Fed | TN | | | | | |
| Prairie False-Foxglove (<i>Agalinis heterophylla</i>) (P) | | E | | B | A | Barrens; 1983 | Letter from TDEC stating that species is longer present in the area of the bridge replacement |

Species reported within 1-mile to 4-mile radius of project:

| Species Scientific and common names, followed by (A) for animal or (P) for plant | Status | | Species is potentially present in R-O-W because: (A) it is listed by TDEC within ROW (B) habitat is present (C) observed during site visit (D) critical habitat present within ROW | Species is considered likely NOT present in R-O-W because: (A) Present habitat unsuitable (B) Not observed during site visit (C) Original record questionable (D) Considered extinct/extirpated | Accommodations to minimize impacts: (A) BMPs are sufficient to protect species (B) Special Notes are included on project plans (C) Individuals will be impacted. (D) Accommodations not practical due to broad habitat description or mobility of species | Habitat (include blooming, breeding or other information; where found according to TDEC database; year last observed; reference) | Notes |
|---|--------|----|--|---|---|--|-------|
| | Fed | TN | | | | | |
| Reniform Sedge (<i>Carex reniformis</i>) (P) | | S | | B | A | Rich Bottomland Woods; 1996 | |

SPECIES REVIEW

Project: SR-1, Bridge Replacement over Muddy Creek, LM 2.13

PE No.: 38002-0216-94

PIN: 1128113.03

Migratory Birds

List ***significant concentrations*** of migratory birds encountered within the project area (rookeries, aggregations, nesting areas, etc).

| Species (Scientific and Common Name) | Approximate No. of Nests (or Individuals) | Location of Nests (or Individuals) (Include Latitude & Longitude) | Nesting Dates and Reference | Photograph # |
|--------------------------------------|---|---|-----------------------------|--------------|
| None | | | | |

USFWS letter: Yes X (attached) No ___ (explain)

Biological Assessment: Yes ___ (response letter attached; see below) No X

| Species (scientific and common names) | USFWS conclusion ¹ |
|---------------------------------------|-------------------------------|
| None | |

¹ Choose from "no effect"; "not likely to adversely affect;" or "likely to adversely affect;". If "likely to adversely affect" is chosen, indicate "no jeopardy to species and no adverse modification to habitat" or "jeopardy to species, or adverse modification to habitat" based on FWS concurrence letter



United States Department of the Interior



FISH AND WILDLIFE SERVICE
Tennessee ES Office
446 Neal Street
Cookeville, Tennessee 38501

February 23, 2018

Mr. Tim Nehus
Tennessee Department of Transportation
Environmental Planning and Permits Division
Suite 900, James K. Polk Building
505 Deaderick Street
Nashville, Tennessee 37243-0334

Subject: FWS# 18-CPA-0264. Proposed replacement of the State Route 1 Bridge over a Branch over Little Muddy Creek at LM 2.13; PIN 124505.00, P.E. 38002-0216-94, Haywood County, Tennessee.

Dear Mr. Nehus:

Thank you for your correspondence dated February 7, 2018, regarding the proposal to replace the State Route 1 Bridge over Little Muddy Creek in Haywood County, Tennessee. The Tennessee Department of Transportation requests our comments on any federally listed species of concern for this project. Personnel of the U.S. Fish and Wildlife Service (Service) have reviewed the information provided and offer the following comments.

Endangered species collection records available to the Service do not indicate that federally listed or proposed endangered or threatened species occur within the impact area of the project. We note, however, that collection records available to the Service may not be all-inclusive. Our database is a compilation of collection records made available by various individuals and resource agencies. This information is seldom based on comprehensive surveys of all potential habitat and thus does not necessarily provide conclusive evidence that protected species are present or absent at a specific locality. However, based on the best information available at this time, we believe that the requirements of section 7 of the Endangered Species Act of 1973, as amended, are fulfilled for all species that currently receive protection under the Act. Obligations under section 7 of the Act should be reconsidered if (1) new information reveals impacts of the proposed action that may affect listed species or critical habitat in a manner not previously considered, (2) the proposed action is subsequently modified to include activities which were not considered during this consultation, or (3) new species are listed or critical habitat designated that might be affected by the proposed action.

Our National Wetland Inventory maps indicate that the project is bounded by a sizable wetland on either side of the road. If wetland impacts would occur, the Corps of Engineers and the Tennessee Department of Environment and Conservation should be contacted regarding the presence of regulatory wetlands and the requirements of wetlands protection statutes.

If you have any questions regarding our comments, please contact John Griffith of my staff at 931/525-4995 or by email at john_griffith@fws.gov.

Sincerely,

A handwritten signature in blue ink that reads "Mary E. Jennings". The signature is written in a cursive style with a light blue shadow effect behind the text.

Mary E. Jennings
Field Supervisor

Tim Nehus

From: Casey Parker
Sent: Monday, March 05, 2018 9:46 AM
To: Tim Nehus; TDOT Env.LocalPrograms
Cc: Rob Todd
Subject: Correction of PIN RE: Haywood Co. SR-1 over L. Muddy Cr. and Branch PINs 124505.00 and 124503.00

Correction: PIN 124505.00 and PIN 124503.00

Subject: Haywood County; SR-1, HWY 70 E. Bridge over Branch at LM 2.89; P.E. 38002-0217-94, PIN 124505.00
Haywood County; SR-1, HWY 70 E. Bridge over Branch at LM 2.89; P.E. 38002-0217-94, PIN 124503.00
Mr. Tim Nehus,

I have reviewed the information that you provided regarding the proposed replacement of the subject bridges in Haywood County, Tennessee. The implementation of standard BMP's will be sufficient to satisfy the needs of the Tennessee Wildlife Resources Agency for this proposed project. Thank you for the opportunity to review and comment, please contact me if you need further assistance.

Casey Parker - Wildlife Biologist
Liaison to TDOT & Federal Highway Administration
Tennessee Wildlife Resources Agency
Environmental Services Division
Email: casey.parker@tn.gov



From: Casey Parker
Sent: Monday, March 5, 2018 9:34 AM
To: Tim Nehus; TDOT Env.LocalPrograms
Cc: Rob Todd
Subject: RE: Haywood Co. SR-1 over L. Muddy Cr. and Branch PINs 124505.00 and 124505.00

Subject: : Haywood County; SR-1, HWY 70 E. Bridge over Branch at LM 2.89; P.E. 38002-0217-94, PIN 124503.00
Haywood County; SR-1, HWY 70 E. Bridge over Branch at LM 2.89; P.E. 38002-0217-94, PIN 124503.00

Mr. Tim Nehus,

I have reviewed the information that you provided regarding the proposed replacement of the subject bridges in Haywood County, Tennessee. The implementation of standard BMP's will be sufficient to satisfy the needs of the Tennessee Wildlife Resources Agency for this proposed project. Thank you for the opportunity to review and comment, please contact me if you need further assistance.

Casey Parker - Wildlife Biologist
Liaison to TDOT & Federal Highway Administration
Tennessee Wildlife Resources Agency

Environmental Services Division

Email: casey.parker@tn.gov



From: Tim Nehus

Sent: Thursday, February 8, 2018 2:45 PM

To: Casey Parker

Cc: Rob Todd

Subject: Haywood Co. SR-1 over L. Muddy Cr. and Branch PINs 124505.00 and 124505.00

Casey,

SUBJECT: Haywood County; SR-1, HWY 70 E. Bridge over Branch at LM 2.89; P.E. 38002-0217-94, PIN 124503.00

Haywood County; SR-1, HWY 70 E. Bridge over Branch at LM 2.89; P.E. 38002-0217-94, PIN 124503.00

TDOT is proposing to replace the subject bridges in Haywood County. KMZ files of each bridge are attached as well as a single species map covering both bridges. Please advise us of any concerns TWRA may have. If you need anything else, just let me know.

Thanks,

Tim



Tim Nehus

Environmental Division-Consultant

TN Department of Transportation

505 Deaderick St., Suite 900

Nashville, TN 37243

O: (615) 532-5580 C: (615) 330-0745

From: [Todd Crabtree](#)
To: [Dustin Tucker](#)
Cc: [Roger McCoy](#); [Stephanie Ann Williams](#)
Subject: FW: Haywood County, SR-1, 128113.03
Date: Thursday, August 15, 2019 10:25:30 AM
Attachments: [image001.png](#)
[1 to 4 Mile T & E Species List.pdf](#)
[1 Mile T & E Species List.pdf](#)

Dustin,

The bridge replacement project is not expected to impact *Agalinis heterophylla* and we have no other rare plant records from that site. The site was searched in 2011 and *Agalinis heterophylla* was not found at the bridge location.



Todd Crabtree | State Botanist
TN Natural Heritage Program
William R. Snodgrass Tennessee Tower, 2nd Floor
312 Rosa L. Parks Avenue Nashville, TN 37243
(615) 532-1378
todd.crabtree@tn.gov
<https://www.TN.Gov/environment/natural-areas>
<https://www.facebook.com/tnnaturalareas>

From: Dustin Tucker
Sent: Wednesday, August 14, 2019 12:48 PM
To: Roger McCoy
Subject: FW: Haywood County, SR-1, 128113.03

Mr. McCoy,

I just wanted to check on the status of this project with your office. If you need any additional information concerning the project, please let me know.

Thank you,



Dustin Tucker | Environmental Studies Specialist Advanced
Region 4, Environmental Tech Office
Project Development
Building A, 1st floor
300 Benchmark Place, Jackson, TN 38301
p. 731-935-0101 c. 731-412-2000
dustin.tucker@tn.gov
tn.gov/tdot

From: Dustin Tucker
Sent: Thursday, July 25, 2019 2:03 PM
To: 'Roger McCoy'
Cc: Lou Timms; Jared McCoy; Rita M. Thompson
Subject: Haywood County, SR-1, 128113.03

Mr. McCoy,

TDOT is proposing to replace the bridge at the attached location under the above referenced project information. Attached is the project location as well as species record information for the subject project. A record for the prairie false-foxglove (*Agalinis heterophylla*) exists within the proposed ROW of the project. If you have any questions or need any additional information, please let me know.

Thank you,



Dustin Tucker | Environmental Studies Specialist Advanced
Region 4, Environmental Tech Office
Project Development
Building A, 1st floor
300 Benchmark Place, Jackson, TN 38301
p. 731-935-0101 c. 731-412-2000
dustin.tucker@tn.gov
tn.gov/tdot

Index Of Sheets

PRELIMINARY INDEX OF SHEETS

TITLESHEET 1
 TYPICAL SECTIONS 28
 RIGHT-OF-WAY NOTES, UTILITY NOTES and UTILITY OWNERS 3
 RIGHT-OF-WAY ACQUISITION TABLE(S) and PROPERTY MAP(S) 3A
 PRESENT LAYOUT(S) 4
 RIGHT OF WAY DETAILS 4A
 PROPOSED LAYOUT(S) 4B
 PROPOSED PROFILE(S) 4C
 PRIVATE DRIVE, BUSINESS, AND FIELD ENTRANCE PROFILE(S) 5
 DRAINAGE MAP(S) 6
 ROADWAY CROSS SECTIONS 7-17

STATE OF TENNESSEE
 DEPARTMENT OF TRANSPORTATION
 BUREAU OF ENGINEERING

HAYWOOD COUNTY

S.R. 1 (US 70/79) BRIDGE REPLACEMENT
 OVER MUDDY CREEK AT L.M. 2.13

PRELIMINARY

STATE HIGHWAY NO. 1 U.S. ROUTE NO. 70/79

| | | |
|--|-------|----|
| DOES THIS PROJECT QUALIFY FOR UTILITY CHAPTER 86 | YES X | NO |
|--|-------|----|

| | | |
|--------------------|---------------|-----------|
| TENN. | YEAR | SHEET NO. |
| | 2019 | 1 |
| FED. AID PROJ. NO. | BR-NH-1(383) | |
| STATE PROJ. NO. | 38002-0217-94 | |

PROJECT LOCATION
 BRIDGE ID. # 38SR0010001



PROJECT LOCATION
 BRIDGE ID. #

FOR USE IN THE
 ECOLOGY
 REPORT ONLY

38002-0217-94
 END PROJECT NO. BR-NH-1(383) PRELIMINARY
 STA. 64+00.00
 N 424835.1013 E 944900.4742

38002-0217-94
 BEGIN PROJECT NO. BR-NH-1(383) PRELIMINARY
 STA. 56+00.00
 N 424521.7562 E 944164.3935

SPECIAL NOTES

PROPOSALS MAY BE REJECTED BY THE COMMISSIONER IF ANY OF THE UNIT PRICES CONTAINED THEREIN ARE OBVIOUSLY UNBALANCED, EITHER EXCESSIVE OR BELOW THE REASONABLE COST ANALYSIS VALUE.


THIS PROJECT TO BE CONSTRUCTED UNDER THE STANDARD SPECIFICATIONS OF THE TENNESSEE DEPARTMENT OF TRANSPORTATION DATED JANUARY 1, 2015 AND ADDITIONAL SPECIFICATIONS AND SPECIAL PROVISIONS CONTAINED IN THE PLANS AND IN THE PROPOSAL CONTRACT.

TDOT C.E. MANAGER 1 OR
 TDOT TRANSPORTATION MANAGER 1 : STEPHANIE KISSELL

DESIGNED BY: HDR ENGINEERING, INC. CHECKED BY: KEVIN CAGLE

DESIGNER: GREG CLUCKER

P.E. NO. 38002-0217-94 (NEPA) PIN NO. 128113.04



| | |
|-------------------|---------------|
| R.O.W. LENGTH | 0.152 MILES |
| ROADWAY LENGTH | 0.139 MILES |
| BRIDGE LENGTH | 0.013 MILES |
| BOX BRIDGE LENGTH | 0.000 MILES |
| BOX BRIDGE LENGTH | 0.000 MILES ▲ |
| PROJECT LENGTH | 0.152 MILES |

▲ Not Included In the project length (Non Riding Surface).

NO EXCLUSIONS

PRELIMINARY
 PLANS

CAUTION!
 PRELIMINARY
 PLANS
 SUBJECT TO
 CHANGE

SEALED BY

APPROVED: *Paul D. Degges*
 PAUL D. DEGGES, CHIEF ENGINEER

DATE:

APPROVED: *Clay Bright*
 CLAY BRIGHT, COMMISSIONER

S.R. 1


| SURVEY 10-16-18 | TRAFFIC DATA |
|-----------------|-----------------|
| | ADT (2022) 1650 |
| | ADT (2042) 1980 |
| | DHV (2042) 218 |
| | D 65 - 35 |
| | T (ADT) 13 % |
| | T (DHV) 9 % |
| | V 55 MPH |

COORDINATES ARE NAD 83(1995), ARE DATUM ADJUSTED BY THE FACTOR OF 1.00004 AND TIED TO THE TGRN. ALL ELEVATIONS ARE REFERENCED TO THE NAVD 1988 WITH GEOD 03.

U.S. DEPARTMENT OF TRANSPORTATION
 FEDERAL HIGHWAY ADMINISTRATION

APPROVED: _____ DATE: _____
 DIVISION ADMINISTRATOR

| TYPE | YEAR | PROJECT NO. | SHEET NO. |
|--------|------|--------------|-----------|
| PRELIM | 2019 | BR-NH-1(383) | 4 |
| | | | |
| | | | |



CAUTION!
PRELIMINARY
PLANS
SUBJECT TO
CHANGE

SEALED BY

COORDINATES ARE NAD 83(1995), ARE DATUM ADJUSTED BY THE FACTOR OF 1.00004 AND TIED TO THE TORN. ALL ELEVATIONS ARE REFERENCED TO THE NAVD 88 DATUM (GEOID 03).

STATE OF TENNESSEE
 DEPARTMENT OF TRANSPORTATION

PRESENT LAYOUT

STA. 56+00 TO STA. 64+00
 SCALE: 1"= 50'

| LEGEND | WETLAND IMPACTS (WTL-1) |
|--------|---|
| | AREA OF PERMANENT IMPACT = 0.0075 AC. |
| | VOLUME OF PERMANENT IMPACT = 12.07 C.Y. |

6/12/2019 12:26:44 PM
 c:\pwworking\esri\1000258570\004.dwg



Photo 1. Downstream view of Little Muddy Cr. (STR-1)




Photo 2. Upstream view of Little Muddy Cr. (STR-1)



Photo 3. View of WTL-1



Photo 4. View of WTL-1 Upland data point



Photo 5. Soil characteristic to WTL-2



Photo 6. WTL-2



Photo 7. WTL-2





Photo 8. Soil characteristic to UPL-2




Photo 9. UPL-2

Flood Insurance Rate Map (FIRM)



MAP SCALE 1" = 1000'



PANEL 0305D

FIRM
FLOOD INSURANCE RATE MAP

**HAYWOOD COUNTY,
TENNESSEE
AND INCORPORATED AREAS**

PANEL 305 OF 400
(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

| COMMUNITY | NUMBER | PANEL | SUFFIX |
|----------------|--------|-------|--------|
| HAYWOOD COUNTY | 470227 | 0305 | D |

Notice to User: The **Map Number** shown below should be used when placing map orders; the **Community Number** shown above should be used on insurance applications for the subject community.



MAP NUMBER
47075C0305D
EFFECTIVE DATE
APRIL 16, 2008

Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT On-Line. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps check the FEMA Flood Map Store at www.msc.fema.gov

Air and Noise

Environmental Studies Request

Project Information

Route: SR-1
Termini: Bridge over Muddy Creek, LM 2.13 (IA)
County: Haywood
PIN: 128113.03


Request

Request Type: Environmental Study Reevaluation
Project Plans: Preliminary
Date of Plans: 06/13/2019
Location: Email Attachment

Certification

Requestor: Payton Croak
Title: TDOT Environmental Studies Specialist

Signature: Payton
Croak

 Digitally signed by
Payton Croak
Date: 2019.06.18
12:21:39 -05'00'

Environmental Study

Technical Section

Section: Air and Noise

Study Results

AIR QUALITY

Transportation Conformity

This project is in Haywood County which is in attainment for all regulated criteria pollutants. Therefore, conformity does not apply to this project.

Mobile Source Air Toxics (MSATs)

This project qualifies as a categorical exclusion under 23 CFR 771.117 and does not require a Mobile Source Air Toxics (MSATs) evaluation per FHWA's "Interim Guidance Update on Air Toxic Analysis in NEPA Documents" dated October 2016.

NOISE

This project is Type III in accordance with the FHWA noise regulation in 23 CFR 772 and TDOT's noise policy; therefore, a noise study is not needed.

Commitments

Did the study of this project result in any environmental commitments?

No

Additional Information

Is there any additional information or material included with this study?

No

Certification

Responder: Chasity L. Stinson

Title: TESS Advanced, TDOT Air and Noise Section

Signature: Chasity L.
Stinson

Digitally signed by
Chasity L. Stinson
Date: 2019.06.20
19:33:40 -05'00'

Cultural Resources

Environmental Studies Request

Project Information

Route: SR-1
Termini: Bridge over Muddy Creek, LM 2.13 (IA)
County: Haywood
PIN: 128113.03


Request

Request Type: Environmental Study Reevaluation
Project Plans: Preliminary
Date of Plans: 06/13/2019
Location: Email Attachment

Certification

Requestor: Payton Croak
Title: TDOT Environmental Studies Specialist

Signature: Payton
Croak

 Digitally signed by
Payton Croak
Date: 2019.06.18
12:21:39 -05'00'

Environmental Study

Technical Section

Section: Archaeology

Study Results

In a letter dated June 21, 2018 the TN SHPO concurred that no NRHP listed, eligible, or potentially eligible properties would be affected by this undertaking.

Commitments

Did the study of this project result in any environmental commitments?

No

Additional Information

Is there any additional information or material included with this study?

No

Certification

Responder: Sarah Kate McKinney

Title: TESS Archaeology

Signature: Sarah Kate
McKinney

Digitally signed by
Sarah Kate McKinney
Date: 2019.06.19
09:06:57 -05'00'



TENNESSEE HISTORICAL COMMISSION
STATE HISTORIC PRESERVATION OFFICE
2941 LEBANON PIKE
NASHVILLE, TENNESSEE 37243-0442
OFFICE: (615) 532-1550
www.tnhistoricalcommission.org

June 21, 2018

Mr. Phillip R. Hodge
Tennessee Department of Transportation
Suite 900, James K. Polk Building
505 Deaderick Street
Nashville, TN 37243-1402

RE: FHWA / Federal Highway Administration, SR-1/US Highway 70 Bridge Replacement over Little Muddy Creek, Haywood County, TN

Dear Mr. Hodge:

In response to your request, we have reviewed the archaeological report of investigations and accompanying documentation submitted by you regarding the above-referenced undertaking. Our review of and comment on your proposed undertaking are among the requirements of Section 106 of the National Historic Preservation Act. This Act requires federal agencies or applicants for federal assistance to consult with the appropriate State Historic Preservation Office before they carry out their proposed undertakings. The Advisory Council on Historic Preservation has codified procedures for carrying out Section 106 review in 36 CFR 800 (Federal Register, December 12, 2000, 77698-77739).

Considering the information provided, we find that no archaeological resources eligible for listing in the National Register of Historic Places will be affected by this undertaking. If project plans are changed or archaeological remains are discovered during project construction, please contact this office to determine what further action, if any, will be necessary to comply with Section 106 of the National Historic Preservation Act. Complete and/or updated Tennessee Site Survey Forms should be submitted to the Tennessee Division of Archaeology for all sites recorded and/or revisited during the current investigation. Questions or comments may be directed to Jennifer Barnett (615) 687-4780.

Your cooperation is appreciated.

Sincerely,

E. Patrick McIntyre, Jr.
Executive Director and
State Historic Preservation Officer

EPM/jmb

Environmental Studies Request

Project Information

Route: SR-1
Termini: Bridge over Muddy Creek, LM 2.13 (IA)
County: Haywood
PIN: 128113.03


Request

Request Type: Environmental Study Reevaluation
Project Plans: Preliminary
Date of Plans: 06/13/2019
Location: Email Attachment

Certification

Requestor: Payton Croak
Title: TDOT Environmental Studies Specialist

Signature: Payton
Croak

 Digitally signed by
Payton Croak
Date: 2019.06.18
12:21:39 -05'00'

Environmental Study

Technical Section

Section: Historic Preservation

Study Results

Based on a review of the 06/13/2019 Preliminary Plans, the TN-SHPO letter dated 06/12/2018 remains valid. The project APE does not contain historic properties listed or eligible for listing in the National Register of Historic Places as currently proposed.

Commitments

Did the study of this project result in any environmental commitments?

No

Additional Information

Is there any additional information or material included with this study?

No

Certification

Responder: Haley Seger

Title: TESS - Historic Preservation

Signature:

Haley Seger

Digitally signed by Haley
Seger
Date: 2019.06.18
15:02:56 -05'00'



TENNESSEE HISTORICAL COMMISSION
STATE HISTORIC PRESERVATION OFFICE
2941 LEBANON PIKE
NASHVILLE, TENNESSEE 37243-0442
OFFICE: (615) 532-1550
www.tnhistoricalcommission.org

June 12, 2018

Ms. Katherine Looney
Tennessee Department of Transportation
505 Deaderick St
Suite 900
Nashville, TN 37243-1402

RE: FHWA / Federal Highway Administration, Replacement of the SR 1 Bridge over Muddy Creek, Log Mile 2.13/ PIN 124505.00, , Haywood County, TN

Dear Ms. Looney:

In response to your request, we have reviewed the architectural survey report and accompanying documentation submitted by you regarding the above-referenced undertaking. Our review of and comment on your proposed undertaking are among the requirements of Section 106 of the National Historic Preservation Act. This Act requires federal agencies or applicants for federal assistance to consult with the appropriate State Historic Preservation Office before they carry out their proposed undertakings. The Advisory Council on Historic Preservation has codified procedures for carrying out Section 106 review in 36 CFR 800 (Federal Register, December 12, 2000, 77698-77739).

Considering the information provided, we concur that no architectural resources eligible for listing in the National Register of Historic Places will be affected by this undertaking. If project plans are changed or archaeological remains are discovered during project construction, please contact this office to determine what further action, if any, will be necessary to comply with Section 106 of the National Historic Preservation Act. Questions or comments may be directed to Casey Lee (615 253-3163).

Your cooperation is appreciated.

Sincerely,

E. Patrick McIntyre
Executive Director and
State Historic Preservation Officer

EPM/cjl

Native American Consultation

Environmental Studies Request

Project Information

Route: SR-1
Termini: Bridge over Muddy Creek, LM 2.13 (IA)
County: Haywood
PIN: 128113.03


Request

Request Type: Environmental Study Reevaluation
Project Plans: Preliminary
Date of Plans: 06/13/2019
Location: Email Attachment

Certification

Requestor: Payton Croak
Title: TDOT Environmental Studies Specialist

Signature: Payton
Croak

 Digitally signed by
Payton Croak
Date: 2019.06.18
12:21:39 -05'00'

Environmental Study

Technical Section

Section: Native American Coordination

Study Results

Letters were sent to the Absentee Shawnee Tribe and the Thlopthlocco Tribal Town on July 16, 2019 to bring MAC into compliance. Neither tribe responded.

Commitments

Did the study of this project result in any environmental commitments?

No

Additional Information

Is there any additional information or material included with this study?

No

Certification

Responder: Sarah Kate McKinney

Title: TESS Archaeology

Signature: Sarah Kate
McKinney

Digitally signed by
Sarah Kate McKinney
Date: 2019.08.27
12:33:43 -05'00'



**STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION**

ENVIRONMENTAL DIVISION
SUITE 900, JAMES K. POLK BUILDING
505 DEADERICK STREET
NASHVILLE, TENNESSEE 37243-1402
(615) 741-3655

CLAY BRIGHT
COMMISSIONER

BILL LEE
GOVERNOR

July 15, 2019

Mr. Galen Cloud
Thlopthlocco Tribal Town
PO Box 188
Okemah, OK 74859

SUBJECT: Section 106 Initial Consultation for Proposed Bridge Replacement of State Route 1 Bridges over Muddy Creek and Unnamed Branch in Haywood County, Tennessee (TDOT PIN 124505.00 and 124503.00).

Dear Mr. Cloud,

The Tennessee Department of Transportation (TDOT), in coordination with the Federal Highway Administration (FHWA), is proposing to replace the State Route 1 bridges over Muddy Creek, log mile 2.13 and Unnamed Branch, log mile 2.89, in Haywood County, Tennessee (maps attached). At this time detailed plans are not yet available, however, additional right-of-way is anticipated, and there will be ground disturbance within the area of potential effects (APE). For the archaeological assessment, the APE is generally defined as a polygon extending 500' from each streambank, 150' laterally on both its upstream and downstream side, and vertically to the maximum potential depth for archaeological deposits. The APE may be adjusted based on project specific circumstances.

The National Historic Preservation Act (NHPA) recognizes that federally funded undertakings, like the subject project, can affect historic properties to which your tribe attaches religious, cultural, and historic significance. In accordance with 36 CFR 800 regulations implementing compliance with Section 106 of the NHPA, we are providing general project information so that you can determine if your tribe has an interest in the project area or nature of the work proposed and so you have an opportunity to bring to our attention any interests and concerns about the potential for impacts to properties of religious and cultural significance. In addition, do you wish to be a consulting party on the project? Early awareness of your concerns can serve to protect historic properties valued by your tribe.

If you act as a consulting party you will receive archaeological assessment reports and related documentation, be invited to attend project meetings with FHWA, TDOT, and the Tennessee State Historic Preservation Office (TN-SHPO), if any are held, and be asked to provide input throughout the process. If you choose to not act as a consulting party at this time, you can do so at a later date simply by notifying me.


Please respond to me via letter, telephone (615-741-0977), fax (615-741-1098), or E-mail (Phillip.Hodge@tn.gov). I respectfully request responses (email is preferred) to project reports and other materials within thirty (30) days of receipt if at all possible. Thank you for your assistance.

Sincerely,

Enclosure

Phillip R. Hodge
Cultural Resources Manager


Haywood County, Tennessee PIN 124505.00 and 124503.00



Project Vicinity Base map


Haywood County, Tennessee PIN 124505.00 and 124503.00

TDOT PIN 124505.00 and 124503.00
Haywood County
USGS TOPO Stanton 423 NW



Haywood County, Tennessee PIN 124505.00 and 124503.00

TDOT PIN 124505.00 and 124503.00
Haywood County
USGS TOPO Stanton 423 NW



Phillip Hodge

From: TDOT TribalCoordination
Sent: Tuesday, July 16, 2019 4:59 PM
To: '106NAGPRA@astribe.com'
Subject: Section 106 Early Coordination; Carroll County, TN, West Tennessee Bridges (Region 4)
Attachments: Carroll SR436 Bridge 124139.00 NAC Frazier.pdf; Fayette SR 193 Bridge 124285.00 NAC Frazier.pdf; Haywood SR 1 Bridges 124505.00 and 124503.00 NAC Frazier.pdf; Lauderdale SR 87 Bridge 124637.00 NAC Frazier.pdf; Madison SR 223 Bridge 124712.00 NAC Frazier.pdf

Dear Ms. Frazier,

On behalf of the Federal Highway Administration, please find attached letters inviting Absentee Shawnee Tribe of Indians in Oklahoma to participate in the subject projects as a consulting party under Section 106 of the National Historic Preservation Act. These letters describe each project and include maps illustrating their location.

These projects were originally coordinated with federally recognized Native American nations in 2018. I am providing this information to you since at that time Carroll County was not included on FHWA's list of counties for Absentee Shawnee Tribe of Indians in Oklahoma's area of interest within Tennessee.

If you have any questions or need additional information, please feel free to call or email anytime. I appreciate your review of this information and look forward to your comments.

Sincerely,
Phil



Phillip Hodge | Cultural Resources Manager
Environmental Division
James K. Polk Building, 9th Floor
505 Deaderick St.
Nashville, TN 37243
p. 615-741-0977
Phillip.Hodge@tn.gov

Phillip Hodge

From: Phillip Hodge
Sent: Tuesday, July 16, 2019 4:59 PM
To: THPO@tttown.org
Subject: Section 106 Early Coordination; Carroll County, TN, West Tennessee Bridges (Region 4)
Attachments: Madison SR 223 Bridge 124712.00 NAC Cloud.pdf; Lauderdale SR 87 Bridge 124637.00 NAC Cloud.pdf; Haywood SR 1 Bridges 124505.00 and 124503.00 NAC Cloud.pdf; Carroll SR436 Bridge 124139.00 NAC Cloud.pdf

Dear Mr. Cloud,

On behalf of the Federal Highway Administration, please find attached letters inviting Thlopthlocco Tribal Town to participate in the subject projects as a consulting party under Section 106 of the National Historic Preservation Act. These letters describe each project and include maps illustrating their location.

These projects were originally coordinated with federally recognized Native American nations and tribes in 2018. I am providing this information to you since at that time Carroll County was not included on FHWA's list of counties for Thlopthlocco Tribal Town's area of interest within Tennessee.

If you have any questions or need additional information, please feel free to call or email anytime. I appreciate your review of this information and look forward to your comments.

Sincerely,
Phil



Phillip Hodge | Cultural Resources Manager
Environmental Division
James K. Polk Building, 9th Floor
505 Deaderick St.
Nashville, TN 37243
p. 615-741-0977
Phillip.Hodge@tn.gov

Hazardous Materials

Environmental Studies Request

Project Information

Route: SR-1
Termini: Bridge over Muddy Creek, LM 2.13 (IA)
County: Haywood
PIN: 128113.03


Request

Request Type: Environmental Study Reevaluation
Project Plans: Preliminary
Date of Plans: 06/13/2019
Location: Email Attachment

Certification

Requestor: Payton Croak
Title: TDOT Environmental Studies Specialist

Signature: Payton
Croak

 Digitally signed by
Payton Croak
Date: 2019.06.18
12:21:39 -05'00'

Environmental Study

Technical Section

Section: Hazardous Materials

Study Results

Based on the Preliminary Plans dated 12 June 2019, no known hazardous materials sites appear to affect this project as it is currently planned and no additional hazardous material studies are recommended at this time. The asbestos bridge survey has been completed, no asbestos was detected and the following project commitment has been submitted but is not shown in these plans.

In the event hazardous substances/wastes are encountered within the right-of-way, their disposition shall be subject to all applicable regulations, including the applicable sections of the Federal Resource Conservation and Recovery Act, as amended; the Comprehensive Environmental Response, Compensation, and Liability Act, as amended; and the Tennessee Hazardous Waste Management Act of 1983, as amended. Databases reviewed include: Google Earth imagery, EPA National Priorities List, EPA EnviroMapper, TDEC Registered UST database, TDEC Division of Water Resources Public Data Viewer, TDOT IBIS, and others as necessary.

Commitments

Did the study of this project result in any environmental commitments?

Yes

EDHZ001. An Asbestos Containing Material (ACM) survey was conducted on Bridge No. 38SR0010001, SR-1 over Muddy Creek, LM 2.13 (38-SR001-2.13). No ACM was detected. No special accommodations for demolition and waste disposal are anticipated for these structures and the material can be deposited in a C&D landfill. Prior to the demolition or rehabilitation of any structure (bridge or building), the contractor is required to submit the National Emission Standards for Hazardous Air Pollutants standard 10-day notice of demolition to the TDEC Division of Air Pollution Control (per TDOT Standard Specifications for Road and Bridge Construction (January 1, 2015) Sections 107.08 D and 202.03).

Additional Information

Is there any additional information or material included with this study?

No

Certification

Responder: Kyle Kirschenmann

Signature:

Kyle Kirschenmann

Title: Transportation Manager 1, Hazardous Materials Section

Digitally signed by Kyle Kirschenmann
DN: cn=Kyle Kirschenmann, o=TDOT,
ou=Hazardous Materials Section,
email=kyle.kirschenmann@tn.gov,
c=US
Date: 2019.06.18 14:03:09 -04'00'

30-January-2018
Barge File Number: 3637865

Mr. Kyle Kirschenmann, PG
Environmental Program Manager – Hazardous Materials Section
State of Tennessee, Department of Transportation
TDOT Environmental Division
James K. Polk Building, Suite 900
505 Deaderick Street
Nashville, TN 37243-0334

**RE: Asbestos Assessment Report
SR-1 (US-70) Bridge over Muddy Creek, LM 2.13 (IA)
PE-N: 38002-0216-94, PIN: 124505.00
Bridge Number: 38SR0010001
Haywood County, Tennessee**

Dear Mr. Kirschenmann:

Enclosed is the asbestos assessment report for the above-referenced bridge. A total of 36 samples were obtained during the assessment for asbestos analyses. Asbestos minerals were not detected in any of the samples collected.

If you have any questions, please contact me by phone at 615-252-4349 or via email at Tom.McComb@bargedesign.com.

Sincerely,



Thomas McComb, PG, CPG
Contract Manager / Project Manager
Barge Design Solutions, Inc.

Enclosure



TENNESSEE DEPARTMENT OF TRANSPORTATION ASBESTOS ASSESSMENT REPORT

SR-1 (US-70) Bridge over Muddy Creek, LM 2.13 (IA)
PE-N: 38002-0216-94, PIN: 124505.00
Bridge Number: 38SR0010001
Haywood County, Tennessee



PREPARED BY



615 3rd Avenue South, Suite 700
Nashville, TN 37210
Barge Project #: 36378-65

30-January-2018

A handwritten signature in black ink that reads "Randy Bell".

Randy Bell (Signature)
Tennessee Asbestos Inspector Accreditation No: A-I-47753-55579

TABLE OF CONTENTS

| | | |
|------------|--|----------|
| 1.0 | INTRODUCTION | 1 |
| 1.1 | TDOT Bridge Identification | 1 |
| 1.2 | General Description | 1 |
| 2.0 | ASSESSMENT | 1 |
| 2.1 | Personnel and Date(s) of Assessment..... | 2 |
| 2.2 | Visual Survey | 2 |
| 2.3 | Access to Bridge Components..... | 2 |
| 2.3.1 | <i>Top of Bridge Deck (Homogeneous Areas 2 & 3)</i> | 2 |
| 2.3.2 | <i>Underside of Bridge Deck (Homogeneous Area 9)</i> | 2 |
| 2.3.3 | <i>Bridge Beams (Homogeneous Area 7)</i> | 2 |
| 2.3.4 | <i>Bridge Piers/Bents and Support (Homogeneous Areas 10, 11, & 12)</i> | 2 |
| 2.3.5 | <i>Bridge Rails (Homogeneous Areas 1)</i> | 3 |
| 2.3.6 | <i>Abutments (Homogeneous Areas 4, 5, & 8)</i> | 3 |
| 2.3.7 | <i>Bridge Drainage (Homogeneous Area 6)</i> | 3 |
| 2.3.8 | <i>Other</i> | 3 |
| 3.0 | ANALYTICAL PROCEDURES | 3 |
| 3.1 | Asbestos Analysis Procedures..... | 3 |
| 3.2 | Laboratory Name and Accreditation..... | 3 |
| 4.0 | REGULATORY OVERVIEW | 4 |
| 4.1 | National Emission Standards for Hazardous Air Pollutants..... | 4 |
| 4.1.1 | <i>Definitions</i> | 4 |
| 5.0 | RESULTS..... | 5 |
| 5.1 | Results of Asbestos Bulk Sample Analysis | 5 |
| 6.0 | QUALIFICATIONS | 6 |

TABLES

| | | |
|---------|-----------------------------|---|
| Table 1 | Analytical Laboratory | 3 |
|---------|-----------------------------|---|

FIGURES

| | | |
|----------|---------------------------------|---|
| Figure 1 | Site Location Map | 8 |
| Figure 2 | Sample Location Depiction | 9 |

APPENDICES

| | | |
|------------|--|----|
| Appendix A | Asbestos Assessment Credentials | 10 |
| Appendix B | Photographs | 13 |
| Appendix C | Asbestos Sample Laboratory Analysis Data | 18 |
| Appendix D | Health and Safety Plan | 22 |

1.0 INTRODUCTION

This report presents the findings of an assessment for asbestos-containing materials (ACM) completed on the bridge identified in Section 1.1. The assessment was completed by Barge Design Solutions, Inc. (Barge) in accordance with the State of Tennessee, Department of Transportation Environmental Division, Social and Cultural Resources Office, Hazardous Materials Section requirements.

1.1 TDOT Bridge Identification

The bridge is identified in the TDOT Project System/Bridge Management System as:

Termini: SR-1 (US-70) Bridge over Muddy Creek, LM 2.13 (IA)

PE-N: 38002-0216-94

PIN: 124505.00

Bridge Number: 38SR0010001

County: Haywood

1.2 General Description

Bridge Number 38SR0010001, located on SR-1 over Muddy Creek, LM 2.13 (38-SR001-2.13), is a 65-foot, two-lane, two-span bridge constructed of concrete deck girders and steel I-beams with an asphalt wearing surface. The bridge was constructed in 1926. Based on visual assessment while on site the bridge appeared to have been modified and contained the following suspect materials which were sampled: new bearing pads and new piers. The bridge location is shown on Figure 1.

2.0 ASSESSMENT

The identification of ACM is performed by collecting bulk samples of suspect materials and having those samples analyzed by a laboratory. ACM are those materials found to contain greater than 1% asbestos by calibrated visual area estimation by Polarized Light Microscopy (PLM).

Bulk sampling is a procedure in which representative homogeneous sampling areas in a structure are identified and then sampled. A homogeneous sampling area is defined as an area that contains material of the same type (uniform in color and texture) and was applied during the same general time. Once the homogeneous sampling areas are identified, bulk samples of suspect materials were obtained from the homogeneous areas at the discretion of our inspectors, based on site conditions and experience.

2.1 Personnel and Date(s) of Assessment

The sampling and field activities were performed on December 4, 2017, by Randy Bell, Accredited State of Tennessee Asbestos Inspector. Copies of the inspector's and Barge's current accreditation from the State of Tennessee are included in Appendix A.

2.2 Visual Survey

Barge's survey began with a walk-through and visual survey of the structures located on the property. The visual survey consisted of:

- Sketching the structure and/or verifying the plans provided
- Locating and identifying homogeneous areas (HAs) of suspect materials that may contain asbestos minerals
- Determining applicable sampling locations

2.3 Access to Bridge Components

Individual bridge components were accessed by the following methods:

2.3.1 Top of Bridge Deck (Homogeneous Areas 2 & 3)

The bridge had a concrete curb. Three samples labeled MC-02-04, MC-02-05, and MC-02-06 were collected from the concrete curb. Samples were obtained using hammers and chisels. Three samples labeled MC-03-07, MC-03-08, and MC-03-09 were collected from the road stripe. Samples were obtained using a razor knife.

2.3.2 Underside of Bridge Deck (Homogeneous Area 9)

Three samples labeled MC-09-25, MC-09-26, and MC-09-27 were collected from the bottom of the bridge deck. Samples were obtained using hammers and chisels.

2.3.3 Bridge Beams (Homogeneous Area 7)

The bridge had concrete beams. Three samples labeled MC-07-19, MC-07-20, and MC-07-21 were collected from the beams. Samples were obtained using hammers and chisels.

2.3.4 Bridge Piers/Bents and Support (Homogeneous Area 10, 11, & 12)

The bridge had concrete piers and had been widened. Three samples labeled MC-10-28, MC-10-29, and MC-10-30 were collected from the old pier cap. Three samples labeled MC-11-31, MC-11-32, and MC-11-33 were collected from the old pier. Three samples labeled MC-12-34, MC-12-35, and MC-12-36 were collected from the new pier. Samples were obtained using hammers and chisels.

2.3.5 Bridge Rails (Homogeneous Area 1)

The bridge had concrete parapets. Three samples labeled MC-01-01, MC-01-02, and MC-01-03 were collected from the concrete parapets. Samples were obtained using hammers and chisels.

2.3.6 Abutments (Homogeneous Areas 4, 5, & 8)

The bridge had concrete wing walls. Three samples labeled MC-04-10, MC-04-11, and MC-04-12 were collected from the wing walls. The bridge had a concrete abutment. Three samples labeled MC-08-22, MC-08-23, and MC-08-24 were collected from the abutment. Samples were obtained using hammers and chisels. Three samples labeled MC-05-13, MC-05-14, and MC-05-15 were collected from the bearing pads beneath the new steel beams. Samples were obtained using a razor knife.

2.3.7 Bridge Drainage (Homogeneous Area 6)

Three samples labeled MC-06-16, MC-06-17, and MC-06-18 were collected from the deck drains. Samples were obtained using hammers and chisels.

2.3.8 Other

No other samples were collected from this bridge.

3.0 ANALYTICAL PROCEDURES

3.1 Asbestos Analysis Procedures

The bulk samples are analyzed in the laboratory using PLM coupled with dispersion staining (EPA Method 600/R-93/116). PLM is an analytical method for asbestos identification, which identifies the specific asbestos minerals by their unique optical properties. The optical properties are a result of the mineral's chemical composition, physical atomic structure, and visual morphology. This is the U.S. Environmental Protection Agency (EPA) recommended method of analysis for asbestos identification in bulk samples.

Samples which contain multiple layers, or that have associated mastic or adhesive backing, are analyzed as two or more separate samples when possible.

3.2 Laboratory Name and Accreditation

The bulk samples collected for this assessment were analyzed by a laboratory that has received certification from the American Industrial Hygiene Association's (AIHA) Laboratory Accreditation Program. The name and laboratory number of the analytical laboratory that analyzed the samples for this assessment is indicated in Table 1.

Table 1 - Analytical Laboratory

| | |
|-----------------------------|-----------------------------------|
| Laboratory Name | Frost Environmental Services, LLC |
| Laboratory ID Number | 198214 |

4.0 REGULATORY OVERVIEW

4.1 National Emission Standards for Hazardous Air Pollutants

The EPA's National Emission Standards for Hazardous Air Pollutants (NESHAP) regulations (40 CFR 61, Subpart B) requires that all regulated asbestos-containing materials (RACM) be properly removed prior to any renovation or demolition activities that will disturb them. These regulations define RACM as:

- Friable ACM.
- Category I non-friable ACM that has become friable.
- Category I non-friable ACM that will be or has been subject to sanding, grinding, cutting, or abrading.
- Category II non-friable ACM that has a high probability of becoming, or has become crumbled, pulverized, or reduced to powder by the forces expected to act on the material during demolition or renovation operations.

4.1.1 Definitions

Significant definitions related to regulation of asbestos under NESHAPS regulations include:

Friable asbestos-containing material (ACM), is defined by the Asbestos NESHAP, as any material containing more than one percent (1%) asbestos as determined using the method specified in Appendix A, Subpart F, 40 CFR Part 763, Section 1, Polarized Light Microscopy (PLM), that, when dry, can be crumbled, pulverized or reduced to powder by hand pressure. (Sec. 61.141).

Non-friable ACM is any material containing more than one percent (1%) asbestos as determined using the method specified in Appendix A, Subpart F, 40 CFR Part 763, Section 1, Polarized Light Microscopy (PLM), that, when dry, cannot be crumbled, pulverized, or reduced to powder by hand pressure. EPA also defines two categories of non-friable ACM, Category I and Category II non-friable ACM, which are described as follows:

Category I non-friable ACM is any asbestos-containing packing, gasket, resilient floor covering or asphalt roofing product which contains more than one percent (1%) asbestos as determined using polarized light microscopy (PLM) according to the method specified in Appendix A, Subpart F, 40 CFR Part 763. (Sec. 61.141).

Category II non-friable ACM is any material, excluding Category I non-friable ACM, containing more than one percent (1%) asbestos as determined using polarized light microscopy according to the methods specified in Appendix A, Subpart F, 40 CFR Part 763 that, when dry, cannot be crumbled, pulverized, or reduced to powder by hand pressure. (Sec. 61.141).

"Regulated Asbestos-Containing Material" (RACM) is (a) friable asbestos material, (b) Category I non-friable ACM that has become friable, (c) Category I non-friable ACM that will be or has been subjected to sanding, grinding, cutting or abrading, or (d) Category II non-friable ACM that has a high probability of becoming or has become crumbled, pulverized, or reduced to powder by the forces expected to act on the material in the course of demolition or renovation operations.

Friable materials are defined as those which can be crumbled, pulverized, or reduced to powder by hand pressure when dry. The NESHAP regulations also establish specific notification and control requirements for renovation and demolition work.

5.0 RESULTS

The results of the asbestos assessment are presented in the following section.

5.1 Results of Asbestos Bulk Sample Analysis

A total of 36 samples were obtained from the bridge. A depiction of the sample locations is shown on Figure 2. Multiple samples of each homogeneous area were collected in accordance with State of Tennessee, Department of Transportation Environmental Division, Social and Cultural Resources Office, Hazardous Materials Section requirements and delivered to the laboratory for visual observation and microscopic analysis. The samples were selected based on homogeneous areas of suspect materials, as described in Section 2.2.

None of the sampled material was found to contain asbestos minerals.

6.0 QUALIFICATIONS

The information presented herein is based on information obtained during the site visit(s) and from previous experience. If additional information becomes available, which might impact our conclusions or recommendations, Barge requests the opportunity to review the information, reassess the potential concerns, and modify opinions, if warranted.

This report has been prepared on behalf of the Tennessee Department of Transportation. This document is not a Bid Document or a Contract Document. Use of this report or reliance upon information contained in this report by any other party implies an agreement by that party to the same terms and conditions under which service was provided. Furthermore, any party, other than our Client, relying on this document is cautioned that all conclusions made or decisions arrived at based on their review of this document are those solely of the third party, without warranty, guarantee or promise by the author. These findings are relevant to the dates of our services and should not be relied upon to represent conditions at substantially earlier or later dates.

Figures



Copyright © 2013 National Geographic Society. Reprinted with permission.

2,000
Feet

Scale 1" = 2,000 feet
Tennessee State Plane (feet) 4100flps
North American Datum 1983


BARGE
Engineering & Construction

Tennessee Department Of Transportation - Asbestos Assessment Report
January 2018

SR-1 (US-70) Bridge over Muddy Creek, LM 2.13 (IA)
PE-N: 38002-0216-94, PIN: 124505.00
Bridge Number: 38SR0010001
Haywood County, Tennessee


Figure 1 - Site Location Map

Date: 25 January 2018



The following areas are not visible in these photos:

| | | |
|---|---|--|
| HA 6 Beams MC-06-16 MC-06-17 MC-06-18 | HA 7 Old Beams MC-07-19 MC-07-20 MC-07-21 | HA 8 Abutment MC-08-22 MC-08-23 MC-08-24 |
|---|---|--|



Notes:
Locations are typical of the homogeneous area, some sample locations were not visible from the angle of the photo therefore a representative location was labeled.
HA = Homogeneous Area

Tennessee Department of Transportation - Asbestos Assessment Report
January 2018

SR-1 (US-70) Bridge over Muddy Creek, LM 2.13 (IA)
PE-N: 38002-0216-94 , PIN: 124505.00
Bridge Number: 38SR0010001
Haywood County, Tennessee

Figure 2 -
Sample Location Depiction



Appendix A: Asbestos Assessment Credentials



THE STATE OF TENNESSEE

Department of Environment and Conservation Division of Solid Waste Management
Toxic Substances Program

William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 14th Floor Nashville TN 37243

By virtue of the authority vested by the Division of Solid Waste Management, the Company named below is hereby accredited to offer and/or conduct Asbestos activities pursuant to Rule 1200-01-20:

Barge Waggoner Sumner and Cannon, Inc

211 Commerce Street Suite 600 Nashville TN, 37201

to conduct ASBESTOS ACTIVITIES in schools or public and commercial buildings in Tennessee.
This firm is responsible for compliance with the applicable requirements of Rule 1200-01-20.

| Discipline | Type | Accreditation Number | Effective Date | Expiration Date |
|---------------|------------------|----------------------|--------------------|--------------------|
| Accreditation | Re-Accreditation | A-F-410-52467 | September 01, 2017 | September 30, 2018 |



Given under the Seal of the State of Tennessee in Nashville.

This 8th Day of September 2017

Division of Solid Waste Management
Toxic Substance Program

CN-1324 (Rev 6/13)

RDA-3020

THE STATE OF TENNESSEE

Department of Environment and Conservation
Division of Solid Waste Management
Toxic Substances Program



Re-Accreditation

Thomas R. Bell


| | | | |
|-------------|-----|------|-----|
| DOB | Sex | HGT | WGT |
| 09-Jul-1960 | M | 6'0" | 200 |

| Discipline | Accreditation | Expiration |
|--------------------|------------------|-------------|
| Inspector | A-I-47753-63125 | Nov-30-2018 |
| Management Planner | A-MP-47753-63126 | Nov-30-2018 |


Asbestos Accreditation


Appendix B: Photographs

| | |
|--|--|
| Photographer: Chelsea Sachs |  |
| Date: 12/18/2017 | |
| Description: Photograph 1 – Bridge Number | |


| | |
|---|--|
| Photographer: Chelsea Sachs |  |
| Date: 12/18/2017 | |
| Description: Photograph 2 – Homogeneous Area 1 Parapet MC-01-01 MC-01-02 MC-01-03 | |

| | |
|--|--|
| Photographer: Chelsea Sachs |  |
| Date: 12/18/2017 | |
| Description: Photograph 3 – Homogeneous Area 2 Curb Sample Locations MC-02-04 MC-02-05 MC-02-06 | |

| | |
|---|--|
| Photographer: Chelsea Sachs |  |
| Date: 12/18/2017 | |
| Description: Photograph 4 – Homogeneous Area 3 Road Stripe Sample Locations MC-03-07 MC-03-08 MC-03-09 | |

| | |
|--|--|
| <p>Photographer: Chelsea Sachs</p> |  |
| <p>Date: 12/18/2017</p> | |
| <p>Description: Photograph 5 – Homogeneous Area 4 Wing Wall Sample Locations MC-04-10 MC-04-11 MC-04-12</p> | |



| | |
|---|--|
| <p>Photographer: Chelsea Sachs</p> |  |
| <p>Date: 12/18/2017</p> | |
| <p>Description: Photograph 6 – Homogeneous Area 5 Bearing Pad Sample Locations MC-05-13 MC-05-14 MC-05-15</p> | |

| | |
|--|--|
| <p>Photographer: Chelsea Sachs</p> |  |
| <p>Date: 12/18/2017</p> | |
| <p>Description: Photograph 7 – Homogeneous Area 6 Deck drains Sample Locations MC-06-16 MC-06-17 MC-06-18</p> | |

| | |
|--|--|
| <p>Photographer: Chelsea Sachs</p> |  |
| <p>Date: 12/18/2017</p> | |
| <p>Description: Photograph 8 – Homogeneous Area 7 Old Beams Sample Locations MC-07-19 MC-07-20 MC-07-21</p> | |

| | |
|---|--|
| <p>Photographer: Chelsea Sachs</p> | |
| <p>Date: 12/18/2017</p> | |
| <p>Description: Photograph 9 – Homogeneous Area 8 Abutment Sample Locations MC-08-22 MC-08-23 MC-08-24</p> | |

| | |
|--|--|
| <p>Photographer: Chelsea Sachs</p> | |
| <p>Date: 12/18/2017</p> | |
| <p>Description: Photograph 10 – Homogeneous Area 9 Bottom of Deck Sample Locations MC-09-25 MC-09-26 MC-09-27</p> | |

| | |
|---|--|
| <p>Photographer: Chelsea Sachs</p> |  |
| <p>Date: 12/18/2017</p> | |
| <p>Description: Photograph 11 – Homogeneous Area 10 Old Pier Cap Sample Locations MC-10-28 MC-10-29 MC-10-30</p> | |
| <p>Photographer: Chelsea Sachs</p> |  |
| <p>Date: 12/18/2017</p> | |
| <p>Description: Photograph 12 – Homogeneous Area 11 Old Pier Sample Locations MC-11-31 MC-11-32 MC-11-33</p> | |


| | |
|--|---|
| <p>Photographer: Chelsea Sachs</p> |  A photograph showing the underside of a bridge structure over a creek. The bridge has a concrete pier and a metal beam. A white arrow points to the pier. The ground is muddy and covered with leaves. |
| <p>Date: 12/18/2017</p> | |
| <p>Description: Photograph 13 – Homogeneous Area 12 New Piers Sample Locations MC-12-34 MC-12-35 MC-12-36</p> | |

Appendix C: Asbestos Sample Laboratory Analysis Data

FROST ENVIRONMENTAL SERVICES, LLC

339 ROCKLAND ROAD, SUITE E, HENDERSONVILLE, TENNESSEE 37075

(615) 562-2669 office - (615) 473-9047 cell - email: lab@frostenvironmental.com



POLARIZED LIGHT MICROSCOPY (PLM) LABORATORY ANALYSIS REPORT (EPA/600/R-93/116 (JUNE 1993))

CLIENT: Barge Waggoner Sumner & Cannon, Inc.

Date Received: 12/28/2017

PROJECT: TDOT-SR-1 Over Muddy Branch-38SR001001

Date Analyzed: 1/2/2018

LOCATION: Haywood County TN

Date Reported: 1/2/2018

ANALYST: Jody Wilkins

| Sample Number | Location | Material Description | Binder (Non-Fibrous) Material | Non-Asbestos Fiber | Asbestos Type & Percent |
|---------------|-----------------|-----------------------------|-------------------------------|--------------------|-------------------------|
| MC-01-01 | Parapet | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-01-02 | Parapet | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-01-03 | Parapet | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-02-04 | Curb | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-02-05 | Curb | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-02-06 | Curb | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-03-07 | Road Stripe | White Beaded Material | 100 | None Detected | None Detected |
| MC-03-08 | Road Stripe | White Beaded Material | 100 | None Detected | None Detected |
| MC-03-09 | Road Stripe | White Beaded Material | 100 | None Detected | None Detected |
| MC-04-10 | Wing Wall | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-04-11 | Wing Wall | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-04-12 | Wing Wall | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-05-13 | New Bearing Pad | Black Cementitious Material | 100 | None Detected | None Detected |
| MC-05-14 | New Bearing Pad | Black Cementitious Material | 100 | None Detected | None Detected |
| MC-05-15 | New Bearing Pad | Black Cementitious Material | 100 | None Detected | None Detected |
| | | | | | |


Asbestos Containing Material (ACM) is defined as any material containing more than one percent asbestos.

Analysis was performed using EPA/600/R-93/116 (June 1993)), Test Method for the Determination of Asebstos in Bulk Building Materials.

FROST ENVIRONMENTAL SERVICES, LLC

339 ROCKLAND ROAD, SUITE E, HENDERSONVILLE, TENNESSEE 37075

(615) 562-2669 office - (615) 473-9047 cell - email: lab@frostenvironmental.com



POLARIZED LIGHT MICROSCOPY (PLM) LABORATORY ANALYSIS REPORT (EPA/600/R-93/116 (JUNE 1993))

CLIENT: Barge Waggoner Sumner & Cannon, Inc.

Date Received: 12/28/2017

PROJECT: TDOT-SR-1 Over Muddy Branch-38SR001001

Date Analyzed: 1/2/2018

LOCATION: Haywood County TN

Date Reported: 1/2/2018

ANALYST: Jody Wilkins

| Sample Number | Location | Material Description | Binder (Non-Fibrous) Material | Non-Asbestos Fiber | Asbestos Type & Percent |
|---------------|----------------|------------------------------------|-------------------------------|--------------------|-------------------------|
| MC-06-16 | Drains | Black/Yellow Cementitious Material | 100 | None Detected | None Detected |
| MC-06-17 | Drains | Black/Yellow Cementitious Material | 100 | None Detected | None Detected |
| MC-06-18 | Drains | Black/Yellow Cementitious Material | 100 | None Detected | None Detected |
| MC-07-19 | Old Beams | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-07-20 | Old Beams | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-07-21 | Old Beams | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-08-22 | Abutment | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-08-23 | Abutment | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-08-24 | Abutment | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-09-25 | Bottom Of Deck | Tan Cementitious Material | 100 | None Detected | None Detected |
| | | Silver Coating | 100 | <1% Cellulose | None Detected |
| MC-09-27 | Bottom Of Deck | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-09-27 | Bottom Of Deck | Tan Cementitious Material | 100 | None Detected | None Detected |
| | | Silver Coating | 100 | <1% Cellulose | None Detected |
| MC-10-28 | Old Pier Cap | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-10-29 | Old Pier Cap | Tan Cementitious Material | 100 | None Detected | None Detected |


Asbestos Containing Material (ACM) is defined as any material containing more than one percent asbestos.

Analysis was performed using EPA/600/R-93/116 (June 1993)), Test Method for the Determination of Asebstos in Bulk Building Materials.

FROST ENVIRONMENTAL SERVICES, LLC

339 ROCKLAND ROAD, SUITE E, HENDERSONVILLE, TENNESSEE 37075

(615) 562-2669 office - (615) 473-9047 cell - email: lab@frostenvironmental.com



POLARIZED LIGHT MICROSCOPY (PLM) LABORATORY ANALYSIS REPORT (EPA/600/R-93/116 (JUNE 1993))

CLIENT: Barge Waggoner Sumner & Cannon, Inc.

Date Received: 12/28/2017

PROJECT: TDOT-SR-1 Over Muddy Branch-38SR001001

Date Analyzed: 1/2/2018

LOCATION: Haywood County TN

Date Reported: 1/2/2018

ANALYST: Jody Wilkins

| Sample Number | Location | Material Description | Binder (Non-Fibrous) Material | Non-Asbestos Fiber | Asbestos Type & Percent |
|---------------|--------------|---------------------------|-------------------------------|--------------------|-------------------------|
| MC-10-30 | Old Pier Cap | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-11-31 | Old Pier | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-11-32 | Old Pier | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-11-33 | Old Pier | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-12-34 | New Pier | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-12-35 | New Pier | Tan Cementitious Material | 100 | None Detected | None Detected |
| MC-12-36 | New Pier | Tan Cementitious Material | 100 | None Detected | None Detected |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Asbestos Containing Material (ACM) is defined as any material containing more than one percent asbestos. Analysis was performed using EPA/600/R-93/116 (June 1993), Test Method for the Determination of Asbestos in Bulk Building Materials.

Appendix D: Health and Safety Plan



Health and Safety Plan

| | | | |
|---------------------------|---------------------------------|-----------------------|----------------------------|
| Project: TDOT SR-1 | Location: Haywood County | Date: 12/15/17 | Job No. 3637865 &64 |
|---------------------------|---------------------------------|-----------------------|----------------------------|

| | | |
|------------------------|----------------------|--------------------|
| Project Manager | Office Number | Cell Number |
| Tom McComb | 615-252-4349 | 615-210-8936 |

| | | |
|-----------------------|----------------------|--------------------|
| Onsite Contact | Office Number | Cell Number |
| | | |

Description of Field Activities

ACM Sampling

| ACTIVITY | WEATHER | BOTANY | TOOLS | JOB BRIEFING |
|---|--|---|---|---|
| <input type="checkbox"/> Soil Sampling | <input type="checkbox"/> Hot | <input type="checkbox"/> Poison Ivy/Oak | <input type="checkbox"/> Machete | <input type="checkbox"/> Evaluate Surroundings |
| <input type="checkbox"/> Sediment Sampling | <input type="checkbox"/> Cold | <input type="checkbox"/> Poison Sumac | <input type="checkbox"/> Brush hook | <input type="checkbox"/> Communications |
| <input type="checkbox"/> Surface-Water Sampling | <input type="checkbox"/> Mild | <input type="checkbox"/> Thistle | <input type="checkbox"/> Pick | <input type="checkbox"/> Safety Plan |
| <input type="checkbox"/> Ground-Water Sampling | <input type="checkbox"/> Sunny | <input type="checkbox"/> Thorns | <input type="checkbox"/> Ax | <input type="checkbox"/> Emergency Numbers |
| <input type="checkbox"/> Fish Sampling | <input type="checkbox"/> Fair | <input type="checkbox"/> Needle-like | <input type="checkbox"/> Hammer | <input type="checkbox"/> Lockout/Tagout |
| <input type="checkbox"/> Macroinvertebrate Sampling | <input type="checkbox"/> Rain | <input type="checkbox"/> Other: | <input type="checkbox"/> Knife | <input type="checkbox"/> Client Requirements |
| <input type="checkbox"/> Drilling | <input type="checkbox"/> Lightning | | <input type="checkbox"/> Drill Rig | <input type="checkbox"/> Insect Repellent |
| <input type="checkbox"/> Trenching | <input type="checkbox"/> Hail | | <input type="checkbox"/> Boat | <input type="checkbox"/> Reflective/Colored Vests |
| <input type="checkbox"/> Other: | <input type="checkbox"/> Sleet/Snow/Ice | | <input type="checkbox"/> Truck/ATV | <input type="checkbox"/> Chemical Information |
| | <input type="checkbox"/> Night | | <input type="checkbox"/> Electrical Equipment | <input type="checkbox"/> Tool Check |
| | TERRAIN | WILDLIFE | <input type="checkbox"/> Other: | <input type="checkbox"/> Equipment Check |
| CONSTITUENTS | <input type="checkbox"/> River | <input type="checkbox"/> Ticks | | <input type="checkbox"/> First Aid Kit Check |
| <input type="checkbox"/> Strong Acids/Bases | <input type="checkbox"/> Creek | <input type="checkbox"/> Spiders | TRAFFIC | <input type="checkbox"/> Gloves |
| <input type="checkbox"/> Metals | <input type="checkbox"/> Lake | <input type="checkbox"/> Chiggers | <input type="checkbox"/> Heavy | <input type="checkbox"/> PFD |
| <input type="checkbox"/> PCBs | <input type="checkbox"/> Swamp | <input type="checkbox"/> Ants/Fireants | <input type="checkbox"/> Light | <input type="checkbox"/> Waders |
| <input type="checkbox"/> Pesticides | <input type="checkbox"/> Sinkholes/Collapses | <input type="checkbox"/> Wasps/Bees | <input type="checkbox"/> Boats | <input type="checkbox"/> Steel Toe Boots |
| <input type="checkbox"/> Asbestos | <input type="checkbox"/> Woods | <input type="checkbox"/> Hornets | <input type="checkbox"/> Railroad | <input type="checkbox"/> Hard Hat |
| <input type="checkbox"/> VOCs | <input type="checkbox"/> Open & Clear | <input type="checkbox"/> Dogs | <input type="checkbox"/> Planes | <input type="checkbox"/> Eye Protection |

| | | | | |
|---|------------------------------------|--------------------------------------|--|--|
| <input type="checkbox"/> SVOCs | <input type="checkbox"/> Overgrown | <input type="checkbox"/> Snakes | <input type="checkbox"/> Paved Road | <input type="checkbox"/> Sun Protection |
| <input type="checkbox"/> Chlorinated Solvents | <input type="checkbox"/> Trenches | <input type="checkbox"/> Hogs/Cattle | <input type="checkbox"/> Gravel Road | <input type="checkbox"/> Fall Protection |
| <input type="checkbox"/> Lead/Lead Paint | <input type="checkbox"/> Steep | <input type="checkbox"/> Bears | <input type="checkbox"/> Heavy Equipment | <input type="checkbox"/> Other: |
| <input type="checkbox"/> Radioactive | <input type="checkbox"/> Hilly | <input type="checkbox"/> Raccoons | <input type="checkbox"/> Other: | |
| <input type="checkbox"/> Unknown | <input type="checkbox"/> Rocky | <input type="checkbox"/> Skunks | | |
| | <input type="checkbox"/> Other: | <input type="checkbox"/> Other: | | |

Required PPE


Address of Nearest Hospital (Attach Map)

1995 Highway 51 S, Covington, TN 38019

| Police | Fire | Ambulance |
|--------------|--------------|--------------|
| 731-772-2914 | 731-772-4979 | 731-772-4141 |

Phone Numbers to Police/Fire/Ambulance or 911

| Name: | Signature: | Date: |
|---------------|----------------------|----------|
| Randy Bell | <i>Randy Bell</i> | 12-18-17 |
| Chelsea Sachs | <i>Chelsea Sachs</i> | 12/18/17 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



Imagery ©2017 Google, Map data ©2017 Google 2 mi

11295 TN-193

Williston, TN 38076

Get on I-269 S

- ↑ 1. Head west on TN-193 W toward TN-195 W 16 min (11.8 mi)
- ↘ 2. Slight left to stay on TN-193 W 3.0 mi
- ↙ 3. Turn left onto the ramp to Fisherville 8.6 mi
- ↘ 4. Turn right onto I-269 S 0.3 mi

Follow I-269 S and TN-57 W to your destination in Collierville

- ↘ 4. Merge onto I-269 S 17 min (12.3 mi)
- ↘ 5. Take the TN-57 exit toward Collierville/Piperton 7.7 mi
- ↘ 6. Turn right onto TN-57 W 0.2 mi
- ↘ 7. Turn right onto Poplar Ave 4.4 mi

 7. Turn right

14 s (164 ft)

Baptist Memorial Hospital-Collierville

1500 W Poplar Ave, Collierville, TN 38017

These directions are for planning purposes only. You may find that construction projects, traffic, weather, or other events may cause conditions to differ from the map results, and you should plan your route accordingly. You must obey all signs or notices regarding your route.

Multimodal

Environmental Studies Request

Project Information

Route: SR-1
Termini: Bridge over Muddy Creek, LM 2.13 (IA)
County: Haywood
PIN: 128113.03


Request

Request Type: Environmental Study Reevaluation
Project Plans: Preliminary
Date of Plans: 06/13/2019
Location: Email Attachment

Certification

Requestor: Payton Croak
Title: TDOT Environmental Studies Specialist

Signature: Payton
Croak

 Digitally signed by
Payton Croak
Date: 2019.06.18
12:21:39 -05'00'

Environmental Study

Technical Section

Section: Multimodal

Study Results

This project accommodates bicycle and pedestrian traffic with a 6' shoulder in a rural area.

Commitments

Did the study of this project result in any environmental commitments?

No

Additional Information

Is there any additional information or material included with this study?


No

Certification

Responder: Jessica Wilson

Title: Transportation Program Supervisor

Signature: Jessica
Wilson

 Digitally signed by
Jessica Wilson
Date: 2019.06.19
13:01:57 -05'00'



MULTIMODAL ACCESS POLICY

EFFECTIVE DATE:

July 31, 2015

AUTHORITY:

TCA 4-3-2303

If any portion of this policy conflicts with applicable state or federal laws or regulations, that portion shall be considered void. The remainder of this policy shall not be affected thereby and shall remain in full force and effect.

PURPOSE:

To create and implement a multimodal transportation policy that encourages safe access and mobility for users of all ages and abilities through the planning, design, construction, maintenance, and operation of new construction, reconstruction and retrofit transportation facilities that are federally or state funded. Users include, but are not limited to, motorists, transit-riders, freight-carriers, bicyclists and pedestrians.

APPLICATION:

The policy applies to Department of Transportation employees, consultants and contractors involved in the planning, design, construction, maintenance, and operation of state and federally funded projects, and local governments managing and maintaining transportation projects with funding through TDOT's Local Programs Development Office.

DEFINITIONS:

- Highway: A main road or thoroughfare, such as a street, boulevard, or parkway, available to the public for use for travel or transportation.
- Multimodal: For the purposes of this policy, multimodal is defined as the movement of people and goods on state and functionally-classified roadways. Users include, but are not limited to, motorists, transit-riders, freight-carriers, bicyclists and pedestrians, including those with disabilities.
- Reconstruction: Complete removal and replacement of the pavement structure or the addition of new continuous traffic lanes on an existing roadway.

| | |
|-----------|---|
| Retrofit: | Changes to an existing highway within the general right-of-way, such as adding lanes, modifying horizontal and vertical alignments, structure rehabilitation, safety improvements, and maintenance. |
| Roadway: | The portion of a highway, including shoulders, that is available for vehicular, bicycle or pedestrian use. |

POLICY:

The Department of Transportation recognizes the benefits of integrating multimodal facilities into the transportation system as a means to improve the mobility, access and safety of all users. The intent of this policy is to promote the inclusion of multimodal accommodations in all transportation planning and project development activities at the local, regional and statewide levels, and to develop a comprehensive, integrated, and connected multimodal transportation network. TDOT will collaborate with local government agencies and regional planning agencies through established transportation planning processes to ensure that multimodal accommodations are addressed throughout the planning, design, construction, maintenance, and operation of new construction, reconstruction and retrofit transportation facilities as outlined in TDOT's Multimodal Access Policy Implementation Plan.

TDOT is committed to the development of a transportation system that improves conditions for multimodal transportation users through the following actions:

1. Provisions for multimodal transportation shall be given full consideration in new construction, reconstruction and retrofit roadway projects through design features appropriate for the context and function of the transportation facility.
2. The planning, design and construction of new facilities shall give full consideration to likely future demand for multimodal facilities and not preclude the provision of future improvements. If all feasible roadway alternatives have been explored and suitable multimodal facilities cannot be provided within the existing or proposed right of way due to environmental constraints, an alternate route that provides continuity and enhances the safety and accessibility of multimodal travel should be considered.
3. Existing multimodal provisions on roadways shall not be made more difficult or impossible by roadway improvements or routine maintenance projects.
4. Intersections and interchanges shall be designed (where appropriate based on context) to accommodate the mobility of bicyclists and pedestrians to cross corridors as well as travel along them in a manner that is safe, accessible, and convenient.
5. While it is not the intent of resurfacing projects to expand existing facilities, opportunities to provide or enhance bicycle and pedestrian facilities shall be given full consideration during the program development stage of resurfacing projects.
6. Pedestrian facilities shall be designed and built to accommodate persons with disabilities in accordance with the access standards required by the Americans with Disabilities Act

(ADA). Sidewalks, shared use paths, street crossings (including over- and under-crossings) and other infrastructure shall be constructed so that all pedestrians, including those with disabilities, can travel independently.

7. Provisions for transit-riders, pedestrians, and bicyclists shall be included when closing roads, bridges or sidewalks for construction projects where pedestrian, bicycle, or transit traffic is documented or expected.

EXCEPTIONS:

It is TDOT's expectation that full consideration of multimodal access will be integrated in all appropriate new construction, reconstruction and retrofit infrastructure projects. However, there are conditions where it is generally inappropriate to provide multimodal facilities. Examples of these conditions include, but are not limited to:

1. Controlled access facilities where non-motorized users are prohibited from using the roadway. In this instance, a greater effort may be necessary to accommodate these users elsewhere within the same transportation corridor.
2. The cost of accommodations would be excessively disproportionate to the need and probable use. Excessively disproportionate is defined as exceeding twenty percent (20%) of the total cost of the project. The twenty percent figure should be used in an advisory rather than an absolute sense, especially in instances where the cost may be difficult to quantify. Compliance with ADA requirements may require greater than 20% of project cost to accommodate multimodal access. Costs associated with ADA requirements are NOT an exception.
3. Areas in which the population and employment densities or level of transit service around the facility, both existing and future, does not justify the incorporation of multimodal alternatives.
4. Inability to negotiate and enter into an agreement with a local government to assume the operational and maintenance responsibility of the facility.
5. Other factors where there is a demonstrated absence of need or prudence, or as requested by the Commissioner of the Department of Transportation.

Exceptions for not accommodating multimodal transportation users on State roadway projects in accordance with this policy shall be documented describing the basis and supporting data for the exception, and must be approved by TDOT's Chief Engineer and Chief of Environment and Planning or their designees.

DESIGN GUIDANCE:

The Department recognizes that a well-planned and designed transportation network is responsive to its context and meets the needs of its users. Therefore, facilities will be designed and constructed in accordance with current applicable laws and regulations, using best practices and guidance, including but not limited to the following: TDOT Standard Drawings and guidelines, American Association of State Highway and Transportation Officials (AASHTO) publications, Institute of Transportation Engineers (ITE) publications, the Manual on Uniform Traffic Control Devices (MUTCD), National Association of City Transportation Officials (NACTO) publications, the Public Rights-of-Ways Accessibility Guidelines (PROWAG), and the Americans with Disabilities Act Accessibility Guidelines (ADAAG).

Signed:



PAUL DEGGES
Chief Engineer/Deputy Commissioner



TOKS OMISHAKIN
Chief of Planning/Deputy Commissioner



JOHN SCHROER
Commissioner