



STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION

Small Structures Coding Form

Revised 04/16/2020

STRAHNET (DEFENSE) ROUTES

Structure Number: (Includes Item 5A)	<input type="text" value="94CULV010094"/>	County:	<input type="text" value="94"/>
Feature Intersected:	<input type="text" value="BRANCH"/>	Route:	<input type="text" value="I0065"/>
Structure Description:	<input type="text" value="1 @ 5 X 6 CONCRETE CB"/>	Special Case:	<input type="text" value="0"/>
Type Material:	<input type="text" value="CONCRETE"/>	County Sequence:	<input type="text" value="1"/>
Type Design:	<input type="text" value="CULVERT (INCLUDES FRAME CULVERTS)"/>	Log Mile:	<input type="text" value="2.35"/>

CODE ONLY THOSE VALUES WHICH HAVE CHANGED

ITEM #	DESCRIPTION	VALUE	CONDITION CODING GUIDELINES (Values for Coding Items 61, 62, 71 and 113)
90	INSPECTION DATE	<input type="text" value="04/15/2020"/>	N NOT APPLICABLE
	EARLIEST DATE OF NEXT REGULAR INSPECTION	<input type="text" value="02/14/2024"/>	
		<input type="text" value="/ /"/>	
47	ROADWAY WIDTH (Horz. Clearance between Curbs, Guardrails, etc.)	40 FT. 0 IN. <input type="text"/> FT. <input type="text"/> IN.	9 EXCELLENT CONDITION
48	MAX SPAN LENGTH (Centerline of Roadway)	4 FT. 11 IN. <input type="text"/> FT. <input type="text"/> IN.	8 VERY GOOD CONDITION
49	TOTAL STR. LENGTH (Centerline of Roadway)	6 FT. 7 IN. <input type="text"/> FT. <input type="text"/> IN.	7 GOOD CONDITION - SOME MINOR PROBLEMS
41	STR OPEN/CLOSED/POSTED A K P	A	6 SATISFACTORY CONDITION
45	NUMBER OF SPANS OR PIPES	1	5 FAIR CONDITION
61	CHANL/CHANL PROTECTION	6	4 POOR CONDITION
62	STRUCTURE AND RETAIN WALL	7	3 SERIOUS CONDITION
71	WATERWAY ADEQUACY	6	2 CRITICAL CONDITION
113	SCOUR CONDITION	6	1 "IMMINENT" FAILURE CONDITION
			0 FAILED CONDITION
555	COMMENTS		16 LATITUDE 17 LONGITUDE N 35° 46.3030' W 86° 51.8430'
521	OVERALL CONDITION	GOOD	

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 25 USC §409
And its production pursuant to a public document records request does not waive the provisions of §409

TEAM LEADER SIGNATURE _____ REVIEW DATE _____

BRIDGE MAINTENANCE RECOMMENDATIONS



Tennessee Department
of Transportation

COUNTY: WILLIAMSON
LOCATION: 94-I0065-02.35-
CO. SEQ.: 1 SPEC. CASE: 0

CROSSING: BRANCH
FED. BRIDGE NO.: 94CULV01009
MAINT. DIST.: 94

REPAIR LIST NO.:
DATE ADDED:
REVISED: 05/19/2008

FACILITY CARRIED: _____	NUMBER OF MAIN SPANS: _____	1
HIGHWAY SYSTEM: _____	NUMBER OF APPROACH SPANS: _____	
BRIDGE WIDTH (CURB TO CURB): _____	N/A FT _____ IN	BRIDGE LENGTH (FT): _____
BRIDGE WIDTH (OUT TO OUT): _____	N/A FT _____ IN	7
APPROACH ROADWAY (W/SHOULDERS): _____	N/A FT _____ IN	MAXIMUM SPAN LENGTH (FT): _____
		5
		SKEW ANGLE (DEGREES): _____
		90
MAINTAINED BY: _____		
MAIN SPAN MATERIAL: _____	CONCRETE	
MAIN SPAN DESIGN TYPE: _____	CULVERT (INCLUDES FRAME CULVERTS)	
APPROACH SPAN MATERIAL: _____		
APPROACH SPAN DESIGN TYPE: _____		
INSPECTION DATE: _____	04/15/2020	GENERAL CONDITION: _____
EVALUATION DATE: _____		GOOD
PPRM PIN NUMBER: _____		STRUCTURALLY DEFICIENT: _____
H TRUCK RATING @ INV.: _____	20 TONS	SUFFICIENCY RATING: _____

SUGGESTED ROUTINE MAINTENANCE AND COMMENTS
CUT AND REMOVE VEGETATION FROM CHANNEL

GENERAL COMMENTS:

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
And its production pursuant to a public
document records request does not
waive the provisions of §409**

Photographs

Bridge ID #: 94-I0065-2.35

Date: 04/15/2020



VIEW ACROSS TOP OF DECK



RIGHT SIDE VIEW OF BRIDGE (INLET)

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
And its production pursuant to a public
document records request does not
waive the provisions of §409**