



THIS DOCUMENT HAS BEEN DIGITALLY SIGNED AND SEALED BY:

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED. THE SIGNATURE MUST BE VERIFIED ON THE ELECTRONIC DOCUMENTS.

TENNESSEE DEPARTMENT OF TRANSPORTATION
6801 CENTENNIAL BLVD
NASHVILLE, TN
JESSE HOOVER, P.E. NO 120378

THE ABOVE NAMED PROFESSIONAL ENGINEER SHALL BE RESPONSIBLE FOR THE FOLLOWING SHEETS IN ACCORDANCE OF TENN. CODE ANN. §62-2-306.

SHEET NAME	SHEET NO.
SIGNATURE SHEETS.....	ROADWAY-SIGN2
ROADWAY INDEX AND STANDARD DRAWINGS.....	1A
ESTIMATED ROADWAY QUANTITIES.....	2

YEAR	PROJECT NO.	SHEET NO.
2026	STP-166(27)	ROADWAY-SIGN2

REV. 1-15-26 ADDED SHEET TO PLAN

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION

SIGNATURE
SHEET

1/28/2026 11:36:06 AM
\\tdo\03nas002.tdot.state.tn.us\03shared\SURVEY\DESIGN\Resurfacing Plans\2026\Maury Co. SR-166 L.M. 0.00 - 7.60\131242-00-000 Signaturesheet2.dgn

ROADWAY INDEX

SHEET NAME	SHEET NO.
SIGNATURE SHEETS.....	ROADWAY-SIGN1,2
TITLE SHEET	1
ROADWAY INDEX AND STANDARD DRAWINGS.....	1A
ESTIMATED ROADWAY QUANTITIES	2
TYPICAL SECTIONS AND PAVEMENT SCHEDULE	2B
GENERAL NOTES.....	2C
SPECIAL NOTES.....	2D, 2D1
ENVIRONMENTAL NOTES.....	2E, 2E1
PAVEMENT MARKING IMPROVEMENTS.....	2F
UTILITY NOTES AND UTILITY OWNERS.....	3
PROPERTY MAP	3A – 3B
RIGHT-OF-WAY ACQUISITION TABLE.....	3C
PRESENT LAYOUT(S).....	4-5
RIGHT-OF-WAY DETAILS.....	4A-5A

NOTE: THE ALPHABETICAL LETTERS "I", "O" & "Q" ARE NOT USED IN THE NUMBERING OF SHEETS.

- NO PROJECT COMMITMENT SHEETS INCLUDED IN THIS SET OF PLANS.
- NO UTILITY SHEETS.

STANDARD ROADWAY DRAWINGS

DWG.	REV.	DESCRIPTION
STANDARD ROADWAY TITLE SHEET, ABBREVIATIONS, AND LEGENDS		
RD-A-1	02-20-20	STANDARD ABBREVIATIONS A THROUGH L
RD-A-2		STANDARD ABBREVIATIONS M THROUGH Z
RD-L-1	02-20-20	STANDARD LEGEND
RD-L-1A		STANDARD LEGEND


STANDARD TRAFFIC DRAWINGS

DWG.	REV.	DESCRIPTION
PAVEMENT MARKINGS		
T-M-1	01-24-25	DETAILS OF PAVEMENT MARKINGS FOR CONVENTIONAL ROADS AND MARKING ABBREVIATIONS
T-M-2	01-24-25	DETAILS OF PAVEMENT MARKINGS FOR CONVENTIONAL ROADS
T-M-3	01-24-25	MARKING STANDARDS FOR TRAFFIC ISLANDS, PAVED SHOULDERS AND MEDIANS FOR CONVENTIONAL ROADS
T-M-4	01-24-25	STANDARD INTERSECTION PAVEMENT MARKINGS
T-M-16	01-24-25	RUMBLE STRIPE INSTALLATION LAYOUT
T-M-16A	01-24-25	RUMBLE STRIPE DETAILS FOR EDGE OF PAVEMENT AND CENTERLINE
WORK ZONES		
T-WZ-10	03-26-25	ADVANCE ROAD WORK SIGNING ON HIGHWAYS AND FREEWAYS
T-WZ-11	03-26-25	ONE LANE CLOSURE DETAIL ON DIVIDED HIGHWAYS
T-WZ-FAB1	03-26-25	FLASHING YELLOW ARROW BOARD

TYPE	YEAR	PROJECT NO.	SHEET NO.
RESURF	2026	STP-166(27)	1A

REV. 1-15-2026 ADDED ROADWAY SIGN 2 TO INDEX

1/15/2026 2:20:43 PM \\TDOT03NAS002.tdot.state.tn.us\03Shared\SURVEY\DESIGN\Resurfacing Plans\2026\Maury Co. SR-166 L.M. 0.00 - 7.60\131242-00-01A INDEX AND STANDARD DRAWING.dgn



**STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION**

ROADWAY INDEX
AND
STANDARD
DRAWINGS

TYPE	YEAR	PROJECT NO.	SHEET NO.
RESURF	2026	STP-166(27)	2

REV.1/15/26 REMOVED ITEM 716-05.20 FROM ESTIMATED QUANTITY.

ESTIMATED ROADWAY QUANTITIES

ITEM NO.	DESCRIPTION	UNIT	QUANTITY
			60S166-F8-002
(1)	208-01.05 BROOMING & DEGRASSING SHOULDERS	L.M.	15.2
(1)	303-01 MINERAL AGGREGATE, TYPE A BASE, GRADING D	TON	2011
(2)(9)	307-01.08 ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	TON	200
(3)	403-01 BITUMINOUS MATERIAL FOR TACK COAT (TC)	TON	33
(4)	411-01.10 ACS MIX(PG64-22) GRADING D	TON	6608
	411-12.04 SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	L.M.	12.2
(6)	712-01 TRAFFIC CONTROL	LS	1
	712-04.01 FLEXIBLE DRUMS (CHANNELIZING)	EACH	50
(7)(8)	712-06 SIGNS (CONSTRUCTION)	S.F.	986
	716-01.21 SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR) (1 COLOR)	EACH	502
	716-01.30 REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	EACH	502
(10)(12)	716-02.04 PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	S.Y.	42
(12)	716-02.05 PLASTIC PAVEMENT MARKING (STOP LINE)	L.F.	40
(12)	716-03.02 PLASTIC WORD PAVEMENT MARKING (RXR)	EACH	4
(12)	716-03.03 PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	EACH	1
(12)	716-03.07 PLASTIC WORD PAVEMENT MARKING (STOP)	EACH	1
(10)(12)	716-04.04 PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	L.F.	170
(13)	716-12.02 ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	L.M.	30.4
	717-01 MOBILIZATION	LS	1

TRAFFIC CONTROL SIGN TABULATION (RESURFACING)

M.U.T.C.D. SIGN NO.	LEGEND \ DESCRIPTION	SIZE IN INCHES L " x W"	S.F.	TOTAL NUMBER REQUIRED	ITEM NO. 712-06 S.F.
G20-1	ROAD WORK NEXT 8 MILES	48 x 24	8	2	16
G20-2	END ROAD WORK	48 x 24	8	18	144
W20-1	ROAD WORK AHEAD	48 x 48	16	16	256
W20-1	ROAD WORK 1 MILE	48 x 48	16	2	32
W20-1	ROAD WORK 1/2 MILE	48 x 48	16	2	32
W20-1	ROAD WORK 1000 FT	48 x 48	16	2	32
W20-4	ONE LANE ROAD 1000' (PORTABLE)	48 x 48	16	2	32
W16-2	FLAGGER SYMBOL - PORTABLE	48 x 48	16	2	32
W21-2	FRESH OIL	48 x 48	16	2	32
W5-11	UNEVEN LANE	48 x 48	16	18	288
W8-15P	MOTORCYCLE SYMBOL	30 X 24	5	18	90
				TOTAL	986

FOOTNOTES

- (1) TO BE USED AS DIRECTED BY THE ENGINEER.
- (2) TO BE USED FOR SPOT LEVELING.
- (3) INCLUDES 1 TONS FOR SIDE ROADS, COUNTY ROADS, FIELD ENTRANCES AND BUSINESS ENTRANCES.
- (4) INCLUDES 239 TONS FOR SIDE ROADS, COUNTY ROADS, FIELD ENTRANCES AND BUSINESS ENTRANCES.
- (5) TO BE USED AS TEMPORARY PAVEMENT MARKINGS ON COLD PLANED SURFACES AND INTERMEDIATE LAYERS.
- (6) THE CONTRACTOR SHALL COMPLY WITH SECTION 712 OF THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION REGARDING TEMPORARY TRAFFIC CONTROL AND THE CURRENT EDITION OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.
- (7) IN THE EVENT THAT A CONSTRUCTION AND/OR REGULATORY SIGN IS TEMPORARILY DESIGNATED NOT IN USE DURING THE CONSTRUCTION PHASE OF A PROJECT, THE CONTRACTOR SHALL CHOOSE A SIGN COVERING METHOD APPROVED BY THE ENGINEER. TEMPORARY SIGN COVERINGS SHALL NOT BE PAID FOR DIRECTLY BUT SHALL BE INCLUDED IN THE PRICE BID FOR ITEM NO. 712-06 SIGNS (CONSTRUCTION).
- (8) THE CONTRACTOR SHALL BE RESPONSIBLE FOR STAKING OF CONSTRUCTION SIGNS.
- (9) BM2 MAY INCREASE/DECREASE AS DIRECTED BY THE CONSTRUCTION ENGINEER. LOCATIONS ARE DETERMINED BASED ON FIELD CONDITIONS.
- (10) SEE SHEET 2F FOR LOCATION
- (11) SHOULDERS SHOULD BE CLIPPED AS DIRECTED BY THE ENGINEER TO ALLOW FOR PROPER DRAINAGE. THIS WORK IS TO BE PERFORMED BEFORE ALL OTHER OPERATIONS
- (12) THE CONTRACTOR MAY ELECT TO SUBSTITUTE PREFORMED PLASTIC FOR THERMOPLASTIC. PREFORMED PLASTIC SHALL BE PAID FOR AT THE SAME UNIT PRICE AS BID FOR THERMOPLASTIC.
- (13) TO BE USED AS PERMANENT PAVEMENT MARKINGS FOR THE EDGELINES AND CENTERLINES ON THE FINAL SURFACE. BASED ON 15.01 % PASSING, 13.69% NO PASS ON ONE SIDE , AND 86.31% NO PASS ON BOTH SIDES.

BRIDGE DECK RECOMMENDATIONS (RESURFACING)

BRIDGE NUMBER	LOCATION LOG MILE	CROSSES OVER/UNDER	BRIDGE LENGTH	BRIDGE DECK RECOMMENDATIONS
60SR1660001	2.440	BRANCH	31	PAVE WITH PLANS MIX/TREATMENT TYPE
60S62000003	3.100	SUGAR CREEK	27	PAVE WITH PLANS MIX/TREATMENT TYPE
60S62000001	4.170	SUGAR CREEK	57	PAVE WITH PLANS MIX/TREATMENT TYPE

THERE ARE NO UTILITY ADJUSTMENTS ONTHIS PROJECT

THERE ARE NO PROJECT COMMITMENTS ON THIS PROJECT

THERE IS NO GUARDRAIL WORK ON THIS PROJECT

SEALED BY



STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION

ESTIMATED
ROADWAY
QUANTITIES