



ROADWAY INDEX

| SHEET NAME  | SHEET NO.     |
|---|---------------|
| SIGNATURE SHEET .....                             | ROADWAY-SIGN1 |
| SIGNATURE SHEET .....                             | ROADWAY-SIGN2 |
| SIGNATURE SHEET .....                             | ROADWAY-SIGN3 |
| TITLE SHEET .....                                 | 1             |
| ROADWAY INDEX AND STANDARD ROADWAY DRAWINGS ..... | 1A            |
| ESTIMATED ROADWAY QUANTITIES .....                | 2             |
| TYPICAL SECTIONS AND PAVEMENT SCHEDULE .....      | 2A            |
| GENERAL NOTES.....                                | 2B            |
| SPECIAL NOTES.....                                | 2C            |
| ENVIRONMENTAL NOTES.....                          | 2D, 2D1       |
| TABULATED QUANTITIES .....                        | 2E            |

NOTE: THE ALPHABETICAL LETTERS “I”, “O”, & “Q” ARE NOT USED IN THE NUMBERING OF SHEETS

NO PROJECT COMMITMENTS SHEETS INCLUDED IN THIS SET OF PLANS

NO UTILITY SHEETS INCLUDED IN THIS SET OF PLANS

STANDARD ROADWAY DRAWINGS


| DWG.   | REV.     | DESCRIPTION   |
|--|----------|---|
| STANDARD ROADWAY TITLE SHEET, ABBREVIATIONS, AND LEGENDS |          |   |
| RD-A-1   | 02-20-20 | STANDARD ABBREVIATIONS A THROUGH L  |
| RD-A-2   |          | STANDARD ABBREVIATIONS M THROUGH Z  |
| RD-L-1   | 02-20-20 | STANDARD LEGEND   |
| RD-L-1A  |          | STANDARD LEGEND   |
| DESIGN - TRAFFIC CONTROL                                 |          |   |
| T-M-1  | 06-28-19 | DETAILS OF PAVEMENT MARKINGS FOR CONVENTIONAL ROADS AND MARKING ABBREVIATIONS             |
| T-M-2  | 01-09-24 | DETAILS OF PAVEMENT MARKINGS FOR CONVENTIONAL ROADS                                       |
| T-M-4  | 07-17-20 | STANDARD INTERSECTION PAVEMENT MARKINGS   |
| T-M-16   | 07-30-24 | RUMBLE STRIPE INSTALLATION LAYOUT   |
| T-M-16A  | 02-03-20 | RUMBLE STRIPE DETAILS FOR EDGE OF PAVEMENT AND CENTERLINE                                 |
| T-M-15A  | 06-28-19 | ASPHALT SHOULDER RUMBLE STRIP INSTALLATION DETAILS FOR NON-ACCESS CONTROLLED RURAL ROUTES |
| T-WZ-10  | 04-02-12 | ADVANCE ROAD WORK SIGNING ON HIGHWAYS AND FREEWAYS  |
| T-WZ-11  | 03-04-21 | ONE LANE CLOSURE DETAIL ON DIVIDED HIGHWAYS   |
| T-WZ-FAB1  |          | FLASHING YELLOW ARROW BOARD   |

|        |      |             |           |
|--------|------|-------------|-----------|
| TYPE   | YEAR | PROJECT NO. | SHEET NO. |
| RESURF | 2025 | STP-373(16) | 1A        |
|        |      |             |           |
|        |      |             |           |

REV. 01-22-25: ADDED ROADWAY-SIGN 2 TO INDEX.

REV. 03-13-25: ADDED ROADWAY-SIGN 3 TO INDEX.

SEALED BY



3/13/2025

STATE OF TENNESSEE  
DEPARTMENT OF TRANSPORTATION

ROADWAY INDEX  
AND  
STANDARD  
ROADWAY  
DRAWINGS



| ESTIMATED ROADWAY QUANTITIES |   |      |               |
|------------------------------|---|------|---------------|
| ITEM NO.                     | DESCRIPTION   | UNIT | QUANTITY      |
|                              |   |      | 59S373-F8-004 |
| (1)                          | 208-01.05 BROOMING & DEGRASSING SHOULDERS                         | L.M. | 6.9           |
|                              | 303-01 MINERAL AGGREGATE, TYPE A BASE, GRADING D                  | TON  | 908           |
|                              | 403-01.01 BITUMINOUS MATERIAL FOR TACK COAT (MICRO-SURFACING)     | TON  | 17            |
|                              | 403-01.10 HIGH PERFORMANCE FOG SEALS                              | S.Y. | 44698         |
| (2)                          | 411-12.02 SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)         | L.M. | 5.3           |
| (3)                          | 411-12.03 SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)  | L.M. | 0.5           |
|                              | 414-03.01 EMULSIFIED ASPHALT FOR MICRO-SURFACING                  | TON  | 188           |
|                              | 414-03.02 AGGREGATE FOR MICRO SURFACING                           | TON  | 1552          |
|                              | 414-04.03 ASPHALT EMULSION (SCRUB SEAL)                           | TON  | 168           |
|                              | 414-04.04 MINERAL AGGREGATE (SCRUB SEAL)                          | TON  | 1391          |
| (4)                          | 712-01 TRAFFIC CONTROL  | LS   | 1             |
|                              | 712-04.01 FLEXIBLE DRUMS (CHANNELIZING)                           | EACH | 75            |
| (5)                          | 712-06 SIGNS (CONSTRUCTION)                                       | S.F. | 784           |
|                              | 712-08.03 ARROW BOARD (TYPE C)                                    | EACH | 2             |
|                              | 713-16.01 CHANGEABLE MESSAGE SIGN UNIT                            | EACH | 2             |
|                              | 716-01.21 SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR) (1 COLOR) | EACH | 486           |
|                              | 716-01.22 SNOWPLOWABLE RAISED PAVMENT MARKERS (MONO-DIR)(1 COLOR) | EACH | 460           |
| (6)                          | 716-01.30 REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER               | EACH | 946           |
| (7)(8)(9)                    | 716-02.05 PLASTIC PAVEMENT MARKING (STOP LINE)                    | L.F. | 217           |
| (7)(8)                       | 716-02.06 PLASTIC PAVEMENT MARKING (TURN LANE ARROW)              | EACH | 20            |
| (7)(8)                       | 716-03.01 PLASTIC WORD PAVEMENT MARKING (ONLY)                    | EACH | 1             |
| (10)                         | 716-05.20 PAINTED PAVEMENT MARKING (6" LINE)                      | L.M. | 36.3          |
| (11)                         | 716-08.01 REMOVAL OF PAVEMENT MARKING (LINE)                      | L.F. | 96624         |
| (8)                          | 716-09.86 CONTRAST PAVEMENT MARKING 6"                            | L.M. | 0.1           |
| (8)                          | 716-12.02 ENHANCED FLATLINE THERMO PVMT MRKNG (6 IN LINE)         | L.M. | 18.3          |
|                              | 717-01 MOBILIZATION   | LS   | 1             |
|                              |   |      |               |

THERE ARE NO UTILITY ADJUSTMENTS ON THIS PROJECT

THERE IS NO GUARDRAIL WORK ON THIS PROJECT


| FOOTNOTES |   |
|-----------|---|
| (1)       | TO BE USED AS DIRECTED BY THE ENGINEER. NO DIRT OR DEBRIS TO BE LEFT ON SHOULDER, THIS WORK TO BE PERFORMED BEFORE ALL OTHER OPERATIONS.  |
| (2)       | ITEM NOT INCLUDED IN CURB AND GUTTER SECTION, L.M 6.83 TO L.M. 7.09.  |
| (3)       | ITEM TO USED IN TRANSITION AREA, FROM L.M. 3.40 TO L.M. 3.71.   |
| (4)       | THE CONTRACTOR SHALL COMPLY WITH SECTION 712 OF THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION REGARDING TEMPORARY TRAFFIC CONTROL AND THE CURRENT EDITION OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.  |
| (5)       | THE CONTRACTOR IS RESPONSIBLE FOR THE STAKING OF CONSTRUCTION SIGNS. IN THE EVENT THAT A CONSTRUCTION AND/OR REGULATORY SIGN IS TEMPORARILY DESIGNATED NOT IN USE DURING THE CONSTRUCTION PHASE OF A PROJECT, THE CONTRACTOR SHALL CHOOSE A SIGN COVERING APPROVED BY THE ENGINEER. TEMPORARY SIGN COVERINGS SHALL NOT BE PAID FOR DIRECTLY BUT SHALL BE INCLUDED IN THE PRICE BID FOR ITEM NO. 712-06 SIGNS (CONSTRUCTION) |
| (6)       | THE CONTRACTORSHOULD REMOVE SPM BY A METHOD THAT DOES NOT DAMAGE THE EXISTING ASPHALT. IF DAMAGE TO THE EXISTING ASPHALT OCCURS DURING REMOVAL, THE CONTRACTOR SHALL PATCH THE DAMAGE, AT THEIR OWN EXPENSE, BEFORE PAVING OPERATIONS BEGIN.  |
| (7)       | THE CONTRACTOR MAY ELECT TO SUBSTITUTE PREFORMED PLASTIC FOR THERMOPLASTIC. PREFORMED PLASTIC SHALL BE PAID FOR AT THE SAME UNIT PRICE AS BID FOR THERMOPLASTIC.  |
| (8)       | ITEM TO BE USED AS PERMANENT MARKING ONLY   |
| (9)       | ALL STOP BARS ON SIDE STREETS WILL BE RETRACED AS DIRECTED BY THE ENGINEER.   |
| (10)      | ITEM TO BE USED AS TEMPORARY PAVEMENT MARKING ONLY.   |
| (11)      | ITEM TO BE USED FOR REMOVING ALL EXISTING MARKINGS.   |

|        |      |             |           |
|--------|------|-------------|-----------|
| TYPE   | YEAR | PROJECT NO. | SHEET NO. |
| RESURF | 2025 | STP-373(16) | 2         |
|        |      |             |           |
|        |      |             |           |

REV. 01-22-25: REVISED QUANTITY FOR 403-01.10.

REV. 03-13-25: REVISED QUANTITIES FOR 716-05.20 AND 716-08.01. REVISED FOOTNOTE 11.

SEALED BY



3/13/2025

STATE OF TENNESSEE  
DEPARTMENT OF TRANSPORTATION

ESTIMATED  
ROADWAY  
QUANTITIES