



GENERAL NOTES

- (A) THE FIRST 610 mm OF RAMP MUST CONSIST OF A TRUNCATED DOME SURFACE. RAMPS SHALL INCLUDE THE TRUNCATED DOME SURFACE TO PROVIDE A DETECTABLE WARNING FOR VISUALLY IMPAIRED PEDESTRIANS.
- (B) THE COST OF THE LOWERED CURB AND GUTTER TO BE INCLUDED IN THE PRICE OF ITEM NO. 702M01, CONCRETE CURB OR ITEM NO. 702M03, CONCRETE COMBINED CURB & GUTTER.
- (C) ALL COST OF INSTALLING HANDICAP RAMPS IN NEWLY CONSTRUCTED SIDEWALK AREAS SHALL BE BID FOR UNDER THE FOLLOWING PAY ITEM:

701M02.03 CONCRETE HANDICAP RAMP PER SQUARE METER.

PAYMENT SHALL INCLUDE ALL MATERIALS (INCLUDING TRUNCATED DOME SURFACE), INTEGRAL BACK CURB, EQUIPMENT, AND LABOR NECESSARY FOR CONSTRUCTION OF THE HANDICAP RAMP(S).
- (D) CONCRETE PAVER SHALL MEET THE REQUIREMENTS OF ASTM C-936 AND SHALL BE LAID IN TWO BY TWO UNITS BASKET WEAVE PATTERN, UNLESS OTHERWISE SHOWN ON THE PLANS.
- (E) SEE SPECIAL PAVER NOTES ON STD. DWG. RPM-H-3.
- (F) DESIGN/CONSTRUCTION MODIFICATIONS MAY BE REQUIRED FOR HANDICAP RAMPS TO BE INSTALLED ALONG A ROADWAY WITH LONGITUDINAL GRADES EXCEEDING FIVE PERCENT.

