

BRIDGE ID NUMBER: 40S81560005 COUNTY: HENRY
BRIDGE OWNER: HENRY COUNTY ROUTE: 00896
FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: HENRY-MANSFIELD RD. COUNTY SEQUENCE: 1
CROSSING: PETTY JOHN CREEK LOG MILE: 4.00
LOCATION: 3 MI N OF CARROLL CO LN SUFFICIENCY RATING: 92.7

IDENTIFICATION ————	CLASSIFICATION —
(16a,b) LATITUDE: N 36.17828 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.35283 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>7</b>
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1998 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 100.1 FT (49) TOTAL BRIDGE LENGTH: 100.1 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0110
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 8
` ,	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 26.2 FT	RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE
(52) BRIDGE OUT TO OUT WIDTH:       26.2 FT         (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:       22.0 FT	
(52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  26.2 FT  22.0 FT  NO MEDIAN	(75) TYPE OF WORK: NOT APPLICABLE
(52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  26.2 FT  22.0 FT  NO MEDIAN  0 DEGREES	(75) TYPE OF WORK: <b>NOT APPLICABLE</b> (76) LENGTH OF BRIDGE IMPROVEMENT: <b>N/A</b>
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  26.2 FT  22.0 FT  NO MEDIAN  0 DEGREES  NO FLARE	<ul> <li>(75) TYPE OF WORK: NOT APPLICABLE</li> <li>(76) LENGTH OF BRIDGE IMPROVEMENT: N/A</li> <li>(94) BRIDGE IMPROVEMENT COST:</li> </ul>
(52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  26.2 FT  22.0 FT  NO MEDIAN  0 DEGREES	<ul> <li>(75) TYPE OF WORK: NOT APPLICABLE</li> <li>(76) LENGTH OF BRIDGE IMPROVEMENT: N/A</li> <li>(94) BRIDGE IMPROVEMENT COST:</li> <li>(95) ROADWAY IMPROVEMENT COST:</li> </ul>
(52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  26.2 FT 22.0 FT NO MEDIAN NO MEDIAN NO MEDIAN NO FLARE NO FLARE	<ul> <li>(75) TYPE OF WORK: NOT APPLICABLE</li> <li>(76) LENGTH OF BRIDGE IMPROVEMENT: N/A</li> <li>(94) BRIDGE IMPROVEMENT COST:</li> <li>(95) ROADWAY IMPROVEMENT COST:</li> <li>(96) TOTAL PROJECT COST:</li> </ul>
(52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	<ul> <li>(75) TYPE OF WORK: NOT APPLICABLE</li> <li>(76) LENGTH OF BRIDGE IMPROVEMENT: N/A</li> <li>(94) BRIDGE IMPROVEMENT COST:</li> <li>(95) ROADWAY IMPROVEMENT COST:</li> <li>(96) TOTAL PROJECT COST:</li> <li>(97) YEAR OF IMPROVEMENT COST ESTIMATE:</li> </ul>
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROAD	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE:  NOT APPLICABLE	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 10/3/2019
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE:  (55a) HORZ UNDERCLR:  NOT A HIGHWAY OR RAILROAD	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/3/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  (54a) VERT UNDERCLR:  (54b) MIN VERTICAL UNDERCLEARANCE:  (55a) HORZ UNDERCLR:  (55a) HORZ UNDERCLR:  (55b) MIN HORZ UNDERCLR ON RIGHT:  (32) ET 22.0 FT  (32) APPROACH ROADWAY:  (34) FT  (32) APPROACH ROADWAY:  (34) PEGREES  (35) NOT A HIGHWAY OR RAILROAD  (35) MIN HORZ UNDERCLR ON RIGHT:  (32) APPROACH ROADWAY:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN (W/ SHLDS) WIDTH:  (44) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (45) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (47) APP	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/3/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 40S81560003
BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: HENRY-MANSFIELD RD.

CROSSING: GUINN CREEK

LOCATION: 3 MI N OF CARROLL CO LN

COUNTY: HENRY ROUTE: 00896 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 6.04

SUFFICIENCY RATING: 96.9

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.18481 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.38489 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	——— CONDITION RATINGS ———
(45) NUMBER OF MAIN SPANS:  (46) NUMBER OF APPROACH SPANS:  0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NOT APPLICABLE	—— DESIGN LOAD AND WEIGHT POSTING ———
'	(31) DESIGN LOADING: H-15-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1960	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: N
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 35.1 FT	(71) WATERWAY ADEQUACY: 8
(49) TOTAL BRIDGE LENGTH: 35.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS ———
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/3/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 40S81560001

BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: HENRY-MANSFIELD RD.

CROSSING: BRANCH

LOCATION: 3.5 MI N OF CARROLL CO LN

IDENTIFICATION

16a,b) LATITUDE:

N 36.19053 DEGREES

(112) MEETS NBIS BRIDGE LENGTH:

17a,b) LONGITUDE:

W 88.39331 DEGREES

(104) NATIONAL HIGHWAY SYSTEM:

NOT

IDENTIFICATION		CLASSIFICATION —	
	36.19053 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
	88.39331 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NE	IS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS: RURAL MINOR CO	LLECTOR
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE: NO PARALLE	L BRIDGE
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE		TRAFFIC
BRIDGE TYPE AND MATER	DIAI ————	(103) TEMPORARY BRIDGE: NOT API	PLICABLE
		(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK N	IETWORK
(44a) MAIN SPAN MATERIAL: <b>CONCRETE CO</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICAB</b>		(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE NOT BEEN DETERMINED	HAS
(45) NUMBER OF MAIN SPANS:	3	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	N
(107) TYPE OF DECK:	NOT APPLICABLE	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SURFACE AND DEC	K PROTECTION:	(60) SUBSTRUCTURE:	N
A) TYPE OF SURFACE:	NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
B) TYPE MEMBRANE:	NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE):	6
C) TYPE PROTECTION:	NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE		(31) DESIGN LOADING:	HS-20-44
(27) YEAR THE BRIDGE WAS BUILT:	1960	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGA	AL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED		,	AL LOADS
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE:	5
(42b) UNDER BRIDGE:	WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
(28a) NUMBER OF LANES CARRIED BY BRIDG		APPRAISAL -	
(28b) NUMBER OF LANES UNDER THE BRIDGE	<u> </u>	(67) STRUCTURAL EVALUATION:	6
GEOMETRIC DATA		(68) DECK GEOMETRY:	N
(48) MAXIMUM SPAN LENGTH:	12.1 FT	(69) UNDERCLEARANCE RATING:	N
(49) TOTAL BRIDGE LENGTH:	39.0 FT	(71) WATERWAY ADEQUACY:	8
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
		(36) TRAFFIC SAFETY FEATURES:	0000
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:	-
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH:	0.0 FT 0.0 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS	0000
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH:	0.0 FT 0.0 FT UNDER FILL UNDER FILL	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE	0000
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH:	0.0 FT 0.0 FT UNDER FILL UNDER FILL	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT:	0000
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH	0.0 FT 0.0 FT UNDER FILL UNDER FILL d: 27.9 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:	0000
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:	0.0 FT 0.0 FT UNDER FILL UNDER FILL 1: 27.9 FT NO MEDIAN 0 DEGREES NO FLARE	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:	0000
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:	0.0 FT 0.0 FT UNDER FILL UNDER FILL 1: 27.9 FT NO MEDIAN 0 DEGREES NO FLARE NO RESTRICTION	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:	0000
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROAD	0.0 FT 0.0 FT UNDER FILL UNDER FILL 1: 27.9 FT NO MEDIAN 0 DEGREES NO FLARE NO RESTRICTION WAY: 27.9 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:	0000
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROAD! (54a) VERT UNDERCLR: NOT A HIGH	0.0 FT 0.0 FT UNDER FILL UNDER FILL 1: 27.9 FT NO MEDIAN 0 DEGREES NO FLARE NO RESTRICTION WAY: 27.9 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES	0000 8 N/A
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROAD! (54a) VERT UNDERCLR: NOT A HIGH (54b) MIN VERTICAL UNDERCLEARANCE:	0.0 FT 0.0 FT UNDER FILL UNDER FILL 1: 27.9 FT NO MEDIAN 0 DEGREES NO FLARE NO RESTRICTION WAY: 27.9 FT WAY OR RAILROAD NOT APPLICABLE	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:	0000 8 N/A
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROAD' (54a) VERT UNDERCLR: NOT A HIGH (54b) MIN VERTICAL UNDERCLEARANCE:	0.0 FT 0.0 FT UNDER FILL UNDER FILL 1: 27.9 FT NO MEDIAN 0 DEGREES NO FLARE NO RESTRICTION WAY: 27.9 FT WAY OR RAILROAD NOT APPLICABLE	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS):	0000 8 N/A 10/8/2019 24
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROAD' (54a) VERT UNDERCLR: NOT A HIGH (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: NOT A HIGH (55b) MIN HORZ UNDERCLR ON RIGHT:	0.0 FT 0.0 FT UNDER FILL UNDER FILL 1: 27.9 FT NO MEDIAN 0 DEGREES NO FLARE NO RESTRICTION WAY: 27.9 FT WAY OR RAILROAD NOT APPLICABLE WAY OR RAILROAD NOT APPLICABLE	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):	0000 8 N/A 10/8/2019 24 N/A
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROAD' (54a) VERT UNDERCLR: NOT A HIGH: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: NOT A HIGH: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT:	0.0 FT 0.0 FT UNDER FILL UNDER FILL E 27.9 FT NO MEDIAN 0 DEGREES NO FLARE NO RESTRICTION WAY: 27.9 FT WAY OR RAILROAD NOT APPLICABLE WAY OR RAILROAD NOT APPLICABLE NOT APPLICABLE	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS):	0000 8 N/A 10/8/2019 24 N/A N
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROAD' (54a) VERT UNDERCLR: NOT A HIGH: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: NOT A HIGH: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT:	0.0 FT 0.0 FT UNDER FILL UNDER FILL E 27.9 FT NO MEDIAN 0 DEGREES NO FLARE NO RESTRICTION WAY: 27.9 FT WAY OR RAILROAD NOT APPLICABLE WAY OR RAILROAD NOT APPLICABLE NOT APPLICABLE	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):	0000 8 N/A 10/8/2019 24 N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

6

7

7

7

N

2

N

8

8

3

0000

241.1 FT

\$649,000,00

\$65,000.00

\$974,000.00

10/9/2019

2019

24

N/A

N/A

Ν

Ν

H-15-44

BRIDGE ID NUMBER: 40\$80930005 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 00902 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: ELKHORN RD. COUNTY SEQUENCE: 1 CROSSING: WEST SANDY CREEK LOG MILE: 9.81 LOCATION: 4 MI NORTH OF SR 69 SUFFICIENCY RATING: 52.3 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.30200 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 88.16058 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1942 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 116.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 241.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 17.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 21.7 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 17.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 40E00030003
BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: OAK GROVE RD. S.

CROSSING: BRANCH

LOCATION: 2 MI SOUTH OF SR 76

COUNTY: HENRY
ROUTE: 00902

SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 13.96
SUFFICIENCY RATING: 65.4

IDENTIFICATION	CLASSIFICATION —
(16a,b) LATITUDE: N 36.36314	DEGREES (112) MEETS NBIS BRIDGE LENGTH: YES
	DEGREES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A (26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE:	N/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT AF	PPLICABLE (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: CONCRETE CONTINUOU (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	0 (58) DECK: N
	PPLICABLE (59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTEC	(CO) CLIDCTDLICTLIDE.
	PPLICABLE (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
	PPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): 5
,	PPLICABLE DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: <b>HS-20-44</b>
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED:	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE:	HIGHWAY (70) BRIDGE POSTING CODE: 5
	/ATERWAY (41) WT POSTING STATUS: OPEN
(420) ONDER DRIDGE.	IAILIMAI
(28a) NUMBER OF LANES CARRIED BY BRIDGE	APPRAISAL ———
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2 (67) STRUCTURAL EVALUATION:
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH:	Control of the cont
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH:	Comparison of
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH:	0 (67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N 21.0 FT (71) WATERWAY ADEQUACY: 8 0.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 00000 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH:	0       (67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       N         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       8         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       00000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: U (52) BRIDGE OUT TO OUT WIDTH:	Comparison of the comparison
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: U (52) BRIDGE OUT TO OUT WIDTH: U (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	0 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 0.0 FT 0.0 FT 0.0 FT INDER FILL NDER FILL (75) TYPE OF WORK: PRINCE REPLACEMENT
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: U (52) BRIDGE OUT TO OUT WIDTH: U (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:	0 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 0.0 FT 0.0 FT 0.0 FT INDER FILL NDER FILL 29.9 FT (75) TYPE OF WORK: BRIDGE REPLACEMENT (75) LENGTH OF REIDER MADDOL/FMENT: (76) LENGTH OF REIDER MADDOL/FMENT: (77) LENGTH OF REIDER MADDOL/FMENT: (78) LENGTH OF REIDER MADDOL/FMENT: (78) LENGTH OF REIDER MADDOL/FMENT: (77) LENGTH OF REIDER MADDOL/FMENT: (78) LENGTH OF REIDER MADDOL/FMENT: (77) LENGTH OF REIDER MADDOL/FMENT: (78) LENGTH OF REIDER MADDOL/FMENT: (77) LENGTH OF REIDER MADDOL/FMENT: (78) LENGTH OF REIDER MADDOL/FMENT: (77) LENGTH OF REIDER MADDOL/FMENT: (78) LENGTH OF REIDER MADDOL/FMENT: (78) LENGTH OF REIDER MADDOL/FMENT: (79) LENGTH OF R
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: U (52) BRIDGE OUT TO OUT WIDTH: U (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:	Comparison of the comparison
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:	Company
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: U(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 15	Comparison of the content of the c
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: U(52) BRIDGE OUT TO OUT WIDTH: U(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RE	0 (67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 INDER FILL 29.9 FT (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 41.3 FT DEGREES (94) BRIDGE IMPROVEMENT COST: \$269,000.00 NO FLARE (95) ROADWAY IMPROVEMENT COST: \$27,000.00 STRICTION (96) TOTAL PROJECT COST: \$404,000.00 29.9 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: U(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RE (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR	0 (67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 INDER FILL 29.9 FT (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 41.3 FT DEGREES (94) BRIDGE IMPROVEMENT COST: \$269,000.00 NO FLARE (95) ROADWAY IMPROVEMENT COST: \$27,000.00 STRICTION (96) TOTAL PROJECT COST: \$404,000.00 29.9 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RE (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR	Company
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RE (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR (54b) MIN VERTICAL UNDERCLEARANCE: NOT AF	Company
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RE (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR (55b) MIN VERTICAL UNDERCLEARANCE: NOT A FIGHWAY OR (55b) MIN HORZ UNDERCLR ON RIGHT: NOT AF	Comparison of the comparison
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RE (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR (55b) MIN VERTICAL UNDERCLEARANCE: NOT A FIGHWAY OR (55b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR	Company   Comp

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

6

Ν

N

8

8

4

0000

21 FT

2019

24

N/A

N/A

Ν

Ν

\$23,000.00

\$3,000.00

\$35,000.00

10/8/2019

HS-20-44

BRIDGE ID NUMBER: 40E00030005 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: OAK GROVE RD. S.

CROSSING: BRANCH

LOCATION: 1 MI SOUTH OF SR 76

COUNTY: HENRY ROUTE: 00902 SPECIAL CASE: 0

COUNTY SEQUENCE: 1 LOG MILE: 14.86

SUFFICIENCY RATING: 59.8

#### IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37656 DEGREES 88.16839 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 8.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 21.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS):

**NOT APPLICABLE** 

**NOT APPLICABLE** 

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

6

Ν

N

8

8

8

N/A

10/8/2019

24

N/A

N/A

Ν

Ν

0001

HS-20-44

BRIDGE ID NUMBER: 40\$80930007 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 00904 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: ELKHORN RD. COUNTY SEQUENCE: 1 CROSSING: BEAVERDAM CREEK LOG MILE: 1.06 LOCATION: 5 MI. E. OF SR76 SUFFICIENCY RATING: 95.7 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.33642 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.18597 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 40F00050003
BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: **ELKHORN RD.**CROSSING: **HOLLY FORK CREEK** 

LOCATION: 2 MI. E. OF SR76

DEPARTMENT
OF TRANSPORT
COUNTY: HENRY

ROUTE: 00904

SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 3.43
SUFFICIENCY RATING: 73.8

LOCATION. 2 WILE. OF SR/6	SUFFICIENCY RATING. 73.6
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.33242 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.22361 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK:
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION:  (62) CHANGED CONDITION (IF A PRILICABLE):
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):  6
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE:  (44) MT POSTING STATIS: QLOSED
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: CLOSED
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 0
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 47.9 FT	(71) WATERWAY ADEQUACY:  (72) ADDROACH BOADMAY ALICAMAENT.
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 21.7 FT	
(52) BRIDGE OUT TO OUT WIDTH: 25.9 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 47.9 FT (94) BRIDGE IMPROVEMENT COST: \$233,000.00
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$233,000.00 (95) ROADWAY IMPROVEMENT COST: \$24,000.00
(35) BRIDGE FLARE: NO FLARE	(96) TOTAL PROJECT COST: \$350,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT	INSPECTION DATES
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/8/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	(SES) STESSME INOT TREASERS (MONTHO).
	PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

5

5

5

Ν

N

7

6

8

N/A

10/2/2019

24

N/A

N/A

Ν

Ν

0000

H-15-44

BRIDGE ID NUMBER: 40\$82370001 COUNTY: HENRY ROUTE: 01715 BRIDGE OWNER: HENRY COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SHADY GROVE RD. COUNTY SEQUENCE: 1 CROSSING: HENSON BRANCH LOG MILE: 0.90 LOCATION: 1 MI N OF SR76 SUFFICIENCY RATING: 83.0 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34294 DEGREES 88.26269 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

6

Ν

N

6

8

8

N/A

10/1/2019

24

N/A

N/A

Ν

Ν

0000

H-15-44

BRIDGE ID NUMBER: 40\$82370003 COUNTY: HENRY ROUTE: 01715 BRIDGE OWNER: HENRY COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SHADY GROVE RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 1.07 SUFFICIENCY RATING: 94.9 LOCATION: 1 MI. N. OF SR76 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34550 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.26306 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 7.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 48.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR):

**NOT APPLICABLE** 

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



YES

Ν

Ν

Ν

01/2020

Y12

**NOT A NHS ROUTE** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

**NO PARALLEL BRIDGE** 

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 40\$82370005 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 01715 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SHADY GROVE RD. COUNTY SEQUENCE: 1 CROSSING: THOMPSON CREEK LOG MILE: 2.21 SUFFICIENCY RATING: 39.0 LOCATION: 2.2 MI. N. OF SR76 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.36103 DEGREES (17a,b) LONGITUDE: 88.26069 DEGREES (104) NATIONAL HIGHWAY SYSTEM: (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: **NOT APPLICABLE** (107) TYPE OF DECK: (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **NOT APPLICABLE** B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1960 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **WATERWAY** 

E: <b>2</b>	(28a) NUMBER OF LANES CARRIED BY BRIDGE
≣: 0	(28b) NUMBER OF LANES UNDER THE BRIDGE:
	GEOMETRIC DATA
9.8 FT	(48) MAXIMUM SPAN LENGTH:
36.1 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
H: 18.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
14 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
WAY: <b>34.8 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADW
IWAY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW
	(54b) MIN VERTICAL UNDERCLEARANCE:
IWAY OR RAILROAD	(55a) HORZ UNDERCLR: NOT A HIGHW
NOT APPLICABLE	(55b) MIN HORZ UNDERCLR ON RIGHT:
NOT APPLICABLE	(56) MIN HORZ UNDERCLR ON LEFT:
	NAVIGATION DATA
VIGATION CONTROL	(38) NAV CONTROL: NO NAV

	(60) SUBSTRUCTURE:	N
	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	4
	(62) CULVERT CONDITION (IF APPLICABLE):	3
	DESIGN LOAD AND WEIGHT POSTING	3 <del></del>
_	(31) DESIGN LOADING:	H-15-44
	WEIGHT POSTING (2 AXLE VEHICLES):	11 TONS
	WEIGHT POSTING (3 OR MORE AXLES):	20 TONS
	(70) BRIDGE POSTING CODE:	4
	(41) WT POSTING STATUS: WEIGHT POSTED	
	APPRAISAL —	
	(67) STRUCTURAL EVALUATION:	3
	(68) DECK GEOMETRY:	N
•	(69) UNDERCLEARANCE RATING:	N
	(71) WATERWAY ADEQUACY:	7
	(72) APPROACH ROADWAY ALIGNMENT:	8
	(36) TRAFFIC SAFETY FEATURES:	0000
	(113) SCOUR CONDITION RATING:	2
	RECOMMENDED IMPROVEMENTS	
	(75) TYPE OF WORK: BRIDGE REPLACEMENT	
	(76) LENGTH OF BRIDGE IMPROVEMENT:	58.1 FT
	(94) BRIDGE IMPROVEMENT COST:	\$404,000.00
	(95) ROADWAY IMPROVEMENT COST:	\$41,000.00
	(96) TOTAL PROJECT COST:	\$607,000.00
	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2020
	INSPECTION DATES	
	(90) DATE OF LAST REGULAR INSPECTION:	10/3/2019
	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	10/3/2019
	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N N
	(525) 5.122.117.1121.1161.112.621.161 (MOITING).	

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

5

5

5

6

N

6

6

8

N/A

10/2/2019

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 40017150007 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 01715 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SHADY GROVE RD. COUNTY SEQUENCE: 1 CROSSING: NELSON CREEK LOG MILE: 4.04 SUFFICIENCY RATING: 85.7 LOCATION: 4 MI. S. OF SR140 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37989 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.24978 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 32.5 FT RECOMMENDED IMPROVEMENTS 34.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HENRY

BRIDGE ID NUMBER: 40017150009 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: SHADY GROVE RD. CROSSING: HOLLEY FORK CREEK

- IDENTIFICATION

LOCATION: 0.5 MI S. OF SR140

2019

24

N/A

Ν

Ν

10/3/2019

ROUTE: 01715 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 7.29 SUFFICIENCY RATING: 69.5

CLASSIFICATION =

(172ab) LONGITUDE: W 88.26794 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (98b) PERCENT SHARE: NOT APPLICABLE (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TRAPPORT (	(16a,b) LATITUDE: N 36.41967 DEGREE	S (112) MEETS NBIS BRIDGE LENGTH: YES
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE  BRIDGE TYPE AND MATERIAL  (102) TRAFFIC DIR: 2-WAY TRAFFIC  (103) TRAPPORARY BRIDGE: NOT APPLICABLE  (103) TRAPPORARY BRIDGE: NOT APPLICABLE  (103) TRAPPORARY BRIDGE: NOT APPLICABLE  (104) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK  (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEED DETERMINED  (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF P DECK: NOT APPLICABLE  (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: NOT APPLICABLE  (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: NOT APPLICABLE  (107) TYPE OF SURFACE: NOT APPLICABLE  (108) TYPE PROTECTION: NOT APPLICABLE  (109) SUBSTRUCTURE: NOT ON TRICK NETWORK  (109) SUBSTRUC	(17a,b) LONGITUDE: W 88.26794 DEGREE	S (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
SPECIAL CONCRETE CONTINUOUS	(98a) BORDER BRIDGE STATE CODE: N/	A (26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
BRIDGE TYPE AND MATERIAL  (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE  (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: NOT APPLICABLE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (107) TYPE OF FORCECTION: A) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE PROTECTION: NOT APPLICABLE (108) TYPE MEMBRANE: NOT APPLICABLE (109) TYPE PROTECTION: NOT APPLICABLE (109) TYPE OF SURFACE: NOT APPLICABLE (109) SUBSTRUCTURE: (109	(98b) PERCENT SHARE: N/	A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
Control   Cont	(99) BORDER BRIDGE NUMBER: NOT APPLICABL	E (102) TRAFFIC DIR: 2-WAY TRAFFIC
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE  (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (108) TYPE MEMBRANE: NOT APPLICABLE (57) YEAR THE BRIDGE WAS BUILT: (42b) SERVICE ON BRIDGE: (27) YEAR THE BRIDGE WAS BUILT: (42b) NUMBER OF LANES CARRIED BY BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (49) TOTAL BRIDGE LENGTH: (49) TOTAL BRIDGE CURB WIDTH: (49) TOTAL BRIDGE CURB WIDTH: (49) TOTAL BRIDGE CURB WIDTH: (50) RIGHE TSIDEWALK WIDTH: (51) BRIDGE CURB TO OUT WIDTH: (52) BRIDGE CURB TO OUT WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE MEDIAN: (35) BRIDGE FLARE: (106) VARIONAL TRUCK ROUTE: NOT APPLICABLE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED  (58) DECK: (69) SUBERSTRUCTURE: (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: (61) SUBSTRUCTURE: (61) SUBSTRUCTURE: (61) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: (62) CULVERT CONDITION (IF APPLICABLE): (63) SUBSTRUCTURE: (64) SUBSTRUCTURE: (64) SUBSTRUCTURE: (64) SUBSTRUCTURE: (65) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: (62) CULVERT CONDITION (IF APPLICABLE): (62) CULVER CONDITION (IF APPLICABLE): (63) SUBSTRUCTURE: (64) SUBSTRUCTURE: (64) SUBSTRUCTURE: (65) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: (61) SUBSTRUCTURE: (61) SUBSTRUCTURE: (61) SUBSTRUCTURE: (61) SUBSTRUCTURE: (61) SUBSTRUCTURE: (61) SUBS	BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(44a) APPR SPAN MATERIAL: NOT APPLICABLE  (45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: NOT APPLICABLE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: B) TYPE MEMBRANE: C) TYPE PROTECTION:  AGE AND SERVICE  (27) YEAR THE BRIDGE WAS REHABILITATED: NOT APPLICABLE (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (28a) NUMBER OF LANES UNDER THE BRIDGE: 0 (50b) RIGHT SIDEWALK WIDTH: 0 (50b) RI		(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (106) TYPE OF DECK: (108) TYPE OF DECK: (108) TYPE OF WARKING SURFACE AND DECK PROTECTION: (A) TYPE OF SURFACE: (B) TYPE MEMBRANE: (C) TYPE PROTECTION: (A29) SERVICE ON BRIDGE: (A29) SERVICE ON BRIDGE: (A28) NUMBER OF LANES CARRIED BY BRIDGE: (A28) NUMBER OF LANES CARRIED BY BRIDGE: (A29) NUMBER OF LANES CARRIED BY BRIDGE: (A29) NUMBER OF LANES UNDER THE BRIDGE: (A29) STAN LENGTH: (A29) ST	` '	` '
(46) NUMBER OF APPROACH SPANS:  (107) TYPE OF DECK:  (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:  (A) TYPE OF SURFACE:  (B) TYPE MEMBRANE:  (C) TYPE PROTECTION:  (A22) YEAR THE BRIDGE WAS BUILT:  (A23) SERVICE ON BRIDGE:  (A28) NUMBER OF LANES CARRIED BY BRIDGE:  (280) NUMBER OF LANES CARRIED BY BRIDGE:  (A28) NUMBER OF LANES UNDER THE BRIDGE:  (A29) NUMBER OF LANES UNDER THE BRIDGE:  (A20) NUMBER OF LANES UNDER THE BRIDGE:  (A20) NUMBER OF LANES UNDER THE BRIDGE:  (A21) DESIGN LOAD AND WEIGHT POSTING  (A21) DESIGN LOAD AND WEIGHT POSTING  (A22) SERVICE ON BRIDGE:  (A23) SERVICE ON BRIDGE:  (A24) WATERWAY  (A25) NUMBER OF LANES UNDER THE BRIDGE:  (A25) NUMBER OF LANES UNDER THE BRIDGE:  (A26) NUMBER OF LANES UNDER THE BRIDGE:  (A27) YEAR THE BRIDGE WAS BUILT:  (A28) NUMBER OF LANES UNDER THE BRIDGE:  (A28) NUMBER OF LANES UNDER THE BRIDGE:  (A29) NUMBER OF LANES UNDER THE BRIDGE:  (A20) NUMBER OF LANES UNDER THE BRIDGE:  (A21) OF THE OPPOINTION (IF APPLICABLE):  (A21) DESIGN LOAD NAW EIGHT  (A21) STRUCTURE:  (A21) STRUCTURE:  (A31) DESIGN LOAD AND WEIGHT  (A22) CALL EVER CONDITION:  (A31) DESIGN LOAD AND WEIGHT  (A32) DESIGN LOAD  (A31) DESIGN LOAD AND WEIGHT  (A32) DESIGN LOAD  (A31) DESIGN LOAD AND	(44a) APPR SPAN MATERIAL. NOT APPLICABLE	
(46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: NOT APPLICABLE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: B) TYPE MEMBRANE: C) TYPE MEMBRANE: NOT APPLICABLE C) TYPE PROTECTION: NOT APPLICABLE C) SUBSTRUCTURE: NOT APPLICABLE C) SUBSTRUCTURE: NOT APPLICABLE C) CULVERT CONDITION (IF APPLICABLE): A PPOSTING CODE: A LI LEGAL LOADS C(70) BRIDGE POSTING CODE: C(70) BRIDGE POSTING CODE: C(70) BRIDGE POSTING CODE: C(70) BRIDGE POSTING CODE: C(70) BRIDGE POSTI	(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(60) SUBSTRUCTURE:  (61) STREAM CHANNEL AND CHANNEL PROTECTION: (62) CULVERT CONDITION (IF APPLICABLE): (63) SUBSTRUCTURE: (64) STREAM CHANNEL AND CHANNEL PROTECTION: (65) SUBSTRUCTURE: (66) SUBSTRUCTURE: (67) STREAM CHANNEL AND CHANNEL PROTECTION: (68) CULVERT CONDITION (IF APPLICABLE): (68) CULVERT CONDITION (IF APPLICABLE): (69) CULVERT CONDITION (IF APPLICABLE): (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: (62) CULVERT CONDITION (IF APPLICABLE): (62) CULVERT CONDITION (IF APPLICABLE): (63) DESIGN LOAD AND WEIGHT POSTING (64) DESIGN LOAD AND WEIGHT POSTING (75) DESIGN LOAD AND WEIGHT POSTING (76) DESIGN LOAD AND WEIGHT POSTING (75) STRUCTURAL EVALUATION: (76) BRIDGE POSTING CODE: (77) WATERWAY ADEQUACY: (78) DECK GEOMETRY: (79) WATERWAY ADEQUACY: (70) BRIDGE CHARLING POSTING POSTING POSTING (77) WATERWAY ADEQUACY: (77) WATERWAY ADEQUACY: (78) DECK GEOMETRY: (79) WATERWAY ADEQUACY: (70) BRIDGE ARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (73) BRIDGE CURB TO CURB WIDTH: (74) WATERWAY ADEQUACY: (75) TRYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT (77) TYPE OF WORK: BRIDGE IMPROVEMENT: (78) DESIGN LOAD AND WEIGHT POSTING (79) TARKET AND ALL LEGAL LOADS (70) BRIDGE MEDIAN: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (73) BRIDGE		0 (58) DECK: N
A) TYPE OF SURFACE: B) TYPE MEMBRANE: C) TYPE PROTECTION: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): AGE AND SERVICE  (27) YEAR THE BRIDGE WAS BUILT: (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE: (28b) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (49) TOTAL BRIDGE LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (50c) BRIDGE OUT TO OUT WIDTH: (51) BRIDGE OUT TO OUT WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: (62) CULVERT CONDITION (IF APPLICABLE): (62) CULVERT CONDITION (IF APPLICABLE): (62) CULVERT CONDITION (IF APPLICABLE): (63) CULVERT CONDITION (IF APPLICABLE): (64) CULVERT CONDITION (IF APPLICABLE): (62) CULVERT CONDITION (IF APPLICABLE): (62) CULVERT CONDITION (IF APPLICABLE): (63) CULVERT CONDITION (IF APPLICABLE): (64) CULVERT CONDITION (IF APPLICABLE): (62) CULVERT CONDITION (IF APPLICABLE): (63) TRAFIC SAFETY EATHES: (64) CULVERT CONDITION (IF APPLICABLE): (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDER CLEARANCE RATING: (69) UNDER	(107) TYPE OF DECK: NOT APPLICABL	E (59) SUPERSTRUCTURE: N
A) TYPE OF SURFACE: B) TYPE MEMBRANE: C) TYPE PROTECTION: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): 4  AGE AND SERVICE  (27) YEAR THE BRIDGE WAS BUILT: (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE: (28b) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES CARRIED BY BRIDGE: (49) TOTAL BRIDGE LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (52) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (53) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): 4  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS WEIGHT POSTING CODE: (41) WT POSTING STATUS: OPEN  (67) STRUCTURAL EVALUATION: 4  (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8  (69) UNDERCLEARANCE RATING: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (73) AFFIC SAFETY FEATURES: (74) WATERWAY ADEQUACY: (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TANDA PROJECTION: (78) TANDA PROJECTION: (79) TANDA PROJECTION: (79) TANDA PROJECTION: (79) TANDA PROJECTION: (79) TANDA PROJECTION:	(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
C) TYPE PROTECTION:  NOT APPLICABLE  AGE AND SERVICE  (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: (28b) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (49) TOTAL BRIDGE LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) PESIGN LOAD AND WEIGHT POSTING (34) DESIGN LOAD AND WEIGHT POSTING (35) DESIGN LOAD AND WEIGHT POSTING (37) DESIGN LOAD AND WEIGHT POSTING (31) DESIGN LOAD AND WEIGHT POSTING (42) AXL LEGAL LOADS (41) WT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (41) WT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS (41) WT POSTING (3 OR MORE AXLES): (41) WT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS (41) WT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS (41) WT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS (41) WT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS (41) WT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS (41) WT POSTING (2 AXLE VEHICLES): AL		E (61) STREAM CHANNEL AND CHANNEL PROTECTION: 4
AGE AND SERVICE  (27) YEAR THE BRIDGE WAS BUILT: 1968 (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE CURB TO CURB WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (72) APPROACH ROADWAY ALIGNMENT: (73) SCOUR CONDITION RATING: (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENTS (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TOTAL BRIDGE IMPROVEMENT COST: (76) LENGTH OF BRIDGE IMPROVEMENT COST: (77) TOTAL BRIDGE IMPROVEMENT COST: (78) PROADWAY IMPROVEMENT COST: (79) PROADWAY IMPROVEMENT COST: (70) BRIDGE ODE: (41) WT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS (70) BRIDGE ODE: (41) WT POSTING CODE: (41)	B) TYPE MEMBRANE: NOT APPLICABL	E (62) CULVERT CONDITION (IF APPLICABLE): 4
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE: (28b) NUMBER OF LANES CARRIED BY BRIDGE: (29b) NUMBER OF LANES UNDER THE BRIDGE: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (50b) BRIDGE CURB TO CURB WIDTH: (50c) BRIDGE CURB TO CURB WIDTH: (50c) BRIDGE OUT TO OUT WIDTH: (50c) BRIDGE OUT TO OUT WIDTH: (30c) APPROACH ROADWAY (W/ SHLDS) WIDTH: (30c) BRIDGE MEDIAN: (30c) BRIDGE SKEW: (30c) BRIDGE FLARE: (WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN  (42) WT POSTING CODE: (41) WT POSTING STATUS: OPEN  (64) DECK GEOMETRY: NO (69) UNDERCLEARANCE RATING: NO (6	C) TYPE PROTECTION: NOT APPLICABL	DESIGN LOAD AND WEIGHT POSTING
WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	ACE AND SERVICE	(31) DESIGN LOADING: <b>HS-20-44</b>
(106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (70) BRIDGE CODE: (41) WT POSTING STATUS: OPEN  APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: (72) APPROVEMENTS  (73) BRIDGE IMPROVEMENT  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT (77) BRIDGE POSTING CODE: (41) WT POSTING (30 R MORE AXLES): (41) WT POSTING STATUS: OPEN  (44) WT POSTING STATUS: OPEN  (41) WT POSTING STATUS: OPEN  (42) WT POSTING STATUS: OPEN  (41) WT POSTING STATUS: OPEN  (42) WT POSTING STATUS: OPEN  (41) WT POSTING STATUS: OPEN  (42) WT POSTING STATUS: OPEN  (42) WT POSTING STATUS: OPEN  (41) WT POSTING STATUS: OPEN  (42) WT POSTING STATUS: OPEN  (42) WT POSTING STATUS: OPEN  (42) WT POSTING STATUS: OPEN  (41) WT POSTING STATUS: OPEN  (42) WT POSTING STATUS: OPEN  (42) WT POSTING STATUS: OPEN  (41) WT POSTING STATUS: OPEN  (42) WT POSTING  (42) WT POSTING  (42) WT POSTING  (42) WT POSTING  (		WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) APPROACH ROADWAY (W/SHLDS) WIDTH: (53) APPROACH ROADWAY (W/SHLDS) WIDTH: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN (41) WT POSTING STATUS: OPEN (42) WATERWAY (41) WT POSTING STATUS: (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (83) TRAFFIC SAFETY FEATURES: (84) TRAFFIC SAFETY FEATURES: (85) TYPE OF WORK: (75) TYPE OF WO		WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (41) WT POSTING STATUS: OPEN APPRAISAL (47) WATERWAY (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (83) TRAFFIC SAFETY FEATURES: (84) TOTAL BRIDGE REHABILITATION (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TOTAL BRIDGE COOCT: (95) ROADWAY IMPROVEMENT COST: (113, ODO DO	` '	(70) BRIDGE POSTING CODE: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (69) UNDERCLEARANCE RATING: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (73) BRIDGE CURB TO CURB WIDTH: (74) BRIDGE CURB TO CURB WIDTH: (75) BRIDGE OUT TO OUT WIDTH: (75) BRIDGE OUT TO OUT WIDTH: (75) BRIDGE MEDIAN: (76) BRIDGE MEDIAN: (77) WATERWAY ADEQUACY: (78) TRAFFIC SAFETY FEATURES: (78) UNDER FILL UNDER FILL  RECOMMENDED IMPROVEMENTS (78) TYPE OF WORK:  RECOMMENDED IMPROVEMENTS (79) BRIDGE IMPROVEMENT: (79) BRIDGE IMPROVEMENT: (79) BRIDGE IMPROVEMENT: (79) BRIDGE IMPROVEMENT: (70) BRIDGE IMPROVEMENT COST: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (73) SCOUR CONDITION RATING: (74) BRIDGE IMPROVEMENT: (75) TYPE OF WORK: (76) BRIDGE IMPROVEMENT: (77) BRIDGE IMPROVEMENT COST: (78) BRIDGE IMPROVEMENT COST: (79) BRIDGE IMPROVEMENT COST: (70) BRIDGE IMPROVEMENT COST: (70) BRIDGE IMPROVEMENT COST: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (75) TYPE OF WORK: (75) BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) BRIDGE IMPROVEMENT COST: (78) BRIDGE IMPROVEMENT COST: (79) BRIDGE IMPROVEMENT COST: (89) BRIDGE IMPROVEMENT COST: (89) BRIDGE IMPROVEMENT COST: (89) BRIDGE IMPROVEMENT COST: (80) BRIDGE IMPROVEMENT COST:	` '	(41) WT POSTING STATUS: OPEN
(28b) NUMBER OF LANES UNDER THE BRIDGE:  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (86) UNDER FILL (77) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (86) UNDER FILL STRUCTURAL EVALUATION: (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (86) UNDER FILL STRUCTURAL EVALUATION: (75) WATERWAY ADEQUACY: (76) APPROACH ROADWAY ALIGNMENT: (87) TRAFFIC SAFETY FEATURES: (88) DECK GEOMETRY: (77) WATERWAY ADEQUACY: (78) TRAFFIC SAFETY FEATURES: (89) UNDER FILL STRUCTURAL EVALUATION: (77) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (89) UNDER CLEARANCE RATING: (77) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (89) UNDER FILL STRUCTURAL EVALUATION: (74) WATERWAY ADEQUACY: (75) TRAFFIC SAFETY FEATURES: (89) UNDER CLEARANCE RATING: (77) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (75) TRAFFIC SAFETY FEATURES: (76) TRAFFIC SAFETY FEATURES: (77) APPROACH ROADWAY (WISHED): (77) APPROACH ROADWAY (WISHED): (77) APPROACH ROADWAY (WISHED): (77) APPROACH ROADWAY ALIGNMENT: (77) WATERWAY ADEQUACY: (77) APPROACH ROADWAY ALIGNMENT: (77) WATERWAY ADEQUACY: (77) WATERWAY ADEQUACY: (77) APPROACH ROADWAY ALIGNMENT: (77) WATERWAY ADEQUACY: (77) APPROACH ROADWAY (WISHED): (77) APPROACH ROADWAY (WISH	` '	APPRAISAI
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (72) APPROACH ROADWAY ALIGNMENT: (73) APPROACH ROADWAY ALIGNMENT: (74) WATERWAY ADEQUACY: (75) APPROACH ROADWAY ALIGNMENT: (76) LENGTH OF BRIDGE IMPROVEMENTS (77) WATERWAY ADEQUACY: (78) APPROACH ROADWAY ALIGNMENT: (79) APPROACH ROADWAY ALIGNMENT: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (72) APPROACH ROADWAY ALIGNMENT: (73) SCOUR CONDITION RATING: (74) WATERWAY ADEQUACY: (75) TRAFFIC SAFETY FEATURES: (76) TRAFFIC SAFETY FEATURES: (77) WATERWAY ADEQUACY: (78) APPROACH ROADWAY ALIGNMENT: (79) APPROACH ROADWAY ALIGNMENT: (113) SCOUR CONDITION RATING: (113) SCOUR CONDITION RATING: (113) SCOUR CONDITION RATING: (114) SCOUR CONDITION RATING: (115) TYPE OF WORK: (116) BRIDGE IMPROVEMENTS (117) WATERWAY ADEQUACY: (118) SCOUR CONDITION RATING: (119) SCOUR CONDITION RATING: (119) SCOUR CONDITION RATING: (1110) SCOUR CONDITION RATING: (1111) SCOUR CONDITION RATING: (1113) SCOUR CONDITION RATING: (114) SCOUR CONDITION RATING: (115) SCOUR CONDITION RATING: (116) DRICHERS (117) SCOUR CONDITION RATING: (117) WATERWAY ADEQUACY: (118) SCOUR CONDITION RATING: (119) SCOUR CONDITION RATING: (119) SCOUR CONDITION RATING: (119) SCOUR CONDITION RATING: (1111) SCOUR C	` '	(67) STRUCTURAL EVALUATION:
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (64) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (64) UNDERCLEARANCE RATING: (72) APPROACH ROADWAY ALIGNMENT: (83) TRAFFIC SAFETY FEATURES: (94) SCOUR CONDITION RATING: (85) TYPE OF WORK: (86) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (86) TRAFFIC SAFETY FEATURES: (96) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (86) TRAFFIC SAFETY FEATURES: (96) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (86) TRAFFIC SAFETY FEATURES: (96) UNDERCLEARANCE RATING: (72) APPROACH ROADWAY ALIGNMENT: (86) TRAFFIC SAFETY FEATURES: (96) UNDERCLEARANCE RATING: (72) APPROACH ROADWAY ALIGNMENT: (86) TRAFFIC SAFETY FEATURES: (96) UNDERCLEARANCE RATING: (72) APPROACH ROADWAY ALIGNMENT: (86) TRAFFIC SAFETY FEATURES: (96) TRAFFIC SAFETY FEATURES: (97) TYPE OF WORK: (97) BRIDGE IMPROVEMENT: (97) TOTAL PROPOSED TO COST.		
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) APPROACH ROADWAY (W/ SHLDS) (113) SCOUR CONDITION RATING:  8 (75) TYPE OF WORK:  8 (77) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (37) APPROACH ROADWAY IMPROVEMENT: (113) SCOUR CONDITION RATING: (114) PROVEMENT COST: (115) SCOUR CONDITION RATING: (116) ERCOMMENDED IMPROVEMENTS (117) WATERWAY ADEQUACY: (127) APPROACH ROADWAY ALIGNMENT: (128) APPROACH ROADWAY IMPROVEMENT: (117) WATERWAY ADEQUACY: (128) APPROACH ROADWAY ALIGNMENT: (129) APPROACH ROADWAY ALIGNMENT: (120) APPROACH ROADWAY IMPROVEMENT: (120) APPROACH ROADWAY IMPROVEMENTS (121) APPROACH ROADWAY IMPROVEMENTS (121) APPROACH ROADWAY IMPROVEMENTS (123) BRIDGE REHABILITATION (124) BRIDGE IMPROVEMENT: (125) APPROACH ROADWAY IMPROVEMENT: (126) APPROACH ROADWAY IMPROVEMENT: (127) APPROACH ROADWAY IMPROVEMENT: (127) APPROACH ROADWAY IMPROVEMENT: (128) APPROACH ROADWAY IMPROVEMENT: (129) APPROACH ROADWAY IMPROVEMENT: (129) APPROACH ROADWAY IMPROVEMENT: (120) APPROACH ROADWAY IMPROVEMENT: (120) APPROACH ROADWAY IMPROVEMENT: (120) APPROACH ROADWAY IMPROVEMENT: (120) APPROACH ROADWAY IMPROVEMENT: (121) APPROACH ROADWAY IMPROVEMENT: (121) APPROACH ROADWAY IMPROVEMENT: (121) APPROACH ROADWAY IMPROVEMENT: (121) APPROACH ROADWAY IMPROVEMENT: (122) APPROACH ROADWAY IMPROVEMENT: (126) APPROACH ROADWAY IMPROACH ROADWAY IMPRO		(69) UNDERCLEARANCE RATING:
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK:  8 (72) APPROACH ROADWAY ALIGNMENT: (13) SCOUR CONDITION RATING: (13) SCOUR CONDITION RATING: (14) BRIDGE REHABILITATION (15) TYPE OF WORK: (17) BRIDGE REHABILITATION (17) BRIDGE IMPROVEMENT: (18) SCOUR CONDITION RATING: (18) RECOMMENDED IMPROVEMENTS (19) BRIDGE REHABILITATION (17) BRIDGE IMPROVEMENT: (18) SCOUR CONDITION RATING: (18) SCOUR CONDITION R		(71) WATERWAY ADEQUACY:
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (13) SCOUR CONDITION RATING:  8 (14) SCOUR CONDITION RATING: (15) TYPE OF WORK: (15) TYPE OF WORK: (16) DEGREES (17) TYPE OF WORK: (17) TYPE OF WORK: (17) TYPE OF WORK: (18) DEGREES (18) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  8 (18) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  8 (18) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  8 (113) SCOUR CONDITION RATING:  8 (113) SCOUR CONDITION RATING: (		(72) APPROACH ROADWAY AI IGNMENT:
(51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION  NO MEDIAN (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: \$115,000.00  (95) ROADWAY IMPROVEMENT COST: \$12,000.00	` '	(36) TRAFFIC SAFFTY FEATURES: 0000
(52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  UNDER FILL  29.9 FT (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: BRIDGE IMPROVEMENT: (78) BRIDGE IMPROVEMENT: (79) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) TOTAL PROJECT COST: (97) TOTAL PROJECT COST:	• •	(113) SCOUR CONDITION RATING: 8
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (18) ROADWAY IMPROVEMENT COST: (18) TOTAL PROJECT COST:		
(33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO MEDIAN (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: \$115,000.00 (95) ROADWAY IMPROVEMENT COST: \$12,000.00		(75) TYPE OF MODIC PRINCE BELIABILITATION
(34) BRIDGE SKEW:         0 DEGREES         (94) BRIDGE IMPROVEMENT COST:         \$115,000.00           (35) BRIDGE FLARE:         NO FLARE         (95) ROADWAY IMPROVEMENT COST:         \$12,000.00	· · ·	(76) LENGTH OF PRINCE IMPROVEMENT.
(35) BRIDGE FLARE:  NO FLARE  (95) ROADWAY IMPROVEMENT COST: \$12,000.00		(04) DDIDGE IMDDO\/EMENT COCT:
(OC) TOTAL DDO IFCT COCT: #470 000 00		(05) DOADWAY IMPROVEMENT COST: \$42,000.00
	(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(OC) TOTAL DDO 1507 COCT:

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT A HIGHWAY OR RAILROAD** 

**NOT A HIGHWAY OR RAILROAD** 

NO NAVIGATION CONTROL

29.9 FT

N/A

N/A

N/A

(92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS):

INSPECTION DATES

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(90) DATE OF LAST REGULAR INSPECTION:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA



COUNTY: HENRY

BRIDGE ID NUMBER: 40017170001
BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: **CLAYTON TOWN RD.**CROSSING: **SOUTH FK BLOOD RIVER** 

LOCATION: 0.5 MI. S. OF SR140

ROUTE: 01717 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 0.44

SUFFICIENCY RATING: 98.9

IDENTIFICATION	
(16a,b) LATITUDE: N 36.44133 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.20867 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 5	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): N
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: <b>EPOXY COATED REINFORCING</b>	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44 WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 2005	WEIGHT POSTING (2 AXLE VEHICLES):  WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(68) DECK GEOMETRY: 6
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 35.8 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 177.5 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0110
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: 31.5 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/2/2019
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):

# NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 40017170005 COUNTY: HENRY ROUTE: 01717 BRIDGE OWNER: HENRY COUNTY SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: CLAYTON TOWN RD. COUNTY SEQUENCE: 1 CROSSING: MCGEHEE BRANCH LOG MILE: 1.18 LOCATION: 1.2 M N. OF SR140 SUFFICIENCY RATING: 94.5 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.44694 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.21608 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: **NOT APPLICABLE** (107) TYPE OF DECK: (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING:

	AGE AND SERVICE —
1956	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:

- GEOMETRIC DATA -

9.8 FT	(48) MAXIMUM SPAN LENGTH:
21.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
<b>UNDER FILL</b>	(51) BRIDGE CURB TO CURB WIDTH:
<b>UNDER FILL</b>	(52) BRIDGE OUT TO OUT WIDTH:
38.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:

(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.7 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

#### NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 19-Mar-20

#### YES **NOT A NHS ROUTE RURAL MINOR COLLECTOR NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS = Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): DESIGN LOAD AND WEIGHT POSTING HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN APPRAISAL (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: ROADWAY IMPROVEMENT COST: TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 10/2/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A

Ν



COUNTY: HENRY

ROUTE: 01728

BRIDGE ID NUMBER: 40017280001 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: HENRY-MIDWAY RD.

CROSSING: BRANCH

LOCATION: 1.7 MI. NW OF HENRY

OF TRANSPORTATION

SUFFICIENCY RATING: 91.2

LOG MILE: 2.08

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

IDENTIFICATION	
(16a,b) LATITUDE: N 36.20436 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.43325 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1991	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(420) ONDER DRIDGE.	
•	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL  (67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	ALLINAIONE
(28a) NUMBER OF LANES CARRIED BY BRIDGE:  (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 39.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT:  8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT	(67) STRUCTURAL EVALUATION:       6         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       8         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 31.5 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 31.5 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) APPROACH ROADWAY ALIGNMENT: (38) TRAFFIC SAFETY FEATURES: (39) RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  12.1 FT  12.1 FT  19.0 FT  19.0 FT  10.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (76) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/8/2019
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION: (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE ON ROADWAY: (541) WIN HORIZONTAL CLEARANCE ON ROADWAY: (542) FT (543) VERT UNDERCLR: (544) VERT UNDERCLR: (554) HORZ UNDERCLR: (555) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR ON RIGHT: (556) NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENTS (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (97) NA

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 40017340001 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: WHITLOCK RD. CROSSING: BIRD CREEK

LOCATION: 3 MI. W. OF SR54

COUNTY: HENRY

ROUTE: 01734 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 3.02 SUFFICIENCY RATING: 64.6

LOCATION: 3 MI. W. OF SR54	SUFFICIENCY RATING: 64.6
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.37919 DEGRE	
(17a,b) LONGITUDE: W 88.36950 DEGRI	ES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A (26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE:	N/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICAL	BLE (102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
DRIDGE TIPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	Z (F0) DECK:
(46) NUMBER OF APPROACH SPANS:	(EO) CLIDED CTDLICTLIDE:
(107) TYPE OF DECK: CONCRETE PRECAST PANI	(60) SUBSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STDEAM CHANNEL AND CHANNEL DROTECTION:
A) TYPE OF SURFACE: ASPHA	(62) CHI VERT CONDITION (IE ARRI ICARI E)
,	THE TOTAL CAR AND MEIGHT BOOTING
C) TYPE PROTECTION:	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: <b>H-15-44</b>
(27) YEAR THE BRIDGE WAS BUILT: 1	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHW	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERW	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0 (67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
(48) MAXIMUM SPAN LENGTH: 19.0	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 38.1	(71) WATERWAY ADEQUACY:
(50a) LEFT SIDEWALK WIDTH: 0.0	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0	(36) TRAFFIC SAFFTY FFATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 20.3	(113) SCOUR CONDITION RATING: 5
(52) BRIDGE OUT TO OUT WIDTH: 21.7	RECOMMENDED IMPROVEMENTS ———
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9	(75) TVDE OF MODIC BRIDGE BERLAGEMENT
(33) BRIDGE MEDIAN: NO MED	(76) LENCTH OF PRIDCE IMPROVEMENT:
(34) BRIDGE SKEW: 28 DEGRE	(04) PRIDCE IMPROVEMENT COST: \$262,000,00
(35) BRIDGE FLARE: NO FLA	(05) BOADWAY IMPROVEMENT COST: \$27,000,00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICT	(06) TOTAL DRO JECT COST: #544 000 00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.3	(07) VEAD OF IMPDOVEMENT COST ESTIMATE: 2010
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILRO	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICAL	· <del>-</del>
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILRO	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICATE NOT APPLIC	i i
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICATE NOT APPLICAT	· · ·
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTR	· ,
	N/A
• •	PRODUCED PURSUANT TO

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



7

6

6

8

8

8

N/A

Ν

COUNTY: HENRY

ROUTE: 01735

SPECIAL CASE: 0

BRIDGE ID NUMBER: 400A5750001 BRIDGE OWNER: HENRY COUNTY

> FIPS CODE: 00000 ROAD NAME: GATE-3 RD. CROSSING: BRANCH

COUNTY SEQUENCE: 1 LOG MILE: 3.49 SUFFICIENCY RATING: 96.1 LOCATION: 3 MI. N. OF SR76

 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25769 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.39542 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 31.5 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 10/3/2019 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



BRIDGE ID NUMBER: 400A5750003 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000 ROAD NAME: GATE-3 RD. CROSSING: OBION RIVER LOCATION: 4 MI. N. OF SR76

COUNTY: HENRY ROUTE: 01735 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 4.93

SUFFICIENCY RATING: 98.6

IDENTIFICATION	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.27764 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 88.38781 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
CONTINUOUS	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NATIONAL REGISTER	
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7	
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 7	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7	
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):  N	
C) TYPE PROTECTION: <b>EPOXY COATED REINFORCING</b>		
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44	
(27) YEAR THE BRIDGE WAS BUILT: 1996	WEIGHT POSTING (2 AXLE VEHICLES):  ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
(42b) UNDER BRIDGE: WATERWAY	(41) WIT GOTING STATES. OPEN	
(426) ONDER BRIDGE.	ADDDAICAL	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL	
,	(67) STRUCTURAL EVALUATION: 7	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  2	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 36.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1001	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 29.5 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1001 (113) SCOUR CONDITION RATING: 5	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 31.8 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.5	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW:  0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54b) NO MEDIANA  NO MEDIANA  NO RESTRICTION  10  11  12  13  14  15  16  16  16  17  18  18  18  18  18  18  18  18  18	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.2 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/3/2019	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.2 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (10/3/2019) (91) REGULAR INSPECTION FREQUENCY (MONTHS):	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE ON ROADWAY: (541) MIN HORIZONTAL CLEARANCE ON ROADWAY: (542) VERT UNDERCLR: (543) VERT UNDERCLR: (544) VERT UNDERCLR: (554) HORZ UNDERCLR: (555) MIN HORZ UNDERCLR ON RIGHT: (556) MIN HORZ UNDERCLR ON RIGHT: (557)  NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

BRIDGE ID NUMBER: 40017360001



YES

Ν

Ν

Ν

6

7

7

5

N

7

6

8

N/A

10/3/2019

24

N/A

N/A

Ν

Ν

0000

HS-20-44

2-WAY TRAFFIC

COUNTY: HENRY

BRIDGE OWNER: HENRY COUNTY ROUTE: 01736 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RABBIT CREEK RD. COUNTY SEQUENCE: 1 CROSSING: RABBIT CREEK LOG MILE: 4.31 SUFFICIENCY RATING: 86.1 LOCATION: 3 MI. N. OF SR140 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.46567 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.17175 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1999 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 29.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 400A7020001
BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: INDIA RD.

CROSSING: TOWN CREEK

LOCATION: 0.1 MI. N. OF PARIS

COUNTY: HENRY
ROUTE: 03064
SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 2.89

SUFFICIENCY RATING: 70.6

LOCATION: 0.1 MI. N. OF PARIS	SUFFICIENCY RATING: 70.6
IDENTIFICATION	
(16a,b) LATITUDE: N 36.31336 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.29506 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 4	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 5
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1963	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
	(68) DECK GEOMETRY: N
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 43.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 65 FT
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$509,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$51,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$764,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.2 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/2/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	
	PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

7

6

Ν

N

6

8

8

N/A

10/2/2019

24

N/A

N/A

Ν

Ν

0000

H-15-44

BRIDGE ID NUMBER: 400A7020003 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 03064 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: INDIA RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.96 SUFFICIENCY RATING: 96.4 LOCATION: 0.5 MI. NE OF PARIS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31414 DEGREES 88.29425 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1964 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 21.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

5

5

5

Ν

N

6

8

8

N/A

10/2/2019

24

N/A

N/A

Ν

Ν

0000

H-15-44

BRIDGE ID NUMBER: 400A7020005 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 03064 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: INDIA RD. COUNTY SEQUENCE: 1 CROSSING: MCGOWAN CREEK LOG MILE: 3.54 SUFFICIENCY RATING: 80.1 LOCATION: 0.7 MI. NE OF PARIS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.32028 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.28767 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 44.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HENRY

ROUTE: 03066

BRIDGE ID NUMBER: 40030660001 BRIDGE OWNER: CITY OF PARIS

FIPS CODE: **56720** 

ROAD NAME: N. WILSON ST. CROSSING: BRANCH CREEK

LOCATION: IN THE CITY OF PARIS

OF TRANSPORTATION

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.31 SUFFICIENCY RATING: 95.3

IDENTIFICATION	
(16a,b) LATITUDE: N 36.30503 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.29394 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1986 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
` '	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL  (67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	1 2 1 1 2 2 2 2
(28a) NUMBER OF LANES CARRIED BY BRIDGE:  (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 15.1 FT	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 33.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW:  0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR:  NO FARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/9/2019
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (55d) NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

Ν

Ν

5

8

8

N/A

10/8/2019

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 40\$80240001 COUNTY: HENRY ROUTE: 05741 BRIDGE OWNER: HENRY COUNTY SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: REYNOLDSBURG RD. COUNTY SEQUENCE: 1 CROSSING: BARNES FORK CREEK LOG MILE: 1.20 SUFFICIENCY RATING: 95.7 LOCATION: 5 MI. S.E. OF PARIS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24306 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 88.28742 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 38.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

6

Ν

N

6

8

8

N/A

10/8/2019

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 40\$80240003 COUNTY: HENRY ROUTE: 05741 BRIDGE OWNER: HENRY COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: REYNOLDSBURG RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.30 SUFFICIENCY RATING: 96.7 LOCATION: 1.6 MI. E. OF SR77 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24261 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.28572 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 20.3 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 40S80240005
BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: **REYNOLDSBURG RD.** CROSSING: **WEST SANDY CREEK** 

LOCATION: 6 MI. W. OF BENTON CO.

COUNTY: HENRY
ROUTE: 05741
SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 2.98 SUFFICIENCY RATING: 96.7

EGOTATION. CHILITICOL BENTON CO.	CONTROLENCE TO CHICA.
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.22875 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.26411 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: STEEL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 5	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: NOT APPLICABLE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE):  6
B) TYPE MEMBRANE: NOT APPLICABLE C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
	(31) DESIGN LOADING: HS-15-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1996	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(40k) LINDED DDIDGE.	(11) 1111 0011110 0171100. <b>OI EN</b>
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	APPRAISAL (67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 6.9 FT	APPRAISAL  (67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 33.6 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 68 DECK GEOMETRY: N  (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH:  2 6.9 FT 0.0 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 66 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	APPRAISAL  (67) STRUCTURAL EVALUATION:     (68) DECK GEOMETRY:     (99) UNDERCLEARANCE RATING:     (71) WATERWAY ADEQUACY:     (72) APPROACH ROADWAY ALIGNMENT:     (36) TRAFFIC SAFETY FEATURES:     (0000 (113) SCOUR CONDITION RATING:     8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE:	APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (98) ROADWAY IMPROVEMENT COST: (99) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK: NOT APPLICABLE (38) TYPE OF WORK: NOT APPLICABLE (39) ROADWAY IMPROVEMENT COST: (30) TOTAL PROJECT COST: (30) TOTAL PROJECT COST: (31) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (32) DATE OF LAST REGULAR INSPECTION: (33) DATE OF LAST UNDERWATER INSP (MO/YR): (34) N/A (35) DATE OF LAST UNDERWATER INSP (MO/YR): (36) N/A (37) N/A (38) DATE OF LAST UNDERWATER INSP (MO/YR): (37) N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	APPRAISAL  (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK: NOT APPLICABLE (38) TYPE OF WORK: NOT APPLICABLE (39) ROADWAY IMPROVEMENT COST: (30) TOTAL PROJECT COST: (31) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (32) DATE OF LAST REGULAR INSPECTION: (33) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 40S80240007
BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: REYNOLDSBURG RD.

CROSSING: BRANCH

LOCATION: 5 MI. W. OF BENTON CO.

COUNTY: HENRY
ROUTE: 05741
SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 4.06 SUFFICIENCY RATING: 77.4

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.21856 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.25103 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NILIMBED OF MAIN OBANO	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:  (40) NUMBER OF ARRESTAND	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF MEARING SUBFACE AND DECK PROTECTION.	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
A) TYPE OF SURFACE:  B) TYPE MEMBRANE:  NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: H-15-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1958	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	A DDD AIGAI
(29c) NUMBER OF LANCE CARRIED BY PRINCE.	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  15.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 48.9 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 15.1 FT  (49) TOTAL BRIDGE LENGTH: 48.9 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 00000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 20  15.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  00  15.1 FT  15.1 FT  48.9 FT  20.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) APPROACH ROADWAY ALIGNMENT:  (38) TRAFFIC SAFETY FEATURES: (39) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (31) SCOUR CONDITION RATING: (31) SCOUR CONDITION RATING: (32) RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  0  15.1 FT  48.9 FT  20.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  NO MEDIAN  (34) BRIDGE SKEW:  0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT:  48.9 FT
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  0  15.1 FT  48.9 FT  20.0 FT	(67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       4         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       8         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       8         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       48.9 FT         (94) BRIDGE IMPROVEMENT COST:       \$237,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       4         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       8         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       8         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       48.9 FT         (94) BRIDGE IMPROVEMENT COST:       \$237,000.00         (95) ROADWAY IMPROVEMENT COST:       \$24,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       4         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       8         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       8         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       48.9 FT         (94) BRIDGE IMPROVEMENT COST:       \$237,000.00         (95) ROADWAY IMPROVEMENT COST:       \$24,000.00         (96) TOTAL PROJECT COST:       \$356,000.00
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  215.1 FT  48.9 FT  0.0 FT	(67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       4         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       8         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       8         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       48.9 FT         (94) BRIDGE IMPROVEMENT COST:       \$237,000.00         (95) ROADWAY IMPROVEMENT COST:       \$24,000.00         (96) TOTAL PROJECT COST:       \$356,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (20) TO TA HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) STRUCTURAL EVALUATION: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) DECK GEOMETRY: (99) STRUCTURAL EVALUATION: (99) TOTAL PROJECT COST: (90) TOTAL PROJECT COST: (90) STRUCTURAL EVALUATION: (90) TOTAL PROJECT COST: (91) STRUCTURAL EVALUATION: (91) TRAFFIC STRUCTURAL EVALUATION: (92) TYPE OF WORK: (93) TRAFFIC SAFETY FEATURES: (94) BRIDGE REHABILITATION (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) TRAFFIC SAFETY FEATURES: (90000) (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) STRUCTURAL EVALUATION: (99) TOTAL PROJECT COST: (90) STRUCTURAL EVALUATION: (90) TOTAL PROJECT COST: (90) STRUCTURAL EVALUATION: (90) TOTAL PROJECT COST: (91) STRUCTURAL EVALUATION: (91) TRAFFIC SAFETY FEATURES: (91) APPROVEMENT COST ESTIMATE: (91) STRUCTURAL EVALUATION: (91) STRUCTURAL EVALUATION: (92) STRUCTURAL EVALUATION: (93) STRUCTURAL EVALUATION: (94) STRUCTURAL EVALUATION: (95) ROADWAY STRUCTURAL EVALUATION: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) STRUCTURAL EVALUATION: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) STRUCTURAL EVALUATION: (98) STRUCTURAL EVALUATION: (99) STRUCTURAL EVALUATION: (90) STRUCTURAL EVALUATION: (91) STRUCTURAL EVALUATION: (92) STRUCTURAL EVALUATION: (93) STRUCTURAL EVALUATION: (94) STRUCTURAL EVALUATION: (95) STRUCTURAL EVALUATION: (96) STRUCTURAL EVALUATION: (97) STRUCTURAL EVALUATI
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (540) MIN VERTICAL UNDERCLEARANCE: (540) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/9/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: (15.1 FT (48.9 FT (48.9 MAXIMUM SPAN LENGTH: (48.9 MAXIMUM SPAN LENGTH: (50.0 FT (50.0 MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       4         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       8         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       8         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       48.9 FT         (94) BRIDGE IMPROVEMENT COST:       \$237,000.00         (95) ROADWAY IMPROVEMENT COST:       \$24,000.00         (96) TOTAL PROJECT COST:       \$356,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2019         INSPECTION DATES         (90) DATE OF LAST REGULAR INSPECTION:       10/9/2019         (91) REGULAR INSPECTION FREQUENCY (MONTHS):       24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (NOT A PPLICABLE (55a) HORZ UNDERCLR: (NOT A PPLICABLE	(67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       4         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       8         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       8         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       48.9 FT         (94) BRIDGE IMPROVEMENT COST:       \$237,000.00         (95) ROADWAY IMPROVEMENT COST:       \$24,000.00         (96) TOTAL PROJECT COST:       \$356,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2019         INSPECTION DATES         (90) DATE OF LAST REGULAR INSPECTION:       10/9/2019         (91) REGULAR INSPECTION FREQUENCY (MONTHS):       24         (93b) DATE OF LAST UNDERWATER INSP (MO/YR):       N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: HENRY

ROUTE: 05741

LOG MILE: 4.84

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 40F00040009 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: REYNOLDSBURG RD.

CROSSING: OVERFLOW

LOCATION: 4 MI. W. OF BENTON C	:O.	SUFFICIENCY RATING: 74.9	
IDENTIFICATION			
	36.21244 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
	88.23992 DEGREES		NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR	
(98b) PERCENT SHARE:	N/A	` '	LEL BRIDGE
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE		VAY TRAFFIC
` '		,	APPLICABLE
BRIDGE TYPE AND MATE		(110) NATIONAL TRUCK ROUTE: NOT ON TRUC	K NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CO		(37) HISTORICAL CLASS: HISTORICAL SIGNIFICAN	ICE HAS
(44a) APPR SPAN MATERIAL: <b>NOT APPLICAE</b>	LE	NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS:	2	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS:	- 0	(58) DECK:	N
(107) TYPE OF DECK:	NOT APPLICABLE	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SURFACE AND DECI		(60) SUBSTRUCTURE:	N
A) TYPE OF SURFACE:	NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
B) TYPE MEMBRANE:	NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE):	6
C) TYPE PROTECTION:	NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTIN	IG ——
AGE AND SERVICE		(31) DESIGN LOADING:	H-15-44
		WEIGHT POSTING (2 AXLE VEHICLES): ALL LI	EGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT:	1950	WEIGHT POSTING (3 OR MORE AXLES): ALL LI	EGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED		(70) BRIDGE POSTING CODE:	5
(42a) SERVICE ON BRIDGE:	HIGHWAY	(41) WT POSTING STATUS: OPEN	
(42b) UNDER BRIDGE:	WATERWAY		
(28a) NUMBER OF LANES LINDER THE BRIDGE		(67) STRUCTURAL EVALUATION:	6
(28b) NUMBER OF LANES UNDER THE BRIDGI		(68) DECK GEOMETRY:	4
GEOMETRIC DATA		(69) UNDERCLEARANCE RATING:	N
(48) MAXIMUM SPAN LENGTH:	9.8 FT	(71) WATERWAY ADEQUACY:	8
(49) TOTAL BRIDGE LENGTH:	32.2 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES:	0000
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	(113) SCOUR CONDITION RATING:	8
(51) BRIDGE CURB TO CURB WIDTH:	24 FT	RECOMMENDED IMPROVEMENTS	· —
(52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTI	25.9 FT ∃: 20.0 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION	
• • • • • • • • • • • • • • • • • • • •	NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT:	32.2 FT
(33) BRIDGE MEDIAN: (34) BRIDGE SKEW:	45 DEGREES	(94) BRIDGE IMPROVEMENT COST:	\$163,000.00
(35) BRIDGE FLARE:	NO FLARE	(95) ROADWAY IMPROVEMENT COST:	\$17,000.00
(520) MIN VERTICAL CLEARANCE OVER RD:		(96) TOTAL PROJECT COST:	\$245,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROAD		(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2019
• •	IWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION:	10/9/2019
•	IWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(,		(, (110)	14/73
(56) MIN HORZ UNDERCLE ON LEFT:	NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS)	N
(56) MIN HORZ UNDERCLR ON LEFT:  NAVIGATION DATA	NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR):	N N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



COUNTY: HENRY

LOG MILE: 1.29

BRIDGE ID NUMBER: 400A0220001 BRIDGE OWNER: HENRY COUNTY

> FIPS CODE: 00000 ROAD NAME: COX RD. CROSSING: CANE CREEK

LOCATION: 2 MI. E. OF WEAKLEY CO.

IDENTIFICATION

ROUTE: 0A022 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 98.9

#### (16a,b) LATITUDE: N 36.36025 DEGREES (17a,b) LONGITUDE: 88.50114 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS:

1	(43) NOWIDER OF WAIN SPANS.
NS: <b>0</b>	(46) NUMBER OF APPROACH SPAN
CONCRETE CAST-IN-PLACE	(107) TYPE OF DECK:
E AND DECK PROTECTION:	(108) TYPE OF WEARING SURFACE
MONOLITHIC CONCRETE	A) TYPE OF SURFACE:
NONE	B) TYPE MEMBRANE:
<b>EPOXY COATED REINFORCING</b>	C) TYPE PROTECTION:

AGE AND SERVICE		
2017	(27) YEAR THE BRIDGE WAS BUILT:	
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:	
HIGHWAY	(42a) SERVICE ON BRIDGE:	
WATERWAY	(42b) UNDER BRIDGE:	
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:	
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:	

GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	55.5 FT
(49) TOTAL BRIDGE LENGTH:	60.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWA	AY: <b>24.0 FT</b>
(54a) VERT UNDERCLR: NOT A HIGHW	AY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE

NAVIGATION DATA	
(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARA	NCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	: <b>N/A</b>

**NOT A HIGHWAY OR RAILROAD** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

N/A

— CLASSIFICATION	NC
------------------	----

(112) MEETS NBIS BRIDGE LENG	TH: YES	
(104) NATIONAL HIGHWAY SYSTE	M: <b>NOT A NHS ROUTE</b>	
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD	
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE	
(102) TRAFFIC DIR:	2-WAY TRAFFIC	
(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK	
(37) HISTORICAL CLASS: BRIE	OGE IS NOT ELIGIBLE FOR THE	
NAT	IONAL REGISTER	
CONDITION DATINGS		

CONDITION RATINGS	CON	IDITI	ION I	Ratin	IGS I
-------------------	-----	-------	-------	-------	-------

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

#### **DESIGN LOAD AND WEIGHT POSTING**

ADDDAISAL	
(41) WT POSTING STATUS: OPEN	
(70) BRIDGE POSTING CODE:	5
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
(31) DESIGN LOADING:	HL-93

.L -	APPRAISAL
7	(67) STRUCTURAL EVALUATION:
6	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
8	(71) WATERWAY ADEQUACY:
NT: 8	(72) APPROACH ROADWAY ALIGNMENT
0011	(36) TRAFFIC SAFETY FEATURES:
5	(113) SCOUR CONDITION RATING:

#### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A
(94)	BRIDGE IMPROVE	MENT COST:	

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/2/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

# NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 400A0240001 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A024 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: HAYNES RD. COUNTY SEQUENCE: 1 CROSSING: CANE CREEK BRANCH LOG MILE: 0.48 SUFFICIENCY RATING: 97.0 LOCATION: 1 MI. E. OF WEAKLEY IDENTIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37250 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 88.51361 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: O (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: OTHER **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES):

AGE AND SERVICE ————			
(27) YEAR THE BRIDGE WAS BUILT:	1991		
(106) YEAR THE BRIDGE WAS REHABIL	LITATED: N/A		
(42a) SERVICE ON BRIDGE:	HIGHWAY		
(42b) UNDER BRIDGE:	WATERWAY		
(28a) NUMBER OF LANES CARRIED BY	BRIDGE: 2		
(28b) NUMBER OF LANES UNDER THE	BRIDGE: 0		

#### - GEOMETRIC DATA -(48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 38.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT 29.5 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NO MEDIAN (33) BRIDGE MEDIAN:

(34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

**NOT A HIGHWAY OR RAILROAD** 

#### NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

# **PUBLICATION DATE** 19-Mar-20

(55a) HORZ UNDERCLR:

CLASSIFICATION = YES **NOT A NHS ROUTE LOCAL RURAL ROAD NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK BRIDGE IS NOT ELIGIBLE FOR THE **NATIONAL REGISTER**  CONDITION RATINGS = Ν

(59) SUPERSTRUCTURE:	Ν
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

HS-20-44

N/A

#### **DESIGN LOAD AND WEIGHT POSTING**

**ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** APPRAISAL (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY:

6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/2/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



YES

**NOT A NHS ROUTE** 

COUNTY: HENRY

ROUTE: 0A024

BRIDGE ID NUMBER: 400A0240003
BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: HAYNES RD.

CROSSING: CANE CREEK

LOCATION: 1 MI. E. OF WEAKLEY CO.

IDENTIFICATION

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 1.04 SUFFICIENCY RATING: 85.0

#### (16a,b) LATITUDE: Ν 36.37958 DEGREES (17a,b) LONGITUDE: 88.51025 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2

(46) NUMBER OF APPROACH SPANS:
0 (107) TYPE OF DECK:
CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE:
MONOLITHIC CONCRETE
B) TYPE MEMBRANE:
NONE
C) TYPE PROTECTION:
EPOXY COATED REINFORCING

# (27) YEAR THE BRIDGE WAS BUILT: 2004 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	19.0 FT
(49) TOTAL BRIDGE LENGTH:	39.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH	i: <b>20.0 FT</b>
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROAD	WAY: <b>22.3 FT</b>
(54a) VERT UNDERCLR: NOT A HIGH	WAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE

NAVIGATION DATA		
(38) NAV CONTROL:	NO NAVIGATION CONTROL	
(39) NAVIGATION VERTICAL CLEAR	ANCE: N/A	
(116) LIFT BRIDGE VERT CLEARANCE	E: <b>N/A</b>	

NOT A HIGHWAY OR RAII ROAD

**NOT APPLICABLE** 

**NOT APPLICABLE** 

N/A

B DEGREES (112) MEETS NBIS BRIDGE LENGTH:

(104) NATIONAL HIGHWAY SYSTEM:

(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(102) TRAFFIC DIR: 2-WAY TRAFFIC

CLASSIFICATION =

(102) TRAFFIC DIR.

2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:
NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:
NOT ON TRUCK NETWORK

(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS =

N
N
N
6
5

#### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	
APPRAISAL -	

——— APPRAISAL	
(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000

#### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A
(94)	BRIDGE IMPROVE	MENT COST:	

(94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(113) SCOUR CONDITION RATING:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

10/2/2019	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



BRIDGE ID NUMBER: 400A0300001
BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: VEAZEY RD.

CROSSING: BRANCH

LOCATION: 3 MI. E. OF WEAKLEY

COUNTY: HENRY
ROUTE: 0A030

SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 0.51

SUFFICIENCY RATING: 97.0

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.36711 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.48822 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BEHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(123) 3113 211 211171	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	AFFRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  9.8 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 00000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT  (49) TOTAL BRIDGE LENGTH: 22.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 24.6 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 251) BRIDGE CURB TO CURB WIDTH: 252) BRIDGE OUT TO OUT WIDTH: 255	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.10 FT (51) BRIDGE CURB TO CURB WIDTH: 24.6 FT (52) BRIDGE OUT TO OUT WIDTH: 28.5 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) BRIDGE IMPROVEMENT: (78) N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 24.6 FT (52) BRIDGE CURB TO CURB WIDTH: 25.5 BRIDGE OUT TO OUT WIDTH: 26.5 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24.6 FT (52) BRIDGE OUT TO OUT WIDTH: 23.5 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (36) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  **INSPECTION DATES**
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION:  10/2/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL UNDERCLEARANCE: (540) MIN VERTICAL UNDERCLEARANCE: (540) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (57b) MIN WIN A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (554a) VERT UNDERCLR: (555a) HORZ UNDERCLR: (555a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (555b) MIN HORZ UNDERCLR ON RIGHT: (NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TYPE OF WORK: (37) TYPE OF WORK: (38) NOT APPLICABLE (39) ROADWAY IMPROVEMENT COST: (39) ROADWAY IMPROVEMENT COST: (39) TOTAL PROJECT COST: (39) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (30) DATE OF LAST REGULAR INSPECTION: (31) REGULAR INSPECTION: (32) UNDERWATER INSP (MO/YR): (34) DATE OF LAST UNDERWATER INSP (MO/YR): (34) UNDERWATER INSP FREQUENCY (MONTHS): (35) NA
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (554a) VERT UNDERCLR: (555a) HORZ UNDERCLR: (555a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (555b) MIN HORZ UNDERCLR ON RIGHT: (NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

8

7

7

7

Ν

**NOT A NHS ROUTE** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

BRIDGE ID NUMBER: 400A0320001 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A032 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LAMPKINS RD. COUNTY SEQUENCE: 1 CROSSING: WALNUT FORK CREEK LOG MILE: 1.22 SUFFICIENCY RATING: 96.6 LOCATION: 3 MI. W. OF SR69 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.37557 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.45438 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** (4

		———— CONDITION RATINGS —
(45) NUMBER OF MAIN SPANS:	1	CONDITION KATINGS
(46) NUMBER OF APPROACH S	PANS: 0	(58) DECK:
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURF		(60) SUBSTRUCTURE:
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECT
B) TYPE MEMBRANE:	NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION:	EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT PO
o) THE TROTEOTION.	EI OXI OOATED REINI OROMO	
		(31) DESIGN I OADING:

AGE AND SERVICE		
(27) YEAR THE BRIDGE WAS BUILT:	2008	
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	
(42a) SERVICE ON BRIDGE: HIGHWAY		
(42b) UNDER BRIDGE: WATERWAY		
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2		
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	
GEOMETRIC DATA		

	GLOWIL INIC DATA
75.1 FT	(48) MAXIMUM SPAN LENGTH:
75.1 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
27.9 FT	(51) BRIDGE CURB TO CURB WIDTH:
30.5 FT	(52) BRIDGE OUT TO OUT WIDTH:
27.9 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
20 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
Y: <b>27.9 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADWA

	(11, 011=20, 111=1111	(,	(,
NO MEDIAN		(33) BRIDGE MEDIAN:	(33)
20 DEGREES		(34) BRIDGE SKEW:	(34)
NO FLARE		(35) BRIDGE FLARE:	(35)
RESTRICTION	LEARANCE OVER RD: NO	(520) MIN VERTICAL CLE	(520)
27.9 FT	CLEARANCE ON ROADWAY:	(47) MIN HORIZONTAL CL	(47)
OR RAILROAD	R: <b>NOT A HIGHWAY</b>	(54a) VERT UNDERCLR:	(54a)
APPLICABLE	NDERCLEARANCE: NOT	(54b) MIN VERTICAL UND	(54b)
OR RAILROAD	R: <b>NOT A HIGHWAY</b>	(55a) HORZ UNDERCLR:	(55a)
APPLICABLE	RCLR ON RIGHT: NOT	(55b) MIN HORZ UNDERC	(55b)
APPLICABLE	RCLR ON LEFT: NOT	(56) MIN HORZ UNDERC	(56)

NAVIGATION DATA	_
-----------------	---

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARA	NCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	:: <b>N/A</b>
(40) NAVIGATION HORZ CLEARANCE	: <b>N/A</b>

DSTING HS-20-44 (31) DESIGN LOADING: **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: 5

(41) WT POSTING STATUS: **OPEN** 

#### APPRAISAL

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0110 (113) SCOUR CONDITION RATING: 8

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/2/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

# NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 400A0580001 COUNTY: HENRY ROUTE: 0A058 BRIDGE OWNER: HENRY COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BIRDS CREEK RD. COUNTY SEQUENCE: 1 CROSSING: BIRDS CREEK LOG MILE: 3.09 LOCATION: 4 MI. W. OF SR54 SUFFICIENCY RATING: 61.1 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.37175 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.36775 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: GRAVFI (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1979 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN** WATERWAY (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY:

GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	25.9 FT
(49) TOTAL BRIDGE LENGTH:	58.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	28.5 FT
(52) BRIDGE OUT TO OUT WIDTH:	31.8 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	25.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	17 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADW	/AY: <b>28.2 FT</b>
(54a) VERT UNDERCLR: NOT A HIGH	WAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE

- NAVIGATION D	ATA —

**NO NAVIGATION CONTROL** (38) NAV CONTROL: (39) NAVIGATION VERTICAL CLEARANCE: N/A N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 19-Mar-20

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

YES **NOT A NHS ROUTE LOCAL RURAL ROAD NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS = 7 6 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 DESIGN LOAD AND WEIGHT POSTING H-15-44 **ALL LEGAL LOADS ALL LEGAL LOADS** 7 Ν 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 5 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 10/9/2019 **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



YES

Ν

Ν

Ν

6

5

5

N

6

6

8

N/A

10/3/2019

24

Ν

Ν

N/A

1

0000

HS-20-44

BRIDGE ID NUMBER: 400A0650001 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A065 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: M. HARTSFIELD RD. COUNTY SEQUENCE: 1 CROSSING: NORTH FORK OBION RIVER LOG MILE: 0.84 SUFFICIENCY RATING: 85.0 LOCATION: 9 MI. W. OF SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.39703 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.36917 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2004 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 60.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 22 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 400A0670001 COUNTY: HENRY
BRIDGE OWNER: HENRY COUNTY ROUTE: 0A067
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: FOUNDRY HILL RD. COUNTY SEQUENCE: 1
CROSSING: NORTH FORK OBION RIVER LOG MILE: 1.16

LOCATION: 3 MI. W. OF SR54	SUFFICIENCY RATING: 69.7
IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.38464 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.35247 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>7</b>
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
(27) YEAR THE BRIDGE WAS BUILT: 1965	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 28.9 FT (49) TOTAL BRIDGE LENGTH: 28.9 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 20.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 20.3 FT	(113) SCOUR CONDITION RATING: 3
(52) BRIDGE OUT TO OUT WIDTH: 21.7 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 28.9 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$78,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$8,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$118,000.00
	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/3/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): /
(56) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE  NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

6

6

6

N

6

4

N

6

8

5

0000

28.9 FT

\$78.000.00

\$118,000.00

10/3/2019

\$8,000.00

2019

24

N/A

N/A

Ν

Ν

H-15-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 400A0670003 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A067 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FOUNDRY HILL RD. COUNTY SEQUENCE: 1 CROSSING: PHILLIPS CREEK LOG MILE: 1.98 LOCATION: 5 MI W. OF SR54 SUFFICIENCY RATING: 69.7 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.39456 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.35836 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1962 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 28.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 21.7 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 29 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 400A0720001 COUNTY: HENRY
BRIDGE OWNER: HENRY COUNTY ROUTE: 0A072
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: GOLDSTON SPRINGS RD. COUNTY SEQUENCE: 1
CROSSING: CLEAR CREEK LOG MILE: 1.63
LOCATION: 6 MI. W. OF SR54 SUFFICIENCY RATING: 63.7

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.42464 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.38183 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 5
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
(27) YEAR THE BRIDGE WAS BUILT: 1950	WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): 18 TONS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE:
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 67.9 FT	(71) WATERWAY ADEQUACY:  8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 5
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(,
(52) BRIDGE OUT TO OUT WIDTH: 25.3 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 67.9 FT (94) BRIDGE IMPROVEMENT COST: \$268.000.00
(34) BRIDGE SKEW: <b>0 DEGREES</b>	,
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:       \$27,000.00         (96) TOTAL PROJECT COST:       \$403,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT	INSPECTION DATES
(54a) VERT UNDERCLE: NOT A HIGHWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE: <b>NOT APPLICABLE</b> (55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(90) DATE OF LAST REGULAR INSPECTION: 10/9/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE  NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	(III) II IIII III III III III III III II
, , , , , , , , , , , , , , , , , , , ,	PRODUCED PURSUANT TO

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 400A0760001
BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: OSAGE CROSSLAND RD.
CROSSING: NORTH FORK OBION RIVER

LOCATION: 3 MI. E. OF SR69

COUNTY: **HENRY** ROUTE: **0A076** SPECIAL CASE: **0** 

COUNTY SEQUENCE: 1

LOG MILE: 0.56

SUFFICIENCY RATING: 97.0

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.43992 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.45047 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	——— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>7</b>
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 8
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HL-93
(27) YEAR THE BRIDGE WAS BUILT: 2012	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
(48) MAXIMUM SPAN LENGTH: 75.1 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 75.1 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 26.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.7 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/3/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
NAVIGATION DATA  (38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	(020) S. ZOME INC. TRESCENCE (MONTHO).
(SO)OMINOMINE SELVINIME.	PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 400A0780003 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: MARTIN MILL RD.

CROSSING: NORTH FORK OBION RIVER

LOCATION: 6 MI. N. OF SR 69

COUNTY: HENRY

ROUTE: 0A078 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.93

SUFFICIENCY RATING: 70.4

IDENTIFICATION	CLASSIFICATION —
(16a,b) LATITUDE: N 36.42494 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.41183 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 5
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: <b>H-15-44</b>
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1980 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(420) ONDER DRIDGE.	
(28a) NUMBER OF LANES CARRIED BY BRIDGE 2	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE:  (28b) NUMBER OF LANES UNDER THE BRIDGE  0	APPRAISAL  (67) STRUCTURAL EVALUATION: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  28.9 FT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 28.9 FT (49) TOTAL BRIDGE LENGTH: 96.1 FT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 28.9 FT  (49) TOTAL BRIDGE LENGTH: 96.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  8  (36) TRAFFIC SAFETY FEATURES:  0000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 25.3 FT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK: OTHER STRUCTURAL WORK
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 25.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  OTHER STRUCTURAL WORK  (76) LENGTH OF BRIDGE IMPROVEMENT:  N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  0 DEGREES	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  TRECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: OTHER STRUCTURAL WORK  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  TRECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: OTHER STRUCTURAL WORK  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT 96.1 FT 96.1 FT 96.1 FT 96.1 FT 96.2 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 28.9 FT (49) TOTAL BRIDGE LENGTH: 96.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 24 FT (51) BRIDGE CURB TO CURB WIDTH: 25.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENTS (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 28.9 FT (49) TOTAL BRIDGE LENGTH: 96.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 25.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENTS  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  10/3/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 28.9 FT (49) TOTAL BRIDGE LENGTH: 96.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 25.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENTS  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 28.9 FT (49) TOTAL BRIDGE LENGTH: 96.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 25.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (37) APPROACH ROADWAY ALIGNMENT:  (38) RECOMMENDED IMPROVEMENTS  (39) TYPE OF WORK:  (30) OTHER STRUCTURAL WORK  (30) TYPE OF WORK:  (31) OTHER STRUCTURAL WORK  (32) OTHER STRUCTURAL WORK  (33) TYPE OF WORK:  (34) BRIDGE IMPROVEMENT:  (35) ROADWAY IMPROVEMENT COST:  (36) TOTAL PROJECT COST:  (37) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (30) DATE OF LAST REGULAR INSPECTION:  (31) REGULAR INSPECTION FREQUENCY (MONTHS):  (34) DATE OF LAST UNDERWATER INSP (MO/YR):  (35) UNDERWATER INSP FREQUENCY (MONTHS):  (36) NA

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

# NATIONAL BRIDGE INVENTORY



YES

Ν

Ν

Ν

6

7

**NOT A NHS ROUTE** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 400A1130001 COUNTY: HENRY ROUTE: 0A113 BRIDGE OWNER: HENRY COUNTY SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: JONES MILL CROSSLAND RD. COUNTY SEQUENCE: 1 CROSSING: DRY CREEK LOG MILE: 0.32 SUFFICIENCY RATING: 91.4 LOCATION: 3 MI. E. OF SR69 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: Ν 36.45097 DEGREES (104) NATIONAL HIGHWAY SYSTEM: 88.46058 DEGREES N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: **NATIONAL REGISTER** CONDITION RATINGS = 2 (58) DECK: 0 (59) SUPERSTRUCTURE: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE:

# (61) STREAM CHANNEL AND CHANNEL PROTECTION: (62) CULVERT CONDITION (IF APPLICABLE): DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN** 

#### APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

# RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

VEAD OF MADDOVEMENT COST FORMATE

	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
INSPECTION DATES		
10/1/2019	(90) DATE OF LAST REGULAR INSPECTION:	
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):	
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):	



YES

8

6

7

6

N

6

5

N

8

8

8

N/A

10/1/2019

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 400A1130003 COUNTY: HENRY ROUTE: 0A113 BRIDGE OWNER: HENRY COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TERRAPIN CREEK RD. COUNTY SEQUENCE: 1 CROSSING: SANDY BRANCH LOG MILE: 1.99 SUFFICIENCY RATING: 90.7 LOCATION: 5 MI. E. OF SR69 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.47344 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: 88.46608 DEGREES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE LOCAL RURAL ROAD** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 75.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 75.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS):

**NOT APPLICABLE** 

**NOT APPLICABLE** 

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 400A1130005 COUNTY: HENRY
BRIDGE OWNER: HENRY COUNTY ROUTE: 0A113
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: TERRAPIN CREEK RD. COUNTY SEQUENCE: 1

CROSSING: SUGAR CREEK LOG MILE: 2.57
LOCATION: 3 MI. E. OF SR69 SUFFICIENCY RATING: 93.7

LOCATION: 3 MI. E. OF SR69	SUFFICIENCY RATING: 93.7
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.48167 DEGF	EES (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.46636 DEGI	EES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE:	N/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICA	BLE (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	0 (58) DECK: 8
(107) TYPE OF DECK: CONCRETE CAST-IN-PL	ACE (59) SUPERSTRUCTURE: 8
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION	(CO) CLIDCTDLICTLIDE.
A) TYPE OF SURFACE: MONOLITHIC CONCE	(61) STDEAM CHANNEL AND CHANNEL DEOTECTION:
B) TYPE MEMBRANE:	ONE (62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: EPOXY COATED REINFOR	DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HL-93
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT:	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: HIGH	N/A (70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGH (42b) UNDER BRIDGE: WATER	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0 (67) STRUCTURAL EVALUATION: 8
	(68) DECK GEOMETRY: 5
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
	FT (71) WATERWAY ADEQUACY: 8
` '	72) APPROACH ROADWAY ALIGNMENT: 8
	(36) TRAFFIC SAFETY FEATURES: 1011
	(113) SCOUR CONDITION RATING:
` '	RECOMMENDED IMPROVEMENTS
` '	FT (75) TYPE OF WORK: NOT APPLICABLE
	/ FI
(33) BRIDGE MEDIAN: NO ME (34) BRIDGE SKEW: 15 DEGF	(04) PRIDCE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FL	(OE) DOADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRIC	ANE (0) TOTAL PROJECT COST
	(07) VEAD OF IMPROVEMENT COST ESTIMATE:
· · · · · · · · · · · · · · · · · · ·	OAD INSPECTION DATES
(54a) VERT UNDERCLR: <b>NOT A HIGHWAY OR RAILR</b> (54b) MIN VERTICAL UNDERCLEARANCE: <b>NOT APPLICA</b>	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILE	`
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICA	` '
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICA	
NAVIGATION DATA	) (
(38) NAV CONTROL: NO NAVIGATION CONT	
(00) THE CONTINUE.	(OLO) OF LOWE MADE INC. INC. (MONTHO).

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 400A1130007 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A113 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TERRAPIN CREEK RD. COUNTY SEQUENCE: 1 CROSSING: TERRAPIN CREEK LOG MILE: 3.80 LOCATION: 1 MI. E. OF SR 69 SUFFICIENCY RATING: 33.1

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.48719 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.48567 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(174) ALTEROLEUM. NOT ALL ELOADEE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 4
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
(27) YEAR THE BRIDGE WAS BUILT: 1963	WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): 18 TONS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE:
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 4
GEOMETRIC DATA	(68) DECK GEOMETRY: 2
(48) MAXIMUM SPAN LENGTH: 28.9 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 63.0 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 20 FT	(113) SCOUR CONDITION RATING: 3
(52) BRIDGE OUT TO OUT WIDTH: 21.7 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 63 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$68,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$7,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$103,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/1/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 400A1130009

BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: TERRAPIN CREEK RD.

CROSSING: BRANCH

LOCATION: 1 MI. E. OF SR69

IDENTIFICATION

COUNTY: HENRY

ROUTE: 0A113

COUNTY: HENRY

ROUTE: 0A113

COUNTY: HENRY

ROUTE: 0A113

COUNTY: HENRY

ROUTE: 0A113

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 3.89

SUFFICIENCY RATING: 67.9

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.48689 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.48706 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>STEEL</b>	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 4
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-15-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1998	WEIGHT POSTING (270/CE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: CLOSED
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 0
GEOMETRIC DATA	(68) DECK GEOMETRY:
(48) MAXIMUM SPAN LENGTH: 7.9 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 37.1 FT	(71) WATERWAY ADEQUACY:  6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT	(75) TYPE OF WORK: <b>BRIDGE REHABILITATION</b>
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 37.1 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$174,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$18,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$262,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/2/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(39) NAVIGATION VERTICAL CLEARANCE: N/A	
	PRODUCED PURSUANT TO

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 400A1180001 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: KUYKENDALL RD. CROSSING: SANDY BRANCH

LOCATION: 3 MI. S. OF CALLOWAY CO.

COUNTY: HENRY

ROUTE: 0A118

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.48 SUFFICIENCY RATING: 55.6

LOCATION: 3 MI. S. OF CALLOWAY CO.	SUFFICIENCY RATING: 55.6
IDENTIFICATION ———	
(16a,b) LATITUDE: N 36.47472 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.45136 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 5
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 5
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE —	(31) DESIGN LOADING: H-15-44
(27) YEAR THE BRIDGE WAS BUILT: 1980	WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): 18 TONS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE:
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
(48) MAXIMUM SPAN LENGTH: 19.0 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 53.1 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 23.6 FT	(113) SCOUR CONDITION RATING: 5
(52) BRIDGE OUT TO OUT WIDTH: 24.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 75.8 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$444,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$45,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$667,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/2/2019
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(33b) WIIN HORZ UNDERGER ON RIGHT. NOT APPLICABLE	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE  NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	, ,

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 400A1330001 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: PHILLIP DUNCAN RD. CROSSING: EAST FORK CLARKS RIVER

LOCATION: 3 MI. E. OF SR54

COUNTY: HENRY ROUTE: 0A133 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 0.68 SUFFICIENCY RATING: 97.0

200/ (TION: CHILLE: OF ORO-	0011101E1(0110(11)(0). <b>01.0</b>
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.34247 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.31350 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
` '	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE:  NONE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 2005	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
• •	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL  (67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 16.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 53.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: (73) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  16.1 FT  0.0 FT  UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (75) BRIDGE IMPROVEMENT: (76) BRIDGE IMPROVEMENT: (77) N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 10/1/2019
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE ON ROADWAY: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/1/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLE (554) WIN VERTICAL UNDERCLEARANCE: (555a) HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR ON RIGHT: (16.1 FT (16.1 FT (16.1 FT (16.1 FT (16.2 FT (16.2 FT (16.3 FT (16.3 FT (16.3 FT (16.3 FT (16.3 FT (16.3 FT (16.4	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLE (554) WIN VERTICAL UNDERCLEARANCE: (555a) HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR ON RIGHT: (16.1 FT (16.1 FT (16.1 FT (16.1 FT (16.2 FT (16.2 FT (16.3 FT (16.3 FT (16.3 FT (16.3 FT (16.3 FT (16.3 FT (16.4	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

7

7

7

6

Ν

7

6

N

8

6

8

N/A

10/1/2019

24

N/A

N/A

Ν

Ν

0000

HL-93

BRIDGE ID NUMBER: 400A1340001 BRIDGE OWNER: HENRY COUNTY

> FIPS CODE: 00000 ROAD NAME: HOWARD RD.

CROSSING: EAST FORK CLARKS RIVER

LOCATION: 2 MI. E. OF SR54

COUNTY: HENRY ROUTE: 0A134 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 1.64

SUFFICIENCY RATING: 97.0

#### IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.46050 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.31633 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2013 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 60.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

6

5

N

7

6

8

N/A

10/1/2019

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 400A1370001 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A137 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CONYERSVILLE RD. COUNTY SEQUENCE: 1 CROSSING: EAST FORK CLARKS RIVER LOG MILE: 0.87 SUFFICIENCY RATING: 90.7 LOCATION: 2 MI. E. OF SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.44933 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.31656 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 29.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



COUNTY: HENRY

BRIDGE ID NUMBER: 400A1400001
BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: ROWE SCHOOL RD. CROSSING: ROWE CREEK

LOCATION: 2 MI. E. OF SR54

ROUTE: 0A140
SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 2.50
SUFFICIENCY RATING: 64.7

YES
_
IHS ROUTE
IRAL ROAD
EL BRIDGE
Y TRAFFIC
PPLICABLE
NETWORK
E HAS
6
6
5
7
N
<b>;</b> ——
H-15-44
10 TONS
18 TONS
4
5
6
N
6
8
0000
U
47.9 FT
47.9 FT \$203,000.00
\$203,000.00
\$203,000.00 \$21,000.00
\$203,000.00 \$21,000.00 \$305,000.00
\$203,000.00 \$21,000.00 \$305,000.00
\$203,000.00 \$21,000.00 \$305,000.00 2019
\$203,000.00 \$21,000.00 \$305,000.00 2019 10/2/2019
\$203,000.00 \$21,000.00 \$305,000.00 2019 10/2/2019 24
\$203,000.00 \$21,000.00 \$305,000.00 2019 10/2/2019 24 N/A
\$203,000.00 \$21,000.00 \$305,000.00 2019 10/2/2019 24 N/A N

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

COUNTY: HENRY

LOG MILE: 1.58

BRIDGE ID NUMBER: 400A1650003 BRIDGE OWNER: HENRY COUNTY

(16a,b) LATITUDE:

(99) BORDER BRIDGE NUMBER:

FIPS CODE: 00000 ROAD NAME: NANNEY RD.

CROSSING: HOLLEY FORK CREEK

LOCATION: 5 MI. S. OF SR140

ROUTE: 0A165 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 97.0

CLASSIFICATION =

(17a,b) LONGITUDE: 88.23086 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

Ν

36.39331 DEGREES

**NOT APPLICABLE** 

IDENTIFICATION

### BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS	i: 0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE	AND DECK PROTECTION:
A) T) (DE OF OUDEA OF	

A) TYPE OF SURFACE: MONOLITHIC CONCRETE B) TYPE MEMBRANE: NONE

**EPOXY COATED REINFORCING** C) TYPE PROTECTION:

### AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 2002 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

### GEOMETRIC DATA -

18.0 FT	(48) MAXIMUM SPAN LENGTH:
44.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
24.3 FT	(51) BRIDGE CURB TO CURB WIDTH:
29.9 FT	(52) BRIDGE OUT TO OUT WIDTH:
22.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
30 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: <b>24.3 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADW.

#### (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

#### NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A N/A (116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** 

(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** 

(102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** 

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE

**NATIONAL REGISTER** 

#### CONDITION RATINGS =

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	7

#### **DESIGN LOAD AND WEIGHT POSTING**

HS-20-44
ALL LEGAL LOADS
ALL LEGAL LOADS
5

(41) WT POSTING STATUS:

(112) MEETS NBIS BRIDGE LENGTH:

	APPRAISAL
7	(67) STRUCTURAL EVALUATION:
6	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
6	(71) WATERWAY ADEQUACY:
6	(72) APPROACH ROADWAY ALIGNMENT:
0000	(36) TRAFFIC SAFETY FEATURES:
8	(113) SCOUR CONDITION RATING:

### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

N/A

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/3/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



N/A

Ν

BRIDGE ID NUMBER: 400A1780001 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: ROBERT BARNHILL RD. CROSSING: HOLLEY FORK CREEK

LOCATION: 2 MI. S. OF SR140

COUNTY: HENRY

ROUTE: 0A178 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 1.35

SUFFICIENCY RATING: 59.7

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.40611 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.25397 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) (45)	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: 5
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 5
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(60) SUBSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE:  GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE —	(31) DESIGN LOADING: OTHER OR UNKNOWN
(27) YEAR THE BRIDGE WAS BUILT: 1962	WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS
(106) YEAR THE BRIDGE WAS BUILT. 1962  (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): 18 TONS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 4
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 2
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 51.8 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 20.3 FT	(113) SCOUR CONDITION RATING: 5
(52) BRIDGE OUT TO OUT WIDTH: 22 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT	(75) TYPE OF WORK: BRIDGE WIDENING WITH DECK REPAIR OR REPLACEMENT
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 51.8 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$65,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$7,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$98,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.3 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/2/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

- NAVIGATION DATA -

NO NAVIGATION CONTROL

N/A

N/A

N/A



BRIDGE ID NUMBER: 400A1890001 COUNTY: HENRY
BRIDGE OWNER: HENRY COUNTY ROUTE: 0A189
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: SHADY GROVE RD. COUNTY SEQUENCE: 1
CROSSING: NORTH FORK BLOOD RIVER LOG MILE: 1.46
LOCATION: 5 MI. N. OF SR140 SUFFICIENCY RATING: 85.9
IDENTIFICATION CLASSIFICATION

IDENTIFICATION			
(16a,b) LATITUDE: N 3	6.46875 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE: W 8	8.26347 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A N	IHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS: LOCAL RU	IRAL ROAD
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE: NO PARALL	EL BRIDGE
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	(102) TRAFFIC DIR: 2-WA	Y TRAFFIC
BRIDGE TYPE AND MATER	ΙΔΙ ———	(103) TEMPORARY BRIDGE: NOT A	PPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE COM		(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK	NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABI		(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANC NOT BEEN DETERMINED	E HAS
(45) NUMBER OF MAIN SPANS:	2	——— CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	N
(107) TYPE OF DECK:	NOT APPLICABLE	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SURFACE AND DECK	PROTECTION:	(60) SUBSTRUCTURE:	N
A) TYPE OF SURFACE:	NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
B) TYPE MEMBRANE:	NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE):	5
C) TYPE PROTECTION:	NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING	; ——
AGE AND SERVICE		(31) DESIGN LOADING:	HS-20-44
(27) YEAR THE BRIDGE WAS BUILT:	1964	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEG	SAL LOADS
(106) YEAR THE BRIDGE WAS BEHABILITATED		WEIGHT POSTING (3 OR MORE AXLES): ALL LEG	SAL LOADS
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE:	5
(42b) UNDER BRIDGE:	WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
(28a) NUMBER OF LANES CARRIED BY BRIDGE			
(28b) NUMBER OF LANES UNDER THE BRIDGE		(67) STRUCTURAL EVALUATION:	5
GEOMETRIC DATA		(68) DECK GEOMETRY:	N
(48) MAXIMUM SPAN LENGTH:	9.8 FT	(69) UNDERCLEARANCE RATING:	N
(49) TOTAL BRIDGE LENGTH:	21.0 FT	(71) WATERWAY ADEQUACY:	6
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:	6
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES:	0000
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL	(113) SCOUR CONDITION RATING:	8
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH	: 30.8 FT	(75) TYPE OF WORK: <b>NOT APPLICABLE</b>	
(33) BRIDGE MEDIAN:	NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(34) BRIDGE SKEW:	0 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE:	NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADV	VAY: <b>30.8 FT</b>	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: NOT A HIGH	WAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION:	10/1/2019
(55a) HORZ UNDERCLR: NOT A HIGH	WAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
——— NAVIGATION DATA		(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(38) NAV CONTROL: NO NAV	IGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 400A1890003 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A189 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SHADY GROVE RD. COUNTY SEQUENCE: 1 CROSSING: MIDDLE FORK BLOOD RIVER LOG MILE: 2.42

LOCATION: 3 MI. N. OF SR140	SUFFICIENCY RATING: 85.9
IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.45444 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.26322 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>N</b>
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 5
C) TYPE PROTECTION: NOT APPLICABLE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
(27) YEAR THE BRIDGE WAS BUILT: 1965	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: N
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(71) WATERWAY ADEQUACY: 8
(49) TOTAL BRIDGE LENGTH: 24.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 30 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/2/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
	(OC.) DATE OF OPEOIAL INOPEOTION (MOND)

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA =

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

Ν



COUNTY: HENRY

BRIDGE ID NUMBER: 400A1900001 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: HERSHEL SYKES RD. CROSSING: SOUTH FORK BLOOD RIVER

LOCATION: 1 MI. N. OF SR140

ROUTE: 0A190 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 1.86 SUFFICIENCY RATING: 63.8

200/MON. THILTH OF ORTHO	001110121101111110. <b>00.0</b>
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.43108 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.23947 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>5</b>
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
	WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS
(27) YEAR THE BRIDGE WAS BUILT: 1955	WEIGHT POSTING (3 OR MORE AXLES): 18 TONS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 4
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 51.8 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 5
(52) BRIDGE OUT TO OUT WIDTH: 25.3 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 51.8 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$212,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$22,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$319,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/2/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO
	ENUIDUEDI PURSUANT IU

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



ROUTE: 0A193

BRIDGE ID NUMBER: 400A1930001 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY FIPS CODE: 00000

ROAD NAME: BEN SMITH RD.

CROSSING: CALEDONIA CREEK LOCATION: 4 MI E. OF WEAKLEY CO.

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 1.85

SUFFICIENCY RATING: 96.9

LOOMING THE L. OF WEAKEET OO.	55. 1 15. <u>2</u> .115. 1 14.111.15. <b>35.6</b>
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.17364 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.49519 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1981	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 26.9 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 28.2 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 33.1 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/3/2019
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 400A1930003 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: BEN SMITH RD. CROSSING: BRANCH

LOCATION: 5 MI W OF SR76

COUNTY: HENRY

ROUTE: 0A193 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 2.50 SLIFFICIENCY RATING: 83.1

LOCATION: 5 MI. W. OF SR76	SUFFICIENCY RATING: 83.1
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.18064 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.48761 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
PRINCE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-10-44
(27) YEAR THE BRIDGE WAS BUILT: 1962	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT.  1902  (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 19.0 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 57.1 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 4
(52) BRIDGE OUT TO OUT WIDTH: 25.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 57.1 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$260,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$27,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$391,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/3/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



Ν

Ν

Ν

6

6

5

N

6

8

8

24

Ν

Ν

COUNTY: HENRY

BRIDGE ID NUMBER: 400A1950001 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: MT. SINAI RD. CROSSING: BLOOD RIVER

LOCATION: 2 MI NORTH OF SR 140

ROUTE: 0A195 SPECIAL CASE: 0

COUNTY SEQUENCE: 1 LOG MILE: 3.05

SUFFICIENCY RATING: 90.6

#### IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.46039 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.25875 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 42.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 29.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 10/2/2019 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

(40) NAVIGATION HORZ CLEARANCE: N/A **PUBLICATION DATE** 19-Mar-20

NO NAVIGATION CONTROL

N/A

N/A

(38) NAV CONTROL:

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 400A2030001 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: MASON LAKE RD. CROSSING: CLARK BRANCH LOCATION: 2 MI. S. OF KENTUCKY

COUNTY: HENRY ROUTE: 0A203 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 0.66

SUFFICIENCY RATING: 100.0

LOCATION. 2 WII. S. OF RENTUCKY	SUFFICIENCY RATING. 100.0
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.49083 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.30867 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(HA) / II THO I / IN MINITERINE. NOT ALL EIGHBLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 1	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 8
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: <b>EPOXY COATED REINFORCING</b>	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE ————	(31) DESIGN LOADING: HL-93
(27) YEAR THE BRIDGE WAS BUILT: 2016	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
(48) MAXIMUM SPAN LENGTH: <b>60.0 FT</b>	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 60.0 FT	(71) WATERWAY ADEQUACY:
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 26.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/1/2019
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO
(116) LIFT BRIDGE VERT CLEARANCE: N/A	PUBLIC RECORDS REQUEST

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



COUNTY: HENRY

ROUTE: 0A210

BRIDGE ID NUMBER: 400A2100001
BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: **RED TOP HILL RD.**CROSSING: **BLOOD RIVER**LOCATION: **5 MI. S. OF KENTUCKY** 

SPECIAL CASE: 0
P HILL RD. COUNTY SEQUENCE: 1
RIVER LOG MILE: 2.08
DF KENTUCKY SUFFICIENCY RATING: 98.0

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.47306 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.19550 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>8</b>
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 8
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 8
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HL-93
(27) YEAR THE BRIDGE WAS BUILT: 2019	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT.  (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
(48) MAXIMUM SPAN LENGTH: 40.0 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 100.0 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0001
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 26.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 127.6 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$660,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:       \$67,000.00         (96) TOTAL PROJECT COST:       \$991,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	· · · · · · · · · · · · · · · · · · ·
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019  INSPECTION DATES
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/3/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	<u> </u>
. ,	PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

# NATIONAL BRIDGE INVENTORY



YES

**NOT A NHS ROUTE** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 400A2110001 COUNTY: HENRY ROUTE: 0A211 BRIDGE OWNER: HENRY COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FREELAND RD. COUNTY SEQUENCE: 1 CROSSING: BLOOD RIVER LOG MILE: 0.09 LOCATION: 0.5 MI. S. OF KENTUCKY SUFFICIENCY RATING: 93.8 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36,49664 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.18308 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** (45) NU

(45) NUMBER OF MAIN SPAN	S: 3	CONDITION RATINGS	
(46) NUMBER OF APPROACH		(58) DECK:	N
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:	N
,	RFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:	N
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
B) TYPE MEMBRANE:	NONE	(62) CULVERT CONDITION (IF APPLICABLE):	6
C) TYPE PROTECTION:	EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING	
,	ND SERVICE	(31) DESIGN LOADING:	HS-20-44

AGE AND SERVICE  (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE:	1998 N/A HIGHWAY WATERWAY	(31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN	HS-20-44 ALL LEGAL LOADS ALL LEGAL LOADS 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:	6

(125) 5115211 5111532.	WAILINGAL	ADDDAICAL	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2		
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:	6
GEOMETRIC DATA		(68) DECK GEOMETRY:	5
OLOMETRIO DATA		(69) UNDERCLEARANCE RATING:	N
(48) MAXIMUM SPAN LENGTH:	12.1 FT		
(49) TOTAL BRIDGE LENGTH:	40.0 FT	(71) WATERWAY ADEQUACY:	6
		(72) APPROACH ROADWAY ALIGNMENT:	6
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	` '	•
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES:	0000
		(113) SCOUR CONDITION RATING:	8
(51) BRIDGE CURB TO CURB WIDTH:	22.3 FT	DECOMMENDED IMPROVEMENTS	

(52) BRIDGE OUT TO OUT WIDTH:	27.9 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT	(75) TYPE OF WORK: <b>NOT APPLICABLE</b>	
(33) BRIDGE MEDIAN:	NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(34) BRIDGE SKEW:	15 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE:	NO FLARE	(95) ROADWAY IMPROVEMENT COST:	

(96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT

INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 10/2/2019 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 400A2130001 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A213 FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: PERRY CEMETERY RD. COUNTY SEQUENCE: 1 CROSSING: RABBIT CREEK LOG MILE: 0.25 LOCATION: 5 MI. N. OF SR140 SUFFICIENCY RATING: 97.0

	SUFFICIENCY RATING: 97.0
IDENTIFICATION ———	
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER:  N 36.46683 DEGREES W 88.18772 DEGREES N/A N/A	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE:  NOT A NHS ROUTE LOCAL RURAL ROAD NO PARALLEL BRIDGE 2-WAY TRAFFIC NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 3	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>N</b>
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1997	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(69) UNDERCLEARANCE RATING: N
(40) 100 01711 10.0 11	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 60.0 FT	(71) WATERWAT ADEQUACT.
(49) TOTAL BRIDGE LENGTH: 60.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:8(36) TRAFFIC SAFETY FEATURES:0000(113) SCOUR CONDITION RATING:8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(50a) LEFT SIDEWALK WIDTH:       0.0 FT         (50b) RIGHT SIDEWALK WIDTH:       0.0 FT         (51) BRIDGE CURB TO CURB WIDTH:       27.6 FT         (52) BRIDGE OUT TO OUT WIDTH:       32.8 FT	(72) APPROACH ROADWAY ALIGNMENT:8(36) TRAFFIC SAFETY FEATURES:0000(113) SCOUR CONDITION RATING:8
(50a) LEFT SIDEWALK WIDTH:       0.0 FT         (50b) RIGHT SIDEWALK WIDTH:       0.0 FT         (51) BRIDGE CURB TO CURB WIDTH:       27.6 FT         (52) BRIDGE OUT TO OUT WIDTH:       32.8 FT	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  8
(50a) LEFT SIDEWALK WIDTH:       0.0 FT         (50b) RIGHT SIDEWALK WIDTH:       0.0 FT         (51) BRIDGE CURB TO CURB WIDTH:       27.6 FT         (52) BRIDGE OUT TO OUT WIDTH:       32.8 FT         (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:       25.9 FT	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  0.0 FT 27.6 FT  27.6 FT  NO MEDIAN	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  N/A
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  0.0 FT 27.6 FT NO MEDIAN 15 DEGREES	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  20.0 FT  0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 27.6 FT (52) BRIDGE OUT TO OUT WIDTH: 32.8 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.6 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/2/2019
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 27.6 FT (52) BRIDGE OUT TO OUT WIDTH: 32.8 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.6 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55c) NOT APPLICABLE	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

(40) NAVIGATION HORZ CLEARANCE: N/A **PUBLICATION DATE** 19-Mar-20

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

5

6

6

6

Ν

3

6

N

6

6

U

0000

67.9 FT

2019

24

N/A

N/A

Ν

Ν

\$267,000.00

\$27,000.00

\$401,000.00

10/3/2019

9 TONS

17 TONS

BRIDGE ID NUMBER: 400A2180001 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A218 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SWOR STILL RD. COUNTY SEQUENCE: 1 CROSSING: RABBIT CREEK LOG MILE: 0.77 SUFFICIENCY RATING: 71.0 LOCATION: 4 MI. N. OF SR140 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.46614 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν 88.16053 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: OTHER OR UNKNOWN (31) DESIGN LOADING: AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): 1955 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 17.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 67.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 400A2820001 COUNTY: HENRY
BRIDGE OWNER: HENRY COUNTY ROUTE: 0A282
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: MACEDONIA RD. COUNTY SEQUENCE: 1
CROSSING: NEIL DITCH LOG MILE: 2.06
LOCATION: 3 MI. N. OF CARROLL CO. SUFFICIENCY RATING: 96.9

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.17219 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.39269 DEGREES	• •
(98a) BORDER BRIDGE STATE CODE: N/A	• •
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(AE) NILIMPED OF MAIN CDANC.	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE:  NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1962	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	
(28a) NILIMBED OF LANES CAPPIED BY BRIDGE:	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE:  (28b) NUMBER OF LANES LINDER THE BRIDGE:	APPRAISAL  (67) STRUCTURAL EVALUATION:  6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  12.1 FT	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 24.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 24.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 24.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH:  UNDER FILL	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH:  UNDER FILL	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE:	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO MEDIAN NO RESTRICTION	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  32.1 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 5 RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/8/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLE: (540) MIN VERTICAL UNDERCLEARANCE: (540) MIN VERTICAL UNDERC	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 5 RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/8/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55b) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (12.1 FT (24.9 FT (30.0 FT (31.1 FT (32.1 FT (32.1 FT (33.1 FT (33.1 FT (34.1 FT (	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK: NOT APPLICABLE (38) TYPE OF WORK: NOT APPLICABLE (39) BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55c) NOT APPLICABLE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (37) APPROACH ROADWAY ALIGNMENT:  (38) RECOMMENDED IMPROVEMENTS  (39) TYPE OF WORK:  (30) NOT APPLICABLE  (30) LENGTH OF BRIDGE IMPROVEMENT:  (30) BRIDGE IMPROVEMENT COST:  (30) ROADWAY IMPROVEMENT COST:  (31) ROADWAY IMPROVEMENT COST:  (32) ROADWAY IMPROVEMENT COST:  (33) ROADWAY IMPROVEMENT COST:  (34) BRIDGE IMPROVEMENT COST:  (35) ROADWAY IMPROVEMENT COST:  (36) TOTAL PROJECT COST:  (37) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (38) DATE OF LAST REGULAR INSPECTION:  (38) DATE OF LAST UNDERWATER INSP (MO/YR):  (38) UNDERWATER INSP FREQUENCY (MONTHS):  (38) NA

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

N/A

N/A

Ν

Ν

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 400A2820003 COUNTY: HENRY ROUTE: 0A282 BRIDGE OWNER: HENRY COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MACEDONIA RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 3.10 LOCATION: 4 MI. N. OF CARROLL CO. SUFFICIENCY RATING: 85.9 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.18533 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.38692 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** NOT ADDITION DE C) TYPE PROTECTION: (31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES):

**NOT APPLICABLE** 

C) TYPE PROTECTION:	NOT APPLICABLE			
ACE AND SERVICE				
AGE AND SERVICE				
(27) YEAR THE BRIDGE WAS BUILT:	1962			
(106) YEAR THE BRIDGE WAS REHABILITATED:	. <b>N/A</b>			
(42a) SERVICE ON BRIDGE:	HIGHWAY			
(42b) UNDER BRIDGE:	WATERWAY			
(28a) NUMBER OF LANES CARRIED BY BRIDGE	<b>:</b> 2			
(28b) NUMBER OF LANES UNDER THE BRIDGE:	. 0			
GEOMETRIC DATA				

9.8 FI	(46) WAXIWUW SPAN LENGTH.
30.8 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
32.2 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH
NO MEDIAN	(33) BRIDGE MEDIAN:
15 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
VAY: <b>31.8 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROAD
WAY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGH

GHWAY OR RAILROAD	NOT A HI	(54a) VERT UNDERCLR:
NOT APPLICABLE	DERCLEARANCE:	(54b) MIN VERTICAL UNDE
GHWAY OR RAILROAD	NOT A HI	(55a) HORZ UNDERCLR:
NOT APPLICABLE	CLR ON RIGHT:	(55b) MIN HORZ UNDERCLI

#### NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	ANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	E: <b>N/A</b>
(40) NAVIGATION HORZ CLEARANCI	E: <b>N/A</b>

# **PUBLICATION DATE** 19-Mar-20

(56) MIN HORZ UNDERCLR ON LEFT:

(49) MAYIMI IM SDAN I ENGTH

#### **NOT A NHS ROUTE LOCAL RURAL ROAD NO PARALLEL BRIDGE ONE LANE BRIDGE FOR 2-WAY TRAFFIC NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 DESIGN LOAD AND WEIGHT POSTING OTHER OR UNKNOWN **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: 5 (41) WT POSTING STATUS: **OPEN** APPRAISAL (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 10/8/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

6

7

5

6

N

5

4

N

6

8

8

0000

161.1 FT

\$202,000,00

\$21,000.00

\$304,000.00

10/9/2019

2019

24

N/A

N/A

Ν

Ν

BRIDGE ID NUMBER: 400A3540001 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A354 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: LITTLE BENTON RD. COUNTY SEQUENCE: 1 CROSSING: BEAR CREEK LOG MILE: 2.60 LOCATION: 3 MI. NE OF CARROLL CO. SUFFICIENCY RATING: 64.4 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.15839 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.18769 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE ONE LANE BRIDGE FOR 2-WAY TRAFFIC** (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: n (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 40.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 161.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 18 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 21.7 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: NOT APPLICABLE **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

**NO NAVIGATION CONTROL** 

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

7

6

Ν

Ν

8

8

8

N/A

10/8/2019

24

N/A

N/A

Ν

Ν

0000

H-15-44

BRIDGE ID NUMBER: 400A3860001 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A386 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: COUNTY HOME RD. COUNTY SEQUENCE: 1 CROSSING: TURKEY PEN BRANCH LOG MILE: 3.20 SUFFICIENCY RATING: 89.5 LOCATION: 4 MI NE OF SR76 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31447 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.22236 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1945 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 24.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HENRY

ROUTE: 0A393

BRIDGE ID NUMBER: 400A3930001 BRIDGE OWNER: HENRY COUNTY SPECIAL CASE: 0

FIPS CODE: 00000

ROAD NAME: WIMBERLY RD.

CROSSING: TURKEY PEN BRANCH

LOCATION: WIMBERLY ROAD

### LOG MILE: 0.35 SUFFICIENCY RATING: 73.4

COUNTY SEQUENCE: 1

UFFICIENCY RATING: 73.4	'ROAD SUFFICIENCY RATING: 7	LC
CLASSIFICATION ————	CATION ————————————————————————————————————	
IDGE LENGTH:	N 36.42464 DEGREES (112) MEETS NBIS BRIDGE LENGTH:	(16a,b) LATITI
	W 88.38183 DEGREES (104) NATIONAL HIGHWAY SYSTEM:	(17a,b) LONG
		(98a) BORDEI
GE: NO PARALLEL E		(98b) PERCEN
2-WAY TI	NOT APPLICABLE (102) TRAFFIC DIR:	(99) BORDER
RIDGE: NOT APPLI	(103) TEMPORARY BRIDGE:	. ,
CK ROUTE: NOT ON TRUCK NET	ID MATERIAL (103) TEMPORARY BRIDGE.  (110) NATIONAL TRUCK ROUTE: NOT	
ASS: BRIDGE IS NOT ELIGIBLE FOR	(37) HISTORICAL CLASS: BRIDGE IS NOT	(43a) MAIN SF
NATIONAL REGISTER	TAPPLICABLE NATIONAL REG	(44a) APPR S
ONDITION RATINGS ————	1 CONDITION RATINGS	(45) NUMBER
	NS: 0 (58) DECK:	(46) NUMBER
RE:	CONCRETE PRECAST PANELS (59) SUPERSTRUCTURE:	(107) TYPE O
:	E AND DECK PROTECTION: (60) SUBSTRUCTURE:	(108) TYPE O
EL AND CHANNEL PROTECTION:	MONOLITHIC CONCRETE (61) STREAM CHANNEL AND CHANNEL PRO	A) TYPE OF S
TION (IF APPLICABLE):	NONE (62) CULVERT CONDITION (IF APPLICABLE):	B) TYPE MEM
DAD AND WEIGHT POSTING -	NONE — DESIGN LOAD AND WEIGHT	C) TYPE PRO
G: OTHER OR UNK	SERVICE (31) DESIGN LOADING:	
AXLE VEHICLES): ALL LEGAL	WEIGHT POSTING (2 AXI E VEHICI ES):	(27) YEAR TI
OR MORE AXLES): ALL LEGAL	WEIGHT POSTING (3 OR MORE AXLES)	(106) YEAR TI
	(70) BRIDGE POSTING CODE:	(42a) SERVIC
ATUS: OPEN	(41) WT POSTING STATUS: <b>OPEN</b>	(42b) UNDER
APPRAISAL -		(28a) NUMBEI
'ALUATION:	(0=) 0==================================	(28b) NUMBE
Y:	IC DATA (68) DECK GEOMETRY:	
CE RATING:	27.9 FT (69) UNDERCLEARANCE RATING:	(48) MAXIMUN
QUACY:	32.5 FT (71) WATERWAY ADEQUACY:	(49) TOTAL BI
DWAY ALIGNMENT:	0.0 FT (72) APPROACH ROADWAY ALIGNMENT:	(50a) LEFT SI
FEATURES:	(36) TRAFFIC SAFETY FEATURES:	(50b) RIGHT S
ION RATING:	(113) SCOUR CONDITION RATING:	(51) BRIDGE (
MENDED IMPROVEMENTS —	21.7 FT RECOMMENDED IMPROVE	(52) BRIDGE (
BRIDGE REHABILITATION	(75) TYPE OF MODIC PRIDGE BELLADUIT	(32) APPROAG
DGE IMPROVEMENT:	NO MEDIAN (76) LENGTH OF BRIDGE IMPROVEMENT:	(33) BRIDGE I
VEMENT COST: \$146	30 DEGREES (94) BRIDGE IMPROVEMENT COST:	(34) BRIDGE
•	NO FLARE (95) ROADWAY IMPROVEMENT COST:	(35) BRIDGE I
	OVER RD: NO RESTRICTION (96) TOTAL PROJECT COST:	(520) MIN VEF
OVEMENT COST ESTIMATE:	E ON ROADWAY: 20.7 FT (97) YEAR OF IMPROVEMENT COST ESTIMA	(47) MIN HOR
ISPECTION DATES ————	NOT A HIGHWAY OR RAILROAD INSPECTION DATES	(54a) VERT U
EGULAR INSPECTION: 10	RANCE: <b>NOT APPLICABLE</b> (90) DATE OF LAST REGULAR INSPECTION:	(54b) MIN VEF
CTION FREQUENCY (MONTHS):	NOT A HIGHWAY OR RAILROAD (91) REGULAR INSPECTION FREQUENCY (MI	(55a) HORZ U
JNDERWATER INSP (MO/YR):	GHT: NOT APPLICABLE (93b) DATE OF LAST UNDERWATER INSP (M	(55b) MIN HO
NSP FREQUENCY (MONTHS):	FT: NOT APPLICABLE (92b) UNDERWATER INSP FREQUENCY (MOI	(56) MIN HO

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A

Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 400A4070001 COUNTY: HENRY
BRIDGE OWNER: HENRY COUNTY ROUTE: 0A407
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: OLD SPRINGVILLE RD. COUNTY SEQUENCE: 1
CROSSING: BRANCH LOG MILE: 0.87
LOCATION: N. OF SR 69A SUFFICIENCY RATING: 96.6

LOCATION. N. OF SK 69A	SUPPICIENCE NATING. 90.0
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.28644 DEG	REES (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.14858 DEG	REES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE:	N/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLIC	ABLE (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
(44a) AFFR SFAN WATERIAL. NOT AFFEICABLE	NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	0 (58) DECK: N
(107) TYPE OF DECK: NOT APPLIC	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION	
A) TYPE OF SURFACE: NOT APPLIC	
B) TYPE MEMBRANE: NOT APPLIC	
C) TYPE PROTECTION: NOT APPLIC	ABLE DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT:	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATER	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL ———
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0 (67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY:
	(69) UNDERCLEARANCE RATING: N
` '	(71) WATERWAY ADEQUACY: 8
	(72) APPROACH ROADWAY ALIGNMENT: 8
. ,	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: UNDER	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: UNDER	FILL RECOMMENDED IMPROVEMENTS ———
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32	2 FT (75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO ME	
(34) BRIDGE SKEW: 15 DEG	
(35) BRIDGE FLARE: NO F	LARE (95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRIC	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31	8 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: <b>NOT A HIGHWAY OR RAIL</b>	ROAD INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLIC	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAIL	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLIC	, ,
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLIC	
NAVIGATION DATA	
(38) NAV CONTROL: NO NAVIGATION CON	TROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HENRY

ROUTE: 0A429

LOG MILE: 1.50

COUNTY SEQUENCE: 1

SHEELCIENCY DATING: 06 0

BRIDGE ID NUMBER: 400A4290001 BRIDGE OWNER: HENRY COUNTY SPECIAL CASE: 0

FIPS CODE: 00000

ROAD NAME: PLEASANT GROVE RD. CROSSING: CONE CREEK

LOCATION: 4 ML W OF DIC SANDY DV

LOCATION: 1 MI. W. OF BIG SANDY RV.	SUFFICIENCY RATING: 96.9
IDENTIFICATION	- CLASSIFICATION -
(16a,b) LATITUDE: N 36.28414 DEGREE	S (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.11178 DEGREE	S (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
	(A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE:	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	E (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(AE) NI IMPER OF MAIN SPANS:	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS:	2 0 (58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(FO) CLIDED CTDLICTLIDE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NOT APPLICABLE NOT APPLICABLE	(CO) CUILVEDT CONDITION (IE ADDI ICADI E).
C) TYPE PROTECTION: NOT APPLICABLE	DEGICAL LOAD AND WEIGHT DOOTING
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
(27) YEAR THE BRIDGE WAS BUILT: 194	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT.  (106) YEAR THE BRIDGE WAS REHABILITATED: N.	WEIGHT POSTING (3 OR MORE AXLES) ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWA	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWA	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY:
(48) MAXIMUM SPAN LENGTH: 9.8 F	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 21.0 F	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 F	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 F	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: UNDER FIL	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: UNDER FIL	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 I	T (75) TYPE OF WORK: <b>NOT APPLICABLE</b>
(33) BRIDGE MEDIAN: NO MEDIA	
(34) BRIDGE SKEW: 26 DEGREE	
(35) BRIDGE FLARE: NO FLAR	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROA	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABL	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROA	, ,
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABL	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public **PUBLICATION DATE** document records request does not 19-Mar-20 waive the provisions of §409

N/A

NO NAVIGATION CONTROL

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

PRODUCED PURSUANT TO

N/A

Ν

(39) NAVIGATION VERTICAL CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA



YES

Ν

Ν

Ν

6

5

5

Ν

Ν

6

8

8

0000

47.2 FT

2019

24

N/A

N/A

Ν

Ν

\$289,000.00

\$29,000.00

\$434,000.00

10/9/2019

H-10-44

BRIDGE ID NUMBER: 400A4340001 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A434 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HAGLER RIDGE RD. COUNTY SEQUENCE: 1 CROSSING: CLENDON CREEK LOG MILE: 1.37 LOCATION: 1 MI. N. OF SR69 SUFFICIENCY RATING: 75.7 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24811 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.12861 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1948 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 25.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 26 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

6

8

N

8

6

8

N/A

10/9/2019

24

N/A

N/A

Ν

Ν

0000

BRIDGE ID NUMBER: 400A4600001 COUNTY: HENRY ROUTE: 0A460 BRIDGE OWNER: HENRY COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: COPPER SPRING RD. COUNTY SEQUENCE: 1 CROSSING: GIN CREEK LOG MILE: 2.49 SUFFICIENCY RATING: 96.9 LOCATION: 2.5 M NE OF SR69 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.20961 DEGREES 88.14608 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1945 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

6

6

5

N

8

8

8

N/A

10/8/2019

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 400A4700001 COUNTY: HENRY ROUTE: 0A470 BRIDGE OWNER: HENRY COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD UNION RD. COUNTY SEQUENCE: 1 CROSSING: VAUGHN BRANCH LOG MILE: 1.05 SUFFICIENCY RATING: 91.4 LOCATION: 1 MI. N. OF SR69 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27844 DEGREES 88.20175 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 29.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



PRODUCED PURSUANT TO

BRIDGE ID NUMBER: 400A4800001

BRIDGE OWNER: CITY OF PARIS

FIPS CODE: 56720

ROAD NAME: CLIFTY RD.

CROSSING: CLIFTY CREEK

LOCATION: 4 MI. E. OF SR77

DENTIFICATION

COUNTY: HENRY

ROUTE: 0A480

COUNTY: DAME: COUNTY: DAME: 0A480

COUNTY: HENRY

ROUTE: 0A480

COUNTY: HENRY

ROUTE: 0A480

SPECIAL CASE: 0

COUNTY: HENRY

ROUTE: 0A480

SPECIAL CASE: 0

COUNTY: HENRY

ROUTE: 0A480

SPECIAL CASE: 0

COUNTY: HENRY

ROUTE: 0A480

COUNTY: HENRY

SPECIAL CASE: 0

COUNTY: HENRY

ROUTE: 0A480

COUNTY: HENRY

SPECIAL CASE: 0

COUNTY: HENRY

ROUTE: 0A480

COUNTY: HENRY

SPECIAL CASE: 0

COUNTY: HENRY

ROUTE: DA480

COUNTY: HENRY

SPECIAL CASE: 0

COUNTY: HENRY

ROUTE: DA480

COUNTY: HENRY

SPECIAL CASE: 0

COUNTY: HENRY

ROUTE: DA480

COUNTY: HENRY

SPECIAL CASE: 0

COUNTY: HENRY

ROUTE: DA480

COUNTY: HENRY

SPECIAL CASE: 0

COUNTY: HENRY

COUNTY: HE

IDENTIFICATION	
(16a,b) LATITUDE: N 36.26494 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.25381 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL CITY STREET
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1998	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT.  1936  (106) YEAR THE BRIDGE WAS REHABILITATED:  N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(425) STOPEN BRIDGE.	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	AFFINAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	, <u> </u>
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  12.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 44.9 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 44.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 44.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 20.0 FT 24 FT 29.9 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 20.0 FT 24 FT 29.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  00  12.1 FT  44.9 FT  44.9 FT  9.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 29.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  0  12.1 FT  44.9 FT  44.9 FT  50.0 FT  70.0 FT  70.1 FT  70.2 FT  80.2 FT  81.3 PRIDGE OUT TO OUT WIDTH: 81.3 PRIDGE SKEW: 81.3 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 29.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.1 FT  12.1 FT  44.9 FT  44.9 FT  9.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TROUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) BRIDGE MEDIAN: (34) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/9/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (12.1 FT (44.9 FT (50.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N/A

(40) NAVIGATION HORZ CLEARANCE:

N/A

PUBLIC RECORDS REQUEST

This document is covered by 23 USC §409

and its production pursuant to a public document records request does not waive the provisions of §409

N/A

N/A

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

6

4

N

6

8

8

0000

38.1 FT

\$47.000.00

\$71,000.00

10/8/2019

\$5,000.00

2019

24

N/A

N/A

Ν

Ν

BRIDGE ID NUMBER: 400A4800003 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A480 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CLIFTY RD. COUNTY SEQUENCE: 1 CROSSING: CLIFTY CREEK LOG MILE: 2.49 LOCATION: 1 MI. S. OF PARIS SUFFICIENCY RATING: 74.8 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.27119 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.28853 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **OTHER** DESIGN LOAD AND WEIGHT POSTING **OTHER** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN — AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1962 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 29.5 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 400A5070001 BRIDGE OWNER: HENRY COUNTY

> FIPS CODE: 00000 ROAD NAME: MUZAL RD. CROSSING: BEAR CREEK

LOCATION: 3 MI. E. OF SR77

COUNTY: HENRY ROUTE: 0A507

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.70

SUFFICIENCY RATING: 61.6

Eddy Wilder State L. Gr Grey	301 1 101 E 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 3 1 3
IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.16442 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.27814 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 3	
(46) NUMBER OF APPROACH SPANS: 0	` '
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 6 (60) SUBSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	` '
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):  N  DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING  (31) DESIGN LOADING:  H-15-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES):  ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1965	WEIGHT POSTING (2 AXLE VEHICLES):  WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 1	,
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 19.0 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 57.1 FT	(72) APPROACH ROADWAY ALIGNMENT:
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 5
(51) BRIDGE CURB TO CURB WIDTH: 13.1 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 14.8 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: 57.1 FT
(33) BRIDGE MEDIAN: NO MEDIAN	(94) BRIDGE IMPROVEMENT COST: \$202,000.00
(34) BRIDGE SKEW: 0 DEGREES	(95) ROADWAY IMPROVEMENT COST: \$21,000.00
(35) BRIDGE FLARE: NO FLARE	(96) TOTAL PROJECT COST: \$304,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 12.8 FT	INSPECTION DATES
(54a) VERT UNDERCLE: NOT A HIGHWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE: <b>NOT APPLICABLE</b> (55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(90) DATE OF LAST REGULAR INSPECTION: 10/8/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
•	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	
` '	(92b) UNDERWATER INSP FREQUENCY (MONTHS):  N (93c) DATE OF SPECIAL INSPECTION (MO/VP):  N/A
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

Ν



BRIDGE ID NUMBER: 400A5120001 BRIDGE OWNER: HENRY COUNTY

> FIPS CODE: 00000 ROAD NAME: BARHAM RD. CROSSING: GUINS CREEK

LOCATION: 1 MI N. OF CARROLL CO.

COUNTY: HENRY ROUTE: 0A512

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 3.10

SUFFICIENCY RATING: 89.5

IDENTIFICATION				
(16a,b) LATITUDE:	N	36.15072	DEGREES	
(17a,b) LONGITUDE:	W	88.38128	<b>DEGREES</b>	
(98a) BORDER BRIDGE STATE CODE:			N/A	
(98b) PERCENT SHARE:			N/A	
(99) BORDER BRIDGE NUMBER:		NOT AF	PPLICABLE	
BRIDGE TYPE AND MATERIAL				
(43a) MAIN SPAN MATERIAL: COM	ICRETE			
(44a) APPR SPAN MATERIAL: NOT APPLICABLE				
(45) NUMBER OF MAIN SPANS:			3	ı
(46) NUMBER OF APPROACH SPAN	NS:		0	
(107) TYPE OF DECK:	CONCRE	TE PRECAS	ST PANELS	

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPA	NS: 0
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS
(108) TYPE OF WEARING SURFAC	CE AND DECK PROTECTION:
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE			
1995	(27) YEAR THE BRIDGE WAS BUILT:		
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A			
(42a) SERVICE ON BRIDGE: HIGHWAY			
WATERWAY	(42b) UNDER BRIDGE:		
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:		
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:		

GEOMETRIC DATA			
(48) MAXIMUM SPAN LENGTH:	19.3 FT		
(49) TOTAL BRIDGE LENGTH:	57.6 FT		
(50a) LEFT SIDEWALK WIDTH:	0.0 FT		
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT		
(51) BRIDGE CURB TO CURB WIDTH:	24 FT		
(52) BRIDGE OUT TO OUT WIDTH:	24.9 FT		
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH	: <b>24.0 FT</b>		
(33) BRIDGE MEDIAN:	NO MEDIAN		
(34) BRIDGE SKEW:	0 DEGREES		
(35) BRIDGE FLARE:	NO FLARE		
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION		
(47) MIN HORIZONTAL CLEARANCE ON ROADV	VAY: <b>24.0 FT</b>		
(54a) VERT UNDERCLR: NOT A HIGH	WAY OR RAILROAD		
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE		

NOT APPLICABLE	(55b) MIN HORZ UNDERCLR ON RIGHT:	
NOT APPLICABLE	(56) MIN HORZ UNDERCLR ON LEFT:	
NAVIGATION DATA		
NAVIGATION CONTROL	(38) NAV CONTROL: NO N	
: <b>N/A</b>	(39) NAVIGATION VERTICAL CLEARANCE:	

**NOT A HIGHWAY OR RAILROAD** 

(116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A CLASSIFICATION -

•		
TH: YES		
EM: <b>NOT A NHS ROUTE</b>		
LOCAL RURAL ROAD		
NO PARALLEL BRIDGE		
2-WAY TRAFFIC		
NOT APPLICABLE		
NOT ON TRUCK NETWORK		
(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER		
CONDITION RATINGS		

6
6
6
6
N

#### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN	
WEIGHT POSTING (2 AXLE VEHICLES):	<b>ALL LEGAL LOADS</b>	
WEIGHT POSTING (3 OR MORE AXLES):	<b>ALL LEGAL LOADS</b>	
(70) BRIDGE POSTING CODE:	5	
(41) WT POSTING STATUS: OPEN		

APPRAISAL			
6	(67) STRUCTURAL EVALUATION:		
6	(68) DECK GEOMETRY:		
N	(69) UNDERCLEARANCE RATING:		
8	(71) WATERWAY ADEQUACY:		
8	(72) APPROACH ROADWAY ALIGNMENT:		
0000	(36) TRAFFIC SAFETY FEATURES:		
8	(113) SCOUR CONDITION RATING:		

#### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	E IMPROVEMENT:	N/A
(94)	BRIDGE IMPROVE	MENT COST:	

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

10/8/2019	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:



BRIDGE ID NUMBER: 400A5340001

BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: DORSEY RD.

CROSSING: BRANCH

LOCATION: 4 MI. W. OF HENRY

DENTIFICATION

16a,b) LATITUDE:

N 36.19486 DEGREES (112) MEETS NBIS BRIDGE LENGTH:

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.19486 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.47711 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) 11111 1555 05 11111 05 110	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE:
(107) TYPE OF DECK: NOT APPLICABLE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE: NOT APPLICABLE B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 25.9 FT	(71) WATERWAY ADEQUACY: 7
(50a) LEFT SIDEWALK WIDTH: 23.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 26.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/3/2019
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 400A5350001 BRIDGE OWNER: HENRY COUNTY

> FIPS CODE: 00000 ROAD NAME: REVEL LN. CROSSING: BRANCH

LOCATION: 4 MI. W. OF HENRY

COUNTY: HENRY ROUTE: 0A535 SPECIAL CASE: 0

COUNTY SEQUENCE: 1 LOG MILE: 0.05 SUFFICIENCY RATING: 22.2

#### IDENTIFICATION CLASSIFICATION =

(16a,b) LATITUDE: Ν 36.18222 DEGREES (17a,b) LONGITUDE: 88.46228 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** 

#### BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE:

**MONOLITHIC CONCRETE** B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

#### AGE AND SERVICE -(27) YEAR THE BRIDGE WAS BUILT: 1972 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **WATERWAY** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (28b) NUMBER OF LANES UNDER THE BRIDGE: n

(200) 1101112211 01 2 1112 0112211 1112 021	•
GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	19.0 FT
(49) TOTAL BRIDGE LENGTH:	38.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	12.8 FT
(52) BRIDGE OUT TO OUT WIDTH:	14.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	14.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN

(34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 12.5 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

## NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

(112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: **1-WAY TRAFFIC** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** 

(58) DECK:	6
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N
	(59) SUPERSTRUCTURE: (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION:

CONDITION RATINGS

DESIGN LOAD AND WEIGHT POSTING	
(31) DESIGN LOADING:	H-10-44
WEIGHT POSTING (2 AXLE VEHICLES):	3 TONS
WEIGHT POSTING (3 OR MORE AXLES):	3 TONS
(70) BRIDGE POSTING CODE:	3
(41) WT POSTING STATUS: WEIGHT POSTED	

(41) WT POSTING STATUS:	WEIGHT POSTED
-------------------------	---------------

	APPRAISAL
3	(67) STRUCTURAL EVALUATION:
4	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
6	(71) WATERWAY ADEQUACY:
8	(72) APPROACH ROADWAY ALIGNMENT:
0000	(36) TRAFFIC SAFETY FEATURES:
5	(113) SCOUR CONDITION RATING:

#### RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **BRIDGE REPLACEMENT**

60 FT	LENGTH OF BRIDGE IMPROVEMENT:	(76)
\$281,000.00	BRIDGE IMPROVEMENT COST:	(94)
\$29,000.00	ROADWAY IMPROVEMENT COST:	(95)

(96) TOTAL PROJECT COST: \$422,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/8/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 400A5400001

BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: TRACYWICK RD.

CROSSING: BRANCH

LOCATION: .3 MI E OF WEAKLEY CO LN

IDENTIFICATION

16a,b) LATITUDE:

N 36.19611 DEGREES

(112) MEETS NBIS BRIDGE LENGTH:

IDENTIFICATION	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.19611 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 88.52408 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC	
	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS		
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS:	———— CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7	
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 7	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6	
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N	
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN	
(27) YEAR THE BRIDGE WAS BUILT: 1979	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS BUILT. 1979 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
	(70) BRIDGE POSTING CODE: 5	
	(41) WT POSTING STATUS: <b>OPEN</b>	
(42b) UNDER BRIDGE: WATERWAY APPRAISAL		
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(0-) 0	
GEOMETRIC DATA	(68) DECK GEOMETRY: 5	
	(69) UNDERCLEARANCE RATING: N	
(48) MAXIMUM SPAN LENGTH: 27.9 FT	(71) WATERWAY ADEQUACY: 6	
(49) TOTAL BRIDGE LENGTH: 28.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000	
(51) BRIDGE CURB TO CURB WIDTH: 13.1 FT	(113) SCOUR CONDITION RATING: 2	
(52) BRIDGE OUT TO OUT WIDTH: 14.8 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 28.9 FT	
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$116,000.00	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$12,000.00	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$175,000.00	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.1 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD INSPECTION DATES		
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/8/2019	
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: <b>NOT APPLICABLE</b>	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):	
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO	

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

6

2

N

8

8

8

0000

26.9 FT

2019

24

N/A

N/A

Ν

Ν

\$114,000.00

\$12,000.00

\$172,000.00

10/3/2019

HS-20-44

BRIDGE ID NUMBER: 400A5560003 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A556 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PALESTINE RD. COUNTY SEQUENCE: 1 CROSSING: TRAINER CREEK LOG MILE: 2.82 SUFFICIENCY RATING: 77.2 LOCATION: 4 MI. N. OF HENRY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25167 DEGREES 88.41603 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: **1-WAY TRAFFIC** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: n (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



N

8

24

Ν

Ν

N/A

N/A

LOG MILE: 6.21

BRIDGE ID NUMBER: 400A5560005 COUNTY: HENRY BRIDGE OWNER: HENRY COUNTY ROUTE: 0A556 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PALESTINE RD. COUNTY SEQUENCE: 1

CROSSING: MIDDLE FORK OBION RIVER

LOCATION: 3 MI. S. OF SR54	LOCATION: 3 MI. S. OF SR54 SUFFICIENCY RATING: 78.5		
IDENTIFICATION	ı <del></del>		
(16a,b) LATITUDE:	36.27617 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	88.37150 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS:	OCAL RURAL ROAD
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE: NO	PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL		(103) TEMPORARY BRIDGE:	NOT APPLICABLE
		(110) NATIONAL TRUCK ROUTE: NOT ON	I TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>		(37) HISTORICAL CLASS: HISTORICAL SIGN NOT BEEN DETER	
(45) NUMBER OF MAIN SPANS: 2		CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	7
(107) TYPE OF DECK: CONCR	ETE PRECAST PANELS	(59) SUPERSTRUCTURE:	7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:		(60) SUBSTRUCTURE:	6
A) TYPE OF SURFACE:	ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTEC	CTION: 7

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION:
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING

AGE AND SERVICE		(31) DESIGN LOADING:	OTHER OR UNKNOWN
(27) YEAR THE BRIDGE WAS BUILT:	1960	WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: <b>OPEN</b>	5
(42b) UNDER BRIDGE:	WATERWAY	APPRAISAL	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2		_
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:	6

#### 6 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: Ν 19.0 FT (71) WATERWAY ADEQUACY: 6 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 6 0.0 FT (36) TRAFFIC SAFETY FEATURES. 0000

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	(30) TRAITIC SALETT LATORES.	0000
(51) BRIDGE CURB TO CURB WIDTH:	24 FT	(113) SCOUR CONDITION RATING:	8
(52) BRIDGE OUT TO OUT WIDTH:	25.3 FT	RECOMMENDED IMPROVEMENTS	
		(75) TYPE OF WORK: BRIDGE REHABILITATION	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	25.9 FT	(73) THE OF WORK. BRIDGE REHABILITATION	

(76) LENGTH OF BRIDGE IMPROVEMENT: 38.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (94)BRIDGE IMPROVEMENT COST: \$183,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)\$19,000.00 (35) BRIDGE FLARE: **NO FLARE** 

(96) TOTAL PROJECT COST: \$275,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT

INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 10/9/2019

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL

(39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

GEOMETRIC DATA -

(48) MAXIMUM SPAN LENGTH:

(49) TOTAL BRIDGE LENGTH:

(50a) LEFT SIDEWALK WIDTH:

(40) NAVIGATION HORZ CLEARANCE: N/A **PUBLICATION DATE** 19-Mar-20



COUNTY: HENRY

BRIDGE ID NUMBER: 400A5570001

BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: HENRY MIDWAY RD. COUN

LOCATION: 6 MI NW OF HENRY

CROSSING: MIDDLE FORK OBION RIVER

ROUTE: 0A557 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 2.28 SUFFICIENCY RATING: 96.9

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.25786 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.46803 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE —	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1988	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
	(67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  2	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 38.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 38.1 FT (49) TOTAL BRIDGE LENGTH: 113.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH:  2 38.1 FT 113.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  2 2 2 2 2 2 2 3 2 2 2 2 2 2 2 2 2 2 2	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) BRIDGE IMPROVEMENT: (78) N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (98) ROADWAY IMPROVEMENT COST: (99) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/8/2019
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE ON ROADWAY: (541) WIN HORIZONTAL CLEARANCE: (542) MIN VERTICAL UNDERCLEARANCE: (543) WERT UNDERCLR: (544) WIN VERTICAL UNDERCLEARANCE: (555a) HORZ UNDERCLR: (555b) MIN HORZ UNDERCLR ON RIGHT: (550) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (70) NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: (71) NOT APPLICABLE (72) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE ON ROADWAY: (541) WIN HORIZONTAL CLEARANCE: (542) MIN VERTICAL UNDERCLEARANCE: (543) HORZ UNDERCLR: (544) MIN VERTICAL UNDERCLEARANCE: (555) HORZ UNDERCLR: (555) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR ON RIGHT: (556) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 400A5570003



YES

8

8

8

7

Ν

R

6

N

8

6

5

N/A

10/8/2019

24

Ν

Ν

N/A

1

0001

HL-93

COUNTY: HENRY

ROUTE: 0A557 BRIDGE OWNER: HENRY COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HENRY MIDWAY RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.42 SUFFICIENCY RATING: 97.9 LOCATION: 6 MI NW OF HENRY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36,25922 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88,46953 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2017 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 75.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 80.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 400A5580001 COUNTY: HENRY
BRIDGE OWNER: HENRY COUNTY ROUTE: 0A558
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: HERRONDALE EAST RD. COUNTY SEQUENCE: 1
CROSSING: BRANCH LOG MILE: 0.10
LOCATION: 3 MI. S. OF SR54 SUFFICIENCY RATING: 84.9

LOCATION: 3 MI. S. OF SR54	SUFFICIENCY RATING: 84.9
IDENTIFICATION —	- CLASSIFICATION -
(16a,b) LATITUDE: N 36.25247 DEGRE	ES (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.46353 DEGRE	ES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	I/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
	VA (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICAB	LE (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	0 (58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLA	(50) SUBERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE:  ASPHA	LT (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NOI	(62) CHI VERT CONDITION (IE ARRI ICARI E):
C) TYPE PROTECTION: NOI	DEGIGN LOAD AND WEIGHT DOCTING
AGE AND SERVICE	(31) DESIGN LOADING: <b>HS-20-44</b>
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWA	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWA	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0 (67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 12.1	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 25.9 (50a) LEFT SIDEWALK WIDTH: 0.0	(72) APPROACH ROADWAY AI IGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0	(36) TRAFFIC SAFFTY FFATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 22	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CORB TO CORB WIDTH: 26.2	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0	(ZE) TYPE OF MODIC. NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIA	(76) LENGTH OF PRINCE IMPROVEMENT.
(34) BRIDGE SKEW: 0 DEGRE	(04) PRIDCE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLAI	(OE) BOADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(OC) TOTAL DROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7	(07) VEAD OF IMPROVEMENT COST ESTIMATE
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILRO	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICAB	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILRO	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICAB	1 1
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICAB	• • •
NAVIGATION DATA	, ,
(38) NAV CONTROL: NO NAVIGATION CONTROL	
(00) NAVIGATION VERTICAL OF FARANCE	, , = = = = = = = = = = = = = = = = = =

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HENRY

BRIDGE ID NUMBER: 400A5720001 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: GUM SPRINGS RD.

CROSSING: MIDDLE FORK OBION RIVER

LOCATION: 1 MI. S. OF SR54

ROUTE: 0A572 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 1.14 SUFFICIENCY RATING: 24.5

LOCATION. TWI. S. OF SR34	SUPPOLENCE RATING. 24.3
IDENTIFICATION ————	CLASSIFICATION —
(16a,b) LATITUDE: N 36.27672 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.41961 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 2
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
(27) YEAR THE BRIDGE WAS BUILT: 1969	WEIGHT POSTING (2 AXLE VEHICLES): 0 TONS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): 0 TONS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE:  (44) WE POSTING STATUS: CLOSED
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: CLOSED
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 0
(48) MAXIMUM SPAN LENGTH: 19.0 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 37.1 FT	(71) WATERWAY ADEQUACY:  6  (73) ADDDOACH DOADWAY ALICAMENT:
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 5
(51) BRIDGE CURB TO CURB WIDTH: 23.3 FT	
(52) BRIDGE OUT TO OUT WIDTH: 24.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 59.1 FT (94) BRIDGE IMPROVEMENT COST: \$356,000.00
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:       \$356,000.00         (95) ROADWAY IMPROVEMENT COST:       \$36,000.00
(35) BRIDGE FLARE: NO FLARE	(96) TOTAL PROJECT COST: \$53,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT	INSPECTION DATES
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/9/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE  (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	(SES) S. ESMERIO, TREGERIO, (MORTINO).
,	PRODUCED PURSUANT TO

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

7

6

5

N

8

6

8

N/A

10/8/2019

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 400A5720003 COUNTY: HENRY ROUTE: 0A572 BRIDGE OWNER: HENRY COUNTY FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GUM SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: TRAINER CREEK LOG MILE: 1.40 SUFFICIENCY RATING: 90.7 LOCATION: 2 MI. S. OF SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.27317 DEGREES Ν 88.42086 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 28.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



BRIDGE ID NUMBER: 400A6380001 COUNTY: HENRY
BRIDGE OWNER: HENRY COUNTY ROUTE: 0A638
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: CALEDONIA EXT. RD. COUNTY SEQUENCE: 1
CROSSING: CSX RAILROAD LOG MILE: 0.08
LOCATION: 1 MI SW OF PARIS SUFFICIENCY RATING: 90.5

LOCATION. TWI SW OF PARIS	SOFFICIENCY RATING. 90.5
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.28920 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.35183 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
(TIG) / WITH SI / WITH EIGHT E	NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 1	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: <b>EPOXY COATED REINFORCING</b>	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HL-93
(27) YEAR THE BRIDGE WAS BUILT: 2008	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: RAILROAD	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 85.0 FT	(69) UNDERCLEARANCE RATING: 3
(49) TOTAL BRIDGE LENGTH: 85.0 FT	(71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING:
(51) BRIDGE CURB TO CURB WIDTH: 24.3 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 26.2 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(33) BRIDGE MEDIAN: NO MEDIAN	(94) BRIDGE IMPROVEMENT COST:
(34) BRIDGE SKEW: 45 DEGREES	(95) ROADWAY IMPROVEMENT COST:
(35) BRIDGE FLARE:  NO FLARE	(96) TOTAL PROJECT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT	INSPECTION DATES
(54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE (54b) MIN VERTICAL UNDERCLEARANCE: 19.82 FT	
	(- · · · · · · - ·
(55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE (55b) MIN HORZ UNDERCLR ON RIGHT: 24.93 FT	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NOT APPLICABLE	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	
. ,	PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 400A7140001 COUNTY: HENRY
BRIDGE OWNER: HENRY COUNTY ROUTE: 0A714
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: FAIRGROUND RD. COUNTY SEQUENCE: 1
CROSSING: OVERFLOW LOG MILE: 1.10
LOCATION: 0.6 MI. E. OF PARIS

LOCATION: 0.6 MI. E. OF PARIS	SUFFICIENCY RATING: 74.4
IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.30747 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.27508 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL CITY STREET
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 2	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK:
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N (60) SUBSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(62) CULVERT CONDITION (IF APPLICABLE): 5
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NONE	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44 WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1986	WEIGHT POSTING (2 AXLE VEHICLES):  WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(68) DECK GEOMETRY:
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 34.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 27.9 FT	RECOMMENDED IMPROVEMENTS ———
(52) BRIDGE OUT TO OUT WIDTH: 31.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 30.8 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 30.8 FT (33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 34.1 FT
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$219,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$22,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$329,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/9/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

## NATIONAL BRIDGE INVENTORY



YES

7

6

7

6

N

6

4

N

6

8

5

1000

116.1 FT

\$706,000.00

\$71,000.00

2018

\$1,060,000.00

HS-20-44

**ALL LEGAL LOADS** 

**ALL LEGAL LOADS** 

**NOT A NHS ROUTE** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

**LOCAL CITY STREET** 

**NO PARALLEL BRIDGE** 

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 400A7140003 COUNTY: HENRY ROUTE: 0A714 BRIDGE OWNER: HENRY COUNTY SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: FAIRGROUND RD. COUNTY SEQUENCE: 1 CROSSING: BAILEY FORK CREEK LOG MILE: 1.21 LOCATION: 1 MI. E. OF PARIS SUFFICIENCY RATING: 78.8 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.30814 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.27347 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES:

(28b) NUMBER OF LANES UNDER THE BRIDGE:	0
GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	46.9 FT
(49) TOTAL BRIDGE LENGTH:	116.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	29.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADW	'AY: <b>27.9 FT</b>
(54a) VERT UNDERCLR: NOT A HIGHW	VAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR: NOT A HIGHW	VAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

(90) DATE OF LAST REGULAR INSPECTION:	10/9/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N
PRODUCED PURSUANT	ТО

INSPECTION DATES

RECOMMENDED IMPROVEMENTS

**BRIDGE REHABILITATION** 

(113) SCOUR CONDITION RATING:

TOTAL PROJECT COST:

(76) LENGTH OF BRIDGE IMPROVEMENT:

BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

YEAR OF IMPROVEMENT COST ESTIMATE:

(75) TYPE OF WORK:

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



COUNTY: HENRY

ROUTE: 0A833

BRIDGE ID NUMBER: 40M30670001 BRIDGE OWNER: CITY OF PARIS FIPS CODE: **56720** SPECIAL CASE: 0 ROAD NAME: RISON ST. COUNTY SEQUENCE: 1

CROSSING: JONES BEND CREEK LOG MILE: 0.52 LOCATION: IN THE CITY OF PARIS SUFFICIENCY RATING: 45.3

LOCATION: IN THE CITY OF PARIS		SUFFICIENCY RATING: 45.3	
IDENTIFICATION -			
(17a,b) LONGITUDE: W 88.3 (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE:	B1033 DEGREES B3444 DEGREES N/A N/A BOT APPLICABLE	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR:  NO PARAL	ICE HAS
		CONDITION RATINGS	,
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: CONCRETE (108) TYPE OF WEARING SURFACE AND DECK PI A) TYPE OF SURFACE: B) TYPE MEMBRANE: C) TYPE PROTECTION:	2 0 E CAST-IN-PLACE ROTECTION: ASPHALT NONE NONE	(58) DECK: (59) SUPERSTRUCTURE: (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: (62) CULVERT CONDITION (IF APPLICABLE):  DESIGN LOAD AND WEIGHT POSTIN	N
AGE AND SERVICE —		(31) DESIGN LOADING:	H-15-44
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE:	1950 N/A HIGHWAY WATERWAY	,	EGAL LOADS EGAL LOADS 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	WATERWAT 2	APPRAISAL -	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:	4
GEOMETRIC DATA		(68) DECK GEOMETRY:	2
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH:	24.9 FT 48.9 FT 0.0 FT 0.0 FT 18.4 FT	<ul><li>(69) UNDERCLEARANCE RATING:</li><li>(71) WATERWAY ADEQUACY:</li><li>(72) APPROACH ROADWAY ALIGNMENT:</li><li>(36) TRAFFIC SAFETY FEATURES:</li><li>(113) SCOUR CONDITION RATING:</li></ul>	N 6 8 0000 U
(52) BRIDGE OUT TO OUT WIDTH:	21.3 FT	RECOMMENDED IMPROVEMENTS	; <del> </del>
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DEC NEEDED)	K REPAIRS
(33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWA	Y: <b>18.0 FT</b>	(76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES	48.9 FT \$136,000.00 \$14,000.00 \$205,000.00 2019
	AY OR RAILROAD	(90) DATE OF LAST REGULAR INSPECTION:	10/9/2019
(55a) HORZ UNDERCLR: NOT A HIGHWA (55b) MIN HORZ UNDERCLR ON RIGHT: N (56) MIN HORZ UNDERCLR ON LEFT: N NAVIGATION DATA	AY OR RAILROAD IOT APPLICABLE IOT APPLICABLE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR):	24 N/A N N/A
(38) NAV CONTROL: NO NAVIG	ATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 400A8600001 BRIDGE OWNER: CITY OF PARIS

FIPS CODE: **56720** 

ROAD NAME: INDUSTRIAL PARK RD.

CROSSING: BRANCH

LOCATION: IN THE CITY OF PARIS

COUNTY: HENRY

ROUTE: 0A860

COUNTY SEQUENCE: 1 LOG MILE: 0.08 SUFFICIENCY RATING: 96.9

SPECIAL CASE: 0

IDENTIFICATION	CLASSIFICATION —
(16a,b) LATITUDE: N 36.27206 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: NO
(17a,b) LONGITUDE: W 88.30583 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL CITY STREET
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	(FO) DECV.
(107) TYPE OF DECK: NOT APPLICABLE	(EO) SUDEDSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NOT APPLICABLE	(CO) CUI VEDT CONDITION (IE ADDI ICADI E).
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1999	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(1-4) 011-111-111	ADDDAICAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:	(C7) CTDLICTUD AL EVALUATION:
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(C7) CTDLICTUD AL EVALUATION:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  N  (69) UNDERCLEARANCE RATING:  N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  5.9 F	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  N  (69) UNDERCLEARANCE RATING:  N  (71) WATERWAY ADEQUACY:  8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 5.9 FT  (49) TOTAL BRIDGE LENGTH: 21.0 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  5.9 F	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  8 (36) TRAFFIC SAFETY FEATURES:  0000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 5.9 FT  (49) TOTAL BRIDGE LENGTH: 21.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  0.0 F	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  UNDER FILE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILI	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (71) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: UNDER FILI (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FI	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (71) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE  NO FLARE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  (68) MAXIMUM SPAN LENGTH: (59) FT (100) FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 3.3.8 FI	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT APPLICABLE (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  10/3/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (STAN AND A HIGHWAY (STAN AND A HIGHWAY (STAN AND A HI	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENTS  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (47) NOT APPLICABLE (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55c) NOT APPLICABLE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (57) NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: (57) NOT APPLICABLE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (36) TROUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  (92b) UNDERWATER INSP FREQUENCY (MONTHS):  N
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (47) NOT APPLICABLE (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55c) NOT APPLICABLE	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT:  (77) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  (92b) UNDERWATER INSP FREQUENCY (MONTHS):  N/A  (92b) UNDERWATER INSP FREQUENCY (MONTHS):  N/A

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 400A5420001 BRIDGE OWNER: HENRY COUNTY

FIPS CODE: 00000

ROAD NAME: RADFORD LAKE RD. CROSSING: SPRING CREEK

LOCATION: 5 MI WEST OF HENRY

COUNTY: HENRY

ROUTE: 0A916

LOG MILE: 2.05

SUFFICIENCY RATING: 80.9

COUNTY SEQUENCE: 1

SPECIAL CASE: 0

	331113121131111131 3313
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.19697 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.48669 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(AE) NI IMPED OF MAIN SPANS:	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6
` '	(59) SUPERSTRUCTURE: 6
(107) TYPE OF DECK: CONCRETE PRECAST PANELS (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 5
A) TYPE OF SURFACE:  GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
(27) YEAR THE BRIDGE WAS BUILT: 1972	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
• •	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	• •
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	APPRAISAL (67) STRUCTURAL EVALUATION: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 5  (68) DECK GEOMETRY: 5  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT (49) TOTAL BRIDGE LENGTH: 38.1 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 5  (68) DECK GEOMETRY: 5  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 6  (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH:  2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	APPRAISAL  (67) STRUCTURAL EVALUATION: 5  (68) DECK GEOMETRY: 5  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 6  (72) APPROACH ROADWAY ALIGNMENT: 8  (36) TRAFFIC SAFETY FEATURES: 00000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 23 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 00000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 23 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 24.9 FT	APPRAISAL         (67) STRUCTURAL EVALUATION:       5         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       6         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20  2  2  2  2  2  2  2  2  2  2  2  2	APPRAISAL  (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  20  19.0 FT  20.0 FT	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES	APPRAISAL  (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	APPRAISAL  (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	APPRAISAL  (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20  19.	APPRAISAL  (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/8/2019
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD	APPRAISAL  (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/8/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (19.0 FT  19.0 FT  19	APPRAISAL  (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/8/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD	APPRAISAL  (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/8/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (19.0 FT  19.0 FT  19	APPRAISAL  (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/8/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: HENRY

ROUTE: 0A921

BRIDGE ID NUMBER: 40M30810001 BRIDGE OWNER: CITY OF PARIS

FIPS CODE: **56720** 

ROAD NAME: ROYAL OAK DR.

CROSSING: BRANCH

LOCATION: IN PARIS CITY LIMITS

OF TRANSPORTATION

SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 0.33 SUFFICIENCY RATING: 96.9

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.30533 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.28889 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL CITY STREET
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1982	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT.  (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: N
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 22.0 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: <b>NOT APPLICABLE</b>
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.2 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/9/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

6

7

7

Ν

N

7

7

6

Ν

6

Ν

N/A

10/1/2019

24

N/A

N/A

Ν

Ν

1000

HS-20-44

BRIDGE ID NUMBER: 40SR0760025 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 0A999 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NOT AVAILABLE COUNTY SEQUENCE: 1 CROSSING: P LANDING SP / SR 76 LOG MILE: 0.09 SUFFICIENCY RATING: 98.0 LOCATION: PARIS LANDING STATE PARK - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.43861 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.08403 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 5 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 105.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 174.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 30.8 FT RECOMMENDED IMPROVEMENTS 33.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 30.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 18.34 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 13.12 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

6

4

Ν

3

8

8

0000

25.9 FT

\$53,000.00

\$80,000.00

10/9/2019

\$6,000.00

2019

24

N/A

N/A

Ν

Ν

H-15-44

**ALL LEGAL LOADS** 

**ALL LEGAL LOADS** 

**NOT A NHS ROUTE** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

**LOCAL RURAL ROAD** 

**NO PARALLEL BRIDGE** 

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 400A5840001 COUNTY: HENRY ROUTE: 0B120 BRIDGE OWNER: HENRY COUNTY SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: OLD MCKENZIE HWY. COUNTY SEQUENCE: 1 CROSSING: MIDDLE FORK OBION RIVER LOG MILE: 0.57 LOCATION: 0.1 MI. S. OF PARIS SUFFICIENCY RATING: 75.9 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.28364 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.32939 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1935 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY:

( )	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0
GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	7.9 FT
(49) TOTAL BRIDGE LENGTH:	25.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	25.9 FT
(00) PRIDOF MEDIAN	

NO MEDIAN	N:	(33) BRIDGE MEDIAN:
0 DEGREES		(34) BRIDGE SKEW:
NO FLARE	:	(35) BRIDGE FLARE:
RESTRICTION	CLEARANCE OVER RD: NO	(520) MIN VERTICAL CL
24.9 FT	AL CLEARANCE ON ROADWAY:	(47) MIN HORIZONTAL
OR RAILROAD	CLR: NOT A HIGHWAY	(54a) VERT UNDERCLR
APPLICABLE	. UNDERCLEARANCE: NOT	(54b) MIN VERTICAL UN
OR RAILROAD	CLR: NOT A HIGHWAY	(55a) HORZ UNDERCLE
APPLICABLE	DERCLR ON RIGHT: NOT	(55b) MIN HORZ UNDER
APPLICABLE	DERCLR ON LEFT: NOT	(56) MIN HORZ UNDER

ľ	NAVIGATION DATA			
	(38)	NAV CONTROL:	NO NAVIGATION CONTRO	L
	(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A	A
	(116)	LIFT BRIDGE VERT CLEARANCE	: <b>N/</b> /	Α

(116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

**BRIDGE WIDENING (NO DECK REPAIRS** 

(72) APPROACH ROADWAY ALIGNMENT:

(76) LENGTH OF BRIDGE IMPROVEMENT:

ROADWAY IMPROVEMENT COST:

(90) DATE OF LAST REGULAR INSPECTION:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(94) BRIDGE IMPROVEMENT COST:

TOTAL PROJECT COST:

RECOMMENDED IMPROVEMENTS

INSPECTION DATES

**NEEDED)** 

(36) TRAFFIC SAFETY FEATURES:

(113) SCOUR CONDITION RATING:

(75) TYPE OF WORK:

N/A



BRIDGE ID NUMBER: 40SR0220003 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR022 SPECIAL CASE: 0

**NOT APPLICABLE** 

9.8 FT

30.8 FT

FIPS CODE: 00000

ROAD NAME: STATE HWY. 22 N. CROSSING: DRAINAGE DITCH

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

C) TYPE PROTECTION:

(48) MAXIMUM SPAN LENGTH:

(49) TOTAL BRIDGE LENGTH:

LOCATION: 1.2 MI.N-WEST OF MCKENZIE - IDENTIFICATION -

#### - CLASSIFICATION -

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 70.5

LOG MILE: 1.68

IDENTIFICATION —				
(16a,b) LATITUDE:	N	36.16892 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	88.52775 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE		(102) TRAFFIC DIR:	2-WAY TRAFFIC	
BRIDGE TYPE AND	МΔТ	FRIAI ————	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
DIVIDUE I II E AND I	VI/1	LINIAL	(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

CONDITION RATINGS =

**NOT BEEN DETERMINED** 

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK	PROTECTION:
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE

#### AGE AND SERVICE =

1958	YEAR THE BRIDGE WAS BUILT:	(27)
N/A	) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY	) SERVICE ON BRIDGE:	(42a)
WATERWAY	) UNDER BRIDGE:	(42b)
2	) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0	NUMBER OF LANES UNDER THE BRIDGE:	(28b)

#### - GEOMETRIC DATA -

(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	44.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	<b>45 DEGREES</b>
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADW	'AY: <b>44.0 FT</b>
(54a) VERT UNDERCLR: NOT A HIGHV	VAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE

#### NAVIGATION DATA =

**NOT A HIGHWAY OR RAILROAD** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	: <b>N/A</b>
(40)	NAVIGATION HORZ CLEARANCE	: <b>N/A</b>

#### (58) DECK.

(36) DECK.	14
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	5

#### DESIGN LOAD AND WEIGHT POSTING =

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	
ADDD AICAL	

AFFRAISAL	
(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

#### RECOMMENDED IMPROVEMENTS =

	YPE OF WORK: BRIDGE REHABILITATION	(75)
30.8 FT	ENGTH OF BRIDGE IMPROVEMENT:	(76)
\$214,000.00	BRIDGE IMPROVEMENT COST:	(94)
\$22,000.00	ROADWAY IMPROVEMENT COST:	(95)
\$322,000.00	OTAL PROJECT COST:	(96)
2019	'EAR OF IMPROVEMENT COST ESTIMATE:	(97)
	INSPECTION DATES	
0/04/0040	TE OF LACT DECLILAD INCORPOTION	(00)

(90) DATE OF LAST REGULAR INSPECTION:	9/24/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(56) MIN HORZ UNDERCLR ON LEFT:

(55b) MIN HORZ UNDERCLR ON RIGHT:



N/A

Ν

ROUTE: SR054

BRIDGE ID NUMBER: 40SR0540001 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-54 COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 2.17 SHEELCIENCY DATING: OF A

LOCATION: 7.7 MILES WEST OF PARIS	SUFFICIENCY RATING: 85.0
IDENTIFICATION	
(16a,b) LATITUDE: N 36.29092 DEGRE	ES (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.48522 DEGRE	ES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
	I/A (26) FUNCTIONAL CLASS: RURAL ARTERIAL
	I/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICAB	,
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	0 (58) DECK: N
(107) TYPE OF DECK: NOT APPLICAB	LE (59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICAB	LE (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NOT APPLICAB	LE (62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NOT APPLICAB	LE DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: <b>HS-20-44</b>
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHW	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERW	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL ———
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0 (67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY:
	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 15.1	(71) WATERWAY ADEQUACY:
(49) TOTAL BRIDGE LENGTH: 34.1	(72) APPROACH ROADWAY ALIGNMENT:
(50a) LEFT SIDEWALK WIDTH: 0.0 (50b) RIGHT SIDEWALK WIDTH: 0.0	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 (51) BRIDGE CURB TO CURB WIDTH: UNDER FI	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: UNDER FI	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0	(75) TYPE OF WORK, NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIA	(76) LENCTH OF PRIDGE IMPROVEMENT.
(34) BRIDGE SKEW: 15 DEGRE	(04) PRIDCE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLA	(OE) BOADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(06) TOTAL DROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 43.6	(07) VEAD OF IMPDOVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILRO	- NORECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICAB	LE (90) DATE OF LAST REGULAR INSPECTION: 9/24/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILRO	AD (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICAB	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICAB	LE (92b) UNDERWATER INSP FREQUENCY (MONTHS): N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA =

NO NAVIGATION CONTROL

N/A

N/A

N/A

**EPOXY COATED REINFORCING** 

**NOT A HIGHWAY OR RAILROAD** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

N/A



BRIDGE ID NUMBER: 40SR0540005 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: SR-54 COUNTY SEQUENCE: 1 CROSSING: OLD TOWN CREEK LOG MILE: 2.52 SUFFICIENCY RATING: 82.3 LOCATION: NEAR PARIS TN. IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.29047 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.47878 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: **NOT APPLICABLE** 

(99) BORDER BRIDGE NUMBER: BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE

AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1983 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 42.0 FT (49) TOTAL BRIDGE LENGTH: 124.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 42.7 FT (52) BRIDGE OUT TO OUT WIDTH: 45.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.3 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

NAVIGATION DATA (38) NAV CONTROL: (39) NAVIGATION VERTICAL CLEARANCE:

NO NAVIGATION CONTROL N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

YES **NOT A NHS ROUTE RURAL ARTERIAL NO PARALLEL BRIDGE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

**NOT BEEN DETERMINED** CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

**DESIGN LOAD AND WEIGHT POSTING** (31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS:

(41) WITTOOTHIO OTTITOO. OI LIV	
APPRAISAL	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1001
(113) SCOUR CONDITION RATING:	5

RECOMMENDED IMPROVEMENTS **NOT APPLICABLE** (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT:

N/A (94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES	
(90) DATE OF LAST REGULAR INSPECTION:	9/24/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(40) NAVIGATION HORZ CLEARANCE:

C) TYPE PROTECTION:



YES

Ν

Ν

Ν

6

7

7

Ν

Ν

8

8

8

N/A

9/24/2019

24

N/A

N/A

Ν

Ν

0001

HS-20-44

2-WAY TRAFFIC

**NOT APPLICABLE** 

BRIDGE ID NUMBER: 40SR0540007 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-54 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 5.13 LOCATION: 4.8 MILES WEST OF PARIS SUFFICIENCY RATING: 86.0 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: Ν 36.29142 DEGREES (104) NATIONAL HIGHWAY SYSTEM: 88.43239 DEGREES **NOT A NHS ROUTE** N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** 

(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



Ν

6

6

Ν

Ν

8

8

8

BRIDGE ID NUMBER: 40SR0540009 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-54 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 6.47 SUFFICIENCY RATING: 82.5 LOCATION: 3.5 MILES WEST OF PARIS

#### IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.29486 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.40875 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 34.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/24/2019 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 40\$R0540013 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: \$R054
FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: SR-54 CROSSING: BRANCH

CROSSING: **BRANCH** LOG MILE: **8.35** LOCATION: **1.6 MILES WEST OF PARIS** SUFFICIENCY RATING: **82.5** 

LOCATION. 1.6 WILES WEST OF PARIS	SUPPOLENCY RATING. 62.3
IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.29900 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.37497 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK:
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE:
(107) TYPE OF DECK: NOT APPLICABLE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION:
A) TYPE OF SURFACE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NOT APPLICABLE C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE ————	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1984	WEIGHT POSTING (27/XEE VEHICLES):  ALL LEGAL LOADS  ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE:
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY:
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 33.1 FT	(71) WATERWAY ADEQUACY:
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0001 (113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/24/2019
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

7

6

Ν

Ν

8

8

8

0000

23 FT

2019

24

N/A

N/A

Ν

Ν

\$154,000.00

\$16,000.00

\$232,000.00

9/24/2019

HS-20-44

**NHS ROUTE** 

2-WAY TRAFFIC

BRIDGE ID NUMBER: 40SR0540015 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: **56720** ROAD NAME: W. WOOD ST. CROSSING: BRANCH

LOCATION: IN PARIS CITY LIMITS

COUNTY: HENRY ROUTE: SR054 SPECIAL CASE: 0

COUNTY SEQUENCE: 1 LOG MILE: 10.26

SUFFICIENCY RATING: 71.3

#### - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.30278 DEGREES 88.34169 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1934 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 40SR0540017

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 56720 ROAD NAME: W. WOOD ST. CROSSING: KWT RAILROAD

LOCATION: IN PARIS CITY LIMITS

COUNTY: HENRY ROUTE: SR054 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 10.48 SUFFICIENCY RATING: 68.3

LOCATION. IN PARIS CITT LIWITS	SUPPOLING RATING. 66.3
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.30233 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.33775 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN PRINCIPAL ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	
(46) NUMBER OF APPROACH SPANS:	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 5
A) TYPE OF SURFACE: ASPHALT	(62) CHI VEDT CONDITION (IE ADDI ICADI E).
B) TYPE MEMBRANE: NONE	—— DECIGNAL CAR AND MEIGHT DOCTING ———
C) TYPE PROTECTION: NONE	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1934	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY-PEDESTRIAN	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: RAILROAD	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 38.1 FT	(69) UNDERCLEARANCE RATING: 4
(49) TOTAL BRIDGE LENGTH: 211.0 FT	(71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 4.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111
(50b) RIGHT SIDEWALK WIDTH: 4.9 FT	(113) SCOUR CONDITION RATING:
(51) BRIDGE CURB TO CURB WIDTH: 40 FT	
(52) BRIDGE OUT TO OUT WIDTH: 52.5 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT	
(33) BRIDGE MEDIAN: NO MEDIAN	(0.4) DDIDGE IMDDO\/EMENT COCT. #4 F04 000 00
(34) BRIDGE SKEW: 25 DEGREES	(OE) DOADWAY IMPROVEMENT COST. #457 000 00
(35) BRIDGE FLARE: NO FLARE	(00) TOTAL DD0 IFOT 000T
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(07) VEAD OF IMPDOVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT	
(54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE	
(54b) MIN VERTICAL UNDERCLEARANCE: 22.67 FT	
(55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE	· · ·
(55b) MIN HORZ UNDERCLR ON RIGHT: 7.87 FT (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	
	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NOT APPLICABLE	` '
(39) NAVIGATION VERTICAL CLEARANCE: N/A	
(55) LETTONIC SELFRONE	PRODUCED PURSUANT TO

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HENRY

BRIDGE ID NUMBER: 40SR0540019

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: **56720** 

ROAD NAME: N. MARKET ST.

CROSSING: CSX RAILROAD BED

ROUTE: SR054
SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 11.66

SUFFICIENCY RATING: 83.9

LOCATION: IN PARIS CITY LIMITS	SUFFICIENCY RATING: 83.9
IDENTIFICATION —	
(16a,b) LATITUDE: N 36,30983 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.32678 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN PRINCIPAL ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>7</b>
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE —	(31) DESIGN LOADING: H-15-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1934	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: 2000	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY-PEDESTRIAN	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: OTHER	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(68) DECK GEOMETRY: 5
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 43.0 FT	(71) WATERWAY ADEQUACY:
(49) TOTAL BRIDGE LENGTH: 117.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 4.9 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(50b) RIGHT SIDEWALK WIDTH: 4.9 FT	(113) SCOUR CONDITION RATING:
(51) BRIDGE CURB TO CURB WIDTH: 40 FT	RECOMMENDED IMPROVEMENTS —
(52) BRIDGE OUT TO OUT WIDTH: 52.2 FT	(75) TYPE OF WORK: NOT APPLICABLE
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(33) BRIDGE MEDIAN: NO MEDIAN	(94) BRIDGE IMPROVEMENT COST:
(34) BRIDGE SKEW: 15 DEGREES	(95) ROADWAY IMPROVEMENT COST:
(35) BRIDGE FLARE:  NO FLARE	(96) TOTAL PROJECT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT	INSPECTION DATES
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/25/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):  N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NOT APPLICABLE	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 40SR0540021 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054 FIPS CODE: **56720** SPECIAL CASE: 0 ROAD NAME: N. MARKET ST. COUNTY SEQUENCE: 1 CROSSING: JONES BEND CREEK LOG MILE: 11.78 LOCATION: IN PARIS CITY LIMITS SUFFICIENCY RATING: 55.5 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31147 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 88.32714 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: n (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1937 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

28.9 FT

113.8 FT

4.9 FT

4.9 FT

40 FT

52.2 FT

40.0 FT

**NO MEDIAN** 

0 DEGREES

NO RESTRICTION

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT A HIGHWAY OR RAILROAD** 

**NOT A HIGHWAY OR RAILROAD** 

**NO NAVIGATION CONTROL** 

**NO FLARE** 

39.7 FT

N/A

N/A

N/A

YES **NHS ROUTE URBAN PRINCIPAL ARTERIAL NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS = 6 5 6 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): N **DESIGN LOAD AND WEIGHT POSTING** H-15-44 **ALL LEGAL LOADS ALL LEGAL LOADS** (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111

#### RECOMMENDED IMPROVEMENTS

3

(113) SCOUR CONDITION RATING:

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)** 

(76) LENGTH OF BRIDGE IMPROVEMENT: 113.8 FT (94) BRIDGE IMPROVEMENT COST: \$231.000.00 (95) ROADWAY IMPROVEMENT COST: \$24,000.00 TOTAL PROJECT COST: \$347,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/25/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:

(49) TOTAL BRIDGE LENGTH:

(50a) LEFT SIDEWALK WIDTH:

(50b) RIGHT SIDEWALK WIDTH:

(51) BRIDGE CURB TO CURB WIDTH:

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA

(52) BRIDGE OUT TO OUT WIDTH:

(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 40\$R0540023 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: \$R054
FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: **US-641 N.** 

CROSSING: **NORTH FORK OBION RIVER** LOCATION: **3.8 MILES NORTH OF PARIS** 

SUFFICIENCY RATING: 80.5

COUNTY SEQUENCE: 1

LOG MILE: 16.47

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.37817 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.33419 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>6</b>
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1937	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: 2002 (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
	(41) WT POSTING STATUS: OPEN
(42h) LINDED BDIDGE: WATEDWAY	-
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	APPRAISAL (67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 26.2 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 80.1 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 5  (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH:  26.2 FT 80.1 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 5  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	APPRAISAL         (67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       7         (72) APPROACH ROADWAY ALIGNMENT:       8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 37.4 FT	APPRAISAL         (67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       7         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       1111
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 37.4 FT (52) BRIDGE OUT TO OUT WIDTH: 39.4 FT	APPRAISAL         (67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       7         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       11111         (113) SCOUR CONDITION RATING:       5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.2 FT 26.2 FT 26.3 FT 37.4 FT 37.4 FT 39.4 FT	APPRAISAL         (67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       7         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       1111         (113) SCOUR CONDITION RATING:       5         RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  26.2 FT  80.1 FT  9.0 FT  9.4 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 5  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 7  (72) APPROACH ROADWAY ALIGNMENT: 8  (36) TRAFFIC SAFETY FEATURES: 1111  (113) SCOUR CONDITION RATING: 5  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 5  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 7  (72) APPROACH ROADWAY ALIGNMENT: 8  (36) TRAFFIC SAFETY FEATURES: 1111  (113) SCOUR CONDITION RATING: 5  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 5  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 7  (72) APPROACH ROADWAY ALIGNMENT: 8  (36) TRAFFIC SAFETY FEATURES: 11111  (113) SCOUR CONDITION RATING: 5  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 5  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 7  (72) APPROACH ROADWAY ALIGNMENT: 8  (36) TRAFFIC SAFETY FEATURES: 11111  (113) SCOUR CONDITION RATING: 5  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	APPRAISAL  (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: 5  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.4 FT	APPRAISAL  (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: 5  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.4 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	APPRAISAL  (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 11111 (113) SCOUR CONDITION RATING: 5  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (54c) MIN VERTICAL UNDERCLEARANCE: (54d) MIN V	APPRAISAL  (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 11111 (113) SCOUR CONDITION RATING: 5  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 9/25/2019
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 5  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 7  (72) APPROACH ROADWAY ALIGNMENT: 8  (36) TRAFFIC SAFETY FEATURES: 11111  (113) SCOUR CONDITION RATING: 5  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 9/25/2019  (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.4 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	APPRAISAL  (67) STRUCTURAL EVALUATION: 7  (68) DECK GEOMETRY: 5  (69) UNDERCLEARANCE RATING: N  (71) WATERWAY ADEQUACY: 7  (72) APPROACH ROADWAY ALIGNMENT: 8  (36) TRAFFIC SAFETY FEATURES: 1111  (113) SCOUR CONDITION RATING: 5  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 9/25/2019  (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24  (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 40\$R0540025

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: US-641 N. CROSSING: ROWE CREEK

LOCATION: 4.5 MILES NORTH OF PARIS

COUNTY: HENRY ROUTE: SR054

LOG MILE: 17.13

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 80.5

#### IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.38764 DEGREES YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.33361 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): N B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1937 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2002 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 26.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 80.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 37.4 FT RECOMMENDED IMPROVEMENTS 39.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/26/2019 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 40SR0540027 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: US-641 N. COUNTY SEQUENCE: 1 CROSSING: MORMON BRANCH LOG MILE: 22.41 LOCATION: 1.1 MILE N.OF PURYEAR SUFFICIENCY RATING: 40.4 - IDENTIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.46453 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.33178 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **NOT APPLICABLE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES):

AGE AND SERVICE -		
(27) YEAR THE BRIDGE WAS BUILT:	1937	
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	
(42a) SERVICE ON BRIDGE:	HIGHWAY	
(42b) UNDER BRIDGE:	WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	
GEOMETRIC DATA		

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	35.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	40.0 FT

NO MEDIAN	(33) BRIDGE MEDIAN:
15 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
VER RD: NO RESTRICTION	(520) MIN VERTICAL CLEARANCE O\
ON ROADWAY: 24.0 FT	(47) MIN HORIZONTAL CLEARANCE
OT A HIGHWAY OR RAILROAD	(54a) VERT UNDERCLR: NO
NCE: <b>NOT APPLICABLE</b>	(54b) MIN VERTICAL UNDERCLEARA
OT A HIGHWAY OR RAILROAD	(55a) HORZ UNDERCLR: NO
HT: NOT APPLICABLE	(55b) MIN HORZ UNDERCLR ON RIGI
T: NOT APPLICABLE	(56) MIN HORZ UNDERCLR ON LEF
NIDATA —	NAVIGATION

NAVIGATION DATA		
(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL	CLEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

CLASSIFICATION YES **NHS ROUTE RURAL EXPRESSWAY NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS

> **NOT BEEN DETERMINED CONDITION RATINGS**

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	5

HS-20-44 **ALL LEGAL LOADS ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(44) MT DOCTING CTATUS. ODEN

(41) WI POSTING STATUS: OPEN	
APPRAISAL	
(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0001
(113) SCOUR CONDITION RATING:	5

#### RECOMMENDED IMPROVEMENTS

**BRIDGE WIDENING (NO DECK REPAIRS** (75) TYPE OF WORK: NEEDED)

(76) LENGTH OF BRIDGE IMPROVEMENT: 35.1 FT (94) BRIDGE IMPROVEMENT COST: \$150,000.00 ROADWAY IMPROVEMENT COST: \$16,000.00 TOTAL PROJECT COST: \$226,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/25/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 40SR0690001 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR069 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: US-641 S. COUNTY SEQUENCE: 1 CROSSING: BIG SANDY RIVER LOG MILE: 0.03 LOCATION: 10.4 MILES EAST OF PARIS SUFFICIENCY RATING: 83.0

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.17825 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: <b>W</b> 88.16053 <b>DEGREES</b>	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 8	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>7</b>
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1986	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
( == ) = : = = : = = : = : : : : : : : :	4 5 5 5 4 5 6 4 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  56.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	<ul> <li>(67) STRUCTURAL EVALUATION:</li> <li>(68) DECK GEOMETRY:</li> <li>(69) UNDERCLEARANCE RATING:</li> <li>(71) WATERWAY ADEQUACY:</li> <li>(72) APPROACH ROADWAY ALIGNMENT:</li> <li>8</li> </ul>
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 56.1 FT (49) TOTAL BRIDGE LENGTH: 440.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1001
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 56.1 FT  (49) TOTAL BRIDGE LENGTH: 440.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION:6(68) DECK GEOMETRY:6(69) UNDERCLEARANCE RATING:N(71) WATERWAY ADEQUACY:8(72) APPROACH ROADWAY ALIGNMENT:8(36) TRAFFIC SAFETY FEATURES:1001(113) SCOUR CONDITION RATING:3
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 56.1 FT  (49) TOTAL BRIDGE LENGTH: 440.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  44 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 45.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1001 (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  44.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  44.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 56.1 FT  (49) TOTAL BRIDGE LENGTH: 440.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 44 FT  (51) BRIDGE CURB TO CURB WIDTH: 45.9 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 8 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 56.1 FT  (49) TOTAL BRIDGE LENGTH: 440.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 44 FT  (52) BRIDGE OUT TO OUT WIDTH: 45.9 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 8 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 9/24/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 56.1 FT  (49) TOTAL BRIDGE LENGTH: 440.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 44 FT  (51) BRIDGE CURB TO CURB WIDTH: 45.9 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 8 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT  (54a) VERT UNDERCLE: NOT A HIGHWAY OR RAILROAD  (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 56.1 FT  (49) TOTAL BRIDGE LENGTH: 440.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 45.9 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 8 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE  (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 56.1 FT  (49) TOTAL BRIDGE LENGTH: 440.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 45.9 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 8 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE  (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 56.1 FT  (49) TOTAL BRIDGE LENGTH: 440.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 45.9 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 8 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE  (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



ON TRUCK NETWORK

COUNTY: HENRY

ROUTE: SR069

**NOT BEEN DETERMINED** 

BRIDGE ID NUMBER: 40SR0690003 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: US-641 S. COUNTY SEQUENCE: 1 CROSSING: SPRING CREEK LOG MILE: 5.34 LOCATION: 5.1 MILES EAST OF PARIS SUFFICIENCY RATING: 82.0

#### IDENTIFICATION CLASSIFICATION =

(16a,b) LATITUDE:	N	36.23372 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	88.22542 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND N	ΛΔΤ	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE

#### BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

4	(45) NUMBER OF MAIN SPANS:
0	(46) NUMBER OF APPROACH SPANS:
NOT APPLICABLE	(107) TYPE OF DECK:
( PROTECTION:	(108) TYPE OF WEARING SURFACE AND DECK
NOT APPLICABLE	A) TYPE OF SURFACE:
NOT APPLICABLE	B) TYPE MEMBRANE:
NOT APPLICABLE	C) TYPE PROTECTION:

#### — AGE AND SERVICE =

1965	YEAR THE BRIDGE WAS BUILT:	(27)
N/A	S) YEAR THE BRIDGE WAS REHABILITATED:	(106
HIGHWAY	) SERVICE ON BRIDGE:	(42a
WATERWAY	) UNDER BRIDGE:	(42b
2	) NUMBER OF LANES CARRIED BY BRIDGE:	(28a
0	) NUMBER OF LANES UNDER THE BRIDGE:	(28b

22.U F1	(40) WAXIWOW SPAN LLINGTH.
92.8 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
36.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
45 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: <b>35.8 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	ANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	E: <b>N/A</b>
(40) NAVIGATION HORZ CLEARANCE	E: <b>N/A</b>

22 0 ET

BRIDGE WAS BUILT:	1965
BRIDGE WAS REHABILITATED:	N/A
ON BRIDGE:	HIGHWAY
RIDGE:	WATERWAY

### - GEOMETRIC DATA -(48) MAXIMUM SPAN I FNGTH:

92.0 FI	(49) TOTAL BRIDGE LENGTH.
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
36.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
<b>45 DEGREES</b>	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLIC		NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIG	HWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON I	RIGHT:	NOT APPLICABLE

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

### NAVIGATION DATA =

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE:	N/A
(40)	NAVIGATION HORZ CLEARANCE	N/A

### CONDITION RATINGS =

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

(110) NATIONAL TRUCK ROUTE:

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	6

#### DESIGN LOAD AND WEIGHT POSTING

HS-20-44	(31) DESIGN LOADING:		
ALL LEGAL LOADS	EHICLES):	WEIGHT POSTING (2 AXLE V	
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO	
5	:	(70) BRIDGE POSTING CODE	
	OPEN	(41) WT POSTING STATUS:	

APPRAISAL -	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	
(69) UNDERCLEARANCE RATING:	
(71) WATERWAY ADEQUACY:	
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0001
(113) SCOUR CONDITION RATING:	8

#### RECOMMENDED IMPROVEMENTS

(75)	TIPE OF WORK.	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	E IMPROVEMENT:	N/A
(0.4)	DDIDGE IMDDOVE	AENT COCT.	

(94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

9/24/2019	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 40SR0690005 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: US-641 S.

CROSSING: WEST SANDY CREEK

COUNTY: HENRY ROUTE: SR069 SPECIAL CASE: 0

COUNTY SEQUENCE: 1 LOG MILE: 6.09

SUFFICIENCY RATING: 63.8

LOCATION: 5.3 MILES S-EAS	ST OF PARIS	
IDENTIFICATI	TON — — —	
(16a,b) LATITUDE:	N 36.24008 DEGREES (11	12)
(17a,b) LONGITUDE:	W 88.23622 DEGREES (10	04)
(98a) BORDER BRIDGE STATE CODE:	<b>N/A</b> (26	3)
(98b) PERCENT SHARE:	<b>N/A</b> (10	01)
(99) BORDER BRIDGE NUMBER:		)2)
BRIDGE TYPE AND N	VIA I EKIAL	03)
(43a) MAIN SPAN MATERIAL: PRESTRI	RESSED CONCRETE	10)
(44a) APPR SPAN MATERIAL: NOT APP	PLICABLE	7)
(45) NUMBER OF MAIN SPANS:	3 —	
(46) NUMBER OF APPROACH SPANS:		3) D
, ,		9) S
(108) TYPE OF WEARING SURFACE AND	(00	) S
A) TYPE OF SURFACE:		1) S
B) TYPE MEMBRANE:		2) C
C) TYPE PROTECTION:	NONE	
AGE AND SER	RVICE (31	1) D
(27) YEAR THE BRIDGE WAS BUILT:	1963	EIG
(106) YEAR THE BRIDGE WAS REHABIL	ITATED: N/A	EIG
(42a) SERVICE ON BRIDGE:	HIGHWAY (70	0) B
(42b) UNDER BRIDGE:	WATERWAY (41	1) V
(28a) NUMBER OF LANES CARRIED BY		
(28b) NUMBER OF LANES UNDER THE B	D. (1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	7) S
GEOMETRIC D	DATA	3) D
(48) MAXIMUM SPAN LENGTH:	39.0 FT	9) U
(49) TOTAL BRIDGE LENGTH:	116.1 FT	1) W
(50a) LEFT SIDEWALK WIDTH:	00 FT `	2) A 3) T
(50b) RIGHT SIDEWALK WIDTH:	0.0 FI	າ 13) :
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT	. 0)
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT	=\ <b>T</b>

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 10 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA =

(38) NAV CONTROL: **NO NAVIGATION CONTROL** (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

# CLASSIFICATION =

MEETS NBIS BRIDGE LENGTH: YES NATIONAL HIGHWAY SYSTEM: **NHS ROUTE** FUNCTIONAL CLASS: **RURAL EXPRESSWAY** PARALLEL BRIDGE: **NO PARALLEL BRIDGE** TRAFFIC DIR: 2-WAY TRAFFIC **TEMPORARY BRIDGE: NOT APPLICABLE** NATIONAL TRUCK ROUTE: ON TRUCK NETWORK HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** 

#### CONDITION RATINGS =

(58) DECK:	7
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

#### **DESIGN LOAD AND WEIGHT POSTING**

HS-20-44		(31) DESIGN LOADING:		
ALL LEGAL LOADS	EHICLES):	WEIGHT POSTING (2 AXLE V		
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO		
5	:	(70) BRIDGE POSTING CODE		
	OPEN	(41) WT POSTING STATUS:		

#### APPRAISAL

71117110712
TRUCTURAL EVALUATION: 6
ECK GEOMETRY: 4
INDERCLEARANCE RATING: N
VATERWAY ADEQUACY: 8
PPROACH ROADWAY ALIGNMENT: 8
RAFFIC SAFETY FEATURES: 1001
SCOUR CONDITION RATING: 3

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** NEEDED)

(76) LENGTH OF BRIDGE IMPROVEMENT: 116.1 FT (94) BRIDGE IMPROVEMENT COST: \$226,000.00 (95)ROADWAY IMPROVEMENT COST: \$23,000.00 TOTAL PROJECT COST: \$340,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/24/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



YES

COUNTY: HENRY

ROUTE: SR069

LOG MILE: 9.66

SPECIAL CASE: 0

BRIDGE ID NUMBER: 40SR0690007

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: US-641 S. CROSSING: CLIFTY CREEK

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 82.0

 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27217 DEGREES (104) NATIONAL HIGHWAY SYSTEM: 88.28597 DEGREES **NHS ROUTE** N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
	•••
(60) SUBSTRUCTURE:	Ν
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

#### DESIGN LOAD AND WEIGHT POSTING

HS-20-44
ALL LEGAL LOADS
ALL LEGAL LOADS
5

APPRAISAL —	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0001
(113) SCOUR CONDITION RATING:	8

#### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE		
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A	١

- (94) BRIDGE IMPROVEMENT COST:
- (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES =

9/24/2019	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

#### LOCATION: .7 MI.SOUTHEAST OF PARIS (16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **NOT APPLICABLE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **NOT APPLICABLE** B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1965 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **WATERWAY** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 35.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 00 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.8 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A



YES

BRIDGE ID NUMBER: 40\$R0690009

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: **56720** 

ROAD NAME: STATE HWY. 69 N.

CROSSING: BRANCH

LOCATION: IN PARIS CITY LIMITS

ROUTE: SR069 SPECIAL CASE: 0

COUNTY: HENRY

COUNTY SEQUENCE: 1

LOG MILE: 13.11 SUFFICIENCY RATING: 80.2

#### 

 (16a,b) LATITUDE:
 N
 36.30353
 DEGREES
 (17a,b) LONGITUDE:

 (98a) BORDER BRIDGE STATE CODE:
 W
 88.34161
 DEGREES
 (17a,b) LONGITUDE:
 N/A
 (17a,b) LONGITUDE:
 (17a,b) LONGITUDE:
 N/A
 (17a,b) LONGITUDE:
 (17a,b) LONGITUDE:
 N/A
 (17a,b) LONGITUDE:
 N/A
 (17a,b) LONGITUDE:
 N/A
 (17a,b) LONGITUDE:
 N/A
 (17a,b) LONGITUDE:
 (17a,b) LONGITUDE:
 N/A
 (17a,b) LONGITUDE:
 (17a,b

(99) BORDER BRIDGE NUMBER: NOT APPLICABLE

#### BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:
2 (46) NUMBER OF APPROACH SPANS:
0 (107) TYPE OF DECK:
NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE:
NOT APPLICABLE
B) TYPE MEMBRANE:
C) TYPE PROTECTION:
NOT APPLICABLE

#### AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT:
(106) YEAR THE BRIDGE WAS REHABILITATED:
(42a) SERVICE ON BRIDGE:
HIGHWAY
(42b) UNDER BRIDGE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE:
(28b) NUMBER OF LANES UNDER THE BRIDGE:
0

### GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 26.9 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.8 FT

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD

(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE

#### NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE: N/A

(112) MEETS NBIS BRIDGE LENGTH:
(104) NATIONAL HIGHWAY SYSTEM:

(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(26) FUNCTIONAL CLASS: URBAN MINOR ARTERIAL

(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE

(102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: NOT APPLICABLE

(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

**NOT BEEN DETERMINED** 

#### CONDITION RATINGS -

(58) DECK: N
(59) SUPERSTRUCTURE: N
(60) SUBSTRUCTURE: N
(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
(62) CULVERT CONDITION (IF APPLICABLE): 7

#### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:
WEIGHT POSTING (2 AXLE VEHICLES):
WEIGHT POSTING (3 OR MORE AXLES):
ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:
5

(41) WT POSTING STATUS: OPEN

#### APPRAISAL

(67) STRUCTURAL EVALUATION:
7
(68) DECK GEOMETRY:
N
(69) UNDERCLEARANCE RATING:
N
(71) WATERWAY ADEQUACY:
8
(72) APPROACH ROADWAY ALIGNMENT:
6
(36) TRAFFIC SAFETY FEATURES:
0000
(113) SCOUR CONDITION RATING:
8

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: NOT APPLICABLE

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### - INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:
(91) REGULAR INSPECTION FREQUENCY (MONTHS):
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A
(92c) DATE OF SPECIAL INSPECTION (MO/YR):
N/A



ON TRUCK NETWORK

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 40SR0690011 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR069 FIPS CODE: 56720 SPECIAL CASE: 0 ROAD NAME: STATE HWY. 69 N. COUNTY SEQUENCE: 1 CROSSING: JONES BEND CREEK LOG MILE: 13.47 LOCATION: .3 MILES NORTH OF PARIS SUFFICIENCY RATING: 81.2 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.30925 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.34339 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: MONOLITHIC CONCRETE B) TYPE MEMBRANE: NONE **EPOXY COATED REINFORCING** C) TYPE PROTECTION:

	AGE AND SERVICE —
	AGE AITD GERTIGE
1930	(27) YEAR THE BRIDGE WAS BUILT:
2008	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:
	GEOMETRIC DATA
	GEOWETRIC DATA
26.9 FT	(48) MAXIMUM SPAN LENGTH:

(48) MAXIMUM SPAN LENGTH:	26.9 FT
(49) TOTAL BRIDGE LENGTH:	106.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	32.5 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	31.8 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADW	'AY: <b>32.5 FT</b>
(54a) VERT UNDERCLR: NOT A HIGHV	VAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE

(56)	MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE
	NAVICATION DATA	

(55b) MIN HORZ UNDERCLR ON RIGHT:

(40) NAVIGATION HORZ CLEARANCE:

NO NAVIGATION CONTROL (38) NAV CONTROL: (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

**NOT A HIGHWAY OR RAILROAD** 

**NOT APPLICABLE** 

N/A

**PUBLICATION DATE** 19-Mar-20

(55a) HORZ UNDERCLR:

YES **NOT A NHS ROUTE URBAN COLLECTOR NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** 

HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** 

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

### **DESIGN LOAD AND WEIGHT POSTING**

HS-20-44		(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):	
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO
5	:	(70) BRIDGE POSTING CODE
	OPEN	(41) WT POSTING STATUS:

APPRAISAL —	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1101
(113) SCOUR CONDITION RATING:	3

#### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	E IMPROVEMENT:	N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/24/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



COUNTY: HENRY

ROUTE: SR069

LOG MILE: 23.00

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 40SR0690013

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 69 N. CROSSING: WALNUT CREEK

LOCATION: 2 MI.NE.OF COTTAGE GROVE		SUFFICIENCY RATING: 9	00.3
IDENTIFICATION			
(17a,b) LONGITUDE: W 88.45461 (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE:	DEGREES N/A N/A APPLICABLE	(101) PARALLEL BRIDGE:  (102) TRAFFIC DIR:  (103) TEMPORARY BRIDGE:	
<ul> <li>(45) NUMBER OF MAIN SPANS:</li> <li>(46) NUMBER OF APPROACH SPANS:</li> <li>(107) TYPE OF DECK: CONCRETE CAS</li> <li>(108) TYPE OF WEARING SURFACE AND DECK PROTE</li> <li>A) TYPE OF SURFACE:</li> <li>B) TYPE MEMBRANE:</li> <li>C) TYPE PROTECTION:</li> </ul>		(58) DECK: (59) SUPERSTRUCTURE: (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROT (62) CULVERT CONDITION (IF APPLICABLE):  DESIGN LOAD AND WEIGHT	6 6 7 TECTION: 6 N
AGE AND SERVICE  (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA	1974 N/A HIGHWAY WATERWAY 2 0	(31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY:	ALL LEGAL LOADS 5 6 6
(48) MAXIMUM SPAN LENGTH:	33.1 FT	(69) UNDERCLEARANCE RATING:	N

N/A

( ,	••••
(49) TOTAL BRIDGE LENGTH:	100.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	34.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	36.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	36.1 FT

(33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 0 DEGREES

(35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** 

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

#### NAVIGATION DATA

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	: <b>N/A</b>

**PUBLICATION DATE** 19-Mar-20

(40) NAVIGATION HORZ CLEARANCE:

### (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(72) APPROACH ROADWAY ALIGNMENT:

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

8

8

5

0001

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(71) WATERWAY ADEQUACY:

(36) TRAFFIC SAFETY FEATURES:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/24/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 40SR0690015

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 69 N. CROSSING: OVERFLOW

LOCATION: 6.9 MI.N.OF COTTAGE GROVE

COUNTY: HENRY ROUTE: SR069

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 28.34 SUFFICIENCY RATING: 93.0

#### IDENTIFICATION CLASSIFICATION =

(16a,b) LATITUDE: Ν 36.46208 DEGREES (17a,b) LONGITUDE: 88.48944 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** 

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

**ASPHALT** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

AGE AND SERVICE \*

1974 (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 49.9 FT (49) TOTAL BRIDGE LENGTH: 100.1 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE: N/A (112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

**NOT BEEN DETERMINED** 

CONDITION RATINGS =

(58) DECK: 7 (59) SUPERSTRUCTURE: 6 (60) SUBSTRUCTURE: 6 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 (62) CULVERT CONDITION (IF APPLICABLE): N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN** 

APPRAISAL

(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1001

RECOMMENDED IMPROVEMENTS

5

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(113) SCOUR CONDITION RATING:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/24/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



COUNTY: HENRY

ROUTE: SR069

LOG MILE: 28.47

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 89.7

BRIDGE ID NUMBER: 40SR0690017

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 69 N.

CROSSING: NORTH FORK OBION RIVER

LOCATION: 2.6 MI.S.OF KENTUCKY LINE

LOCATION. 2.0 WILS.OF RENTUCKT LINE	SOFFICIENCT RATING. 69.7
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.46358 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.48936 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 5	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE ————	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1972	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
(48) MAXIMUM SPAN LENGTH: 62.0 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 307.1 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1001
(51) BRIDGE CURB TO CURB WIDTH: 34.1 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 36.1 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
	(94) BRIDGE IMPROVEMENT COST:
(34) BRIDGE SKEW: 15 DEGREES	
(34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
` '	• •
(35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  33.8 FT	(96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 9/25/2019
(35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE:  NOT A HIGHWAY OR RAILROAD  (55a) HORZ UNDERCLR:  NOT A HIGHWAY OR RAILROAD	(96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 9/25/2019  (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE:  NOT A HIGHWAY OR RAILROAD  (55a) HORZ UNDERCLR:  NOT A HIGHWAY OR RAILROAD  (55b) MIN HORZ UNDERCLR ON RIGHT:  NOT APPLICABLE	(96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: HENRY

ROUTE: SR069

LOG MILE: 29.00

BRIDGE ID NUMBER: 40SR0690019

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 69 N.

CROSSING: BRANCH

LOCATION: 2.5 MI.S.OF KENTUCKY LINE

## SUFFICIENCY RATING: 92.4

COUNTY SEQUENCE: 1

SPECIAL CASE: 0

LOCATION: 2.5 MI.S.OF KENTUCKY LINE	SUFFICIENCY RATING: 92.4
IDENTIFICATION	
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (17a,b) LONGITUDE: W 88.49125 DEGREES N/A	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(AE) NILIMDED OF MAIN CDANC.	———— CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:  (46) NUMBER OF APPROACH SPANS:  0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF BECK. CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1924	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: 1965 (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 43.0 FT (49) TOTAL BRIDGE LENGTH: 43.0 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 43.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1110
(51) BRIDGE CURB TO CURB WIDTH: 34.1 FT	(113) SCOUR CONDITION RATING: 3
(52) BRIDGE OUT TO OUT WIDTH: 36.1 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/25/2019
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



COUNTY: HENRY

ROUTE: SR069

LOG MILE: 29.97

SPECIAL CASE: 0

BRIDGE ID NUMBER: 40SR0690021

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 69 N.

CROSSING: BRANCH

LOCATION: 3.2 M N OF SR140

#### 01 4001510451011

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 72.3

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:
2 (46) NUMBER OF APPROACH SPANS:
0 (107) TYPE OF DECK:
NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE:
NOT APPLICABLE
B) TYPE MEMBRANE:
C) TYPE PROTECTION:
NOT APPLICABLE

# AGE AND SERVICE —

(27) YEAR THE BRIDGE WAS BUILT: 1924
(106) YEAR THE BRIDGE WAS REHABILITATED: 1965
(42a) SERVICE ON BRIDGE: HIGHWAY
(42b) UNDER BRIDGE: WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0

### GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 23.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: 27.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE

(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD

(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A
(40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE
19-Mar-20

CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** 

- CONDITION RATINGS -

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION	l: <b>6</b>
(62) CULVERT CONDITION (IF APPLICABLE):	7

#### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:
WEIGHT POSTING (2 AXLE VEHICLES):
WEIGHT POSTING (3 OR MORE AXLES):
ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:
5
(41) WT POSTING STATUS: OPEN

#### APPRAISAL

(67) STRUCTURAL EVALUATION:
(68) DECK GEOMETRY:
(69) UNDERCLEARANCE RATING:
(71) WATERWAY ADEQUACY:
(72) APPROACH ROADWAY ALIGNMENT:
(36) TRAFFIC SAFETY FEATURES:
(111)
(113) SCOUR CONDITION RATING:
8

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE REPLACEMENT**(76) LENGTH OF BRIDGE IMPROVEMENT:

 (94)
 BRIDGE IMPROVEMENT COST:
 \$285,000.00

 (95)
 ROADWAY IMPROVEMENT COST:
 \$29,000.00

 (96)
 TOTAL PROJECT COST:
 \$428,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### - INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:9/25/2019(91) REGULAR INSPECTION FREQUENCY (MONTHS):24(93b) DATE OF LAST UNDERWATER INSP (MO/YR):N/A(92b) UNDERWATER INSP FREQUENCY (MONTHS):N(93c) DATE OF SPECIAL INSPECTION (MO/YR):N/A(92c) SPECIAL INSP FREQUENCY (MONTHS):N

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

44 FT

2019



COUNTY: HENRY

ROUTE: SR069

LOG MILE: 30.89

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 92.4

BRIDGE ID NUMBER: 40SR0690023 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 69 N.

CROSSING: BRANCH

LOCATION: .5 MI.S.OF KENTUCKY LINE

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.49564 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.49367 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>7</b>
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1973	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	APPRAISAL (67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT (49) TOTAL BRIDGE LENGTH: 118.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0001
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT  (49) TOTAL BRIDGE LENGTH: 118.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0001 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT (49) TOTAL BRIDGE LENGTH: 118.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT (49) TOTAL BRIDGE LENGTH: 118.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 34.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0001 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT  (49) TOTAL BRIDGE LENGTH: 118.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 34.1 FT  (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT (49) TOTAL BRIDGE LENGTH: 118.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.10 FT (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT  (49) TOTAL BRIDGE LENGTH: 118.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 30.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT  (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW:  0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT  (49) TOTAL BRIDGE LENGTH: 118.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 34.1 FT  (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT  (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  **INSPECTION DATES**
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT  (49) TOTAL BRIDGE LENGTH: 118.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 34.1 FT  (52) BRIDGE CURB TO CURB WIDTH: 34.1 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENTS (77) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9725/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT  (49) TOTAL BRIDGE LENGTH: 118.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT  (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (87) APPROACH ROADWAY ALIGNMENT: (86) TRAFFIC SAFETY FEATURES: (96) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT  (49) TOTAL BRIDGE LENGTH: 118.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT  (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT  (49) TOTAL BRIDGE LENGTH: 118.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT  (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE  (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 59.1 FT  (49) TOTAL BRIDGE LENGTH: 118.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT  (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): NA

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: HENRY

ROUTE: SR069

BRIDGE ID NUMBER: 40SR0690025

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: **STATE HWY. 69 N.** CROSSING: **TERRAPIN CREEK** 

LOCATION: .3 MI.S.OF KENTUCKY LINE

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 31.16

SUFFICIENCY RATING: 91.2

(16a,b) LATITUDE: N 36.49833 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.49031 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>PRESTRESSED CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1973	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) ONDER BRIDGE. WATERWAT	APPRAISAL ————
(28a) NI IMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES LINDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  50.9 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 50.9 FT  (49) TOTAL BRIDGE LENGTH: 148.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 50.9 FT  (49) TOTAL BRIDGE LENGTH: 148.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 50.9 FT (49) TOTAL BRIDGE LENGTH: 148.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  0.0 FT  (51) BRIDGE CURB TO CURB WIDTH:  34.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 00001
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0001 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (313) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN (34) BRIDGE SKEW: 40 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO MEDIAN NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 50.9 FT  (49) TOTAL BRIDGE LENGTH: 148.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 34.1 FT  (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 40 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 50.9 FT  (49) TOTAL BRIDGE LENGTH: 148.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 34.1 FT  (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 40 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 50.9 FT (49) TOTAL BRIDGE LENGTH: 148.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 34.1 FT (52) BRIDGE CURB TO CURB WIDTH: 34.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 40 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 9/25/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 50.9 FT  (49) TOTAL BRIDGE LENGTH: 148.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 34.1 FT  (52) BRIDGE CURB TO CURB WIDTH: 36.1 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 40 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 50.9 FT  (49) TOTAL BRIDGE LENGTH: 148.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 34.1 FT  (52) BRIDGE CURB TO CURB WIDTH: 36.1 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 40 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK:  **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  **INSPECTION DATES** (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  **NOT APPLICABLE**  **INSPECTION DATES**  (90) DATE OF LAST UNDERWATER INSP (MO/YR):  **NOT APPLICABLE**  **INSPECTION DATES**  (90) DATE OF LAST UNDERWATER INSP (MO/YR):  **NOT APPLICABLE**  **INSPECTION DATES**  **INSPECTION DATES**  **INSPECTION DATES**  **INSPECTION DATES**  **INSPECTION PREQUENCY (MONTHS):  **INSPECTION PREQUENCY (MONTHS):  **INSPECTION PREQUENCY (MONTHS):  **INSPECTION DATES**  **INSPECTION DATES**  **INSPECTION DATES**  **INSPECTION PREQUENCY (MONTHS):  **

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 40SR0692001

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: **STATE HWY. 69 ALT. S.**CROSSING: **BIG SANDY RIVER** 

LOCATION: AT BENTON-HENRY CO.LINE

COUNTY: HENRY ROUTE: SR069

SPECIAL CASE: 2
COUNTY SEQUENCE: 1

LOG MILE: 0.12 SUFFICIENCY RATING: 93.4

IDENTIFICATION ————	CLASSIFICATION —
(16a,b) LATITUDE: N 36.23242 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.10411 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 4	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>7</b>
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 8
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1942	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: 2009 (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
	(68) DECK GEOMETRY: 5
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 60.0 FT	(71) WATERWAY ADEQUACY: 8
(49) TOTAL BRIDGE LENGTH: 240.2 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT	(113) SCOUR CONDITION RATING: 3
(51) BRIDGE CORB TO CORB WIDTH: 36.1 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 28.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.8 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/1/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): 05/2017
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
	(22.) 0050111 1100 5050151101/ (10015110)

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

**NOT A NHS ROUTE** 

**NOT APPLICABLE** 

10/1/2019

24

N/A

N/A

Ν

Ν

**NO PARALLEL BRIDGE** 

ON TRUCK NETWORK

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 40SR0692003 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR069 FIPS CODE: 00000 SPECIAL CASE: 2 ROAD NAME: STATE HWY. 69 ALT. S. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.28 LOCATION: 1.2 MI.WEST OF BENTON CO. SUFFICIENCY RATING: 93.0 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.23308 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.12453 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1940 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** 

(42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 33.1 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 50 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** 

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.8 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): **DESIGN LOAD AND WEIGHT POSTING** HS-20-44 **ALL LEGAL LOADS ALL LEGAL LOADS** APPRAISAL (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 40SR0692005 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR069
FIPS CODE: 00000 SPECIAL CASE: 2

ROAD NAME: STATE HWY. 69 ALT. S.

CROSSING: BRANCH

LOCATION: 2.2 MI.WEST OF BENTON CO.

COUNTY SEQUENCE: 1

LOG MILE: 2.50

SUFFICIENCY RATING: 92.8

LOCATION: 2.2 MI.WEST OF BENTON CO.	SUFFICIENCY RATING: 92.8
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.24278 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.14169 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NILIMPED OF MAIN ORANG	———— CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:  2	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE:
(107) TYPE OF MEARING SUBFACE AND DECK PROTECTION.	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:  A) TYPE OF SURFACE:  NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE: NOT APPLICABLE B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1940	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	-
` '	APPRAISAI
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL (67) STRUCTURAL EVALUATION:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH:  20 20 20 21 21 22 22 23 24 26 26 26 27 26 26 27 26 26 27 27 27 28 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.5 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.5 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.5 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/1/2019
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55d) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (574) NOT APPLICABLE (575) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1011 (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55d) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1011 (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

# NATIONAL BRIDGE INVENTORY



YES

Ν

Ν

Ν

6

HS-20-44

10/1/2019

24

N/A

N/A

Ν

Ν

**ALL LEGAL LOADS** 

**ALL LEGAL LOADS** 

**NOT A NHS ROUTE** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

ON TRUCK NETWORK

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 40SR0692007 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR069 FIPS CODE: 00000 SPECIAL CASE: 2 ROAD NAME: STATE HWY. 69 ALT. S. COUNTY SEQUENCE: 1 CROSSING: BEASLEY CREEK LOG MILE: 5.66 LOCATION: 5.4 MI.WEST OF BENTON CO. SUFFICIENCY RATING: 92.6 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25956 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.19144 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1940 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 68.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT

0.0 FT

34.1 FT **NO MEDIAN** 

**UNDER FILL** UNDER FILL

0 DEGREES

**NO RESTRICTION** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT A HIGHWAY OR RAILROAD** 

**NOT A HIGHWAY OR RAILROAD** 

NO FLARE

33.8 FT

	APPRAISAL
6	(67) STRUCTURAL EVALUATION:
N	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
7	(71) WATERWAY ADEQUACY:
8	(72) APPROACH ROADWAY ALIGNMENT:
0000	(36) TRAFFIC SAFETY FEATURES:
8	(113) SCOUR CONDITION RATING:
	RECOMMENDED IMPROVEMENTS
	(75) TYPE OF WORK: NOT APPLICABLE
N/A	(76) LENGTH OF BRIDGE IMPROVEMENT:
	(94) BRIDGE IMPROVEMENT COST:
	(95) ROADWAY IMPROVEMENT COST:
	(96) TOTAL PROJECT COST:

INSPECTION DATES

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A N/A

(40) NAVIGATION HORZ CLEARANCE:

**PUBLICATION DATE** 19-Mar-20

(50b) RIGHT SIDEWALK WIDTH:

(51) BRIDGE CURB TO CURB WIDTH:

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

(52) BRIDGE OUT TO OUT WIDTH:

(33) BRIDGE MEDIAN: (34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:



YES

7

7

6

7

N

6

4

Ν

8

8

3

1101

200.1 FT

2019

24

N/A

N/A

Ν

Ν

\$489.000.00

\$49,000.00

\$734,000.00

10/1/2019

H-20-44

BRIDGE ID NUMBER: 40SR0692009 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR069 FIPS CODE: 00000 SPECIAL CASE: 2 ROAD NAME: STATE HWY. 69 ALT. S. COUNTY SEQUENCE: 1 CROSSING: WEST SANDY CREEK LOG MILE: 6.38 LOCATION: 5.3 MI.SOUTHEAST OF PARIS SUFFICIENCY RATING: 74.1 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: Ν 36.26044 DEGREES (104) NATIONAL HIGHWAY SYSTEM: 88.20231 DEGREES **NOT A NHS ROUTE** N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** 

(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 7 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: AGE AND SERVICE \* (27) YEAR THE BRIDGE WAS BUILT: 1942 (106) YEAR THE BRIDGE WAS REHABILITATED: 2000 (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 28.9 FT (49) TOTAL BRIDGE LENGTH: 200.1 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: 30.5 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.5 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR:

(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** CONDITION RATINGS = (58) DECK: (59) SUPERSTRUCTURE: (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: (62) CULVERT CONDITION (IF APPLICABLE): **DESIGN LOAD AND WEIGHT POSTING** (31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

**NO NAVIGATION CONTROL** 

N/A

N/A

N/A



BRIDGE ID NUMBER: 40SR0760031

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: US-79 S.

CROSSING: BRANCH

LOCATION: S. OF PARIS

IDENTIFICATION

N. 36 15619 DEGREES (112) METS NBIS BRIDGE LENGTH:

IDENTIFICATION	CLASSIFICATION
IDENTIFICATION —	CLASSIFICATION ————————————————————————————————————
(16a,b) LATITUDE:  N 36.15619 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:  YES
(17a,b) LONGITUDE: W 88.46597 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR:  2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NATIONAL REGISTER
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: NOT APPLICABLE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
A) TYPE OF SURFACE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 7
B) TYPE MEMBRANE: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NOT APPLICABLE	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 2002	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY:
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 40.0 FT	(71) WATERWAY ADEQUACY: 7
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1011
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT	(75) TYPE OF WORK: <b>NOT APPLICABLE</b>
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 8 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/2/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



COUNTY: HENRY

ROUTE: SR076

LOG MILE: 0.84

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 40SR0760001

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: US-79 S.

CROSSING: CALEDONIA CREEK

LOCATION: 3.6 MILES SOUTH OF HENRY	SUFFICIENCY RATING: 84.5
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.15881 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.46261 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE ———	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 2003	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: N
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 81.4 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1011
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/2/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):  N (92c) DATE OF SPECIAL INSPECTION (MO(VP):
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



BRIDGE ID NUMBER: 40SR0760033 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: US-79 S. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 5.97 LOCATION: S. OF PARIS SUFFICIENCY RATING: 68.5 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: 36.20944 DEGREES

(16a,b) LATITUDE: (17a,b) LONGITUDE: 88.40011 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: **NOT APPLICABLE** (107) TYPE OF DECK: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **NOT APPLICABLE** B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 2002 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **WATERWAY** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA -(48) MAXIMUM SPAN LENGTH: 18.0 FT (49) TOTAL BRIDGE LENGTH: 76.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT 0.0 FT (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT **OPEN MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: **40 DEGREES** (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

NAVIGATION DATA (38) NAV CONTROL:

NO NAVIGATION CONTROL

**NOT APPLICABLE** 

(39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE: N/A

YES (104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE** (26) FUNCTIONAL CLASS: RURAL EXPRESSWAY

(26) FUNCTIONAL CLASS: RU	JRAL EXPRESSWAY
(101) PARALLEL BRIDGE: NO	PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE: NOT O	N TRUCK NETWORK
(37) HISTORICAL CLASS: BRIDGE IS NOT E	
NATIONAL REGIS	
——— CONDITION RATINGS	
(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTE	CTION: 7
(62) CULVERT CONDITION (IF APPLICABLE):	6
DESIGN LOAD AND WEIGHT P	OSTING ——
(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: <b>OPEN</b>	
APPRAISAL	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0011
(113) SCOUR CONDITION RATING:	8
RECOMMENDED IMPROVEN	MENTS ———
(75) TYPE OF WORK: BRIDGE REHABILITAT	ΓΙΟΝ
(76) LENGTH OF BRIDGE IMPROVEMENT:	76.1 FT
(94) BRIDGE IMPROVEMENT COST:	\$736,000.00
(95) ROADWAY IMPROVEMENT COST:	\$74,000.00
(96) TOTAL PROJECT COST:	\$1,105,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMAT	E: <b>2019</b>
INSPECTION DATES	
(90) DATE OF LAST REGULAR INSPECTION:	10/2/2019
(91) REGULAR INSPECTION FREQUENCY (MON	NTHS): <b>24</b>
(93b) DATE OF LAST UNDERWATER INSP (MO/	YR): <b>N/A</b>
(92b) UNDERWATER INSP FREQUENCY (MONT	HS): N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A

(93c) DATE OF SPECIAL INSPECTION (MO/YR): (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(56) MIN HORZ UNDERCLR ON LEFT:

# NATIONAL BRIDGE INVENTORY



YES

Ν

Ν

Ν

7

**NHS ROUTE** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

**RURAL EXPRESSWAY** 

**NO PARALLEL BRIDGE** 

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 40SR0760027 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: US-79 S. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 9.69 SUFFICIENCY RATING: 69.5 LOCATION: S. OF PARIS IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24503 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.35561 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

N/A

**NOT A HIGHWAY OR RAILROAD** 

(42a) SERVICE ON BRIDGE: **WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 7.9 FT (49) TOTAL BRIDGE LENGTH: 20.3 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 80.1 FT **CLOSED MEDIAN - NO BARRIER** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 33 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

NAVIGATION DATA

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE:

DESIGN LOAD AND WEIGHT POSTING

HS-20-44 **ALL LEGAL LOADS ALL LEGAL LOADS** 

(41) WT POSTING STATUS: **OPEN** 

APPRAISAL (67) STRUCTURAL EVALUATION:

6 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8

(36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE REHABILITATION** 

(76) LENGTH OF BRIDGE IMPROVEMENT: 20.3 FT

(94) BRIDGE IMPROVEMENT COST: \$220,000.00 ROADWAY IMPROVEMENT COST: \$23,000.00

(96) TOTAL PROJECT COST: \$331,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019

INSPECTION DATES

10/1/2019 (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:



BRIDGE ID NUMBER: 40SR0760029 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: US-79 S. COUNTY SEQUENCE: 1

CROSSING: BRANCH LOG MILE: 11.15

LOCATION: S. OF PARIS SUFFICIENCY RATING: 69.5

LOCATION: S. OF PARIS	SUFFICIENCY RATING: 69.5
IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.26278 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.33956 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 2	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 2001	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT.  (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
• •	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 4	APPRAISAL (67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	_
(28a) NUMBER OF LANES CARRIED BY BRIDGE:  (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE:  (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  9.8 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 24.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 24.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 24.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: 24 FT
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: 0.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: 24 FT (94) BRIDGE IMPROVEMENT COST: \$255,000.00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: CLOSED MEDIAN - NO BARRIER	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: 24 FT (94) BRIDGE IMPROVEMENT COST: \$255,000.00 (95) ROADWAY IMPROVEMENT COST: \$26,000.00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 80.1 FT (33) BRIDGE MEDIAN: CLOSED MEDIAN - NO BARRIER (34) BRIDGE SKEW:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (98) \$383,000.00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 80.1 FT (33) BRIDGE MEDIAN: CLOSED MEDIAN - NO BARRIER (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       N         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       8         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       1011         (113) SCOUR CONDITION RATING:       8         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       24 FT         (94) BRIDGE IMPROVEMENT COST:       \$255,000.00         (95) ROADWAY IMPROVEMENT COST:       \$26,000.00         (96) TOTAL PROJECT COST:       \$383,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2019
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: CLOSED MEDIAN - NO BARRIER (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (98) \$383,000.00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: CLOSED MEDIAN - NO BARRIER (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: 24 FT (94) BRIDGE IMPROVEMENT COST: \$255,000.00 (95) ROADWAY IMPROVEMENT COST: \$26,000.00 (96) TOTAL PROJECT COST: \$383,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: CLOSED MEDIAN - NO BARRIER (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       N         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       8         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       1011         (113) SCOUR CONDITION RATING:       8         TRECOMMENDED IMPROVEMENTS       8         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       24 FT         (94) BRIDGE IMPROVEMENT COST:       \$255,000.00         (95) ROADWAY IMPROVEMENT COST:       \$26,000.00         (96) TOTAL PROJECT COST:       \$383,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2019         INSPECTION DATES         (90) DATE OF LAST REGULAR INSPECTION:       10/1/2019         (91) REGULAR INSPECTION FREQUENCY (MONTHS):       24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: CLOSED MEDIAN - NO BARRIER (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       N         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       8         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       1011         (113) SCOUR CONDITION RATING:       8         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       24 FT         (94) BRIDGE IMPROVEMENT COST:       \$255,000.00         (95) ROADWAY IMPROVEMENT COST:       \$26,000.00         (96) TOTAL PROJECT COST:       \$383,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2019         INSPECTION DATES         (90) DATE OF LAST REGULAR INSPECTION:       10/1/2019         (91) REGULAR INSPECTION FREQUENCY (MONTHS):       24         (93b) DATE OF LAST UNDERWATER INSP (MO/YR):       N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: CLOSED MEDIAN - NO BARRIER (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       N         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       8         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       1011         (113) SCOUR CONDITION RATING:       8         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       24 FT         (94) BRIDGE IMPROVEMENT COST:       \$255,000.00         (95) ROADWAY IMPROVEMENT COST:       \$26,000.00         (96) TOTAL PROJECT COST:       \$383,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2019         INSPECTION DATES         (90) DATE OF LAST REGULAR INSPECTION:       10/1/2019         (91) REGULAR INSPECTION FREQUENCY (MONTHS):       24         (93b) DATE OF LAST UNDERWATER INSP (MO/YR):       N/A         (92b) UNDERWATER INSP FREQUENCY (MONTHS):       N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT:  NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (86) TRAFFIC SAFETY FEATURES: (1011) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: CLOSED MEDIAN - NO BARRIER (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION:       7         (68) DECK GEOMETRY:       N         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       8         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       1011         (113) SCOUR CONDITION RATING:       8         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       24 FT         (94) BRIDGE IMPROVEMENT COST:       \$255,000.00         (95) ROADWAY IMPROVEMENT COST:       \$26,000.00         (96) TOTAL PROJECT COST:       \$383,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2019         INSPECTION DATES         (90) DATE OF LAST REGULAR INSPECTION:       10/1/2019         (91) REGULAR INSPECTION FREQUENCY (MONTHS):       24         (93b) DATE OF LAST UNDERWATER INSP (MO/YR):       N/A         (92b) UNDERWATER INSP FREQUENCY (MONTHS):       N

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 40SR0760003 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076
FIPS CODE: 56720 SPECIAL CASE: 0
ROAD NAME: TYSON AVE. COUNTY SEQUENCE: 1

CROSSING: CSX RAILROAD LOG MILE: 13.36 LOCATION: IN PARIS CITY LIMITS SUFFICIENCY RATING: 79.5

LOCATION: IN PARIS CITY LIMITS	SUFFICIENCY RATING: 79.5
IDENTIFICATION ———	
(16a,b) LATITUDE: N 36.28983 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.31939 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN PRINCIPAL ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 3	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6 (59) SUPERSTRUCTURE: 7
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(60) SUBSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: EPOXY COATED REINFORCING	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44 WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1999	WEIGHT POSTING (2 AXLE VEHICLES):  WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY-PEDESTRIAN	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: RAILROAD	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 5	_
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 9
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING: 9
(48) MAXIMUM SPAN LENGTH: 59.1 FT	(71) WATERWAY ADEQUACY:
(49) TOTAL BRIDGE LENGTH: 158.5 FT	(72) APPROACH ROADWAY ALIGNMENT:
(50a) LEFT SIDEWALK WIDTH: 4.9 FT	
` '	` '
(50b) RIGHT SIDEWALK WIDTH: 4.9 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(50b) RIGHT SIDEWALK WIDTH: 4.9 FT (51) BRIDGE CURB TO CURB WIDTH: 84.6 FT	(36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: N
(50b) RIGHT SIDEWALK WIDTH:       4.9 FT         (51) BRIDGE CURB TO CURB WIDTH:       84.6 FT         (52) BRIDGE OUT TO OUT WIDTH:       94.5 FT	(36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: N  RECOMMENDED IMPROVEMENTS
(50b) RIGHT SIDEWALK WIDTH:       4.9 FT         (51) BRIDGE CURB TO CURB WIDTH:       84.6 FT         (52) BRIDGE OUT TO OUT WIDTH:       94.5 FT         (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:       94.5 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  1111
(50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  4.9 FT  84.6 FT  94.5 FT  NO MEDIAN	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: 158.5 FT
(50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  4.9 FT  4.9 FT  84.6 FT  94.5 FT  NO MEDIAN  O DEGREES	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: 158.5 FT
(50b) RIGHT SIDEWALK WIDTH: 4.9 FT (51) BRIDGE CURB TO CURB WIDTH: 84.6 FT (52) BRIDGE OUT TO OUT WIDTH: 94.5 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 94.5 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE:	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: \$2,018,000.00
(50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) \$202,000.00
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 84.6 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (3111  N  158.5 FT  \$2,018,000.00  \$202,000.00  \$3,028,000.00
(50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019  INSPECTION DATES
(50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  RAILROAD BENEATH BRIDGE  (54b) MIN VERTICAL UNDERCLEARANCE:  23.65 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION:  1111  158.5 FT  \$2,018,000.00  \$3,028,000.00  (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  (54b) MIN VERTICAL UNDERCLEARANCE:  (55a) HORZ UNDERCLR:  (55a) HORZ UNDERCLR:  (51b) RAILROAD BENEATH BRIDGE	(36) TRAFFIC SAFETY FEATURES:       1111         (113) SCOUR CONDITION RATING:       N         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       158.5 FT         (94) BRIDGE IMPROVEMENT COST:       \$2,018,000.00         (95) ROADWAY IMPROVEMENT COST:       \$202,000.00         (96) TOTAL PROJECT COST:       \$3,028,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2019         INSPECTION DATES         (90) DATE OF LAST REGULAR INSPECTION:       10/2/2019         (91) REGULAR INSPECTION FREQUENCY (MONTHS):       24
(50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (520) MIN VERTICAL CLEARANCE ON ROADWAY:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  (54b) MIN VERTICAL UNDERCLEARANCE:  (55b) HORZ UNDERCLR:  (55b) MIN HORZ UNDERCLR ON RIGHT:  (27.89 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) PAR OF IMPROVEMENT COST ESTIMATE: (98) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  N/A
(50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (520) MIN VERTICAL CLEARANCE ON ROADWAY:  (54a) VERT UNDERCLR:  (54a) VERT UNDERCLR:  (54b) MIN VERTICAL UNDERCLEARANCE:  (55a) HORZ UNDERCLR:  (55b) MIN HORZ UNDERCLR ON RIGHT:  (56) MIN HORZ UNDERCLR ON LEFT:  NOT APPLICABLE	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) DATE OF LAST REGULAR INSPECTION: (97) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 40SR0690027 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 56720 SPECIAL CASE: 0

ROAD NAME: TYSON AVE.

CROSSING: NFA A853 (E. BLYTHE ST.) LOCATION: IN PARIS CITY LIMITS

- IDENTIFICATION

#### CLASSIEICATION -

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 82.9

IDENTIFICA	IION		CLASSIFICAT	ION —
(16a,b) LATITUDE:	N	36.30042 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	88.30994 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	URBAN COLLECTOR
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND	МДТІ	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
JANUAR DE LA CONTRACTOR			(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK

NONE

**NOT APPLICABLE** 

**NOT APPLICABLE** 

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

CONDITION RATINGS =

**NOT BEEN DETERMINED** 

LOG MILE: 14.28

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:

C) TYPE PROTECTION:

(46) NUMBER OF APPROACH SPANS	S: <b>0</b>
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE	AND DECK PROTECTION:
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE

#### AGE AND SERVICE

1975	YEAR THE BRIDGE WAS BUILT:	(27)
N/A	) YEAR THE BRIDGE WAS REHABILITATED:	(106
AY-PEDESTRIAN	) SERVICE ON BRIDGE: HIGHW	(42
HIGHWAY	) UNDER BRIDGE:	(42b
5	) NUMBER OF LANES CARRIED BY BRIDGE:	(28a
1	) NUMBER OF LANES UNDER THE BRIDGE:	(28b

### - GEOMETRIC DATA -

45.9 FT	(48) MAXIMUM SPAN LENGTH:
45.9 FT	(49) TOTAL BRIDGE LENGTH:
5.9 FT	(50a) LEFT SIDEWALK WIDTH:
5.9 FT	(50b) RIGHT SIDEWALK WIDTH:
65.6 FT	(51) BRIDGE CURB TO CURB WIDTH:
79.4 FT	(52) BRIDGE OUT TO OUT WIDTH:
76.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
65.3 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
NEATH BRIDGE	(54a) VERT UNDERCLR: <b>HIGHWAY</b>
17.32 FT	(54b) MIN VERTICAL UNDERCLEARANCE:
NEATH BRIDGE	(55a) HORZ UNDERCLR: <b>HIGHWAY</b>

### NAVIGATION DATA =

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(38)	NAV CONTROL:	NOT APPLICABLE
(39)	NAVIGATION VERTICAL CLEARANCE:	N/A
(116)	LIFT BRIDGE VERT CLEARANCE:	N/A
(40)	NAVIGATION HORZ CLEARANCE:	N/A

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

#### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHIC	CLES): ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE A	XLES): ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OF	PEN

#### A DDR AISAI

AI I NAISAL	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	3
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1000
(113) SCOUR CONDITION RATING:	N

#### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A
(94)	BRIDGE IMPROVE	MENT COST	

(94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/3/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



COUNTY: HENRY

ROUTE: SR076

LOG MILE: 15.64

BRIDGE ID NUMBER: 40SR0760005

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 56720 ROAD NAME: E. WOOD ST.

CROSSING: ABANDONED RAILROAD

LOCATION: .1 MILE WEST OF PARIS

IDENTIFICATION

### CLASSIFICATION

	. •			
(16a,b) LATITUDE:	N	36.31194	<b>DEGREES</b>	(
(17a,b) LONGITUDE:	W	88.29114	DEGREES	(
(98a) BORDER BRIDGE STATE CODE:			N/A	(
(98b) PERCENT SHARE:			N/A	(
(99) BORDER BRIDGE NUMBER:		NOT AF	PPLICABLE	(

#### BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** 

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

A) TYPE OF SURFACE: **ASPHALT** 

B) TYPE MEMBRANE: PREFORMED FABRIC NONE

C) TYPE PROTECTION:

### AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1929 (106) YEAR THE BRIDGE WAS REHABILITATED: 1976 (42a) SERVICE ON BRIDGE: **HIGHWAY** 

**RAILROAD** (42b) UNDER BRIDGE:

(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:

### GEOMETRIC DATA

(49) TOTAL BRIDGE LENGTH: 130.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 82.7 FT (52) BRIDGE OUT TO OUT WIDTH: 85.6 FT

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT NO MEDIAN (33) BRIDGE MEDIAN:

(34) BRIDGE SKEW: 45 DEGREES

(35) BRIDGE FLARE: **NO FLARE** 

(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 82.7 FT

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

#### NAVIGATION DATA

(38) NAV CONTROL: **NOT APPLICABLE** (39) NAVIGATION VERTICAL CLEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE: N/A (112) MEETS NBIS BRIDGE LENGTH:

YES (104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE** 

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 82.9

SPECIAL CASE: 0

(26) FUNCTIONAL CLASS: **URBAN COLLECTOR** 

(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** 

(102) TRAFFIC DIR: 2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: **NOT APPLICABLE** 

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

**NOT BEEN DETERMINED** 

#### CONDITION RATINGS =

(58) DECK: 6 (59) SUPERSTRUCTURE: 6 (60) SUBSTRUCTURE: 6 (61) STREAM CHANNEL AND CHANNEL PROTECTION: N (62) CULVERT CONDITION (IF APPLICABLE): N

#### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN** 

5

n

44.9 FT

#### APPRAISAL

(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 9 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: Ν (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1000

### RECOMMENDED IMPROVEMENTS

Ν

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(113) SCOUR CONDITION RATING:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/3/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(48) MAXIMUM SPAN LENGTH:



BRIDGE ID NUMBER: 40SR0760007

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: E. WOOD ST.

CROSSING: TOWN CREEK

LOCATION: IN PARIS CITY LIMITS

COUNTY: HENRY
ROUTE: SR076

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 15.89 SUFFICIENCY RATING: 83.9

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.31417 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.28747 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 5	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: PREFORMED FABRIC	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1929	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: 1976	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 5	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
· · ·	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 9
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 26.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 26.9 FT (49) TOTAL BRIDGE LENGTH: 132.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1001
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 26.9 FT (49) TOTAL BRIDGE LENGTH: 132.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 3
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 26.9 FT (49) TOTAL BRIDGE LENGTH: 132.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (9) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 3 RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 82.3 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 80  GEOMETRIC DATA  26.9 FT  132.9 FT  132.9 FT  132.9 FT  132.9 FT  132.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (9) (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: 3 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  O 26.9 FT 132.9 FT 132.9 FT 132.9 FT NO MEDIAN 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  O 26.9 FT 132.9 FT 132.9 FT 132.9 FT NO MEDIAN NO MEDIAN O DEGREES NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1001) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 82.3 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  82.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1001) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 26.9 FT  (49) TOTAL BRIDGE LENGTH: 132.9 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 82.3 FT  (51) BRIDGE CURB TO CURB WIDTH: 82.3 FT  (52) BRIDGE OUT TO OUT WIDTH: 86 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 82.3 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE  (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (80) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK: (36) NOT APPLICABLE (37) TYPE OF WORK: (37) TYPE OF WORK: (37) TYPE OF WORK: (38) NOT APPLICABLE (39) BRIDGE IMPROVEMENT COST: (30) TOTAL PROJECT COST: (31) TOTAL PROJECT COST: (32) TOTAL PROJECT COST: (33) TOTAL PROJECT COST: (34) TOTAL PROJECT COST: (35) TOTAL PROJECT COST: (36) TOTAL PROJECT COST: (37) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 26.9 FT  (49) TOTAL BRIDGE LENGTH: 132.9 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 82.3 FT  (52) BRIDGE OUT TO OUT WIDTH: 86 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 82.3 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE  (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 26.9 FT  (49) TOTAL BRIDGE LENGTH: 132.9 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 82.3 FT  (51) BRIDGE CURB TO CURB WIDTH: 82.3 FT  (52) BRIDGE OUT TO OUT WIDTH: 86 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 82.3 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE  (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (86) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 26.9 FT  (49) TOTAL BRIDGE LENGTH: 132.9 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 82.3 FT  (52) BRIDGE OUT TO OUT WIDTH: 86 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 82.3 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE  (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

# NATIONAL BRIDGE INVENTORY



YES

Ν

Ν

Ν

6

6

Ν

Ν

7

8

8

2019

HS-20-44

**ALL LEGAL LOADS** 

**ALL LEGAL LOADS** 

**NHS ROUTE** 

**URBAN COLLECTOR** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

**NO PARALLEL BRIDGE** 

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 40SR0760009 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: E. WOOD ST. COUNTY SEQUENCE: 1 CROSSING: SMALLWOOD CREEK LOG MILE: 16.27 SUFFICIENCY RATING: 67.9 LOCATION: IN PARIS CITY LIMITS - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31744 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.28231 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1981 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 27.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT

**UNDER FILL** 

**UNDER FILL** 

NO MEDIAN

**NO FLARE** 

64.0 FT

N/A

N/A

N/A

15 DEGREES

**NO RESTRICTION** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT A HIGHWAY OR RAILROAD** 

**NOT A HIGHWAY OR RAILROAD** 

NO NAVIGATION CONTROL

32.2 FT

0001 (113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE REHABILITATION** (76) LENGTH OF BRIDGE IMPROVEMENT:

27.9 FT (94) BRIDGE IMPROVEMENT COST: \$298,000.00 ROADWAY IMPROVEMENT COST: \$30,000.00

(96) TOTAL PROJECT COST: \$448,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/26/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(51) BRIDGE CURB TO CURB WIDTH:

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

(56) MIN HORZ UNDERCLR ON LEFT:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA

(52) BRIDGE OUT TO OUT WIDTH:

(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 40SR0760012 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: HWY. 79 N. COUNTY SEQUENCE: 1

CROSSING: BRANCH

LOG MILE: 18.79

LOCATION: 3 M NE OF PARIS

SUFFICIENCY RATING: 82.9

LOCATION: 3 M NE OF PARIS	SUFFICIENCY RATING: 82.9
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.33986 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: <b>W</b> 88.24667 <b>DEGREES</b>	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	
(98b) PERCENT SHARE: N/A	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(FO) DECK.
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NOT APPLICABLE	(CO) CHILVEDT CONDITION (IE ADDITION E).
C) TYPE PROTECTION: NOT APPLICABLE	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1985	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:
	(68) DECK GEOMETRY:
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(71) WATERWAY ADEQUACY:
(49) TOTAL BRIDGE LENGTH: 55.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0001
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	PECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	(75) TVDC OF WORK. NOT ARRIVE ARISE
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 113.8 FT	(76) I ENCTU OF PRINCE IMPROVEMENT.
(33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 45 DEGREES	
	(OE) BOADWAY IMPROVEMENT COST:
(35) BRIDGE FLARE:  NO FLARE  (52) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT	(07) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INCREATION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	• •
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	
NAVIGATION DATA	
(38) NAV CONTROL: NO NAVIGATION CONTROL	

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 40SR0760011 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: HWY. 79 N. COUNTY SEQUENCE: 1

CROSSING: BRANCH LOG MILE: 18.79

LOCATION: 3.3 MILES N.WEST OF PARIS SUFFICIENCY RATING: 82.9

LOCATION: 3.3 MILES	N.WEST OF	PARIS	SUFFICIENCY RATING: 82.9	
IDENTIFIC	CATION			
(16a,b) LATITUDE: (17a,b) LONGITUDE:	N 3	36.33986 DEGREES 38.24642 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM:	YES NHS ROUTE
(98a) BORDER BRIDGE STATE CO		N/A		PRESSWAY
(98b) PERCENT SHARE:	<i>)</i> L.	N/A		NE BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE		AY TRAFFIC
` ,				PPLICABLE
BRIDGE TYPE AN	ID MATER	RIAL ———	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK	
(43a) MAIN SPAN MATERIAL: <b>COI</b> (44a) APPR SPAN MATERIAL: <b>NO</b>			(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANO NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS:		3	———— CONDITION RATINGS	
(46) NUMBER OF APPROACH SPAI	ıc.	0	(58) DECK:	N
(107) TYPE OF DECK:	NO.	NOT APPLICABLE	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SURFAC	AND DECK		(60) SUBSTRUCTURE:	N
A) TYPE OF SURFACE:	- AND DEON	NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
B) TYPE MEMBRANE:		NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE):	7
C) TYPE PROTECTION:		NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING	<b>3</b> ——
AGE AND	SERVICE		(31) DESIGN LOADING:	HS-20-44
(27) YEAR THE BRIDGE WAS BUIL		1985	WEIGHT POSTING (2 AXLE VEHICLES): ALL LE	GAL LOADS
(106) YEAR THE BRIDGE WAS REF			,	GAL LOADS
(42a) SERVICE ON BRIDGE:	/ DILITY I LL	HIGHWAY	(70) BRIDGE POSTING CODE:	5
(42b) UNDER BRIDGE:		WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
(28a) NUMBER OF LANES CARRIE	BY BRIDGI		APPRAISAL -	
(28b) NUMBER OF LANES UNDER			(67) STRUCTURAL EVALUATION:	7
GEOMETR			(68) DECK GEOMETRY:	N
(48) MAXIMUM SPAN LENGTH:	571171	12.1 FT	(69) UNDERCLEARANCE RATING:	N
(49) TOTAL BRIDGE LENGTH:		55.1 FT	(71) WATERWAY ADEQUACY:	7
(50a) LEFT SIDEWALK WIDTH:		0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
(50b) RIGHT SIDEWALK WIDTH:		0.0 FT	(36) TRAFFIC SAFETY FEATURES:	0001
(51) BRIDGE CURB TO CURB WIDT	H·	UNDER FILL	(113) SCOUR CONDITION RATING:	8
(52) BRIDGE OUT TO OUT WIDTH:		UNDER FILL	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SH	LDS) WIDTH	l: 113.8 FT	(75) TYPE OF WORK: NOT APPLICABLE	
(33) BRIDGE MEDIAN:	,	NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(34) BRIDGE SKEW:		45 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE:		NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE	OVER RD:	NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANC	ON ROAD	WAY: <b>41.0 FT</b>	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR:	NOT A HIGH	WAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEAR	ANCE:	NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION:	9/26/2019
(55a) HORZ UNDERCLR:	NOT A HIGH	WAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(55b) MIN HORZ UNDERCLR ON RI	GHT:	NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(56) MIN HORZ UNDERCLR ON LE	FT:	NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
NAVIGATIO	N DATA		(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(38) NAV CONTROL:	NO NAV	IGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 40SR0760014 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: HWY. 79 N. COUNTY SEQUENCE: 1
CROSSING: HOLLY FORK CREEK LOG MILE: 19.95
LOCATION: 4 M NE OF PARIS SUFFICIENCY RATING: 83.9

LOCATION. 4 WINE OF PARIS	SOFFICIENCY NATING. 63.9
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.35022 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.23011 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 4	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: EPOXY COATED REINFORCING	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1985	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	_
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:  (69) DECK CEOMETRY:
GEOMETRIC DATA	(68) DECK GEOMETRY: 8 (69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 76.1 FT	(71) WATERWAY ADEQUACY: 7
(49) TOTAL BRIDGE LENGTH: 304.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1001
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 5
(51) BRIDGE CURB TO CURB WIDTH: 42 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 44 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 42.0 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: 304.1 FT
(33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 20 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$1,890,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$190,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$2,836,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/2/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO
	PRODUCTION OF THE PRODUCT OF THE PRO

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY SEQUENCE: 1

LOG MILE: 19.95

BRIDGE ID NUMBER: 40SR0760013 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 SPECIAL CASE: 0 FIPS CODE: 00000

ROAD NAME: HWY. 79 N.

CROSSING: HOLLY FORK CREEK

LOCATION: 4 25 MILES NE OF BARIS	LUG MILE: 19.93
LOCATION: 4.25 MILES NE.OF PARIS  SUFFICIENCY RATING: 83.9	
IDENTIFICATION	
(16a,b) LATITUDE: N 36.35022 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.23011 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: RIGHT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1985	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BUILT.  (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————————————————————————————————————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 8
	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 76.1 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 304.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1001
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 42 FT	(113) SCOUR CONDITION RATING: 5
(52) BRIDGE OUT TO OUT WIDTH: 42 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 42.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 20 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/26/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
W.C.O.C.ION DATA	

NO NAVIGATION CONTROL

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

6

7

6

6

N

6

8

Ν

8

8

8

N/A

9/30/2019

24

N/A

N/A

Ν

Ν

1001

HS-20-44

**NHS ROUTE** 

**1-WAY TRAFFIC** 

BRIDGE ID NUMBER: 40SR0760016 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HWY. 79 N. COUNTY SEQUENCE: 1 CROSSING: BEAVERDAM CREEK LOG MILE: 22.30 LOCATION: 1 MI NE OF SR 218 SUFFICIENCY RATING: 83.5 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37069 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.19633 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 65.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 66.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 42.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



BRIDGE ID NUMBER: 40SR0760015

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: HWY. 79 N.

CROSSING: BEAVER DAM CREEK LOCATION: 6.7 MILES N.EAST OF PARIS

COUNTY: HENRY

ROUTE: SR076 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 22.30

SUFFICIENCY RATING: 83.5

- CLASSIEICATION -

#### IDENTIFICATION (16a,b) LATITUDE: N 36.37056 DEGREES (17a,b) LONGITUDE: 88.19622 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS:

SPANS: 0	(46) NUMBER OF APPROA
CORRUGATED STEEL	(107) TYPE OF DECK:
RFACE AND DECK PROTECTION:	(108) TYPE OF WEARING
MONOLITHIC CONCRETE	A) TYPE OF SURFACE:
NONE	B) TYPE MEMBRANE:
EPOXY COATED REINFORCING	C) TYPE PROTECTION:

AGE AND SERVICE		
(27) YEAR THE BRIDGE WAS BUILT:	1990	
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	
(42a) SERVICE ON BRIDGE:	HIGHWAY	
(42b) UNDER BRIDGE:	WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	
GEOMETRIC DATA		

GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	65.9 FT
(49) TOTAL BRIDGE LENGTH:	66.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH	: 42.0 FT
(33) BRIDGE MEDIAN:	<b>OPEN MEDIAN</b>
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADV	VAY: <b>42.0 FT</b>
(54a) VERT UNDERCLR: NOT A HIGH	WAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE

(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON	N RIGHT: NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON	N LEFT: NOT APPLICABLE
NAVIGA	TION DATA ————
(38) NAV CONTROL:	NO NAVIGATION CONTROL

(30)	NAV CONTROL.	NO NAVIGATION CONTING	_
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/	Ά
(116)	LIFT BRIDGE VERT CLEARANCE	: <b>N/</b>	Ά
(40)	NAVIGATION HORZ CLEARANCE	: <b>N/</b>	Ά

	CLASSIFICATION
112) MEETS NBIS E	BRIDGE LENGTH:

(112) MEETS NBIS BRIDGE LENGTH	: YES
(104) NATIONAL HIGHWAY SYSTEM	: NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS: BRIDG	E IS NOT ELIGIBLE FOR THE
NATIO	NAL REGISTER
CONDITION D	ATINICO -

6
6
7
6
N

### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: <b>OPEN</b>	
ADDDAICAL	

APPRAISAL —	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	8
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1001
(113) SCOUR CONDITION RATING:	8

#### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A
(94)	BRIDGE IMPROVE	MENT COST	

- (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

9/30/2019	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

N/A

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 40SR0760018 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HWY. 79 N. COUNTY SEQUENCE: 1 CROSSING: EAGLE CREEK LOG MILE: 27.30 SUFFICIENCY RATING: 68.5 LOCATION: NEAR PARIS LDG.STATE PARK IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.41928 DEGREES 88.13161 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 5 (58) DECK: (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1944 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: 1991 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE:

2

0

N/A

N/A

**NHS ROUTE RURAL EXPRESSWAY LEFT LANE BRIDGE** 1-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK BRIDGE IS NOT ELIGIBLE FOR THE **NATIONAL REGISTER** CONDITION RATINGS = 6 5 7 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): N DESIGN LOAD AND WEIGHT POSTING HS-20-44 **ALL LEGAL LOADS ALL LEGAL LOADS** APPRAISAL (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 8 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1001 (113) SCOUR CONDITION RATING: 5 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **BRIDGE REHABILITATION** (76) LENGTH OF BRIDGE IMPROVEMENT: 165 FT (94) BRIDGE IMPROVEMENT COST: \$1,039,000.00 ROADWAY IMPROVEMENT COST: \$104,000.00 (96) TOTAL PROJECT COST: \$1,559,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/30/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(48) MAXIMUM SPAN LENGTH: 33.1 FT (49) TOTAL BRIDGE LENGTH: 165.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 42 FT 44 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 39.0 FT **OPEN MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A

(28a) NUMBER OF LANES CARRIED BY BRIDGE:

(28b) NUMBER OF LANES UNDER THE BRIDGE:

GEOMETRIC DATA

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 40SR0760017 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: HWY. 79 N. CROSSING: EAGLE CREEK LOCATION: 1 MI S OF SR 140

COUNTY: HENRY ROUTE: SR076 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 27.30

SUFFICIENCY RATING: 83.5

IDENTIFICATION ————	CLASSIFICATION —————
(16a,b) LATITUDE: N 36.41919 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.13142 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: RIGHT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 5	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6 (59) SUPERSTRUCTURE: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): N
B) TYPE MEMBRANE: NONE	
C) TYPE PROTECTION: <b>EPOXY COATED REINFORCING</b>	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1992	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 8
(40) MANYIMI IN ORANI I ENIOTII	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 33.1 FT	
(48) MAXIMUM SPAN LENGTH: 33.1 FT (49) TOTAL BRIDGE LENGTH: 165.0 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 165.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
` '	(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1001
(49) TOTAL BRIDGE LENGTH: 165.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:8(36) TRAFFIC SAFETY FEATURES:1001(113) SCOUR CONDITION RATING:8
(49) TOTAL BRIDGE LENGTH: 165.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1001
(49) TOTAL BRIDGE LENGTH:165.0 FT(50a) LEFT SIDEWALK WIDTH:0.0 FT(50b) RIGHT SIDEWALK WIDTH:0.0 FT(51) BRIDGE CURB TO CURB WIDTH:42 FT	(72) APPROACH ROADWAY ALIGNMENT:8(36) TRAFFIC SAFETY FEATURES:1001(113) SCOUR CONDITION RATING:8
(49) TOTAL BRIDGE LENGTH:165.0 FT(50a) LEFT SIDEWALK WIDTH:0.0 FT(50b) RIGHT SIDEWALK WIDTH:0.0 FT(51) BRIDGE CURB TO CURB WIDTH:42 FT(52) BRIDGE OUT TO OUT WIDTH:44 FT	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  N/A
(49) TOTAL BRIDGE LENGTH:       165.0 FT         (50a) LEFT SIDEWALK WIDTH:       0.0 FT         (50b) RIGHT SIDEWALK WIDTH:       0.0 FT         (51) BRIDGE CURB TO CURB WIDTH:       42 FT         (52) BRIDGE OUT TO OUT WIDTH:       44 FT         (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:       39.0 FT	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  165.0 FT 40.0 FT  42 FT  44 FT  43 FT  43 PPROACH ROADWAY (W/ SHLDS) WIDTH: 09EN MEDIAN	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  165.0 FT 0.0 FT 0.	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  165.0 FT  165.0 FT  165.0 FT  0.0 FT  0.0 FT  42 FT  44 FT  OPEN MEDIAN  0 DEGREES  NO FLARE	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  165.0 FT  165.0 FT  165.0 FT  0.0 FT  42 FT  44 FT  09EN MEDIAN  OPEN MEDIAN  NO FLARE	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 39.0 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 39.0 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES: (1101) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 9/30/2019
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLE: (55a) HORZ UNDERCLE: (55a) HORZ UNDERCLER: (55a) NOT A HIGHWAY OR RAILROAD	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 9/30/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLE: (540) VERT UNDERCLR: (540) MIN VERTICAL UNDERCLEARANCE: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR ON RIGHT: (500) NOT APPLICABLE	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 40SR0760023

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: HWY. 79 N. CROSSING: BRANCH

LOCATION: 2.5 M W OF SR119

YES

**NHS ROUTE** 

**RURAL EXPRESSWAY** 

COUNTY: HENRY

ROUTE: SR076

COUNTY SEQUENCE: 1 LOG MILE: 27.95 SUFFICIENCY RATING: 81.5

SPECIAL CASE: 0

#### IDENTIFICATION - CLASSIFICATION -

(16a,b) LATITUDE: Ν 36.42711 DEGREES (17a,b) LONGITUDE: 88.12547 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** 

#### BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: **NOT APPLICABLE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION:

(27) YEAR THE BRIDGE WAS BUILT: 1940 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

(48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 23.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 49.9 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 49.9 FT

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE: N/A

(112) MEETS NBIS BRIDGE LENGTH:

(104) NATIONAL HIGHWAY SYSTEM:

(26) FUNCTIONAL CLASS:

0

#### AGE AND SERVICE -

### GEOMETRIC DATA

**NOT A HIGHWAY OR RAILROAD** 

#### NAVIGATION DATA

N/A N/A

#### (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**

(102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

**NOT BEEN DETERMINED** 

#### CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	7

#### **DESIGN LOAD AND WEIGHT POSTING**

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN** 

#### APPRAISAL

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

## INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/1/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



ROUTE: SR076

BRIDGE ID NUMBER: 40SR0760019 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE SPECIAL CASE: 0

FIPS CODE: 00000 ROAD NAME: HWY. 79 N.

CROSSING: LITTLE EAGLE CREEK

LOCATION: NEAR PARIS LDG.STATE PARK

## COUNTY SEQUENCE: 1 LOG MILE: 29.12

SUFFICIENCY RATING: 83.5

#### - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.43289 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.10567 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 5 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: H-15-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1944 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1991 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: 9 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 33.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 165.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 87.3 FT RECOMMENDED IMPROVEMENTS 89.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 86.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 10/1/2019 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 40SR0760021 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: HWY. 79 N. COUNTY SEQUENCE: 1
CROSSING: TENNESSEE RIVER LOG MILE: 31.41
LOCATION: HENRY-STEWART CO LINE SUFFICIENCY RATING: 78.6

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.44278 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.06658 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: PRESTRESSED CONCRETE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
CONTINUOUS	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 5	
(46) NUMBER OF APPROACH SPANS: 12	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6 (60) SUBSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NOT APPLICABLE	
C) TYPE PROTECTION: <b>EPOXY COATED REINFORCING</b>	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE —	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1992	WEIGHT POSTING (2 AXLE VEHICLES):  ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 4	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 9
(48) MAXIMUM SPAN LENGTH: 524.9 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 3589.9 FT	(71) WATERWAY ADEQUACY: 7
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1100
(51) BRIDGE CURB TO CURB WIDTH: 84.3 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 87.9 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 3589.9 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$1,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$1,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: <b>\$2,000.00</b>
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.8 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 11/6/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): 06/2015
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NAVIGATION CONTROLLED WATERWAY	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

42 FT

356 FT

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

# NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 40SR0770001 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077 SPECIAL CASE: 0 FIPS CODE: 00000 **ROAD NAME: STATE HWY. 77** COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.93 LOCATION: 1.5 M N OF SR114 SUFFICIENCY RATING: 94.0 IDENTIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.16714 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.30519 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE

HOHE	o) III ETROTEOTION.	
	AGE AND SERVICE -	_
1984	27) YEAR THE BRIDGE WAS BUILT:	(2
N/A	106) YEAR THE BRIDGE WAS REHABILITATED:	(1
HIGHWAY	42a) SERVICE ON BRIDGE:	(4
WATERWAY	42b) UNDER BRIDGE:	(4
2	28a) NUMBER OF LANES CARRIED BY BRIDGE:	(2
0	28b) NUMBER OF LANES UNDER THE BRIDGE:	(2

- GEOMETRIC DATA

	GEOMETINO DATA
65.9 FT	(48) MAXIMUM SPAN LENGTH:
65.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
33.1 FT	(51) BRIDGE CURB TO CURB WIDTH:
36.1 FT	(52) BRIDGE OUT TO OUT WIDTH:
32.2 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
	/

NO MEDIAN	MEDIAN:	(33)
0 DEGREES	SKEW:	(34)
NO FLARE	FLARE:	(35)
RESTRICTION	RTICAL CLEARANCE OVER RD: NO	(520
32.8 FT	RIZONTAL CLEARANCE ON ROADWAY:	(47)
OR RAILROAD	INDERCLR: NOT A HIGHWAY	(54a
T APPLICABLE	RTICAL UNDERCLEARANCE: NOT	(54b
OR RAILROAD	JNDERCLR: <b>NOT A HIGHWAY</b>	(55a
T APPLICABLE	RZ UNDERCLR ON RIGHT: NOT	(55b
T APPLICABLE	PRZ UNDERCLR ON LEFT: NOT	(56)

_	NA	١V	IGA	TI	ON	DA	TA	

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	ANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	: <b>N/A</b>
(40) NAVIGATION HORZ CLEARANCE	E: N/A

# **PUBLICATION DATE** 19-Mar-20

#### CLASSIFICATION = YES **NOT A NHS ROUTE RURAL MAJOR COLLECTOR NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS = 7 8 7 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): N **DESIGN LOAD AND WEIGHT POSTING** (31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: 5 (41) WT POSTING STATUS: **OPEN** APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/25/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A

Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):



COUNTY: HENRY

ROUTE: SR077

LOG MILE: 2.84

**NOT BEEN DETERMINED** 

SPECIAL CASE: 0

BRIDGE ID NUMBER: 40SR0770003

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: **STATE HWY. 77** CROSSING: **BEAR CREEK** 

LOCATION: 6.8 MILES SOUTH OF PARIS

#### 01 4001510451011

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 79.8

(16a,b) LATITUDE:
(17a,b) LONGITUDE:
(98a) BORDER BRIDGE STATE CODE:
(98b) PERCENT SHARE:
(99) BORDER BRIDGE NUMBER:
(100) MEETS NBIS
(112) MEETS NBIS
(104) NATIONAL H
(26) FUNCTIONAL
(101) PARALLEL E
(102) TRAFFIC DIF

NONE

0

**NO RESTRICTION** 

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:
2
(46) NUMBER OF APPROACH SPANS:
0
(107) TYPE OF DECK:
CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

A) TYPE OF SURFACE: ASPHALT B) TYPE MEMBRANE: NONE

C) TYPE PROTECTION:

(27) YEAR THE BRIDGE WAS BUILT: 1951
(106) YEAR THE BRIDGE WAS REHABILITATED: 2006
(42a) SERVICE ON BRIDGE: HIGHWAY
(42b) UNDER BRIDGE: WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2

(28a) NUMBER OF LANES CARRIED BY BRIDGE:
(28b) NUMBER OF LANES UNDER THE BRIDGE:

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:9.8 FT(49) TOTAL BRIDGE LENGTH:26.9 FT(50a) LEFT SIDEWALK WIDTH:0.0 FT

(50b) RIGHT SIDEWALK WIDTH:
(51) BRIDGE CURB TO CURB WIDTH:
(52) BRIDGE OUT TO OUT WIDTH:
30.8 FT

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (33) BRIDGE MEDIAN: NO MEDIAN

(33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES

(35) BRIDGE FLARE: NO FLARE

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.8 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE

(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD

(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE

— NAVIGATION DATA -

(38) NAV CONTROL: NO NAVIGATION CONTROL

(39) NAVIGATION VERTICAL CLEARANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE: N/A

CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

CONDITION RATINGS -

(58) DECK: N
(59) SUPERSTRUCTURE: N
(60) SUBSTRUCTURE: N
(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
(62) CULVERT CONDITION (IF APPLICABLE): 6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:
WEIGHT POSTING (2 AXLE VEHICLES):
WEIGHT POSTING (3 OR MORE AXLES):
ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:
5

(41) WT POSTING STATUS: OPEN

(113) SCOUR CONDITION RATING:

APPRAISAL

(67) STRUCTURAL EVALUATION:
(68) DECK GEOMETRY:
(69) UNDERCLEARANCE RATING:
(71) WATERWAY ADEQUACY:
(72) APPROACH ROADWAY ALIGNMENT:
(36) TRAFFIC SAFETY FEATURES:
0000

#### RECOMMENDED IMPROVEMENTS

8

(75) TYPE OF WORK: BRIDGE REHABILITATION

(76) LENGTH OF BRIDGE IMPROVEMENT: 26.9 FT (94) BRIDGE IMPROVEMENT COST: \$141,000.00

(95) ROADWAY IMPROVEMENT COST: \$15,000.00 (96) TOTAL PROJECT COST: \$212,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019

### - INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:9/25/2019(91) REGULAR INSPECTION FREQUENCY (MONTHS):24(93b) DATE OF LAST UNDERWATER INSP (MO/YR):N/A(92b) UNDERWATER INSP FREQUENCY (MONTHS):N(93c) DATE OF SPECIAL INSPECTION (MO/YR):N/A(92c) SPECIAL INSP FREQUENCY (MONTHS):N



BRIDGE ID NUMBER: 40SR0770005 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077
FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: STATE HWY. 77

CROSSING: BRANCH

LOCATION: 5.7 MILES SOUTH OF PARIS

COUNTY SEQUENCE: 1

LOG MILE: 4.04

SUFFICIENCY RATING: 81.5

LOCATION: 5.7 MILES SOUTH OF PARIS	SUFFICIENCY RATING: 81.5
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.19686 DEG (17a,b) LONGITUDE: W 88.31036 DEG (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: NOT APPLIC  BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	REES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE N/A (26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR N/A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
B) TYPE MEMBRANE:	(00) OUDOTDUOTUDE
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(42b) UNDER BRIDGE: WATER	APPRAISAI
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:	0 (67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 7
(48) MAXIMUM SPAN LENGTH:9(49) TOTAL BRIDGE LENGTH:40(50a) LEFT SIDEWALK WIDTH:0	8 FT (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
	7. FT RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRIC	2 FT (75) TYPE OF WORK: NOT APPLICABLE  DIAN (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  REES (94) BRIDGE IMPROVEMENT COST:  LARE (95) ROADWAY IMPROVEMENT COST:  TION (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLIC	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILI (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLIC (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLIC	ABLE (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A ABLE (92b) UNDERWATER INSP FREQUENCY (MONTHS): N (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CON	TROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

LOCATION: 3.6 MILES SOUTH OF PARIS



SUFFICIENCY RATING: 86.6

BRIDGE ID NUMBER: 40SR0770007 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: STATE HWY. 77 COUNTY SEQUENCE: 1
CROSSING: 0VERFLOW LOG MILE: 6.24

#### IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.22786 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.30736 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.5 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 39.7 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/25/2019 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N/A

Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



BRIDGE ID NUMBER: 40SR0770009

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 77

CROSSING: BARNES CREEK

LOCATION: 1.7 M N OF SR114

CROSSING: SUFFICIENCY RATING: 87.2

IDENTIFICATION	CLASSIFICATION —
(16a,b) LATITUDE: N 36.22886 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.30711 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
PRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NILIMADED OF MAIN COANC.	
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS:	(58) DECK: N
(10)	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: <b>NOT APPLICABLE</b> (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF WEARING SORFACE AND DECK PROTECTION.  NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1995	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
,	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	` '
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  12.1 FT	(68) DECK GEOMETRY: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 40.0 FT	(68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 40.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  0.0 FT  (51) BRIDGE CURB TO CURB WIDTH:  UNDER FILL	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH:  UNDER FILL	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  UNDER FILL  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  32.2 FT	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (33) BRIDGE MEDIAN:	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  UNDER FILL  (52) BRIDGE OUT TO OUT WIDTH:  UNDER FILL  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  32.2 FT	(68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE:	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.8 FT	(68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK:  NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (54b) MIN VERTICAL UNDERCLEARANCE:  NOT APPLICABLE	(68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (37) APPROACH ROADWAY ALIGNMENT:  (38) TRAFFIC SAFETY FEATURES:  (39) TYPE OF WORK:  (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  9/25/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (54a) HORZ UNDERCLE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (S5a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (12.1 FT  40.0 F	(68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  (91) REGULAR INSPECTION FREQUENCY (MONTHS):  24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (NOT A PPLICABLE)	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 40SR0770015 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: STATE HWY. 77 COUNTY SEQUENCE: 1
CROSSING: BRANCH LOG MILE: 6.90
LOCATION: S OF PARIS SUFFICIENCY RATING: 54.1

LOCATION. S OF PARIS	SUPPOLING RATING. 34.1
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.23739 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.30692 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 1	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 8
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-15-44
(27) YEAR THE BRIDGE WAS BUILT: 1994	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 3
(48) MAXIMUM SPAN LENGTH: 27.9 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 27.9 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 27.6 FT	(113) SCOUR CONDITION RATING:
(52) BRIDGE OUT TO OUT WIDTH: 28.5 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 27.9 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$105,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$11,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$158,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.2 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/25/2019
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(20) NIAVICATIONI VEDTICAL CLEADANCE.	

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 40SR0770013 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077 FIPS CODE: 00000 SPECIAL CASE: 0 **ROAD NAME: STATE HWY. 77** COUNTY SEQUENCE: 1

CROSSING: CLIFTY CREEK LOG MILE: 9.31

LOCATION: 1.9 M S OF SR76	SUFFICIENCY RATING: 67.7
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.27019 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.30361 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1999	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 3	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: N
(48) MAXIMUM SPAN LENGTH: 18.0 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 66.6 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0001
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 57.1 FT	(75) TYPE OF WORK: <b>BRIDGE REHABILITATION</b>
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 66.6 FT
(34) BRIDGE SKEW: 40 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$468,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$47,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$703,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 59.1 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/25/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
NAVIGATION DATA	, ,
(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HENRY

ROUTE: SR114

BRIDGE ID NUMBER: 40SR1140001
BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: VALE RD. COUNTY SEQUENCE: 1

CROSSING: BEAR CREEK LOG MILE: 0.96

LOCATION: 1 MI.NORTH OF CARROLL CO. SUFFICIENCY RATING: 62.5

LOCATION: 1 MI.NORTH OF CARROLL CO.	SUFFICIENCY RATING: 62.5	
IDENTIFICATION ————	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.16083 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 88.25803 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: <b>CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>6</b>	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6	
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N	
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	
,	(31) DESIGN LOADING: H-15-44	
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): 12 TONS	
(27) YEAR THE BRIDGE WAS BUILT: 1953	WEIGHT POSTING (3 OR MORE AXLES): 21 TONS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 4	
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: WEIGHT POSTED	
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL ————	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5	
	(68) DECK GEOMETRY: 4	
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING: N	
(48) MAXIMUM SPAN LENGTH: 28.9 FT	(71) WATERWAY ADEQUACY: 8	
(49) TOTAL BRIDGE LENGTH: 86.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8	
(51) BRIDGE CURB TO CURB WIDTH: 22.3 FT (52) BRIDGE OUT TO OUT WIDTH: 26.6 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS NEEDED)	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 86 FT	
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$135,000.00	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$14,000.00	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$203,000.00	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/30/2019	
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N	
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO	

N/A

N/A

PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

PRODUCED PURSUANT TO

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HENRY

ROUTE: SR114

LOG MILE: 1.02

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 82.1

BRIDGE ID NUMBER: 40SR1140003

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: VALE RD. CROSSING: BRANCH

LOCATION: 1.05 MI.NO.OF CARROLL CO.

ECCATION: 1.03 MI.NO.OF CARROLL CO.	SUFFICIENCE RATING. 62.1
IDENTIFICATION ————	CLASSIFICATION —
(16a,b) LATITUDE: N 36.16094 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.25769 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE):  6
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1960	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	APPRAISAI -
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL  (67) STRUCTURAL EVALUATION:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 28.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20  21  22  23  24  26  27  27  27  27  27  27  27  27  27	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (75) BRIDGE IMPROVEMENT: (76) BRIDGE IMPROVEMENT: (77) N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54b) NO MEDIAN (24c) FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (54d) NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 9/30/2019
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  N/A

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



ROUTE: SR114

BRIDGE ID NUMBER: 40SR1140005 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE

SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: VALE RD. COUNTY SEQUENCE: 1 CROSSING: PANTHER CREEK LOG MILE: 1.33 SUFFICIENCY RATING: 52.4

LOCATION: 1.36 MI.NO.OF CARROLL CO.

LOCATION. 1.30 MI.NO.OF CARROLL CO.		SUFFICIENCT RATING. 32.4		
IDENTIFICATIO	N ———			
(16a,b) LATITUDE:	N 36.16600 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES	
(17a,b) LONGITUDE:	W 88.25672 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR	
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC	
BRIDGE TYPE AND MA	TERIAI ———	(103) TEMPORARY BRIDGE: NOT APPLICABLE		
(43a) MAIN SPAN MATERIAL: CONCRETE		(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK		
(44a) APPR SPAN MATERIAL: NOT APPLI		(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED		
(45) NUMBER OF MAIN SPANS:	3	CONDITION RATINGS		
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	6	
( )	NCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:	7	
(108) TYPE OF WEARING SURFACE AND I		(60) SUBSTRUCTURE:	5	

(46) NUMBER OF APPROACH S	PANS: 0	(58) DECK:	6
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:	7
(108) TYPE OF WEARING SURF	ACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:	5
A) TYPE OF SURFACE:	ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	•
B) TYPE MEMBRANE:	NONE	(62) CULVERT CONDITION (IF APPLICABLE):	N
C) TYPE PROTECTION:	NONE	DESIGN LOAD AND WEIGHT POSTING	

	(31) DESIGN LOADING: H-15-44
	WEIGHT POSTING (2 AXLE VEHICLES): 12 TONS
1953	
N/A	WEIGHT POSTING (3 OR MORE AXLES): 21 TONS
-	(70) BRIDGE POSTING CODE: 4
HIGHWAY	(44) MT DOCTING CTATUS: WEIGHT BOCTED
WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
******	APPRAISAL
2	ALLINAIOAL
	1953 N/A HIGHWAY WATERWAY 2

(420) UNDER BRIDGE:	WAIERWAY	ADDDAIGAL	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:	5
GEOMETRIC DATA		(68) DECK GEOMETRY:	4
(48) MAXIMUM SPAN LENGTH:	28.9 FT	(69) UNDERCLEARANCE RATING:	N
,		(71) WATERWAY ADEQUACY:	8
(49) TOTAL BRIDGE LENGTH:	86.0 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES:	0000
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT		0000
(E4) DDIDGE GUDD TO GUDD WIDTH	~~~ ==	(113) SCOUR CONDITION RATING:	3

(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	(30) TRAFFIC SAFETT FEATURES.	000
(51) BRIDGE CURB TO CURB WIDTH:	22.3 FT	(113) SCOUR CONDITION RATING:	
(52) BRIDGE OUT TO OUT WIDTH:	26.6 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT	(75) TYPE OF WORK: <b>BRIDGE WIDENING (NO DECK R</b>	EPAIRS

NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 86 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$135,000.00 (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: \$14,000.00 (35) BRIDGE FLARE: **NO FLARE** \$203.000.00 (06) TOTAL DROJECT COST. 9

\$203,000.00	(96) TOTAL PROJECT COST:	ER RD: NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD
2019	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	ON ROADWAY: 22.0 FT	(47) MIN HORIZONTAL CLEARANCE ON RO
	INSPECTION DATES	T A HIGHWAY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HI
9/30/2019	(90) DATE OF LAST REGULAR INSPECTION:	NCE: NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	T A HIGHWAY OR RAILROAD	(55a) HORZ UNDERCLR: NOT A HI
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	T: NOT APPLICABLE	(55b) MIN HORZ UNDERCLR ON RIGHT:
N	(92b) LINDERWATER INSP FREQUENCY (MONTHS):	NOT APPLICABLE	(56) MIN HORZ LINDERCLR ON LEFT:

 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A - NAVIGATION DATA -(38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE:



Ν

N/A

COUNTY: HENRY

LOG MILE: 2.28

BRIDGE ID NUMBER: 40\$81560007

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: MANSFIELD RD. CROSSING: PANTHER CREEK LOCATION: 3 MILES EAST OF SR 77

ROUTE: SR114 SPECIAL CASE: 0 COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 94.5

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.17525 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.26258 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: N
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: NOT APPLICABLE	(60) SUBSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 6
B) TYPE MEMBRANE: NOT APPLICABLE C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE —	(31) DESIGN LOADING: H-15-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1960 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: N
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 39.0 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/30/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

— (93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA =

NO NAVIGATION CONTROL

N/A

N/A

N/A



COUNTY: HENRY

ROUTE: SR119

LOG MILE: 4.50

SPECIAL CASE: 0

BRIDGE ID NUMBER: 40SR1190001 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

**ROAD NAME: STATE HWY. 119** CROSSING: CYPRESS CREEK

LOCATION: .2 MI.S.OF KENTUCKY LINE

#### CLASSIFICATION =

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 79.1

- IDENTIFICATION (16a,b) LATITUDE: 36.49647 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.10417 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

> HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

> > CONDITION RATINGS =

**NOT BEEN DETERMINED** 

Ν

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: NOT APPLICABLE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION:

#### AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 1943 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

### GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 69.9 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.7 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

## NAVIGATION DATA

**NOT A HIGHWAY OR RAILROAD** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

(58) DECK:

(59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE):

#### **DESIGN LOAD AND WEIGHT POSTING**

(31) DESIGN LOADING: H-15-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN** 

#### APPRAISAL

(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/1/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



COUNTY: HENRY

ROUTE: SR140

LOG MILE: 2.01

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 85.7

BRIDGE ID NUMBER: 40\$80920001

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 140 S. CROSSING: COLD BRANCH

LOCATION: 2.3 MILES N.OF MCKENZIE

#### CLASSIFICATION -

IDENTIFICATION	· ——		
(16a,b) LATITUDE:	36.18028 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	
(17a,b) LONGITUDE: W	88.50586 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A N
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS:	RURAL MAJOR C
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE:	NO PARALL
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	(102) TRAFFIC DIR:	2-WA
BRIDGE TYPE AND MAT	TERIAI ———	(103) TEMPORARY BRIDGE:	NOT A
DIVIDUE I II E AND MA	LINAL	(110) NATIONAL TRUCK POLITE:	NOT ON TRUCK

NONE

NOT APPLICABLE

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT A HIGHWAY OR RAILROAD** 

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:

C) TYPE PROTECTION:

	` ,
SPANS: 0	(46) NUMBER OF APPROACH
CONCRETE CAST-IN-PLACE	(107) TYPE OF DECK:
FACE AND DECK PROTECTION:	(108) TYPE OF WEARING SU
ASPHALT	A) TYPE OF SURFACE:
NONE	B) TYPE MEMBRANE:

#### AGE AND SERVICE —

1987	YEAR THE BRIDGE WAS BUILT:	(27)
N/A	) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY	) SERVICE ON BRIDGE:	(42a)
WATERWAY	) UNDER BRIDGE:	(42b)
2	) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0	) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

### - GEOMETRIC DATA -

18.0 FT	(48) MAXIMUM SPAN LENGTH:
60.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
24.3 FT	(51) BRIDGE CURB TO CURB WIDTH:
27.9 FT	(52) BRIDGE OUT TO OUT WIDTH:
30.8 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
15 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: <b>24.3 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW

## NAVIGATION DATA =

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	ANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	: <b>N/A</b>
(40) NAVIGATION HORZ CLEARANCE	≣: <b>N/A</b>

**PUBLICATION DATE** 19-Mar-20

-		
YES	(112) MEETS NBIS BRIDGE LENGTH:	
NOT A NHS ROUTE	(104) NATIONAL HIGHWAY SYSTEM:	
RURAL MAJOR COLLECTOR	(26) FUNCTIONAL CLASS:	
NO PARALLEL BRIDGE	(101) PARALLEL BRIDGE:	
2-WAY TRAFFIC	(102) TRAFFIC DIR:	
NOT APPLICABLE	(103) TEMPORARY BRIDGE:	
NOT ON TRUCK NETWORK	(110) NATIONAL TRUCK ROUTE:	
RICAL SIGNIFICANCE HAS	(37) HISTORICAL CLASS: HISTOR	
NOT BEEN DETERMINED		
— CONDITION RATINGS		

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

#### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: <b>OPEN</b>	
APPRAISAL -	

	,
6	(67) STRUCTURAL EVALUATION:
4	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
8	(71) WATERWAY ADEQUACY:
8	(72) APPROACH ROADWAY ALIGNMENT:
0000	(36) TRAFFIC SAFETY FEATURES:
8	(113) SCOUR CONDITION RATING:

#### RECOMMENDED IMPROVEMENTS

(76) LENGTH OF BRIDGE IMPROVEMENT:

- (94) BRIDGE IMPROVEMENT COST:
- (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/24/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



COUNTY: HENRY

ROUTE: SR140

LOG MILE: 2.06

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 40\$80920003

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 140 S. CROSSING: OVERFLOW

LOCATION: 25 MINORTH OF MCKENZIE	SUFFICIENCY RATING: 86.9
LOCATION: 2.5 MI.NORTH OF MCKENZIE	
IDENTIFICATION	CLASSIFICATION ————
(16a,b) LATITUDE: N 36.18108 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.50619 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1987	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
(48) MAXIMUM SPAN LENGTH: 15.1 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 49.9 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1100
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 27.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 30.8 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/24/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
/	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE  NAVIGATION DATA	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

N/A

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 40\$80920005 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR140 FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: STATE HWY. 140 S. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 2.15 SLIFFICIENCY RATING: 08 0 LOCATION: 2.2 MI NORTH OF MCKENZIE

LOCATION: 2.2 MI.NORTH OF MCKENZIE	SUFFICIENCY RATING: 98.0
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER:  BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: (110) NATIONAL TRUCK ROUTE:  RURAL MAJOR COLLECTOR NO PARALLEL BRIDGE 2-WAY TRAFFIC NOT APPLICABLE
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(47)	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:  (46) NUMBER OF APPROACH SPANS:  (107) TYPE OF DECK:  CONCRETE CAST-IN-PLACE  (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:  A) TYPE OF SURFACE:  MONOLITHIC CONCRETE  B) TYPE MEMBRANE:  NONE	(58) DECK:       7         (59) SUPERSTRUCTURE:       7         (60) SUBSTRUCTURE:       7         (61) STREAM CHANNEL AND CHANNEL PROTECTION:       6         (62) CULVERT CONDITION (IF APPLICABLE):       N
C) TYPE PROTECTION: EPOXY COATED REINFORCING	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE  (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	WEIGHT POSTING (2 AXLE VEHICLES):  WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(C7) STRUCTURAL EVALUATION:
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 75.1 FT (49) TOTAL BRIDGE LENGTH: 75.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0111
(51) BRIDGE CURB TO CURB WIDTH: 27.9 FT	(113) SCOUR CONDITION RATING:
(52) BRIDGE OUT TO OUT WIDTH: 30.5 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  25.9 FT  NO MEDIAN  NO MEDIAN  NO FLARE  NO FLARE  27.9 FT	<ul> <li>(76) LENGTH OF BRIDGE IMPROVEMENT: N/A</li> <li>(94) BRIDGE IMPROVEMENT COST:</li> <li>(95) ROADWAY IMPROVEMENT COST:</li> <li>(96) TOTAL PROJECT COST:</li> <li>(97) YEAR OF IMPROVEMENT COST ESTIMATE:</li> </ul>
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE  NAVIGATION DATA  (38) NAV CONTROL: NO NAVIGATION CONTROL	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(39) NAVIGATION VERTICAL CLEARANCE: N/A	<u>· · · · · · · · · · · · · · · · · · · </u>
	PRODUCED PURSUANT TO

N/A

N/A

**PUBLICATION DATE** 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 40S80920009

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 140 S.

CROSSING: TUMBLING CREEK

LOCATION: 4.2 MILES SOUTH OF COMO

CLASSIFICATION

IDENTIFICATION	- CLASSIFICATION
(16a,b) LATITUDE: N 36.22997 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.50836 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	(FO) DECK:
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1987	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXI ES) ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAI
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
(48) MAXIMUM SPAN LENGTH: 12.1 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 41.0 FT	(71) WATERWAY ADEQUACY:
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 28.2 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT	
(33) BRIDGE MEDIAN: NO MEDIAN	
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(0=) DDID 0= =1 AD=	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
	(95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/24/2019
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 40\$80920011 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR140 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: STATE HWY. 140 S. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 8.61

LOCATION: 8 MI.S.OF COTTAGE GROVE	SUFFICIENCY RATING: 79.9
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE:N36.26875DEGREES(17a,b) LONGITUDE:W88.51019DEGREES(98a) BORDER BRIDGE STATE CODE:N/A	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS:  YES NOT A NHS ROUTE RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE:N/A(99) BORDER BRIDGE NUMBER:NOT APPLICABLE	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (102) TRAFFIC DIR: 2-WAY TRAFFIC
HATERIAL PRESTRESSED CONCRETE  (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(103) TEMPORARY BRIDGE: NOT APPLICABLE  (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK  (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(58) DECK: (59) SUPERSTRUCTURE: (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: (62) CULVERT CONDITION (IF APPLICABLE): N
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE  (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(48) MAXIMUM SPAN LENGTH:37.1 FT(49) TOTAL BRIDGE LENGTH:148.0 FT(50a) LEFT SIDEWALK WIDTH:0.0 FT(50b) RIGHT SIDEWALK WIDTH:0.0 FT(51) BRIDGE CURB TO CURB WIDTH:24 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  8
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  (540) VERTINDER OLD:  NO RAN BOAD	RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: OTHER STRUCTURAL WORK  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION:9/25/2019(91) REGULAR INSPECTION FREQUENCY (MONTHS):24(93b) DATE OF LAST UNDERWATER INSP (MO/YR):N/A(92b) UNDERWATER INSP FREQUENCY (MONTHS):N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 40\$80920013

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: **STATE HWY. 140 S.**CROSSING: **OVERFLOW** 

LOCATION: 7.5 MI.S.OF COTTAGE GROVE

COUNTY: HENRY
ROUTE: SR140

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 8.72 SUFFICIENCY RATING: 85.7

#### IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27067 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.50961 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/25/2019 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 40S80920015

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 140 S.

CROSSING: MIDDLE FORK OBION RIVER
LOCATION: 1.3 MILE SOUTH OF COMO

IDENTIFICATION

COUNTY: HENRY
ROUTE: SR140

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 8.77

SUFFICIENCY RATING: 79.9

IDENTIFICATION —	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.27114 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 88.50953 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS	
	NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6	
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 7	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6	
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):	
C) TYPE PROTECTION: <b>EPOXY COATED REINFORCING</b>	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44	
(27) YEAR THE BRIDGE WAS BUILT: 1987	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6	
GEOMETRIC DATA	(68) DECK GEOMETRY: 4	
(48) MAXIMUM SPAN LENGTH: 36.1 FT	(69) UNDERCLEARANCE RATING:	
(49) TOTAL BRIDGE LENGTH: 111.9 FT	(71) WATERWAY ADEQUACY: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000	
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 8	
(52) BRIDGE OUT TO OUT WIDTH: 26.2 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT	(75) TYPE OF WORK: OTHER STRUCTURAL WORK	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/25/2019	
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	
(20) NAV CONTROL	(02a) SDECIAL INSD. EDECHENCY (MONTHS).	

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

6

8

7

6

N

7

5

Ν

8

8

8

N/A

9/26/2019

24

N/A

N/A

Ν

Ν

1111

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 40002980001 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 140 W.

CROSSING: NORTH FORK OBION RIVER LOCATION: 7.1 MI.WEST OF PURYEAR

COUNTY: HENRY ROUTE: SR140 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 20.48

SUFFICIENCY RATING: 96.6

#### - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.44633 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.46694 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 7 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2001 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 79.4 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 552.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.2 FT RECOMMENDED IMPROVEMENTS 30.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 30.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 40\$81720003 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR140 SPECIAL CASE: 0

FIPS CODE: 00000

ROAD NAME: STATE HWY. 140 W. CROSSING: MILL CREEK

LOCATION: 5 M W OF SR54

## CLASSIFICATION =

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 99.4

LOG MILE: 23.03

IDENTIFICATI	ION		CLASSIFICATION —	
(16a,b) LATITUDE:	N	36.44253 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	
(17a,b) LONGITUDE:	W	88.42306 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	N
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MA
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PA
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	

#### BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

5	(45) NUMBER OF MAIN SPANS:
NS: <b>0</b>	(46) NUMBER OF APPROACH SPA
CONCRETE CAST-IN-PLACE	(107) TYPE OF DECK:
E AND DECK PROTECTION:	(108) TYPE OF WEARING SURFACE
MONOLITHIC CONCRETE	A) TYPE OF SURFACE:
NONE	B) TYPE MEMBRANE:
<b>EPOXY COATED REINFORCING</b>	C) TYPE PROTECTION:

# AGE AND SERVICE

1957	YEAR THE BRIDGE WAS BUILT:	(27)
2016	6) YEAR THE BRIDGE WAS REHABILITATED:	(106
HIGHWAY	a) SERVICE ON BRIDGE:	(42a
WATERWAY	o) UNDER BRIDGE:	(42b
2	a) NUMBER OF LANES CARRIED BY BRIDGE:	(28a
0	o) NUMBER OF LANES UNDER THE BRIDGE:	(28b

#### - GEOMETRIC DATA -

28.5 FT	(48) MAXIMUM SPAN LENGTH:
142.5 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
30.8 FT	(51) BRIDGE CURB TO CURB WIDTH:
33.1 FT	(52) BRIDGE OUT TO OUT WIDTH:
20.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: <b>30.8 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADW

(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLE	ARANCE: <b>NOT APPLICABLE</b>
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

#### NAVIGATION DATA =

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	: <b>N/A</b>
(40)	NAVIGATION HORZ CLEARANCE	: N/A

**PUBLICATION DATE** 19-Mar-20

YES NOT A NHS ROUTE AJOR COLLECTOR ARALLEL BRIDGE 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** 

#### CONDITION RATINGS =

(58) DECK:	6
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CUI VERT CONDITION (IF APPLICABLE):	N

#### DESIGN LOAD AND WEIGHT POSTING

H-15-44		(31) DESIGN LOADING:
ALL LEGAL LOADS	EHICLES):	WEIGHT POSTING (2 AXLE V
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO
5	:	(70) BRIDGE POSTING CODE
	OPEN	(41) WT POSTING STATUS:

#### APPRAISAL

711117110712	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	8

#### RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	GE IMPROVEMENT:	N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

9/26/2019	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):



N/A

BRIDGE ID NUMBER: 40\$81720005

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 140 W. CROSSING: CLEAR CREEK

LOCATION: 1.7 M W OF SR54

COUNTY: HENRY

ROUTE: SR140 SPECIAL CASE: 0

LOG MILE: 26.54

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 93.6

#### - IDENTIFICATION CLASSIFICATION =

(16a,b) LATITUDE:	N	36.44406 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	88.36242 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

**NOT BEEN DETERMINED** 

## BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK	PROTECTION:
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

#### AGE AND SERVICE

1960	YEAR THE BRIDGE WAS BUILT:	(27)
N/A	YEAR THE BRIDGE WAS REHABILITATED:	(106
HIGHWAY	) SERVICE ON BRIDGE:	(42
WATERWAY	) UNDER BRIDGE:	(42k
2	NUMBER OF LANES CARRIED BY BRIDGE:	(28a
0	NUMBER OF LANES UNDER THE BRIDGE:	(28k

#### - GEOMETRIC DATA -

9.8 FI	(46) MAXIMUM SPAN LENGTH.
36.1 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
H: <b>22.0 FT</b>	(32) APPROACH ROADWAY (W/ SHLDS) WIDT
NO MEDIAN	(33) BRIDGE MEDIAN:
15 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
WAY: <b>22.0 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROAD
IWAY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIG

## NAVIGATION DATA

**NOT A HIGHWAY OR RAILROAD** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	: <b>N/A</b>
(40)	NAVIGATION HORZ CLEARANCE	: N/A

ACE:	NOT APPLICABLE
NE:	NOT APPLICABLE
TION:	NOT APPLICABLE

9.8 FT	(48) MAXIMUM SPAN LENGTH:
36.1 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
<b>UNDER FILL</b>	(51) BRIDGE CURB TO CURB WIDTH:
<b>UNDER FILL</b>	(52) BRIDGE OUT TO OUT WIDTH:
22.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
15 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
IO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
Y: <b>22.0 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADW
Y OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHV
OT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:

(38)	NAV CONTROL:	NO NAVIGATION CONTROL	-
(39)	NAVIGATION VERTICAL	CLEARANCE: N/A	١

# **PUBLICATION DATE** 19-Mar-20

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

#### CONDITION RATINGS =

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

#### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	П-13-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	
APPRAISAL	

	7.1.1.7.1.6.7.12
6	(67) STRUCTURAL EVALUATION:
N	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
7	(71) WATERWAY ADEQUACY:
8	(72) APPROACH ROADWAY ALIGNMENT:
0000	(36) TRAFFIC SAFETY FEATURES:
8	(113) SCOUR CONDITION RATING:

### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRID	CE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

### INSPECTION DATES

9/24/2019	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 40SR1400001 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR140 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: STATE HWY. 140 E. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 29.44 LOCATION: 1.2 MILE EAST OF PURYEAR SUFFICIENCY RATING: 49.7 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.44150 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.31108 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **NOT APPLICABLE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: — AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1948 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **WATERWAY** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA -(48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 23.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT 0.0 FT (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 22 FT (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL** (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

**NOT A NHS ROUTE RURAL MAJOR COLLECTOR** 

**NO PARALLEL BRIDGE** 2-WAY TRAFFIC

**NOT APPLICABLE** NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS

**NOT BEEN DETERMINED** 

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	5

H-15-44 **ALL LEGAL LOADS ALL LEGAL LOADS** 

(41) WT POSTING STATUS: <b>OPEN</b>		
APPRAISAL —		
(67) STRUCTURAL EVALUATION:	5	
(68) DECK GEOMETRY:	3	
(69) UNDERCLEARANCE RATING:	N	
(71) WATERWAY ADEQUACY:	8	
(72) APPROACH ROADWAY ALIGNMENT:	8	
(36) TRAFFIC SAFETY FEATURES:	0000	
(113) SCOUR CONDITION RATING:	8	

### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)** 

(76) LENGTH OF BRIDGE IMPROVEMENT: 23 FT (94) BRIDGE IMPROVEMENT COST: \$74.000.00 (95)ROADWAY IMPROVEMENT COST: \$8,000.00 TOTAL PROJECT COST: \$112,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/24/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



YES

Ν

Ν

Ν

7

8

COUNTY: HENRY

ROUTE: SR140

BRIDGE ID NUMBER: 40SR1400003

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: STATE HWY. 140 E.

CROSSING: BRANCH

LOCATION: 7 MILES EAST OF PURYEAR

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 35.32 SUFFICIENCY RATING: 86.6

#### IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: 36.43422 DEGREES Ν 88.21494 DEGREES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** CONDITION RATINGS = 3 (58) DECK: 0 (59) SUPERSTRUCTURE: NOT APPLICABLE (60) SUBSTRUCTURE:

### **DESIGN LOAD AND WEIGHT POSTING** (31) DESIGN LOADING:

HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(61) STREAM CHANNEL AND CHANNEL PROTECTION:

(62) CULVERT CONDITION (IF APPLICABLE):

(41) WT POSTING STATUS: **OPEN** 

# APPRAISAL

(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0001

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(113) SCOUR CONDITION RATING:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/1/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

#### (16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: AGE AND SERVICE -(27) YEAR THE BRIDGE WAS BUILT: 1986 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 47.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: 33.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A



COUNTY: HENRY

BRIDGE ID NUMBER: 40S81600003

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: BUCHANAN RD. CROSSING: EAGLE CREEK LOCATION: 2.1 M W OF SR76

ROUTE: SR140 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 38.10

SUFFICIENCY RATING: 96.7

IDENTIFICATION ————		
(16a,b) LATITUDE: N 36.42894 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 88.16692 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS	
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 2	——— CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N	
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N	
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6	
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 6	
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44	
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1960	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6	
GEOMETRIC DATA	(68) DECK GEOMETRY: N	
	(69) UNDERCLEARANCE RATING: N	
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(74) MATERIALAY AREQUARY	
(40) TOTAL PRIDCE LENCTH:	(71) WATERWAY ADEQUACY: 8	
(49) TOTAL BRIDGE LENGTH: 23.0 FT	(71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT		
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000	
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	(72) APPROACH ROADWAY ALIGNMENT:8(36) TRAFFIC SAFETY FEATURES:0000(113) SCOUR CONDITION RATING:8	
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS	
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE	
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  N/A	
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:	
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:	
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:	
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT	(72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES	
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/1/2019	
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N	

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: HENRY

ROUTE: SR140

LOG MILE: 39.21

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 40\$81600001

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: BUCHANAN RD.

CROSSING: NORTH FORK EAGLE CREEK

LOCATION: 1.1 M W OF SR76	SUFFICIENCY RATING: 92.2	
IDENTIFICATION	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.43058 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 88.14761 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 3	——— CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N	
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6	
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———	
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44	
(27) YEAR THE BRIDGE WAS BUILT: 1960	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS BOILT.  (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6	
GEOMETRIC DATA	(68) DECK GEOMETRY: 5	
	(69) UNDERCLEARANCE RATING: N	
(48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 34.1 FT	(71) WATERWAY ADEQUACY: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 7	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0001	
(51) BRIDGE CURB TO CURB WIDTH: 26.2 FT	(113) SCOUR CONDITION RATING: 8	
(52) BRIDGE OUT TO OUT WIDTH: 26.2 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: NOT APPLICABLE	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/1/2019	
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	

**PUBLICATION DATE** 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A

Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 40SR2180021 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR218 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-218 COUNTY SEQUENCE: 1 CROSSING: KWT RAILROAD LOG MILE: 0.90

LOCATION: NOF PARIS SUFFICIENCY RATING: 00 5

LOCATION: N OF PARIS	SUFFICIENCY RATING: 99.5
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.35225 DEGREES (17a,b) LONGITUDE: W 88.34910 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: NOT APPLICABLE  BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: (104) NATIONAL TRUCK ROUTE: (105) NATIONAL TRUCK ROUTE: (106) NOT APPLICABLE (107) NATIONAL TRUCK ROUTE: (107) NATIONAL TRUCK ROUTE: (108) NOT ON TRUCK NETWORK (109) NATIONAL CLASS: (110) NATIONAL CLASS: (110) NATIONAL TRUCK ROUTE: (110) NATI
(44a) ALTIKOLAK MALEKIAL. NOT ALTEGABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:  (46) NUMBER OF APPROACH SPANS:  (107) TYPE OF DECK:  CONCRETE CAST-IN-PLACE  (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:  A) TYPE OF SURFACE:  MONOLITHIC CONCRETE  B) TYPE MEMBRANE:  NONE  C) TYPE PROTECTION:  EPOXY COATED REINFORCING	(58) DECK: (59) SUPERSTRUCTURE: (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: N (62) CULVERT CONDITION (IF APPLICABLE): N
AGE AND SERVICE	(31) DESIGN LOADING: <b>HS-20-44</b>
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: RAILROAD	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (70) BRIDGE POSTING CODE: 5 (41) WT POSTING STATUS: OPEN APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(C7) CTDUCTUDAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY:
(48) MAXIMUM SPAN LENGTH:       57.0 FT         (49) TOTAL BRIDGE LENGTH:       144.5 FT         (50a) LEFT SIDEWALK WIDTH:       0.0 FT         (50b) RIGHT SIDEWALK WIDTH:       0.0 FT         (51) BRIDGE CURB TO CURB WIDTH:       38.7 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  N
(52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  (33) BRIDGE MEDIAN:  (34) BRIDGE SKEW:  (35) BRIDGE FLARE:  (520) MIN VERTICAL CLEARANCE OVER RD:  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  38.7 FT	(75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT: N/A  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE	
(54b) MIN VERTICAL UNDERCLEARANCE: 25 FT (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE (55b) MIN HORZ UNDERCLR ON RIGHT: 24.93 FT (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE  NAVIGATION DATA  (38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A	(90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N  (93c) DATE OF SPECIAL INSPECTION (MO/YR): (92c) SPECIAL INSP FREQUENCY (MONTHS): N
(00) INTOINTION VERTIONS OFFICIALITY	PRODUCED PURSUANT TO

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

5

7

Ν

Ν

8

8

8

N/A

9/26/2019

24

N/A

N/A

Ν

Ν

1111

BRIDGE ID NUMBER: 40SR2180019 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR218 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-218 COUNTY SEQUENCE: 1 CROSSING: BIRDS CREEK LOG MILE: 1.55 SUFFICIENCY RATING: 99.5 LOCATION: N OF PARIS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34710 DEGREES 88.35858 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** 2016 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 50.6 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 40SR2180015 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR218
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: SR-218 COUNTY SEQUENCE: 1
CROSSING: KWT RR & BRANCH LOG MILE: 7.02
LOCATION: W OF PARIS SUFFICIENCY RATING: 90.2

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.28194 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.36161 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 5	
(46) NUMBER OF APPROACH SPANS: 0	• •
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE	
C) TYPE PROTECTION: <b>EPOXY COATED REINFORCING</b>	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE —	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 2000	WEIGHT POSTING (2 AXLE VEHICLES):  ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5 (41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: RAILROAD-WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
` '	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:6(68) DECK GEOMETRY:5(69) UNDERCLEARANCE RATING:9
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	<ul> <li>(67) STRUCTURAL EVALUATION:</li> <li>(68) DECK GEOMETRY:</li> <li>(69) UNDERCLEARANCE RATING:</li> <li>(71) WATERWAY ADEQUACY:</li> <li>6</li> </ul>
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 83.0 FT	<ul> <li>(67) STRUCTURAL EVALUATION:</li> <li>(68) DECK GEOMETRY:</li> <li>(69) UNDERCLEARANCE RATING:</li> <li>(71) WATERWAY ADEQUACY:</li> <li>(72) APPROACH ROADWAY ALIGNMENT:</li> <li>8</li> </ul>
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 83.0 FT (49) TOTAL BRIDGE LENGTH: 412.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 83.0 FT  (49) TOTAL BRIDGE LENGTH: 412.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	<ul> <li>(67) STRUCTURAL EVALUATION:</li> <li>(68) DECK GEOMETRY:</li> <li>(59) UNDERCLEARANCE RATING:</li> <li>(71) WATERWAY ADEQUACY:</li> <li>(72) APPROACH ROADWAY ALIGNMENT:</li> <li>(36) TRAFFIC SAFETY FEATURES:</li> <li>(113) SCOUR CONDITION RATING:</li> <li>8</li> </ul>
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 83.0 FT  (49) TOTAL BRIDGE LENGTH: 412.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 83.0 FT  (49) TOTAL BRIDGE LENGTH: 412.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 39.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  OBASSO OF  43.0 FT  44.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  41.3 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 10 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (836) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR:  (83.0 FT (412.1 FT (9.0 N.0 FT (9.0 N.0 FT (9.0 N.0 RESTRICTION (9.1 MIN HORIZONTAL CLEARANCE ON ROADWAY: (9.1 MIN HORIZONTAL CLEARANCE ON ROADWAY: (9.2 MIN VERT UNDERCLR: (9.3 N.0 RESTRICTION (9.4 MIN HORIZONTAL CLEARANCE ON ROADWAY: (9	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 83.0 FT  (49) TOTAL BRIDGE LENGTH: 412.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 39.4 FT  (52) BRIDGE CURB TO CURB WIDTH: 41.3 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 10 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.4 FT  (54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE  (54b) MIN VERTICAL UNDERCLEARANCE: 23.62 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 9/26/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 83.0 FT  (49) TOTAL BRIDGE LENGTH: 412.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 39.4 FT  (51) BRIDGE CURB TO CURB WIDTH: 41.3 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 10 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.4 FT  (54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE  (55b) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 83.0 FT  (49) TOTAL BRIDGE LENGTH: 412.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 39.4 FT  (52) BRIDGE OUT TO OUT WIDTH: 41.3 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 10 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.4 FT  (54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE  (55b) MIN VERTICAL UNDERCLEARANCE: 23.62 FT  (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE ON ROADWAY: (541) VERT UNDERCLR: (542) MIN VERTICAL UNDERCLEARANCE: (544) VERT UNDERCLR: (554) MIN VERTICAL UNDERCLEARANCE: (5556) MIN HORZ UNDERCLR ON RIGHT: (556) MIN HORZ UNDERCLR ON LEFT: (566) MIN HORZ UNDERCLR ON LEFT: (5750) MIN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (836) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 83.0 FT  (49) TOTAL BRIDGE LENGTH: 412.1 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 39.4 FT  (52) BRIDGE OUT TO OUT WIDTH: 41.3 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 10 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.4 FT  (54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE  (55b) MIN VERTICAL UNDERCLEARANCE: 23.62 FT  (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

PRODUCED PURSUANT TO

PUBLIC RECORDS REQUEST

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 40SR2180017 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR218 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: SR-218 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 9.82 LOCATION: E OF PARIS SUFFICIENCY RATING: 92.8

200/Mon. 201 Paris	CONTROLLING FORTHER SELO
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.26664 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.31803 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
` '	(58) DECK: N
(10)	(59) SUPERSTRUCTURE:
(107) TYPE OF DECK: NOT APPLICABLE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE:  NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1998	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL ———
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	7 7.1
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	7 to 7 to 100 to
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 24.9 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 20 21 22 24.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0001
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0001 (113) SCOUR CONDITION RATING: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  24.9 FT 0.0 FT UNDER FILL UNDER FILL UNDER FILL UNDER FILL UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 30 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0001 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0001 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 30 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0001 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (54b) MIN VERTICAL UNDERCLEARANCE: (54d) VERT UNDERCLR: (54d) VERT UNDERCLR: (54d) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 9/26/2019
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (36) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (55a) HORZ UNDERCLE: (55a) HORZ UNDERCLE: (55a) HORZ UNDERCLE: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 9/26/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLE (554) WIN VERTICAL UNDERCLEARANCE: (555a) HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR: (556) MIN HORZ UNDERCLR ON RIGHT: (500) NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

# NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 40SR2180005 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR218 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: SR-218 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 11.78 LOCATION: S. OF PARIS SUFFICIENCY RATING: 92.5 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27317 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.28506 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** (45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **NOT APPLICABLE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: NOT ADDITION DE (31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES):

7.7 2	NOT ALL LIGABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE
AGE AND SERVICE	
(27) YEAR THE BRIDGE WAS BUILT:	1989
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A

(42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 7.9 FT (49) TOTAL BRIDGE LENGTH: 26.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT **NO MEDIAN** (33) BRIDGE MEDIAN:

(34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.3 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

**PUBLICATION DATE** 19-Mar-20

(40) NAVIGATION HORZ CLEARANCE:

# YES **NOT A NHS ROUTE URBAN MINOR ARTERIAL NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

#### **DESIGN LOAD AND WEIGHT POSTING**

HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN

APPRAISAL	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0001
(113) SCOUR CONDITION RATING:	8

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

TOTAL PROJECT COST:

N/A

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/1/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



COUNTY: HENRY

BRIDGE ID NUMBER: 40SR2180007

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: SR-218 CROSSING: BRANCH LOCATION: S. OF PARIS

ROUTE: SR218 SPECIAL CASE: 0 COUNTY SEQUENCE: 1 LOG MILE: 11.83

SUFFICIENCY RATING: 92.5

#### IDENTIFICATION

(16a,b) LATITUDE: Ν 36.27342 DEGREES (17a,b) LONGITUDE: 88.28422 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** 

## BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **NOT APPLICABLE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **NOT APPLICABLE** B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION:

#### AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 1989 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

### GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 7.9 FT (49) TOTAL BRIDGE LENGTH: 30.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** 

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

#### NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 19-Mar-20

### CLASSIFICATION =

(112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** 

#### CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

#### **DESIGN LOAD AND WEIGHT POSTING**

(31) DESIGN LOADING: HS-20-44 WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** 

———— APPRAISAL	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0001
(113) SCOUR CONDITION RATING:	8

### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/1/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A



PRODUCED PURSUANT TO

BRIDGE ID NUMBER: 40SR2180009 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR218 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-218 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 12.13 LOCATION: S.E. OF PARIS SUFFICIENCY RATING: 92.5

IDENTIFICATION	CLASSIFICATION —
(16a,b) LATITUDE: N 36.27458 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.27906 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN MINOR ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1989	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(1-4) -11-11-11-11	ADDDAIGAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  12.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 25.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  12.1 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0001
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 25.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 25.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0001 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  0.0 FT  (51) BRIDGE CURB TO CURB WIDTH:  UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH:  UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  41.3 FT	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:  (36) TRAFFIC SAFETY FEATURES:  (36) TRAFFIC SAFETY FEATURES:  (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE  (76) LENGTH OF BRIDGE IMPROVEMENT:  (94) BRIDGE IMPROVEMENT COST:  (95) ROADWAY IMPROVEMENT COST:  (96) TOTAL PROJECT COST:  (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.3 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (540) NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE:  NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 10/1/2019
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55b) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: (12.1 FT (25.9 FT (30.0 FT (30.0 FT (31.1 FT (32.1 FT (32.1 FT (33.1 FT (33.	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (12.1 FT (25.9 FT (30.0 FT (31.1 FT (32.1 FT (33.1 FT (34.2 FT (34.3 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (540) WIN VERTICAL UNDERCLEARANCE: (550) MIN HORZ UNDERCLR ON RIGHT: (550) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (570) MIN HORZ UNDERCLR ON LEFT: (570) MIN HORZ UNDERCLR ON LEFT: (571) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (12.1 FT (25.9 FT (30.0 FT (31.1 FT (32.1 FT (33.1 FT (34.2 FT (34.3 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  N/A

PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A

N/A

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

6

Ν

N

6

8

8

N/A

10/1/2019

24

N/A

Ν

0001

HS-20-44

**ALL LEGAL LOADS** 

**ALL LEGAL LOADS** 

**NOT A NHS ROUTE** 

2-WAY TRAFFIC

**NOT APPLICABLE** 

BRIDGE ID NUMBER: 40SR2180011 COUNTY: HENRY BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR218 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-218 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 12.19 SUFFICIENCY RATING: 92.5 LOCATION: E OF PARIS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27481 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.27797 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1989 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 7.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 30.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** 

**NO RESTRICTION** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT A HIGHWAY OR RAILROAD** 

**NOT A HIGHWAY OR RAILROAD** 

NO NAVIGATION CONTROL

44.0 FT

N/A

N/A

N/A

(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not

waive the provisions of §409

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

INSPECTION DATES

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA



BRIDGE ID NUMBER: 40SR2180013

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: SR-218

CROSSING: BRANCH E OF PARIS

LOCATION: E OF PARIS

IDENTIFICATION

COUNTY: HENRY

ROUTE: SR218

COUNTY: SR218

COUNTY: HENRY

ROUTE: SR218

COUNTY: SR218

COUNTY: SR218

COUNTY: HENRY

ROUTE: SR218

FIPS CODE: 00000

SPECIAL CASE: 0

COUNTY: SEQUENCE: 1

LOG MILE: 12.32

SUFFICIENCY RATING: 92.5

LOCATION. E OF PARIS	SOFFICIENCT RATING: 92.3	
IDENTIFICATION ————		
(16a,b) LATITUDE: N 36.27519 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 88.27581 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN MINOR ARTERIAL	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	ADDE SDAN MATERIAL: NOT ARRICARLE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS	
	NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>N</b>	
(107) TYPE OF DECK: <b>NOT APPLICABLE</b>	(59) SUPERSTRUCTURE: N	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N	
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7	
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 7	
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44	
(27) YEAR THE BRIDGE WAS BUILT: 1989	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————	
(28b) NUMBER OF LANES UNDER THE BRIDGE:  (67) STRUCTURAL EVALUATION:		
GEOMETRIC DATA (68) DECK GEOMETRY:		
(48) MAXIMUM SPAN LENGTH: 7.9 FT	(69) UNDERCLEARANCE RATING: N	
(49) TOTAL BRIDGE LENGTH: 30.8 FT	(71) WATERWAY ADEQUACY: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0001	
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(113) SCOUR CONDITION RATING: 8	
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT	(75) TYPE OF WORK: <b>NOT APPLICABLE</b>	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES —	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/1/2019	
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 40SR2180001 COUNTY: HENRY
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR218
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: SR-218 COUNTY SEQUENCE: 1

CROSSING: BAILEY FORK CR. LOG MILE: 14.39 LOCATION: 3 MI E OF PARIS SUFFICIENCY RATING: 62.3

LOCATION: 3 MI E OF PARIS SUFFICIENCY RATING: 62.3	
IDENTIFICATION	- CLASSIFICATION
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER:  NA 36.29994 DEGREES W 88.26233 DEGREES N/A	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE:  NO PARALLEL BRIDGE
	_ (103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) MAIN SPAN MATERIAL: <b>PRESTRESSED CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	(FO) DECK.
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(50) SUBERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CHI VERT CONDITION (IE ARRI LOARI E):
C) TYPE PROTECTION: NONE	—— DECIGN LOAD AND WEIGHT DOCTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1988	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT.  (106) YEAR THE BRIDGE WAS REHABILITATED:	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 7
(48) MAXIMUM SPAN LENGTH: 68.9 F7	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 482.9 F7	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 F7	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFFTY FFATURES: 1001
(51) BRIDGE CURB TO CURB WIDTH: 44 F7	(113) SCOUR CONDITION RATING: 5
(52) BRIDGE OUT TO OUT WIDTH: 46.3 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT	(75) TYPE OF WORK. NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF PRIDGE IMPROVEMENT.
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT	- (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAL	INSPECTION DATES ————
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/30/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	. (92c) SPECIAL INSP FREQUENCY (MONTHS): N

(40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE

19-Mar-20

This document of the second second

N/A

N/A

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



24

N/A

COUNTY: HENRY

ROUTE: SR218

LOG MILE: 14.54

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

DESIGN LOAD AND WEIGHT POSTING

BRIDGE ID NUMBER: 40SR2180003 BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: SR-218 CROSSING: OVERFLOW

LOCATION: 3 MI E OF PARIS	LOCATION: 3 MI E OF PARIS SUFFICIENCY RATING: 80.4		TING: <b>80.4</b>
IDENTIFICATION	IDENTIFICATION — CLASSIFICATION — CLASSIFICATION		TION ———
(16a,b) LATITUDE: N	36.30183 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE: W	88.26267 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL (103) TEMPORARY BRIDGE: NOT APPL		NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: PRESTRESSE		(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICA		(37) HISTORICAL CLASS: HISTOR	ICAL SIGNIFICANCE HAS
(44a) AFFR SPAN MATERIAL. NOT AFFLICE	ADLE		EN DETERMINED
(45) NUMBER OF MAIN SPANS: 5 CONDITION RATINGS		ATINGS ————	
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	7
	RETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:	5
(108) TYPE OF WEARING SURFACE AND DE	CK PROTECTION:	(60) SUBSTRUCTURE:	7
` ,	NOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNE	EL PROTECTION: 7
B) TYPE MEMBRANE:	NONE	(62) CULVERT CONDITION (IF APPLIC	CABLE): N

C) TYPE PROTECTION:	NONE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE		(31) DESIGN LOADING:	HS-20-44
(27) YEAR THE BRIDGE WAS BUILT:	1988	WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN	5
(42b) UNDER BRIDGE:	WATERWAY		
(283) NITIMBED OF LANES CARRIED BY BRIDGE:	2		

(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	———— APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:	5
GEOMETRIC DATA		(68) DECK GEOMETRY:	7
(48) MAXIMUM SPAN LENGTH:	68.9 FT	(69) UNDERCLEARANCE RATING:	N

(71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 345.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 0.0 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 44 FT RECOMMENDED IMPROVEMENTS

(52) BRIDGE OUT TO OUT WIDTH: 45.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES

(95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE

(96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: 44.0 FT

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/30/2019 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO

PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public document records request does not

N/A

waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE: