

BRIDGE ID NUMBER: 90S23860007

BRIDGE OWNER: WASHINGTON COUNTY

FIPS CODE: 00000

ROAD NAME: TELFORD RD. CROSSING: BROWN BRANCH

LOCATION: N OF SR353 IN TELFORD

COUNTY: WASHINGTON

ROUTE: 01066

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 0.06

SUFFICIENCY RATING: 65.3

IDENTIFICATION CLASSIFICATION

2

(16a,b) LATITUDE:	N	36.25020 DEGREES	(112) MEETS
(17a,b) LONGITUDE:	W	82.54370 DEGREES	(104) NATIOI
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCT
(98b) PERCENT SHARE:		N/A	(101) PARAL
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFF

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: STEEL

(45) NUMBER OF MAIN SPANS:

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

	· /
APPROACH SPANS: 0	(46) NUMBER OF APP
CK: CONCRETE CAST-IN-PLACE	(107) TYPE OF DECK
ARING SURFACE AND DECK PROTECTION:	(108) TYPE OF WEAR
ACE: ASPHALT	A) TYPE OF SURFAC

B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE

AGE AND SERVICE (27) YEAR THE BRIDGE WAS BUILT: 1945 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A **HIGHWAY** (42a) SERVICE ON BRIDGE: **WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

	GEOMETRIC DATA
13.5 FT	(48) MAXIMUM SPAN LENGTH:
27.2 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
24.6 FT	(51) BRIDGE CURB TO CURB WIDTH:
26.2 FT	(52) BRIDGE OUT TO OUT WIDTH:
20.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.6 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

NAVIGATION DATA

NOT APPLICABLE

NO NAVIGATION CONTROL (38) NAV CONTROL: (39) NAVIGATION VERTICAL CLEARANCE: (116) LIFT BRIDGE VERT CLEARANCE:

N/A N/A (40) NAVIGATION HORZ CLEARANCE: N/A

t: YES	112) MEETS NBIS BRIDGE LENGTH:		
1: NOT A NHS ROUTE	104) NATIONAL HIGHWAY SYSTEM:		
RURAL MINOR COLLECTOR	26) FUNCTIONAL CLASS:		
NO PARALLEL BRIDGE	101) PARALLEL BRIDGE:		
2-WAY TRAFFIC	102) TRAFFIC DIR:		
NOT APPLICABLE	103) TEMPORARY BRIDGE:		
NOT ON TRUCK NETWORK	110) NATIONAL TRUCK ROUTE:		
	37) HISTORICAL CLASS: HISTOR		
BEEN DETERMINED			
CONDITION RATINGS			

(58) DECK:	6
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: WEIGHT POS	STED

APPRAISAI

ALLINAIGAE	
67) STRUCTURAL EVALUATION:	5
88) DECK GEOMETRY:	4
9) UNDERCLEARANCE RATING:	N
1) WATERWAY ADEQUACY:	6
'2) APPROACH ROADWAY ALIGNMENT:	6
36) TRAFFIC SAFETY FEATURES: 000	0
13) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	BRIDGE REHABILITATION	
(76)	LENGTH OF BRID	GE IMPROVEMENT:	27.2 FT
(94)	BRIDGE IMPROVE	EMENT COST:	\$143,000.00
(95)	ROADWAY IMPRO	OVEMENT COST:	\$15,000.00
(96)	TOTAL PROJECT	COST:	\$215,000.00
(97)	YEAR OF IMPROV	'EMENT COST ESTIMATE:	2018
	INS	SPECTION DATES -	

(90) DATE OF LAST REGULAR INSPECTION:	5/23/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(56) MIN HORZ UNDERCLR ON LEFT:



BRIDGE ID NUMBER: 90013350001 COUNTY: WASHINGTON
BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01335
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: GLENDALE RD. COUNTY SEQUENCE: 1

CROSSING: BRANCH LOG MILE: 4.47
LOCATION: SW OFF SR81-1M N OF SR75 SUFFICIENCY RATING: 34.4

LOCATION: SW OFF SR81-1M N OF SR75	SUFFICIENCY RATING: 34.4	
IDENTIFICATION	CLASSIFICATION —	
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: STEEL (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: (110) NATIONAL TRUCK ROUTE: (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 1	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: B) TYPE MEMBRANE: C) TYPE PROTECTION: NONE	(58) DECK: (59) SUPERSTRUCTURE: (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: (62) CULVERT CONDITION (IF APPLICABLE): DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN	
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: WEIGHT POSTED	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 4	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA 2		
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 36.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 36.1 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 21 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 00000	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: 2 2 67	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (61.4 FT	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 61.4 FT (94) BRIDGE IMPROVEMENT COST: \$405,000.00	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (61.4 FT	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 61.4 FT (94) BRIDGE IMPROVEMENT COST: \$405,000.00 (95) ROADWAY IMPROVEMENT COST: \$41,000.00	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 61.4 FT (94) BRIDGE IMPROVEMENT COST: \$405,000.00 (95) ROADWAY IMPROVEMENT COST: \$41,000.00 (96) TOTAL PROJECT COST: \$608,000.00	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 1NSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (96/2018)	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92)	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 1NSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (96/2018)	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 61.4 FT (94) BRIDGE IMPROVEMENT COST: \$405,000.00 (95) ROADWAY IMPROVEMENT COST: \$41,000.00 (96) TOTAL PROJECT COST: \$608,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 6/6/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (560) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N	

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 90F00380001 COUNTY: WASHINGTON **BRIDGE OWNER: WASHINGTON COUNTY** ROUTE: 01349 SPECIAL CASE: 0 FIPS CODE: 00000

ROAD NAME: BUMPUS COVE RD. COUNTY SEQUENCE: 1 CROSSING: BUMPASS CREEK LOG MILE: 1.47 LOCATION: WIGE SPOA 4 MINIOE COLL SHEELCIENCY DATING: 04 3

LOCATION: W OF SR81-1 MI N OF CO LI	SUFFICIENCY RATING: 84.3 CLASSIFICATION	
IDENTIFICATION —		
(16a,b) LATITUDE: N 36.17977 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 82.53365 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 2	———— CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N	
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6	
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44	
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1980	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE. HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6	
GEOMETRIC DATA	(68) DECK GEOMETRY: 4	
	(69) UNDERCLEARANCE RATING: N	
(48) MAXIMUM SPAN LENGTH: 13.5 FT	(71) WATERWAY ADEQUACY: 6	
(49) TOTAL BRIDGE LENGTH: 26.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000	
(51) BRIDGE CURB TO CURB WIDTH: 23.6 FT	(113) SCOUR CONDITION RATING: 5	
(51) BRIDGE CORB TO CORB WIDTH: 23.6 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.1 FT	(75) TYPE OF WORK: NOT APPLICABLE	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 5/7/2018	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N	

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

5

5

5

4

N

6

8

8

0NNN

47.9 FT

2018

24

N/A

N/A

Ν

Ν

\$127,000.00

\$13,000.00

\$191,000.00

5/8/2018

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90013520001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01352 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD SR-34 COUNTY SEQUENCE: 1 CROSSING: LIMESTONE CREEK LOG MILE: 1.88 LOCATION: SE OF LIMESTONE-S OF 11E SUFFICIENCY RATING: 71.8 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.21748 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.60272 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 23.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 47.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR):

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



YES

7

7

7

7

N

7

5

Ν

7

6

8

N/A

5/9/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90S23870003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01352 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD SR-34 COUNTY SEQUENCE: 1 CROSSING: BIG LIMESTONE CREEK LOG MILE: 4.05 SUFFICIENCY RATING: 85.1 LOCATION: IN LIMESTONE-S OF US11E - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.22380 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.63403 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: n (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 36.7 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 141.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 30.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

6

7

7

4

Ν

7

8

8

N/A

5/9/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 900A2310001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01352 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CLEAR SPRINGS RD. COUNTY SEQUENCE: 3 CROSSING: CARSON CREEK LOG MILE: 0.16 LOCATION: N OF US11E ON GREENE CO L SUFFICIENCY RATING: 79.9 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.24837 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.64037 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 49.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 25.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 90013520005 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01352 FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: BOWMANTOWN RD.

CROSSING: CARSON CREEK

LOCATION: N OF US11E-.9M E OF CO L

CLASSIFICATION =

COUNTY SEQUENCE: 4

SUFFICIENCY RATING: 43.1

LOG MILE: 0.93

NOT BEEN DETERMINED

IDENTIFICATION ————————————————————————————————————		CLASSIFICATION —		
(16a,b) LATITUDE:	N	36.26537 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	82.62807 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND I	ΜΔТ	FRIAI ————	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
MINDOE III E AND I	VIA I I	LINAL	(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK

NONE

(43a) MAIN SPAN MATERIAL: STEEL

(45) NUMBER OF MAIN SPANS:

C) TYPE PROTECTION:

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(46) NUMBER OF APPROACH SPANS	S: 0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE	AND DECK PROTECTION:
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE

AGE AND SERVICE =

1950	YEAR THE BRIDGE WAS BUILT:	(27)
N/A) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
WATERWAY) UNDER BRIDGE:	(42b)
2) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

GEOMETRIC DATA

23.6 FT	(48) MAXIMUM SPAN LENGTH:
48.6 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
21.7 FT	(51) BRIDGE CURB TO CURB WIDTH:
24 FT	(52) BRIDGE OUT TO OUT WIDTH:
19.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 21.7 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADV
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGH
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:

NAVIGATION DATA -

NOT A HIGHWAY OR RAILROAD

NOT APPLICABLE

NOT APPLICABLE

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	NCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	:: N/A
(40) NAVIGATION HORZ CLEARANCE	E: N/A

CONDITION RATINGS =

4
4
4
6
N

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

DESIGN LOAD AND WEIGHT POSTING

OTHER OR UNKNOWN	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
5	(70) BRIDGE POSTING CODE:
	(44) ME DOOTING STATUS

(41) WT POSTING STATUS: WEIGHT POSTED

APPRAISAL	
(67) STRUCTURAL EVALUATION:	4
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

•	RECOMMENDED IIII ROVEMENTO	
	TYPE OF WORK: BRIDGE REPLACEMENT	(75)
70.9 FT	LENGTH OF BRIDGE IMPROVEMENT:	(76)
\$447,000.00	BRIDGE IMPROVEMENT COST:	(94)
\$45,000.00	ROADWAY IMPROVEMENT COST:	(95)
\$671,000.00	TOTAL PROJECT COST:	(96)
2018	YEAR OF IMPROVEMENT COST ESTIMATE:	(97)
	INSPECTION DATES	

(90) DATE OF LAST REGULAR INSPECTION:	5/9/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



YES

Ν

Ν

Ν

6

6

Ν

Ν

6

8

8

N/A

4/30/2018

24

N/A

N/A

Ν

Ν

0000

BRIDGE ID NUMBER: 90S25280001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01353 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ARNOLD RD. COUNTY SEQUENCE: 1 CROSSING: DRY CREEK LOG MILE: 2.19 SUFFICIENCY RATING: 86.4 LOCATION: 1.5 M SE OF SR67-SR81 JCT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.20718 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.44913 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 48.6 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



YES

Ν

Ν

Ν

6

5

5

5

Ν

Ν

6

8

8

N/A

4/30/2018

24

N/A

N/A

Ν

Ν

NN00

BRIDGE ID NUMBER: 90S25280003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01353 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ARNOLD RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE CHEROKEE CREEK LOG MILE: 3.29 LOCATION: S OFF SR67-E OF SR81 JCT SUFFICIENCY RATING: 85.3 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21975 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.45803 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 50.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.7 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



LOG MILE: 1.44

BRIDGE ID NUMBER: 90\$25870001 COUNTY: WASHINGTON **BRIDGE OWNER: WASHINGTON COUNTY** ROUTE: 01355 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: DRY CREEK RD. COUNTY SEQUENCE: 1

CROSSING: DRY CREEK LOCATION: 2.7 M E OF SR81-107 JCT SUFFICIENCY RATING: 98.8

200/MICH. EN ME OF OROT 107 001	CONTROLLINO NATIONS. SOLO	
IDENTIFICATION —	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.20343 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 82.42613 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
	CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS:	(58) DECK: N	
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE:	
(107) TYPE OF DECK: NOT APPLICABLE	(60) SUBSTRUCTURE:	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7	
A) TYPE OF SURFACE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 6	
B) TYPE MEMBRANE: NOT APPLICABLE C) TYPE PROTECTION: NOT APPLICABLE		
,	(31) DESIGN LOADING: OTHER OR UNKNOWN	
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1960	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN	
(42b) UNDER BRIDGE: WATERWAY		
	APPRAISAI	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL (67) STRUCTURAL EVALUATION:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: N	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 12.1 FT (49) TOTAL BRIDGE LENGTH: 38.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: 8	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: 8	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: 12.1 FT 38.1 FT 0.0 FT UNDER FILL UNDER FILL UNDER FILL UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 25 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 25 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 4/30/2018	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE ON ROADWAY: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 4/30/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (54a) VERT UNDERCLR: (55b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 4/30/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	

(40) NAVIGATION HORZ CLEARANCE: N/A **PUBLICATION DATE** 19-Mar-20

N/A

N/A

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

PRODUCED PURSUANT TO



BRIDGE ID NUMBER: 90\$25870003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01355
FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: DRY CREEK RD. COUNTY SEQUENCE: 1
CROSSING: BRANCH LOG MILE: 6.61
LOCATION: S OF SR67-JUST W OF CITY SUFFICIENCY RATING: 88.6

LOCATION: S OF SR67-JUST W OF CITY	SUFFICIENCY RATING: 88.6	
IDENTIFICATION —	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.25132 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 82.36447 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A		
(98b) PERCENT SHARE: N/A	. ,	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
DIVIDUE I II E AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(AE) NILIMPED OF MAIN SPANS:	CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS:	(58) DECK: N	
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE:	
(107) TYPE OF DECK: NOT APPLICABLE	(60) SUBSTRUCTURE:	
(108) TYPE OF SUBFACE:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7	
A) TYPE OF SURFACE: NOT APPLICABLE B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 6	
C) TYPE PROTECTION: NOT APPLICABLE		
,	(31) DESIGN LOADING: OTHER OR UNKNOWN	
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1960	WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN	
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2		
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6	
GEOMETRIC DATA	(68) DECK GEOMETRY:	
(48) MAXIMUM SPAN LENGTH: 13.1 FT	(69) UNDERCLEARANCE RATING: N (74) WATERWAY AREQUACY.	
(49) TOTAL BRIDGE LENGTH: 30.2 FT	(71) WATERWAY ADEQUACY: 6 (72) ADDROACH BOADWAY ALICAMENT:	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: NN00 (113) SCOUR CONDITION RATING: 8	
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL		
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(75) TYPE OF WORK: NOT APPLICABLE	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 4/30/2018	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	BLE (92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
` '		
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

6

Ν

Ν

6

8

8

N/A

4/30/2018

24

N/A

N/A

Ν

Ν

NN00

BRIDGE ID NUMBER: 90S25870005 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01355 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DRY CREEK RD. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 7.01 LOCATION: S OF SR67-S OF JOHNSON C. SUFFICIENCY RATING: 88.6 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25680 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.36405 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



YES

Ν

Ν

Ν

7

6

Ν

Ν

6

8

8

N/A

4/30/2018

24

N/A

N/A

Ν

Ν

0000

BRIDGE ID NUMBER: 90S25870007 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01355 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DRY CREEK RD. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 7.43 LOCATION: S OF JOHNSON CITY SUFFICIENCY RATING: 96.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.26210 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 82.36453 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 17.4 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 65.6 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 55 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

NOT A NHS ROUTE

2-WAY TRAFFIC

\$110,000.00

4/30/2018

2018

24

N/A

N/A

Ν

Ν

NOT APPLICABLE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90S25870009 COUNTY: WASHINGTON **BRIDGE OWNER: WASHINGTON COUNTY** ROUTE: 01355 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DRY CREEK RD. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 8.31 SUFFICIENCY RATING: 54.1 LOCATION: JUST S OF JOHNSON CITY IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.27388 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.36849 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 1 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE

0.0 FT

24.6 FT

28.9 FT

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

INSPECTION DATES

	o) III ETROTEOTION.
	AGE AND SERVICE
1965	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:
	GEOMETRIC DATA
52.2 FT	(48) MAXIMUM SPAN LENGTH:
54.8 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH	: 25.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADV	VAY: 24.6 FT
(54a) VERT UNDERCLR: NOT A HIGH	WAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR: NOT A HIGH	WAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA			
(38)	NAV CONTROL:	NO NAVIGATION CONTROL	
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A	
(116)	LIFT BRIDGE VERT CLEARANCE	: N/A	
(40)	NAVIGATION HORZ CLEARANCE	: N/A	

	(110) NATIONAL TRUCK ROUTE: NOT O	N TRUCK NETWORK
	(37) HISTORICAL CLASS: HISTORICAL SIGNOT BEEN DETER	
	——— CONDITION RATINGS	
	(58) DECK:	6
	(59) SUPERSTRUCTURE:	7
	(60) SUBSTRUCTURE:	5
	(61) STREAM CHANNEL AND CHANNEL PROTE	ECTION: 7
	(62) CULVERT CONDITION (IF APPLICABLE):	N
	DESIGN LOAD AND WEIGHT P	OSTING ——
1	(31) DESIGN LOADING:	H-15-44
	WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
	WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
	(70) BRIDGE POSTING CODE:	5
	(41) WT POSTING STATUS: WEIGHT POSTE	:D
	APPRAISAL —	
	APPRAISAL (67) STRUCTURAL EVALUATION:	4
	,	
1	(67) STRUCTURAL EVALUATION:	4
ľ	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY:	4
ı	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:	4 4 N
1	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY:	4 4 N 7
i	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT:	4 4 N 7 8
ı	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES:	4 4 N 7 8 1000
ı	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:	4 4 N 7 8 1000 8
	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEM (75) TYPE OF WORK: BRIDGE WIDENING (NEW COMMENT)	4 4 N 7 8 1000 8
	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEM (75) TYPE OF WORK: BRIDGE WIDENING (NEEDED)	4 4 N 7 8 1000 8 MENTS NO DECK REPAIRS

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(50b) RIGHT SIDEWALK WIDTH:

(51) BRIDGE CURB TO CURB WIDTH:

(52) BRIDGE OUT TO OUT WIDTH:



YES

7

7

7

7

N

6

5

Ν

8

6

8

N/A

6/18/2018

09/2016

24

Y60

N/A

Ν

1110

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90013570007 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01357 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JACKSON BRIDGE RD. COUNTY SEQUENCE: 1 CROSSING: NOLICHUCKY RIVER LOG MILE: 0.50 SUFFICIENCY RATING: 81.5 LOCATION: N OF SR107-4 M W OF SR81 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.17993 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.53395 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 86.3 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 356.3 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



YES

Ν

Ν

Ν

7

7

7

6

Ν

7

8

8

N/A

5/21/2018

24

N/A

1

Ν

Ν

1110

HS-20-44

BRIDGE ID NUMBER: 90S24520003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01357 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CONKLIN RD. COUNTY SEQUENCE: 1 CROSSING: BACON BRANCH LOG MILE: 6.44 SUFFICIENCY RATING: 98.6 LOCATION: E OF TELFORD-S OFF SR353 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25180 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.51013 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: PREFORMED FABRIC DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2001 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 48.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 59.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

Ν

Ν

8

8

8

N/A

5/1/2018

24

N/A

N/A

Ν

Ν

1000

HS-20-44

BRIDGE ID NUMBER: 90013590003 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JONESBOROUGH ROUTE: 01359 FIPS CODE: 38540 SPECIAL CASE: 0 ROAD NAME: FOX ST. COUNTY SEQUENCE: 1 CROSSING: LITTLE LIMESTONE CREEK LOG MILE: 0.49 SUFFICIENCY RATING: 97.7 LOCATION: AT COURT HOUSE-JOHNSON CY - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.29415 DEGREES 82.47180 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2004 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 24.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.6 FT (72) APPROACH ROADWAY ALIGNMENT: 5.6 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 5.6 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



BRIDGE ID NUMBER: 90F00350001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01359 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD EMBREEVILLE RD. COUNTY SEQUENCE: 1 CROSSING: CHEROKEE CREEK LOG MILE: 3.90 LOCATION: N OF SR81-SR67 JCT SUFFICIENCY RATING: 72.3 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.25212 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 82.45108 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1991 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 2 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 22.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 24.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 30.8 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 24 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$81.000.00 (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: \$9,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$122,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 5/2/2018 **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 19-Mar-20

(40) NAVIGATION HORZ CLEARANCE:

PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409



YES

Ν

Ν

Ν

7

7

7

4

Ν

7

8

8

N/A

4/30/2018

24

N/A

N/A

Ν

Ν

1111

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90013590007 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01359 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BILL JONES RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 5.25 SUFFICIENCY RATING: 91.9 LOCATION: BILL JONE ROAD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.23395 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.44757 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1999 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 30.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 25.6 FT RECOMMENDED IMPROVEMENTS 31.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

R

5

N

8

8

8

N/A

5/2/2018

24

N/A

N/A

Ν

Ν

111N

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90013590005 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01359 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BILL JONES RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE CHEROKEE CREEK LOG MILE: 5.66 SUFFICIENCY RATING: 94.4 LOCATION: 1.7 MI NE JCT SR67 & SR81 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.22833 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82,44857 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2004 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 24.3 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS 31.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



YES

Ν

Ν

Ν

7

5

5

5

N

8

6

8

N/A

5/30/2018

24

N/A

N/A

Ν

Ν

1100

HS-20-44

BRIDGE ID NUMBER: 90S23840001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01365 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD STAGECOACH RD. COUNTY SEQUENCE: 1 CROSSING: CLEAR FORK CREEK LOG MILE: 0.27 SUFFICIENCY RATING: 81.6 LOCATION: 4.5 M NE JCT SR75&SR34 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.28690 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.57602 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 21.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 66.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 29.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



YES

Ν

Ν

Ν

7

7

7

4

Ν

7

8

8

N/A

5/30/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90S23840003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 01365 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD STAGECOACH RD. COUNTY SEQUENCE: 1 CROSSING: MUDDY FORK CREEK LOG MILE: 0.75 SUFFICIENCY RATING: 81.3 LOCATION: 2 M N OF US11E IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.28832 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.56795 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 61.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **40 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

5

7

7

4

Ν

7

8

8

0000

40.7 FT

\$65,000.00

\$98,000.00

\$7,000.00

6/5/2018

2018

24

N/A

N/A

Ν

Ν

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90025690001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02569 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CORBY BRIDGE RD. COUNTY SEQUENCE: 1 CROSSING: CASSI CREEK LOG MILE: 0.18 LOCATION: N OFF SR107 @ MT CARMEL SUFFICIENCY RATING: 80.0 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.15503 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.59608 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 40.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



YES

7

7

7

6

N

4

N

7

8

8

N/A

6/19/2018

09/2016

24

Y60

N/A

Ν

0000

H-15-44

BRIDGE ID NUMBER: 90025690003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02569 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CORBY BRIDGE RD. COUNTY SEQUENCE: 1 CROSSING: NOLICHUCKY RIVER LOG MILE: 4.87 SUFFICIENCY RATING: 63.6 LOCATION: BTWN SR107 & US 11E IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.19283 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 82.63278 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 11 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** 1958 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 52.2 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 411.4 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90025710001 COUNTY: WASHINGTON **BRIDGE OWNER: WASHINGTON COUNTY** ROUTE: 02571 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: BACON BRANCH RD. COUNTY SEQUENCE: 1 CROSSING: BACON BRANCH LOG MILE: 0.30 LOCATION: E OFF SR353-E OF TELFORD SUFFICIENCY RATING: 49.6 IDENTIFICATION (16a,b) LATITUDE: N 36.25053 DEGREES (17a,b) LONGITUDE: 82.50407 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: STEEL (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 1 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: **NONE** C) TYPE PROTECTION: NONE

AGE AND SERVICE			
(27) YEAR THE BRIDGE WAS BUILT:	1935		
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A		
(42a) SERVICE ON BRIDGE:	HIGHWAY		
(42b) UNDER BRIDGE:	WATERWAY		
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2		
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0		
GEOMETRIC DATA			

	GLOWIL TRIC DATA
20.3 FT	(48) MAXIMUM SPAN LENGTH:
22.6 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
22 FT	(51) BRIDGE CURB TO CURB WIDTH:
23.3 FT	(52) BRIDGE OUT TO OUT WIDTH:
18.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
Y: 22.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW

(33) BRIDGE MEDIAN:	
(34) BRIDGE SKEW:	
(35) BRIDGE FLARE:	
(520) MIN VERTICAL CLEARANCE OVER RD:	
(47) MIN HORIZONTAL CLEARANCE ON ROAD	
(54a) VERT UNDERCLR: NOT A HIG	
(54b) MIN VERTICAL UNDERCLEARANCE:	
(55a) HORZ UNDERCLR: NOT A HIG	
(55b) MIN HORZ UNDERCLR ON RIGHT:	
(56) MIN HORZ UNDERCLR ON LEFT:	
HW.	(34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWA (54a) VERT UNDERCLR: NOT A HIGHW. (54b) MIN VERTICAL UNDERCLEARANCE: I (55a) HORZ UNDERCLR: NOT A HIGHW. (55b) MIN HORZ UNDERCLR ON RIGHT: I

NAVIGATION DATA -

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	ANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	: N/A
(40) NAVIGATION HORZ CLEARANCE	≣: N/A

PUBLICATION DATE 19-Mar-20

CLASSIFICATION —		
(112) MEETS NBIS BRIDGE LENGTH:	YES	
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE	
(26) FUNCTIONAL CLASS: RURAL I	MINOR COLLECTOR	
(101) PARALLEL BRIDGE: NO	PARALLEL BRIDGE	
(102) TRAFFIC DIR:	2-WAY TRAFFIC	
(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
(110) NATIONAL TRUCK ROUTE: NOT OF	TRUCK NETWORK	
(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED		
CONDITION RATINGS		
(58) DECK:	5	
(59) SUPERSTRUCTURE:	5	
(60) SUBSTRUCTURE:	5	
(61) STREAM CHANNEL AND CHANNEL PROTE	CTION: 5	
(62) CULVERT CONDITION (IF APPLICABLE):	N	
DESIGN LOAD AND WEIGHT PO	OSTING ——	
(31) DESIGN LOADING: OT	HER OR UNKNOWN	
WEIGHT POSTING (2 AXLE VEHICLES):	10 TONS	
WEIGHT POSTING (3 OR MORE AXLES):	18 TONS	
(70) BRIDGE POSTING CODE:	4	
(41) WT POSTING STATUS: WEIGHT POSTEI	ס	
APPRAISAL		
(67) STRUCTURAL EVALUATION:	5	
(68) DECK GEOMETRY:	4	
(69) UNDERCLEARANCE RATING:	N	
(71) WATERWAY ADEQUACY:	6	
(72) APPROACH ROADWAY ALIGNMENT:	8	
(36) TRAFFIC SAFETY FEATURES:	0000	
(113) SCOUR CONDITION RATING:	8	
RECOMMENDED IMPROVEN	IENTS ———	
(75) TYPE OF WORK: BRIDGE REPLACEME	NT	
(76) LENGTH OF BRIDGE IMPROVEMENT:	43.3 FT	
(94) BRIDGE IMPROVEMENT COST:	\$288,000.00	
95) ROADWAY IMPROVEMENT COST:	\$29,000.00	
96) TOTAL PROJECT COST:	\$433,000.00	
97) YEAR OF IMPROVEMENT COST ESTIMATI	E: 2018	
INSPECTION DATES		
	5/22/2018	
(90) DATE OF LAST REGULAR INSPECTION:		
(90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MON	ITHS): 24	
(90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MON (93b) DATE OF LAST UNDERWATER INSP (MO/ (92b) UNDERWATER INSP FREQUENCY (MONT	TTHS): 24 (R): N/A	
(90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MON (93b) DATE OF LAST UNDERWATER INSP (MO/	TTHS): 24 (R): N/A	

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

5

5

6

6

Ν

5

4

N

6

8

8

0000

49.2 FT

2018

24

N/A

N/A

Ν

Ν

\$326,000.00

\$33,000.00

\$490,000.00

5/21/2018

10 TONS

18 TONS

BRIDGE ID NUMBER: 90025710003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02571 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BACON BRANCH RD. COUNTY SEQUENCE: 1 CROSSING: BACON BRANCH LOG MILE: 0.71 SUFFICIENCY RATING: 49.6 LOCATION: S OF JONESBORO-W OF SR81 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24700 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.49822 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): 1930 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 26.2 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 27.6 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 23.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 5 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



YES

5

5

5

5

Ν

5

3

N

6

6

8

0000

49.2 FT

2018

24

N/A

N/A

Ν

Ν

\$326,000.00

\$33,000.00

\$490,000.00

5/21/2018

10 TONS

18 TONS

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90025710007 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02571 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BACON BRANCH RD. COUNTY SEQUENCE: 1 CROSSING: BACON BRANCH LOG MILE: 0.94 LOCATION: S OF JONESBORO-W OF SR81 SUFFICIENCY RATING: 47.6 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24503 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.49528 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1935 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: HIGHWAY (41) WT POSTING STATUS: **WEIGHT POSTED** APPRAISAL (67) STRUCTURAL EVALUATION:

(68) DECK GEOMETRY:

(75) TYPE OF WORK:

(69) UNDERCLEARANCE RATING:

(36) TRAFFIC SAFETY FEATURES:

(113) SCOUR CONDITION RATING:

(94) BRIDGE IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(95) ROADWAY IMPROVEMENT COST:

(72) APPROACH ROADWAY ALIGNMENT:

(76) LENGTH OF BRIDGE IMPROVEMENT:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

RECOMMENDED IMPROVEMENTS

INSPECTION DATES

BRIDGE REPLACEMENT

(71) WATERWAY ADEQUACY:

(42a) SERVICE ON BRIDGE.	HIGHWAT
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0
GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	26.2 FT
(49) TOTAL BRIDGE LENGTH:	27.6 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	20 FT
(52) BRIDGE OUT TO OUT WIDTH:	23.3 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	19.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWA	AY: 20.0 FT
(54a) VERT UNDERCLR: NOT A HIGHW	AY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR: NOT A HIGHW	AY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE

NAVIGATION DATA			
(38)	NAV CONTROL:	NO NAVIGATION CONTROL	
(39)	NAVIGATION VERTICAL CLEA	ARANCE: N/A	

NOT APPLICABLE

(116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

- NIANICATION DATA

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(56) MIN HORZ UNDERCLR ON LEFT:



BRIDGE ID NUMBER: 90025710009 COUNTY: WASHINGTON

26.6 FT

22.0 FT

BRIDGE OWNER: WASHINGTON COUNTY

FIPS CODE: 00000

ROAD NAME: **TREADWAY TR.** CROSSING: **LOYD BRANCH**

LOCATION: 1.1 MI W JCT SR67 & SR81

ROUTE: 02571

YES

SPECIAL CASE: 0

LOG MILE: 3.39

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 48.6

IDENTIFICATION — CLASSIFICATION -

(16a,b) LATITUDE:	N	36.21138	DEGREES	(112)
(17a,b) LONGITUDE:	W	82.49267	DEGREES	(104)
(98a) BORDER BRIDGE STATE CODE:			N/A	(26)
(98b) PERCENT SHARE:			N/A	(101)
(99) BORDER BRIDGE NUMBER:		NOT AF	PPLICABLE	(102)

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: STEEL

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

5) NUMBER OF MAIN SPANS:	1
6) NUMBER OF APPROACH SPANS:	0
07) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
08) TYPE OF WEARING SURFACE AI	ND DECK PROTECTION:
TYPE OF SURFACE:	ASPHALT

A) TYPE OF SURFACE:

B) TYPE MEMBRANE:

C) TYPE PROTECTION:

ASPHALT

NONE

NONE

AGE AND SERVICE (27) YEAR THE BRIDGE WAS BUILT: 1950 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 20.0 FT

 (50a) LEFT SIDEWALK WIDTH:
 0.0 FT

 (50b) RIGHT SIDEWALK WIDTH:
 0.0 FT

 (51) BRIDGE CURB TO CURB WIDTH:
 22 FT

 (52) BRIDGE OUT TO OUT WIDTH:
 23.3 FT

 (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
 19.0 FT

(33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES

(35) BRIDGE FLARE:
NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

(55a) HORZ UNDERCLE: NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL
 (39) NAVIGATION VERTICAL CLEARANCE: N/A
 (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE: N/A

112) MEETS NBIS BRIDGE LENGTH:

(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR

(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE

(102) TRAFFIC DIR: 2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: NOT APPLICABLE

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

CONDITION RATINGS -

(58) DECK:	5
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	10 TONS
WEIGHT POSTING (3 OR MORE AXLES):	18 TONS
(70) BRIDGE POSTING CODE:	4

(41) WT POSTING STATUS: WEIGHT POSTED

APPRAISAL

5	(67) STRUCTURAL EVALUATION:
4	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
5	(71) WATERWAY ADEQUACY:
8	(72) APPROACH ROADWAY ALIGNMENT:
0000	(36) TRAFFIC SAFETY FEATURES:
8	(113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: BRIDGE REPLACEMENT

(76) LENGTH OF BRIDGE IMPROVEMENT: 48.2 FT (94) BRIDGE IMPROVEMENT COST: \$316,000.00

(95) ROADWAY IMPROVEMENT COST: \$32,000.00

(96) TOTAL PROJECT COST: \$475,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018

- INSPECTION DATES -

(90) DATE OF LAST REGULAR INSPECTION: 5/21/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS): N

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(49) TOTAL BRIDGE LENGTH:



YES

Ν

Ν

Ν

6

HS-20-44

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

BRIDGE ID NUMBER: 90025710005 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02571 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TREADWAY TR. COUNTY SEQUENCE: 1 CROSSING: CHEROKEE CREEK LOG MILE: 3.75 SUFFICIENCY RATING: 96.9 LOCATION: 1 M SW OF SR81-SR67 JCT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.20672 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82,48968 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** 2

 CONDITION RATINGS = (58) DECK: (59) SUPERSTRUCTURE: (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION: (62) CULVERT CONDITION (IF APPLICABLE): **DESIGN LOAD AND WEIGHT POSTING** (31) DESIGN LOADING: **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES):

WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** APPRAISAL (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N

(71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

5/21/2018 (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

BRIDGE ID NUMBER: 90025730001



COUNTY: WASHINGTON

BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02573 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WASHINGTON COLLEGE STATION RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE LIMESTONE CREEK LOG MILE: 0.63 SUFFICIENCY RATING: 81.8 LOCATION: N OF SR353-E OF TELFORD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.23048 DEGREES YES 82.58290 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 5 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 56.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 1110 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 31.2 FT RECOMMENDED IMPROVEMENTS 36.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 5/8/2018 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409



YES

Ν

Ν

Ν

7

7

7

Ν

Ν

7

8

8

N/A

5/23/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 90025730003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02573 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OAKLAND RD. COUNTY SEQUENCE: 1 CROSSING: BIG LIMESTONE CREEK LOG MILE: 3.08 SUFFICIENCY RATING: 96.7 LOCATION: BTWN US 11E&SR75 NEAR JCT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25982 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.59812 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 46.6 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



NOT ON TRUCK NETWORK

BRIDGE ID NUMBER: 90025750001 COUNTY: WASHINGTON ROUTE: 02575

BRIDGE OWNER: WASHINGTON COUNTY

FIPS CODE: 00000

ROAD NAME: TELFORD-NEW VICTORY RD. CROSSING: LITTLE LIMESTONE CREEK

LOCATION: IN TELFORD-S OF SR353

SPECIAL CASE: 0

LOG MILE: 0.14

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 34.2

IDENTIFICATION		CLASSIFICA	ION —
(16a,b) LATITUDE: N	36.24738 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE: W	82.54285 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL		(103) TEMPORARY BRIDGE:	NOT APPLICABLE

NONE

NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: STEEL

(45) NUMBER OF MAIN SPANS:

C) TYPE PROTECTION:

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

NS: 0	(46) NUMBER OF APPROACH SP
CONCRETE CAST-IN-PLACE	(107) TYPE OF DECK:
AND DECK PROTECTION:	(108) TYPE OF WEARING SURFA
ASPHALT	A) TYPE OF SURFACE:
NONE	B) TYPE MEMBRANE:

AGE AND SERVICE -			
1930	(27) YEAR THE BRIDGE WAS BUILT:		
1965	(106) YEAR THE BRIDGE WAS REHABILITATED:		
HIGHWAY	(42a) SERVICE ON BRIDGE:		
WATERWAY	(42b) UNDER BRIDGE:		
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:		
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:		

GEOMETRIC DATA		
OLOMET IN O DATE		
(48) MAXIMUM SPAN LENGTH:	13.8 FT	
(49) TOTAL BRIDGE LENGTH:	29.9 FT	
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	
(51) BRIDGE CURB TO CURB WIDTH:	25.6 FT	
(52) BRIDGE OUT TO OUT WIDTH:	26.2 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT	
(33) BRIDGE MEDIAN:	NO MEDIAN	

20.0 FT	32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	
NO MEDIAN	33) BRIDGE MEDIAN:	
5 DEGREES	34) BRIDGE SKEW:	
NO FLARE	35) BRIDGE FLARE:	
RESTRICTION	520) MIN VERTICAL CLEARANCE OVER RD: NO	
25.6 FT	47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	
OR RAILROAD	54a) VERT UNDERCLR: NOT A HIGHWAY	
T APPLICABLE	54b) MIN VERTICAL UNDERCLEARANCE: NO	
OR RAILROAD	55a) HORZ UNDERCLR: NOT A HIGHWAY	
T APPLICABLE	55b) MIN HORZ UNDERCLR ON RIGHT: NO	

NAVIGATION DATA =

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	: N/A
(40)	NAVIGATION HORZ CLEARANCE	: N/A

(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
——— CONDITION RATINGS		

(110) NATIONAL TRUCK ROUTE:

(58) DECK:	5
(59) SUPERSTRUCTURE:	4
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICL	ES): 10 TONS
WEIGHT POSTING (3 OR MORE AX	LES): 18 TONS
(70) BRIDGE POSTING CODE:	4
(41) WT POSTING STATUS: WEI	GHT POSTED

APPRAISAL

ALLINAIDAE	
(67) STRUCTURAL EVALUATION:	4
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	5
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

	RECOMMENDED IMPROVEMENTS	
	(75) TYPE OF WORK: BRIDGE REPLACEMENT	(75)
51.8 FT	(76) LENGTH OF BRIDGE IMPROVEMENT:	(76)
\$331,000.00	(94) BRIDGE IMPROVEMENT COST:	(94)
\$34,000.00	(95) ROADWAY IMPROVEMENT COST:	(95)
\$497,000.00	(96) TOTAL PROJECT COST:	(96)
2018	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	(97)
	INSPECTION DATES -	
5/23/2018	(90) DATE OF LAST REGULAR INSPECTION:	(90)

5/23/2018	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(56) MIN HORZ UNDERCLR ON LEFT:

NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90025770001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02577 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LEESBURG RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.74 LOCATION: 4 MI SW JCT SR34 & SR81 SUFFICIENCY RATING: 48.4 IDENTIFICATION (16a,b) LATITUDE: N 36.27188 DEGREES (17a,b) LONGITUDE: 82.54827 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: STEEL (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 1 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

AGE AND SERVICE —	
(27) YEAR THE BRIDGE WAS BUILT:	1950
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0
CEOMETRIC DATA	

	GEOWIETRIC DATA
17.7 FT	(48) MAXIMUM SPAN LENGTH:
20.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
24.3 FT	(51) BRIDGE CURB TO CURB WIDTH:
25.9 FT	(52) BRIDGE OUT TO OUT WIDTH:
17.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
5 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 24.3 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW

NAVIGATION DATA			
(38)	NAV CONTROL:	NO NAVIGATION CONTROL	
(39)	NAVIGATION VERTICAL CLEAR	ANCE: N/A	

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

(55a) HORZ UNDERCLR:

ATION ————————————————————————————————————			
N 36.27188 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	NO	
W 82.54827 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A	NHS ROUTE	
ODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR		
N/A	(101) PARALLEL BRIDGE: NO PARAL	LEL BRIDGE	
NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC		
AND MATERIAL ———	(103) TEMPORARY BRIDGE: NOT APPLICABLE		
TEEL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK		
OT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICAN		
	NOT BEEN DETERMINED		
1	CONDITION RATINGS		
ANS: 0	(58) DECK:	6	
CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:	7	
CE AND DECK PROTECTION:	(60) SUBSTRUCTURE:	5	
ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: (62) CULVERT CONDITION (IF APPLICABLE):	6 N	
NONE			
NONE	DESIGN LOAD AND WEIGHT POSTIN		
SERVICE —	` '	R UNKNOWN	
JILT: 1950	WEIGHT POSTING (2 AXLE VEHICLES):	10 TONS 18 TONS	
EHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE:	10 TONS	
HIGHWAY	(41) WT POSTING STATUS: WEIGHT POSTED	4	
WATERWAY	APPRAISAL —		
ED BY BRIDGE: 2			
R THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY:	4	
RIC DATA ————	(69) UNDERCLEARANCE RATING:	4 N	
17.7 FT	(71) WATERWAY ADEQUACY:	6	
20.0 FT	(72) APPROACH ROADWAY ALIGNMENT:	8	
0.0 FT	(36) TRAFFIC SAFETY FEATURES:	0000	
0.0 FT	(113) SCOUR CONDITION RATING:	8	
OTH: 24.3 FT	RECOMMENDED IMPROVEMENTS		
d: 25.9 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT		
SHLDS) WIDTH: 17.1 FT	(76) LENGTH OF BRIDGE IMPROVEMENT:	40 FT	
NO MEDIAN 5 DEGREES	(94) BRIDGE IMPROVEMENT COST:	\$267,000.00	
NO FLARE	(95) ROADWAY IMPROVEMENT COST:	\$27,000.00	
E OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:	\$401,000.00	
CE ON ROADWAY: 24.3 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018	
NOT A HIGHWAY OR RAILROAD	INSPECTION DATES		
ARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION:	7/2/2018	
NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24	
RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A	
LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N	
TION DATA ————	(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A	
NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):	N	

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

6

7

7

6

N

8

HS-20-44

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

BRIDGE ID NUMBER: 90S23840005 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02585 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PLEASANT VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: MUDDY FORK CREEK LOG MILE: 2.05 SUFFICIENCY RATING: 81.7 LOCATION: E OF SR75-N OF SR81 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34550 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 82.51592 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS:

 CONDITION RATINGS = 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: (31) DESIGN LOADING:

AGE AND SERVICE -(27) YEAR THE BRIDGE WAS BUILT: 1986 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 48.2 FT (49) TOTAL BRIDGE LENGTH: 152.6 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22 FT 24.3 FT (52) BRIDGE OUT TO OUT WIDTH:

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 30 DEGREES **NO FLARE**

(35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

DESIGN LOAD AND WEIGHT POSTING

ALL LEGAL LOADS WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 9 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1100 (113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 5/30/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

7

7

7

4

N

7

8

8

N/A

6/11/2018

24

N/A

N/A

Ν

Ν

1110

BRIDGE ID NUMBER: 900A1070001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02587 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GRAY STATION RD. COUNTY SEQUENCE: 1 CROSSING: FORD CREEK LOG MILE: 0.20 SUFFICIENCY RATING: 85.0 LOCATION: 1.33 MI N OF SPRINGS RD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.41090 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.48877 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1999 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 25.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 30.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

7

7

7

4

Ν

6

6

8

0000

31.8 FT

\$51,000.00

\$77,000.00

\$6,000.00

7/3/2018

2018

24

N/A

N/A

Ν

Ν

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90025890001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02589 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD STAGE RD. COUNTY SEQUENCE: 1 CROSSING: REEDY CREEK LOG MILE: 0.13 LOCATION: N OF SR353-SW OF I181 JCT SUFFICIENCY RATING: 79.9 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: 36.37372 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.45082 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 31.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

8

7

6

5

N

7

6

8

N/A

6/7/2018

24

N/A

N/A

Ν

Ν

1N10

H-15-44

2-WAY TRAFFIC

COUNTY: WASHINGTON BRIDGE ID NUMBER: 90S23710001 BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02594 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HORTON HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.12 SUFFICIENCY RATING: 84.1 LOCATION: IN VERY NW CORNER OF CO. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.42918 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.63475 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1933 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 35.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

NATIONAL BRIDGE INVENTORY



YES

5

5

5

6

N

5

Ν

6

8

8

0000

44.9 FT

2018

\$298,000.00

\$30,000.00

\$448,000.00

10 TONS

18 TONS

2-WAY TRAFFIC

NOT APPLICABLE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90S24520001 COUNTY: WASHINGTON **BRIDGE OWNER: WASHINGTON COUNTY** ROUTE: 02626 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CONKLIN RD. COUNTY SEQUENCE: 1 CROSSING: REPLINGER CREEK LOG MILE: 0.12 LOCATION: N OF SR107-NE OF MT CARME SUFFICIENCY RATING: 49.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.19212 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.53970 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1945 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: WEIGHT POSTED WATERWAY (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT:

GEOMETRIC DATA	
GEOWIETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	21.0 FT
(49) TOTAL BRIDGE LENGTH:	24.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	26.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH	: 22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	20 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADV	VAY: 26.2 FT
(54a) VERT UNDERCLR: NOT A HIGH	WAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR: NOT A HIGH	WAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE

	INSPECTION DATES
5/22/2018	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):

RECOMMENDED IMPROVEMENTS

BRIDGE REPLACEMENT

(36) TRAFFIC SAFETY FEATURES:

(113) SCOUR CONDITION RATING:

(76) LENGTH OF BRIDGE IMPROVEMENT:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(94) BRIDGE IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(95) ROADWAY IMPROVEMENT COST:

(75) TYPE OF WORK:

NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL

NOT APPLICABLE

(39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

(56) MIN HORZ UNDERCLR ON LEFT:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

7

7

7

7

N

6

4

N

7

8

8

N/A

5/22/2018

24

N/A

N/A

Ν

Ν

1110

HS-20-44

2-WAY TRAFFIC

COUNTY: WASHINGTON BRIDGE ID NUMBER: 90026280001 BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02628 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TAYLOR BRIDGE RD. COUNTY SEQUENCE: 1 CROSSING: CHEROKEE CREEK LOG MILE: 0.92 SUFFICIENCY RATING: 77.5 LOCATION: W OF SR 67 - SR 81 JCT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.20445 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 82.48922 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 28.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 98.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS 29.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

6

6

3

N

6

8

8

0000

HS-20-44

2-WAY TRAFFIC

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90026280003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02628 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TAYLOR BRIDGE RD. COUNTY SEQUENCE: 1 CROSSING: LEBANON CREEK LOG MILE: 1.72 LOCATION: 2M SW OF SR81-SR67 JCT SUFFICIENCY RATING: 77.6 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.20133 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.50192 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1982 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 11.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 24.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT (52) BRIDGE OUT TO OUT WIDTH: 26.9 FT

18.0 FT

NO MEDIAN

NO FLARE

22.6 FT

N/A

N/A

N/A

30 DEGREES

NO RESTRICTION

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** NEEDED)

(76) LENGTH OF BRIDGE IMPROVEMENT: 24.9 FT (94) BRIDGE IMPROVEMENT COST: \$72,000.00 ROADWAY IMPROVEMENT COST: (95)\$8,000.00 TOTAL PROJECT COST: \$109,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	5/22/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA



NOT ON TRUCK NETWORK

ROUTE: 02630

LOG MILE: 0.65

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 82.9

BRIDGE ID NUMBER: 90026300001 COUNTY: WASHINGTON

BRIDGE OWNER: WASHINGTON COUNTY

FIPS CODE: 00000

ROAD NAME: WASHINGTON COLLEGE RD.

CROSSING: ONION CREEK

LOCATION: 3.5 M E OF LIMESTONE

- CLASSIFICATION -

IDENTIFICATION ————			TION ———	
(16a,b) LATITUDE:	N	36.21317 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	82.57092 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND M	ΙΔΤΕ	ERIAI ————	(103) TEMPORARY BRIDGE:	NOT APPLICABLE

NONE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:

C) TYPE PROTECTION:

(46) NUMBER OF APPROACH SPANS	: 0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE A	AND DECK PROTECTION:
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE

AGE AND SERVICE =

1986	YEAR THE BRIDGE WAS BUILT:	(27)
N/A) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
WATERWAY) UNDER BRIDGE:	(42b)
2) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

GEOMETRIC DATA

	GLOWIL TRIC DATA
11.5 FT	(48) MAXIMUM SPAN LENGTH:
37.7 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
22 FT	(51) BRIDGE CURB TO CURB WIDTH:
25.9 FT	(52) BRIDGE OUT TO OUT WIDTH:
20.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
30 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 22.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:

NAVIGATION DATA •

NOT A HIGHWAY OR RAILROAD

NOT APPLICABLE

NOT APPLICABLE

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	NCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	:: N/A
(40) NAVIGATION HORZ CLEARANCE	≣: N/A

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS =

(110) NATIONAL TRUCK ROUTE:

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

HS-20-44	(31) DESIGN LOADING:
HICLES): ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE V
E AXLES): ALL LEGAL LOADS	WEIGHT POSTING (3 OR MO
5	(70) BRIDGE POSTING CODE
OPEN	(41) WT POSTING STATUS:

APPRAISAL

6
4
N
7
8
1110
8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	GE IMPROVEMENT:	N
(0.4)	DDIDGE IMPDOVE	MENT COCT.	

- (94) BRIDGE IMPROVEMENT COST:
- (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	5/8/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



YES

5

6

5

5

Ν

5

5

2

N

5

8

8

0000

23.3 FT

\$82,000.00

\$124,000.00

\$9,000.00

5/8/2018

2018

24

N/A

N/A

Ν

Ν

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90026300003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02630 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WASHINGTON COLLEGE RD. COUNTY SEQUENCE: 1 CROSSING: ONION CREEK LOG MILE: 0.89 LOCATION: E. OF SR353 SUFFICIENCY RATING: 53.4 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21103 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.56815 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: CONCRETE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1955 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.7 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 23.3 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 16.4 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 18 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **40 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 16.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

7

7

7

5

N

7

8

8

N/A

5/17/2018

24

N/A

N/A

Ν

Ν

1110

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90026300005 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02630 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WASHINGTON COLLEGE RD. COUNTY SEQUENCE: 1 CROSSING: KEPLING CREEK LOG MILE: 2.97 SUFFICIENCY RATING: 94.5 LOCATION: E OF SR353-S OF TELFORD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.20332 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.53687 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

7

6

8

N

7

8

8

N/A

6/7/2018

24

N/A

N/A

Ν

Ν

1110

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90026420001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 02642 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD GRAY STATION RD. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 0.18 SUFFICIENCY RATING: 99.9 LOCATION: S OF SR36-NEAR JOHNSON CY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.38370 DEGREES 82.41140 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 20.7 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 43.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 45.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

7

6

7

Ν

N

6

3

5

Ν

8

Ν

1101

212.6 FT

\$598,000.00

\$60,000.00

\$898,000.00

6/11/2018

2018

24

N/A

N/A

Ν

Ν

HS-20-44

BRIDGE ID NUMBER: 90026420003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02642 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD GRAY STATION RD. COUNTY SEQUENCE: 1 CROSSING: CSX RAILROAD LOG MILE: 2.78 LOCATION: BTWN SR36 & I181 SUFFICIENCY RATING: 79.3 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.40565 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.44672 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: — AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1989 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN** RAILROAD (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 71.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 212.6 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 26.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 29.9 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 44 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: 23.03 FT (55a) HORZ UNDERCLR: **RAILROAD BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 11.15 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



7

7

5

24

HL-93

ALL LEGAL LOADS ALL LEGAL LOADS

BRIDGE ID NUMBER: 90026440001 COUNTY: WASHINGTON ROUTE: 02644 **BRIDGE OWNER: WASHINGTON COUNTY** SPECIAL CASE: 0

FIPS CODE: 00000

(107) TYPE OF DECK:

ROAD NAME: GRAY STATION RD. CROSSING: FORD CREEK

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

LOCATION: .13 MI E OF I181

(61) STREAM CHANNEL AND CHANNEL PROTECTION:

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 79.2

LOG MILE: 0.63

IDENTIFICATION —		CLASSIFICAT	TION —
(16a,b) LATITUDE: N 36.	.41462 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE: W 82.	2.48572 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
HATERIA (43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE			CAL SIGNIFICANCE HAS EN DETERMINED
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS:	1 0	(58) DECK:	TINGS 7

(59) SUPERSTRUCTURE:

(60) SUBSTRUCTURE:

A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NONE** DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION:

AGE AND SERVICE		(31) DESIGN LOADING:
		WEIGHT POSTING (2 AXLE VEHICLES):
(27) YEAR THE BRIDGE WAS BUILT:	2015	WEIGHT POSTING (3 OR MORE AXLES):
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	(70) BRIDGE POSTING CODE:
(42a) SERVICE ON BRIDGE:	HIGHWAY	
(42b) UNDER BRIDGE:	WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	APPRAISAL -
(===)	_	(67) STRUCTURAL EVALUATION:

CONCRETE CAST-IN-PLACE

(28b) NUMBER OF LANES UNDER THE BRIDGE:

GEOMETRIC DATA		(68) DECK GEOMETRY:	2
	07.0 FT	(69) UNDERCLEARANCE RATING:	N
(48) MAXIMUM SPAN LENGTH:	27.9 FT	(71) WATERWAY ADEQUACY:	7
(49) TOTAL BRIDGE LENGTH:	30.2 FT		
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES:	1111
,		(113) SCOUR CONDITION RATING:	8
(51) BRIDGE CURB TO CURB WIDTH:	24 FT		

RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.6 FT (76) LENGTH OF BRIDGE IMPROVEMENT:

52.2 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: \$436,000.00 (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: \$44,000.00 (35) BRIDGE FLARE: NO FLARE

(96) TOTAL PROJECT COST: \$655,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**

(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/11/2018 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS):

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public document records request does not 19-Mar-20 waive the provisions of §409



YES

7

7

7

7

N

7

4

N

8

8

8

N/A

6/5/2018

24

N/A

N/A

Ν

Ν

1110

HS-20-44

BRIDGE ID NUMBER: 90026460001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 02646 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HOG HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 0.03 SUFFICIENCY RATING: 85.5 LOCATION: 1.8 M NW JCT SR75&I181 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.41247 DEGREES Ν 82.50882 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 33.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 101.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 90039560001 COUNTY: WASHINGTON

BRIDGE OWNER: CITY OF JOHNSON CITY

FIPS CODE: 38320 ROAD NAME: E. OAKLAND AVE.

CROSSING: COBB CREEK

LOCATION: EAST OAKLAND AVENUE

ROUTE: 03956

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 0.66

SUFFICIENCY RATING: 80.7

IDENTIFICATION CLASSIFICATION =

(16a,b) LATITUDE: N 36.35948 DEGREES (17a,b) LONGITUDE: 82.37863 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

C) TYPE PROTECTION:

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK	PROTECTION:
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE

AGE AND SERVICE =

1995	YEAR THE BRIDGE WAS BUILT:	(27)
N/A) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
WATERWAY) UNDER BRIDGE:	(42b)
4) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

- GEOMETRIC DATA —

NAVIGATION DATA =

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	: N/A
(40)	NAVIGATION HORZ CLEARANCE	: N/A

(112) MEETS NBIS BRIDGE LENGTH:	YES	
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE	
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL	
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE	
(102) TRAFFIC DIR:	2-WAY TRAFFIC	
(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK	
(37) HISTORICAL CLASS: BRIDGE	IS NOT ELIGIBLE FOR THE	
NATIONAL REGISTER		
CONDITION DA	TILLOO	

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING =

HS-20-44	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
5	(70) BRIDGE POSTING CODE:
	(44) 147 5007110 0747110

(41) WT POSTING STATUS: OPEN

APPRAISAL

ALLINAIDAL	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A

- (94) BRIDGE IMPROVEMENT COST:
- (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

6/21/2018	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:



YES

Ν

Ν

Ν

6

6

2

N

8

8

8

0N00

26.6 FT

2018

24

N/A

N/A

Ν

Ν

\$129.000.00

\$13,000.00

\$194,000.00

6/5/2018

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90039570001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 03957 SPECIAL CASE: 0 FIPS CODE: 38320 ROAD NAME: KNOB CREEK RD. COUNTY SEQUENCE: 1 CROSSING: KNOB CR LOG MILE: 3.24 LOCATION: SW OF JOHNSON CITY LIMITS SUFFICIENCY RATING: 78.3 - IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.34087 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.41055 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.6 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95)ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

Ν

N

7

4

7

Ν

8

Ν

N/A

5/14/2018

24

N/A

N/A

Ν

Ν

1000

HS-20-44

BRIDGE ID NUMBER: 900B4940001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 03959 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: KING SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: CSX RAILROAD LOG MILE: 0.84 SUFFICIENCY RATING: 79.2 LOCATION: NE OF I181 & SR 67 JCT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31303 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.33517 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN RAILROAD** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 61.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 158.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 42 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 28 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 23.75 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE (91) REGULAR INSPECTION FREQUENCY (MONTHS):

18.04 FT

N/A

N/A

N/A

NOT APPLICABLE

NOT APPLICABLE

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



YES

8

6

7

N

N

6

4

4

Ν

8

Ν

N/A

5/14/2018

24

N/A

N/A

Ν

Ν

100N

HS-20-44

BRIDGE ID NUMBER: 900B4940003 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 03959 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: KING SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: CSX RAILROAD LOG MILE: 0.89 LOCATION: NE OF I181 & SR 67 JCT SUFFICIENCY RATING: 79.6 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31331 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.33422 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN RAILROAD** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 47.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 131.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 42 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 17 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 28.9 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 7.87 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA



BRIDGE ID NUMBER: 90039600003

BRIDGE OWNER: CITY OF JOHNSON CITY

FIPS CODE: 38320

ROAD NAME: MILLIGAN HWY. CROSSING: CSX RAILROAD

LOCATION: JUST E OF I181-SR67 EXCH

COUNTY: WASHINGTON

ROUTE: 03960

PRODUCED PURSUANT TO

PUBLIC RECORDS REQUEST

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 0.76

SUFFICIENCY RATING: 36.8

IDENTIFICATION ————	CLASSIFICATION ————
(16a,b) LATITUDE: N 36.31270 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.33307 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN MINOR ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: 7
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 4
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(60) SUBSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: EPOXY COATED REINFORCING	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1988	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS (70) PRINCE POSTING CODE:
(42a) SERVICE ON BRIDGE: HIGHWAY-PEDESTRIAN	(70) BRIDGE POSTING CODE: 5 (41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: RAILROAD	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 4	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 74.5 FT	(69) UNDERCLEARANCE RATING: 4
(49) TOTAL BRIDGE LENGTH: 210.3 FT	(71) WATERWAY ADEQUACY: (73) APPROACH BOARWAY ALIONMENT
(50a) LEFT SIDEWALK WIDTH: 4.9 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 4.9 FT	(36) TRAFFIC SAFETY FEATURES: 1000
(51) BRIDGE CURB TO CURB WIDTH: 55.8 FT	(113) SCOUR CONDITION RATING: N
(52) BRIDGE OUT TO OUT WIDTH: 87.9 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 55.8 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(33) BRIDGE MEDIAN: CLOSED MEDIAN - NO BARRIER	(76) LENGTH OF BRIDGE IMPROVEMENT: 244.4 FT
(34) BRIDGE SKEW: 39 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$3,943,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$395,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$5,915,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE	INSPECTION DATES —————
(54b) MIN VERTICAL UNDERCLEARANCE: 28.51 FT	(90) DATE OF LAST REGULAR INSPECTION: 5/15/2018
(55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: 9.84 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NOT APPLICABLE	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

(40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A

N/A

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 90SR0670019 COU

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: MILLIGAN HWY.

CROSSING: SR 67

LOCATION: JUST E OF I181-SR67 EXCH

COUNTY: WASHINGTON

ROUTE: 03960 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 0.95

SUFFICIENCY RATING: 94.2

IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.31035 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.33220 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: N **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): N B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 9 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: 7 (48) MAXIMUM SPAN LENGTH: 145.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 254.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1010 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 91.2 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 97.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 70.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 11 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 45.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.7 FT (90) DATE OF LAST REGULAR INSPECTION: 10/31/2019 (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 23.95 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: 21.98 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

NOT APPLICABLE

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

6

7

7

Ν

N

7

4

Ν

8

Ν

0000

231 FT

2019

24

N/A

N/A

Ν

Ν

\$703,000.00

\$1,055,000.00

\$71,000.00

9/11/2019

HS-20-44

BRIDGE ID NUMBER: 90100260027 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 03964 SPECIAL CASE: 0 FIPS CODE: 38320 ROAD NAME: W. MOUNTAINVIEW RD. COUNTY SEQUENCE: 1 CROSSING: 126 LOG MILE: 2.33 LOCATION: 1.7 M NW JCT I26 & SR34 SUFFICIENCY RATING: 73.0 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.35947 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.40293 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 6 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 81.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 231.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.2 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 32.8 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 20 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT **HIGHWAY BENEATH BRIDGE** INSPECTION DATES (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: 15.32 FT (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 28.22 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 10.5 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

6

4

N

7

8

8

N/A

5/7/2018

24

N/A

N/A

Ν

Ν

1100

HS-20-44

COUNTY: WASHINGTON BRIDGE ID NUMBER: 90039660001 BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 03966 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: BUFFALO RD. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 1.19 SUFFICIENCY RATING: 91.1 LOCATION: IN JOHNSON CITY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.29818 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.34517 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 27.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 29.2 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 32.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

BRIDGE ID NUMBER: 90039740003



COUNTY: WASHINGTON

BRIDGE OWNER: CITY OF JOHNSON CITY **ROUTE: 03975** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: E. MOUNTCASTLE DR. COUNTY SEQUENCE: 1 CROSSING: COBB CREEK LOG MILE: 4.01 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 95.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34263 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.36697 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: 5 (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 25.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 5.2 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 5.2 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2018 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409



YES

5

5

6

5

N

5

5

2

N

6

8

8

2018

24

N/A

N/A

Ν

Ν

1000

BRIDGE ID NUMBER: 90039790001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY **ROUTE: 03979** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: BROADWAY ST. COUNTY SEQUENCE: 1 CROSSING: BRUSHY CREEK LOG MILE: 0.49 SUFFICIENCY RATING: 57.0 LOCATION: IN JOHNSON CITY IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.33127 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.33918 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **WEIGHT POSTED** WATERWAY (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 36.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 46.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 58.4 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 45.9 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: 36.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$129.000.00 (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: \$13,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$194,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 46.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2018 **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 19-Mar-20

(40) NAVIGATION HORZ CLEARANCE:

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

7

6

5

N

7

6

8

N/A

5/29/2018

24

N/A

N/A

Ν

Ν

1110

HS-20-44

BRIDGE ID NUMBER: 900A6770001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 03982 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: ELM ST. COUNTY SEQUENCE: 1 CROSSING: BRUSH CREEK LOG MILE: 0.37 SUFFICIENCY RATING: 87.9 LOCATION: S OFF I181-IN JOHNSON CTY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.32152 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.34948 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 43.6 FT RECOMMENDED IMPROVEMENTS 51.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: YES, FLARED (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 43.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 900A0700001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 03984 SPECIAL CASE: 0 FIPS CODE: 38320 ROAD NAME: S. GREENWOOD DR. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.07 LOCATION: SW OF JOHNSON CITY SUFFICIENCY RATING: 99.2 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.29053 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.38825 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (62) CULVERT CONDITION (IF APPLICABLE):

21 0 ET

NOT APPLICABLE

A) TYPE OF SURFACE:	NOT APPLICABLE	
B) TYPE MEMBRANE:	NOT APPLICABLE	
C) TYPE PROTECTION:	NOT APPLICABLE	
AGE AND SERVICE		
(27) YEAR THE BRIDGE WAS BUILT:	1999	
(106) YEAR THE BRIDGE WAS REHABILITATED:	. N/A	
(42a) SEDVICE ON PRIDCE:	LICHWAY	

(27) YEAR THE BRIDGE WAS BUILT:	1999	
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	
(42a) SERVICE ON BRIDGE:	HIGHWAY	
(42b) UNDER BRIDGE:	WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	
GEOMETRIC DATA		

21.0 1 1	(40) W/ OKINIOW OF 744 ELIVOTTI.
44.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
44.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
45 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:

45 DEGREES		(34) BRIDGE SKEW:
NO FLARE		(35) BRIDGE FLARE:
RESTRICTION	ARANCE OVER RD: NO	(520) MIN VERTICAL CLEAR
44.0 FT	EARANCE ON ROADWAY:	(47) MIN HORIZONTAL CLE
OR RAILROAD	NOT A HIGHWAY	(54a) VERT UNDERCLR:
T APPLICABLE	ERCLEARANCE: NO	(54b) MIN VERTICAL UNDER
OR RAILROAD	NOT A HIGHWAY	(55a) HORZ UNDERCLR:
C APPLICABLE	LR ON RIGHT: NOT	(55b) MIN HORZ UNDERCLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	RANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	CE: N/A
(40) NAVIGATION HORZ CLEARANG	CE: N/A

PUBLICATION DATE 19-Mar-20

(56) MIN HORZ UNDERCLR ON LEFT:

(48) MAXIMI IM SPAN I ENGTH-

YES **NOT A NHS ROUTE URBAN MINOR ARTERIAL NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS = Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 7 **DESIGN LOAD AND WEIGHT POSTING** (31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 6/21/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

Ν

N/A



YES

Ν

Ν

Ν

7

6

2

N

6

8

8

0000

27.9 FT

2018

24

N/A

N/A

Ν

Ν

\$99.000.00

\$10,000.00

\$149,000.00

5/1/2018

HS-20-44

BRIDGE ID NUMBER: 900B0080001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JONESBOROUGH **ROUTE: 03985** SPECIAL CASE: 0 FIPS CODE: 38540 ROAD NAME: S. 2ND AVE. COUNTY SEQUENCE: 1 CROSSING: LITTLE LIMESTONE CREEK LOG MILE: 0.88 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 78.0 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: 36.29227 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.47573 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1978 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 25.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 27.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 8.5 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 8.2 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 19.4 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 3 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

5

6

5

5

Ν

3

N

6

8

8

0000

47.2 FT

2018

24

N/A

N/A

Ν

Ν

\$312,000.00

\$32,000.00

\$469,000.00

7/2/2018

10 TONS

18 TONS

COUNTY: WASHINGTON BRIDGE ID NUMBER: 900A0040001 BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 03990 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TAVERN HILL RD. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 1.74 SUFFICIENCY RATING: 46.2 LOCATION: N OF JONESBORO IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31590 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.48242 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1931 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 23.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 25.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 23.6 FT (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 90\$R0360001 CC

BRIDGE OWNER: CITY OF JOHNSON CITY

FIPS CODE: **38320**ROAD NAME: **S. ROAN ST.**CROSSING: **SINKING CREEK**

LOCATION: .6 M NW OF CARTER CO LN

COUNTY: WASHINGTON

ROUTE: 03992

SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 2.62

SUFFICIENCY RATING: 49.9

IDENTIFICATION	
(16a,b) LATITUDE: N 36.30312 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.33658 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN MINOR ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: H-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1930	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: 1957	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 2
(48) MAXIMUM SPAN LENGTH: 25.9 FT	(69) UNDERCLEARANCE RATING:
(49) TOTAL BRIDGE LENGTH: 57.1 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 27.9 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 34.8 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 80.1 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$690,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$70,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$1,036,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 5/15/2018
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409



YES

7

7

7

Ν

N

7

9

7

Ν

8

Ν

N/A

5/1/2018

24

N/A

N/A

Ν

Ν

1100

HS-20-44

BRIDGE ID NUMBER: 90005480005 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JONESBOROUGH ROUTE: 03994 FIPS CODE: 38540 SPECIAL CASE: 0 ROAD NAME: E. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: NORFOLK / SOU RWY LOG MILE: 1.79 SUFFICIENCY RATING: 93.3 LOCATION: 0.73 MI.E.OF JONESBORO - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.29965 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.44347 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN** RAILROAD (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 38.4 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 124.3 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 46.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 49.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 8 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 46.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 23.69 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 18.04 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA



YES

7

7

7

Ν

N

7

3

5

Ν

8

Ν

1110

126.6 FT

\$383,000,00

\$39,000.00

\$575,000.00

6/20/2018

2018

24

N/A

N/A

Ν

Ν

HS-20-44

BRIDGE ID NUMBER: 90S23880003 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 03994 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: W. WALNUT ST. COUNTY SEQUENCE: 1 CROSSING: CSX RAILROAD LOG MILE: 4.95 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 74.4 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.30103 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 82.39175 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: — AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN** RAILROAD (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 36.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 126.6 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 3.9 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 8 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: 21.52 FT **RAILROAD BENEATH BRIDGE** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 21 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

2

N

7

6

8

2018

24

N/A

N/A

Ν

Ν

0000

BRIDGE ID NUMBER: 90033940007 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 03994 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: W. WALNUT ST. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 5.29 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 72.5 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.30158 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 82.38577 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.2 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.7 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 35.4 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: 26.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$85,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)\$9,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$128,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2018 **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

7

7

7

Ν

Ν

7

8

8

N/A

5/1/2018

24

N/A

N/A

Ν

Ν

1110

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90042370003 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JONESBOROUGH ROUTE: 04237 FIPS CODE: 38540 SPECIAL CASE: 0 ROAD NAME: OLD BOONES CREEK RD. COUNTY SEQUENCE: 1 CROSSING: KNOB CREEK LOG MILE: 0.02 SUFFICIENCY RATING: 99.0 LOCATION: 0.5 MI NE JCT SR34&SR354 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.30278 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.46472 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1990 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 31.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

6

7

7

N

N

6

5

7

Ν

6

Ν

N/A

9/9/2019

24

N/A

N/A

Ν

Ν

0010

HS-20-44

BRIDGE ID NUMBER: 90100260025 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 04237 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: CARROLL CREEK RD. COUNTY SEQUENCE: 1 CROSSING: 126 LOG MILE: 5.68 LOCATION: 1.1 M SE JCT SR354 & I26 SUFFICIENCY RATING: 83.9 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.36753 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.41378 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 89.2 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 263.5 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.5 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 32.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 17.59 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 28.87 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 18.04 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

6

6

6

7

N

6

2

N

5

8

8

0000

40 FT

2019

24

N/A

N/A

Ν

Ν

\$199.000.00

\$20,000.00

\$299,000.00

6/21/2018

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900A0560001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 04241 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: W. OAKLAND AVE. COUNTY SEQUENCE: 1 CROSSING: KNOB CREEK LOG MILE: 0.39 SUFFICIENCY RATING: 67.9 LOCATION: SW OF I181-W OF JOHNSON C - IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37095 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.31892 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 34.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 21 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

3

N

7

8

8

0000

32.2 FT

\$73.000.00

\$110,000.00

\$8,000.00

6/5/2018

2018

24

N/A

N/A

Ν

Ν

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90025930001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 04429 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FORD CREEK RD. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 2.03 LOCATION: S OF I181-W OF GRAY SUFFICIENCY RATING: 77.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.40895 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 82.51067 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24.9 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

Ν

Ν

7

6

8

N/A

6/5/2018

24

N/A

N/A

Ν

Ν

1110

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90025930003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 04429 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FORD CREEK RD. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 3.67 SUFFICIENCY RATING: 99.9 LOCATION: N OF I181-W OF GRAY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.42950 DEGREES 82.49700 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 17.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 52.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 90044300001



COUNTY: WASHINGTON

YES

Ν

Ν

Ν

7

7

7

4

N

7

6

8

N/A

6/11/2018

24

N/A

N/A

Ν

Ν

1N00

HS-20-44

BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 04430 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: CARROLL CREEK RD. COUNTY SEQUENCE: 1 CROSSING: CARROLL CREEK LOG MILE: 0.68 SUFFICIENCY RATING: 96.1 LOCATION: .7 MI NE OF SR 36 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.38410 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.39847 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 31.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 36.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO

N/A

N/A

This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

PUBLIC RECORDS REQUEST

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 90100260035 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 04521 SPECIAL CASE: 0 FIPS CODE: 38320 ROAD NAME: PRINCETON RD. COUNTY SEQUENCE: 1 CROSSING: 126 LOG MILE: 1.89 LOCATION: JUST SE OF I26-SR 34 JCT SUFFICIENCY RATING: 78.5 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34638 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.37492 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): N B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 6 (68) DECK GEOMETRY: 4 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: 7 (48) MAXIMUM SPAN LENGTH: 106.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 211.9 FT (72) APPROACH ROADWAY ALIGNMENT: 7 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 51.5 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 59.4 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: 211.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$477,000.00 (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: \$48,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$716,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 51.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: 9/11/2019 (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 28.87 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: 18.04 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 19-Mar-20

(40) NAVIGATION HORZ CLEARANCE:

PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409



BRIDGE ID NUMBER: 900A3370001 C

BRIDGE OWNER: WASHINGTON COUNTY

FIPS CODE: 00000

ROAD NAME: LIBERTY CHURCH RD. CROSSING: CSX RAILROAD

LOCATION: S OF SR36 AT SULLIVAN CO

COUNTY: WASHINGTON

ROUTE: **04784** SPECIAL CASE: **0**

COUNTY SEQUENCE: 1

LOG MILE: 1.15

SUFFICIENCY RATING: 85.3

IDENTIFICATION	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.43035 DEGREE	S (112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 82.47033 DEGREE	S (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE:	A (26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR	
(98b) PERCENT SHARE:	A (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	E (102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS:	(50) DECK:	
(46) NUMBER OF APPROACH SPANS:	(EO) CLIDED CTDLICTLIDE:	
(107) TYPE OF DECK: CONCRETE PRECAST PANEL	(60) SUBSTRUCTURE:	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(64) STDEAM CHANNEL AND CHANNEL DOCTECTION	
A) TYPE OF SURFACE: MONOLITHIC CONCRET	(62) CHI VEDT CONDITION (IE ADDITIONES).	
B) TYPE MEMBRANE: NON C) TYPE PROTECTION: EPOXY COATED REINFORCIN		
,	(31) DESIGN LOADING: HS-20-44	
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 198	7 WEIGHT POSTING (2700EE VEHICLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED:	A (70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE: HIGHWA	Y (41) WT POSTING STATUS: OPEN	
(42b) UNDER BRIDGE: RAILROA	APPRAISAL ———	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	(67) STRUCTURAL EVALUATION:	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0 (67) STRUCTURAL EVALUATION: 6	
` '	0 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 9	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA	2 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: N	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 48.6 F	2	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 F	2 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1110	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 F (51) BRIDGE CURB TO CURB WIDTH: 25.6 F	2 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1110 (113) SCOUR CONDITION RATING: N	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 48.6 F (49) TOTAL BRIDGE LENGTH: 149.6 F (50a) LEFT SIDEWALK WIDTH: 0.0 F (50b) RIGHT SIDEWALK WIDTH: 25.6 F (51) BRIDGE CURB TO CURB WIDTH: 27.9 F	0 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1110 (113) SCOUR CONDITION RATING: N T RECOMMENDED IMPROVEMENTS	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 48.6 F (49) TOTAL BRIDGE LENGTH: 149.6 F (50a) LEFT SIDEWALK WIDTH: 0.0 F (50b) RIGHT SIDEWALK WIDTH: 0.0 F (51) BRIDGE CURB TO CURB WIDTH: 25.6 F (52) BRIDGE OUT TO OUT WIDTH: 27.9 F (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 F	0 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1110 (113) SCOUR CONDITION RATING: N TRECOMMENDED IMPROVEMENTS T (75) TYPE OF WORK: NOT APPLICABLE	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIA	0 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1110 (113) SCOUR CONDITION RATING: N TRECOMMENDED IMPROVEMENTS T (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIA (34) BRIDGE SKEW: 1 DEGREE	0 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1110 (113) SCOUR CONDITION RATING: N THEORY OF WORK: NOT APPLICABLE (75) TYPE OF WORK: NOT APPLICABLE (94) BRIDGE IMPROVEMENT: N/A (95) PROADWAY IMPROVEMENT COST:	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIA (34) BRIDGE SKEW: 1 DEGREE (35) BRIDGE FLARE:	0 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1110 (113) SCOUR CONDITION RATING: N THE RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	0 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1110 (113) SCOUR CONDITION RATING: N THEORY OF WORK: NOT APPLICABLE (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIA (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.6 F.	0 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1110 11 (113) SCOUR CONDITION RATING: 11 (75) TYPE OF WORK: NOT APPLICABLE 12 (76) LENGTH OF BRIDGE IMPROVEMENT: 13 (94) BRIDGE IMPROVEMENT COST: 14 (95) ROADWAY IMPROVEMENT COST: 15 (97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIA (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	0 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 11110 (113) SCOUR CONDITION RATING: N THEORY OF WORK: NOT APPLICABLE (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: E INSPECTION DATES	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIA (34) BRIDGE SKEW: 1 DEGREE (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (54b) MIN VERTICAL UNDERCLEARANCE: (525.52 INTERPRETABLE CLEARANCE)	0 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1110 (113) SCOUR CONDITION RATING: N THEORY OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: EN (90) DATE OF LAST REGULAR INSPECTION: 6/7/2018	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (85b) HORZ UNDERCLR: (85c) RAILROAD BENEATH BRIDGE (85c)	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: NA (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 F (33) BRIDGE MEDIAN: NO MEDIA (34) BRIDGE SKEW: 1 DEGREE (35) BRIDGE FLARE: NO FLAR (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN VERTICAL UNDERCLEARANCE: 23.29 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: NA (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 F(33) BRIDGE MEDIAN: NO MEDIA(34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (55b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: NA (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (91) REGULAR INSPECTION: (92b) UNDERWATER INSP FREQUENCY (MONTHS): N/A	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 F (33) BRIDGE MEDIAN: NO MEDIA (34) BRIDGE SKEW: 1 DEGREE (35) BRIDGE FLARE: NO FLAR (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN VERTICAL UNDERCLEARANCE: 23.29 F	0 (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 11110 (113) SCOUR CONDITION RATING: N THEORY RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: ENDOYMENDED IMPROVEMENT: 6/7/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 124 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

5

7

7

5

Ν

3

8

8

N/A

5/2/2018

24

N/A

N/A

Ν

Ν

0110

HS-20-44

BRIDGE ID NUMBER: 900B2110001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 04810 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: SINKING CREEK RD. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 0.98 SUFFICIENCY RATING: 87.2 LOCATION: .98 M S OF SR67 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.28367 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.36472 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 43.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS 38.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 38 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

7

6

6

Ν

N

6

2

6

Ν

8

Ν

1000

64.3 FT

2019

24

N/A

N/A

Ν

Ν

\$120,000,00

\$13,000.00

\$181,000.00

6/26/2018

HS-20-44

BRIDGE ID NUMBER: 90039680001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 05584 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: INDIAN RIDGE RD. COUNTY SEQUENCE: 1 CROSSING: CSX RAILROAD LOG MILE: 2.00 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 76.1 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.32092 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.39467 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: — AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN** RAILROAD (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 59.7 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 64.3 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.2 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 40.4 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: 22.01 FT (55a) HORZ UNDERCLR: **RAILROAD BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 21.98 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

6

Ν

N

7

8

8

N/A

5/7/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 900B4720001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY **ROUTE: 06035** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: LAFE COX DR. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 0.38 SUFFICIENCY RATING: 96.7 LOCATION: S OF SR67-I181 JCT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.30233 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 82.34058 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 14.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 30.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

6

Ν

Ν

5

6

8

N/A

6/26/2018

24

N/A

N/A

Ν

Ν

0000

H-15-44

BRIDGE ID NUMBER: 900A0550001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 06036 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: MCKINLEY RD. COUNTY SEQUENCE: 1 CROSSING: BRUSH CREEK LOG MILE: 0.96 LOCATION: MCKINLEY ROAD SUFFICIENCY RATING: 95.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.30293 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.38623 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.2 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 28.5 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 900A0800001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 06041 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HIGHLAND CHURCH RD. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 0.09 LOCATION: SW OF I181-SR36 JCT SUFFICIENCY RATING: 76.3 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.35253 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.44592 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 30.5 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 40 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$120,000,00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)\$13,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$181,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/2/2018 **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409



YES

Ν

Ν

Ν

8

6

4

Ν

7

8

8

N/A

7/2/2018

24

N/A

N/A

Ν

Ν

1110

HS-20-44

BRIDGE ID NUMBER: 900A0760001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HALES RD. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 0.77 SUFFICIENCY RATING: 82.9 LOCATION: .9 MI W OF SR 347 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.32007 DEGREES 82.47850 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 28.5 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



Ν

Ν

Ν

7

6

5

Ν

8

8

8

24

Ν

Ν

BRIDGE ID NUMBER: 900A0810001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A081 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOB HAYS RD. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 0.23 SUFFICIENCY RATING: 82.5 LOCATION: W OF RIDGE ROAD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34469 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.45281 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: INTEGRAL CONCRETE A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2001 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 14.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 30.8 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 31.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2018 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 90100260009 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 0A085 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: HALES CHAPEL RD. COUNTY SEQUENCE: 1 CROSSING: 126 LOG MILE: 5.25 SUFFICIENCY RATING: 97.4 LOCATION: SE OF 126 - SR 75 JCT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.39943 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.46383 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: n (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): N B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 6 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: 7 (48) MAXIMUM SPAN LENGTH: 79.1 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 248.7 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT RECOMMENDED IMPROVEMENTS 36.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 19 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 17.68 FT (90) DATE OF LAST REGULAR INSPECTION: 9/9/2019 (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 26.25 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: 18.04 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409



BRIDGE ID NUMBER: 900A1190001 COUNTY: WASHINGTON

BRIDGE OWNER: WASHINGTON COUNTY

FIPS CODE: 00000

ROAD NAME: WEST RIDGE RD. CROSSING: CLEAR FORK CREEK

LOCATION: JUST NE OF SR81-SR75 JCT

ROUTE: 0A119

COUNTY SEQUENCE: 1 LOG MILE: 0.04

SPECIAL CASE: 0

SUFFICIENCY RATING: 85.2

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.34193 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.54878 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 2	——— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1985	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
(48) MAXIMUM SPAN LENGTH: 10.5 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 22.0 FT	(71) WATERWAY ADEQUACY: 7
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(***)
(52) BRIDGE OUT TO OUT WIDTH: 28.5 FT	RECOMMENDED IMPROVEMENTS ———
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 5/30/2018
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

7

6

5

Ν

7

6

8

N/A

6/6/2018

24

N/A

N/A

Ν

Ν

1000

HS-20-44

BRIDGE ID NUMBER: 900A1200001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A120 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WEST SIDE RD. COUNTY SEQUENCE: 1 CROSSING: CLEAR FORK LOG MILE: 1.03 SUFFICIENCY RATING: 91.7 LOCATION: W OFF SR75 NEAR SR81 JCT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34830 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.54278 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 28.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION:

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

6

4

N

7

8

8

N/A

5/30/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 900A1200003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A120 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BAYLESS RD. COUNTY SEQUENCE: 1 CROSSING: MUDDY FORK CREEK LOG MILE: 2.68 SUFFICIENCY RATING: 81.4 LOCATION: N OF SR81-W OF JONESBORO - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.33463 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.52580 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 41.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS 23.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

7

6

6

N

7

8

8

N/A

5/30/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 900A1340001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A134 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHALYBEATE SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: CLEAR FK. CREEK LOG MILE: 1.01 SUFFICIENCY RATING: 97.0 LOCATION: W OF SR75-SR81 JCT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.33725 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.55318 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST:

NO RESTRICTION

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

24.0 FT

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

INSPECTION DATES

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA



BRIDGE ID NUMBER: 900A1360001 COUNTY: WASHINGTON
BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A136

FIPS CODE: 00000

ROAD NAME: **MUDDY FORK RD.** CROSSING: **MUDDY CREEK**

LOCATION: E OFF SR75-N OF US11E JCT

LOG MILE: 0.75
SUFFICIENCY RATING: 89.9

COUNTY SEQUENCE: 1

SPECIAL CASE: 0

- IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.29990 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.55962 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.5 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 30.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**

26.6 FT

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

(38) NAV CONTROL: NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE: N/A

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

(116) LIFT BRIDGE VERT CLEARANCE: N/A
(40) NAVIGATION HORZ CLEARANCE: N/A

NAVIGATION DATA

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

PUBLICATION DATE

19-Mar-20

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

5/30/2018

24

N/A

N/A

Ν

Ν

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

INSPECTION DATES



YES

6

7

7

Ν

N

7

6

7

Ν

8

Ν

N/A

9/3/2019

24

N/A

N/A

Ν

Ν

0110

H-20-44

BRIDGE ID NUMBER: 90100810005 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 0A164 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LINK RD. COUNTY SEQUENCE: 1 CROSSING: 181 LOG MILE: 0.41 SUFFICIENCY RATING: 96.6 LOCATION: NE OF SR 93 & I81 JCT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.41167 DEGREES 82.59333 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 5 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** 1974 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 87.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 311.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.5 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 2 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.77 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 30.51 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 30.51 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 19-Mar-20

(40) NAVIGATION HORZ CLEARANCE:

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY



YES

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 900A2090001 COUNTY WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A209 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MCCALL RD. COUNTY SEQUENCE: 1 CROSSING: BLACKLEY CREEK LOG MILE: 0.40 LOCATION: W OF SR81-SR75 JCT SUFFICIENCY RATING: 65.2 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.32444 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 82.59944 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT**

B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * (27) YEAR THE BRIDGE WAS BUILT: 1940 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE:

2

0

GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 32.2 FT (49) TOTAL BRIDGE LENGTH: 35.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 20 FT (52) BRIDGE OUT TO OUT WIDTH: 21 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT

(28a) NUMBER OF LANES CARRIED BY BRIDGE:

(28b) NUMBER OF LANES UNDER THE BRIDGE:

(33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (39) NAVIGATION VERTICAL CLEARANCE:

N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

6 6 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): N

DESIGN LOAD AND WEIGHT POSTING OTHER OR UNKNOWN WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** NEEDED)

(76) LENGTH OF BRIDGE IMPROVEMENT: 35.8 FT (94) BRIDGE IMPROVEMENT COST: \$97.000.00 ROADWAY IMPROVEMENT COST: (95)\$10,000.00 TOTAL PROJECT COST: \$146,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 6/11/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



BRIDGE ID NUMBER: 900A2340001 COUNTY: WASHINGTON

BRIDGE OWNER: WASHINGTON COUNTY

FIPS CODE: 00000

ROAD NAME: MCINTURFF RD. CROSSING: KEEBLER BRANCH

LOCATION: BTWN US11E&SR75 NEAR JCT

ROUTE: 0A234

YES

U

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 0.01 SUFFICIENCY RATING: 75.8

- IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: Ν 36.26563 DEGREES

0

(16a,b) LATITUDE: 82.58990 DEGREES (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: STEEL

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 1 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

ASPHALT A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

AGE AND SERVICE *

(27) YEAR THE BRIDGE WAS BUILT: 1930 (106) YEAR THE BRIDGE WAS REHABILITATED: 1970 (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2

GEOMETRIC DATA

(28b) NUMBER OF LANES UNDER THE BRIDGE:

(48) MAXIMUM SPAN LENGTH: 27.2 FT (49) TOTAL BRIDGE LENGTH: 29.2 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT **NO MEDIAN** (33) BRIDGE MEDIAN: 0 DEGREES **NO FLARE**

(34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.6 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE: N/A (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**

(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**

(102) TRAFFIC DIR: 2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: **NOT APPLICABLE**

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

NOT BEEN DETERMINED

CONDITION RATINGS =

(58) DECK: 6 (59) SUPERSTRUCTURE: 6 (60) SUBSTRUCTURE: 6 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): Ν

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: H-10-44 10 TONS WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **18 TONS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **WEIGHT POSTED**

APPRAISAL

(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NNNN (113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE REHABILITATION**

(76) LENGTH OF BRIDGE IMPROVEMENT: 29.2 FT (94) BRIDGE IMPROVEMENT COST: \$133,000.00

ROADWAY IMPROVEMENT COST: \$14,000.00 (96) TOTAL PROJECT COST: \$200,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018

INSPECTION DATES

5/15/2018 (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

7

7

7

6

N

6

5

N

6

8

8

N/A

5/15/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900A2340003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A234 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MCINTURFF RD. COUNTY SEQUENCE: 1 CROSSING: BIG LIMESTONE CREEK LOG MILE: 0.35 SUFFICIENCY RATING: 88.5 LOCATION: NE OF US 11E-SR 75 JCT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.26185 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 82.59310 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 38.4 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 123.4 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 25.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



NO

6

6

5

N

5

4

N

6

8

8

NNNN

20.3 FT

\$49.000.00

\$74,000.00

5/15/2018

\$5,000.00

2018

24

N/A

N/A

Ν

Ν

10 TONS

18 TONS

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900A2340005 COUNTY WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A234 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MCINTURFF RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.78 LOCATION: NE OF US11E-SR75 JCT SUFFICIENCY RATING: 65.3 - IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.25702 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.59727 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 20.3 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD**

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

5

7

7

7

N

7

7

Ν

7

7

U

N/A

7/2/2018

24

N/A

N/A

Ν

Ν

0000

BRIDGE ID NUMBER: 900A2380001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A238 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CRAIN RD. COUNTY SEQUENCE: 1 CROSSING: CARSON CREEK LOG MILE: 0.04 SUFFICIENCY RATING: 81.8 LOCATION: EAST OF CARSON CREEK RD - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27452 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.63285 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** 2005 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 36.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 38.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 15.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 19.4 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 13.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 16.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



COUNTY: WASHINGTON BRIDGE ID NUMBER: 900A2410001 BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A241 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JOHN CARSON RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.24 SUFFICIENCY RATING: 50.0 LOCATION: N OFF US11E-BTWN SR81&75 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.27215 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.57337 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS (27) YEAR THE BRIDGE WAS BUILT: 1925 WEIGHT POSTING (3 OR MORE AXLES): **18 TONS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 2 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.2 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 24.3 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 15.7 FT RECOMMENDED IMPROVEMENTS 17.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 45.6 FT NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: \$279,000.00 (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: \$28,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$419,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 15.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 5/23/2018 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

7

7

7

5

N

7

8

8

N/A

5/17/2018

24

N/A

N/A

Ν

Ν

0001

HS-20-44

COUNTY: WASHINGTON BRIDGE ID NUMBER: 900A2430001 BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A243 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MATTHEW MILL RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE LIMESTONE CREEK LOG MILE: 0.53 SUFFICIENCY RATING: 96.2 LOCATION: S OFF US11E NEAR TELFORD - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24253 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.56377 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 44.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 33.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

6

5

5

5

Ν

5

4

N

6

6

8

0000

35.1 FT

\$67.000.00

\$101,000.00

5/15/2018

\$7,000.00

2018

24

N/A

N/A

Ν

Ν

11 TONS

20 TONS

BRIDGE ID NUMBER: 900A2430003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A243 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: KYKER RD. COUNTY SEQUENCE: 1 CROSSING: BIG LIMESTONE CREEK LOG MILE: 2.84 SUFFICIENCY RATING: 58.6 LOCATION: BTWN US11E&SR75 NEAR JCT - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.26865 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.58393 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 33.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 35.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 23 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24.9 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO

N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

4

N

7

6

8

N/A

5/15/2018

24

N/A

N/A

Ν

Ν

0001

HS-20-44

BRIDGE ID NUMBER: 900A2430005 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A243 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: KYKER RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 3.55 SUFFICIENCY RATING: 85.5 LOCATION: E OFF SR75-N OF US11E IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.26972 DEGREES Ν 82.59008 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 11.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 24.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 31.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

5

5

N

5

4

N

5

6

8

0000

33.5 FT

\$83.000.00

\$125,000.00

\$9,000.00

6/7/2018

2018

24

N/A

N/A

Ν

Ν

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900A1810001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A257 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OAK GLEN CIR. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.48 LOCATION: IN VERY NW CORNER OF CO. SUFFICIENCY RATING: 61.7 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.43022 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.63927 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1942 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 10.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.5 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 23.6 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

7

7

7

5

N

6

4

N

6

6

8

6/7/2018

Ν

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 900A1810003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A257 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OAK GLEN CIR. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.59 LOCATION: VERY NW CORNER OF CO. SUFFICIENCY RATING: 77.5 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.43033 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.63800 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1942 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY:

ALL LEGAL LOADS ALL LEGAL LOADS GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 47.2 FT (72) APPROACH ROADWAY ALIGNMENT:

(50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 47.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$91.000.00 (34) BRIDGE SKEW: 41 DEGREES

(95) ROADWAY IMPROVEMENT COST: \$10,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$137,000.00

(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT

INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION:

NO NAVIGATION CONTROL

NOT A HIGHWAY OR RAILROAD 24 (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A Ν

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

(39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

(38) NAV CONTROL:

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

7

7

7

Ν

N

7

7

6

Ν

8

Ν

N/A

9/10/2019

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 90100260013 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 0A311 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: FROG LEVEL RD. COUNTY SEQUENCE: 1 CROSSING: 126 LOG MILE: 0.93 LOCATION: NW OF I26 - SR 354 JCT SUFFICIENCY RATING: 93.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.39368 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.44842 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 78.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 168.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 34.4 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.7 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 28.22 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 16.73 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



ROUTE: 0A315

LOG MILE: 0.32

SPECIAL CASE: 0

BRIDGE ID NUMBER: 900A3150001 COUNTY: WASHINGTON

BRIDGE OWNER: WASHINGTON COUNTY

FIPS CODE: 00000

ROAD NAME: HARWOOD RD. CROSSING: CSX RAILROAD

LOCATION: N OFF I181-W OF SR36

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 93.7

IDENTIFICATION		CLASSIFICATION		
(16a,b) LATITUDE:	N	36.39767 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	
(17a,b) LONGITUDE:	W	82.44292 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	LC
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO I
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	
			(103) TEMPORARY BRIDGE:	

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

MONOLITHIC CONCRETE A) TYPE OF SURFACE: B) TYPE MEMBRANE:

EPOXY COATED REINFORCING C) TYPE PROTECTION:

AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 2007 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **RAILROAD** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 57.1 FT (49) TOTAL BRIDGE LENGTH: 158.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 00 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 3 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT

(54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE**

(54b) MIN VERTICAL UNDERCLEARANCE: 26.74 FT (55a) HORZ UNDERCLR: **RAILROAD BENEATH BRIDGE**

(55b) MIN HORZ UNDERCLR ON RIGHT: 24.61 FT

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NOT APPLICABLE** (39) NAVIGATION VERTICAL CLEARANCE: N/A N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

YES **NOT A NHS ROUTE** OCAL RURAL ROAD PARALLEL BRIDGE 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HL-93 WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN

APPRAISAL	
(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	9
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1110
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 7/3/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



BRIDGE ID NUMBER: 900A2200001 COUNTY: WASHINGTON **BRIDGE OWNER: WASHINGTON COUNTY** ROUTE: 0A413

FIPS CODE: 00000

ROAD NAME: CARSON CREEK RD. CROSSING: CARSON CREEK

LOCATION: N OF US11E AT GREENE CO.

- CLASSIFICATION -

SPECIAL CASE: 0

LOG MILE: 1.99

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 56.4

IDENTIFICAT	IDENTIFICATION ————————————————————————————————————		TON ———	
(16a,b) LATITUDE:	N	36.29285 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	82.63162 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND I	MAT	ERIAL ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE NOT ON TRUCK NETWORK
(40-) MAIN ODAN MATERIAL OTER			(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK

IDENTIFICATION ————	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.29285 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 82.63162 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: STEEL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 5	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 5	
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 4	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N	
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN	
	WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS	
(27) YEAR THE BRIDGE WAS BUILT: 1930	WEIGHT POSTING (3 OR MORE AXLES): 18 TONS	
(106) YEAR THE BRIDGE WAS REHABILITATED: 1950	(70) BRIDGE POSTING CODE: 4	
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED	
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2		
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5	
	(68) DECK GEOMETRY: 5	
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:	
(48) MAXIMUM SPAN LENGTH: 34.1 FT	(71) WATERWAY ADEQUACY: 4	
(49) TOTAL BRIDGE LENGTH: 44.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 8	
(51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 26.9 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 44 FT	
(34) BRIDGE SKEW: 20 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$214,000.00	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$22,000.00	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$322,000.00	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 5/9/2018	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N	

	(75) TYPE OF WORK: BRIDGE REHABILITATION
44 FT	(76) LENGTH OF BRIDGE IMPROVEMENT:
\$214,000.00	(94) BRIDGE IMPROVEMENT COST:
\$22,000.00	(95) ROADWAY IMPROVEMENT COST:
\$322,000.00	(96) TOTAL PROJECT COST:
2018	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
	INSPECTION DATES

	INSPECTION DATES
5/9/2018	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

7

R

5

N

8

8

8

N/A

7/2/2018

24

N/A

N/A

Ν

Ν

1111

HS-20-44

COUNTY: WASHINGTON BRIDGE ID NUMBER: 900A4480001 BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0A448 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: FLOURVILLE RD. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 0.16 SUFFICIENCY RATING: 90.2 LOCATION: NW OF I181-SR36 JCT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.39195 DEGREES 82.40080 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE LOCAL CITY STREET** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2010 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 36.5 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 37.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

8

8

8

7

Ν

R

5

N

7

8

8

N/A

7/2/2018

24

N/A

N/A

Ν

Ν

1111

HL-93

2-WAY TRAFFIC

COUNTY: WASHINGTON BRIDGE ID NUMBER: 900A4480003 BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0A448 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: FLOURVILLE RD. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 0.42 SUFFICIENCY RATING: 90.5 LOCATION: NW OF SR 36 - I181 JCT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.39210 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.39702 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2010 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 29.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 30.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

NATIONAL BRIDGE INVENTORY



YES

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 900A4750001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0A475 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: QUALITY CIR. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 0.14 LOCATION: 0.6 M NE OF I181-SR345 JC SUFFICIENCY RATING: 81.5 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.38265 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.41790 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: **NOT APPLICABLE** (107) TYPE OF DECK: (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING:

. - . ---

NOT APPLICABLE

	-,
	AGE AND SERVICE -
1979	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES LINDER THE BRIDGE:

15.1 FT	(48) MAXIMUM SPAN LENGTH:
48.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
25.9 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:

GEOMETRIC DATA

NO MEDIAN		(33) BRIDGE MEDIAN:
0 DEGREES		(34) BRIDGE SKEW:
NO FLARE		(35) BRIDGE FLARE:
RESTRICTION	ARANCE OVER RD: NO	(520) MIN VERTICAL CLEAR
39.0 FT	LEARANCE ON ROADWAY:	(47) MIN HORIZONTAL CLEA
OR RAILROAD	NOT A HIGHWAY	(54a) VERT UNDERCLR:
T APPLICABLE	DERCLEARANCE: NO	(54b) MIN VERTICAL UNDER
OR RAILROAD	NOT A HIGHWAY	(55a) HORZ UNDERCLR:
T APPLICABLE	CLR ON RIGHT: NO	(55b) MIN HORZ UNDERCLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	NCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	:: N/A
(40) NAVIGATION HORZ CLEARANCE	E: N/A

PUBLICATION DATE 19-Mar-20

(56) MIN HORZ UNDERCLR ON LEFT:

/ 40\ 1.4.\ // 1.4. OB 4.1. I ELIOTI.

NOT A NHS ROUTE LOCAL CITY STREET NO PARALLEL BRIDGE 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS = Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 DESIGN LOAD AND WEIGHT POSTING HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN APPRAISAL (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 6/6/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

7

6

Ν

N

7

8

8

1111

27.2 FT

2018

24

N/A

N/A

Ν

Ν

\$193,000.00

\$20,000.00

\$290,000.00

6/20/2018

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900A5280001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0A528 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: CREEKMOORE DR. COUNTY SEQUENCE: 1 CROSSING: KNOB CREEK LOG MILE: 0.01 SUFFICIENCY RATING: 80.0 LOCATION: E OFF SR34-.5 M N OF SR36 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.36367 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.38197 DEGREES **NOT A NHS ROUTE LOCAL CITY STREET** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: UNKNOWN DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 27.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

8

7

7

Ν

Ν

7

8

8

1110

24 FT

2018

24

N/A

N/A

Ν

Ν

\$171,000.00

\$18,000.00

\$257,000.00

6/20/2018

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900A5280003 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0A528 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: CREEKMOORE DR. COUNTY SEQUENCE: 1 CROSSING: COBB CREEK LOG MILE: 0.33 SUFFICIENCY RATING: 80.0 LOCATION: CREEKMORE DRIVE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.36030 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.37912 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 6.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 24.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 30.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

7

7

7

7

N

6

6

N

7

8

8

N/A

6/21/2018

24

N/A

N/A

Ν

Ν

1110

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900A5400001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0A540 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: SILVERDALE DR. COUNTY SEQUENCE: 1 CROSSING: COBB CREEK LOG MILE: 0.08 SUFFICIENCY RATING: 87.5 LOCATION: SILVERDALE DRIVE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.35207 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.36187 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: UNKNOWN DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 29.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: 3.9 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 3.9 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 39.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

6

Ν

N

7

8

8

N/A

6/26/2018

24

N/A

N/A

Ν

Ν

1110

HS-20-44

BRIDGE ID NUMBER: 90039770001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0A600 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: SMITH ST. COUNTY SEQUENCE: 1 CROSSING: BRUSH CREEK LOG MILE: 0.07 SUFFICIENCY RATING: 99.3 LOCATION: IN JOHNSON CITY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.33943 DEGREES 82.33093 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 14.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 37.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 900A6240001 COUNTY WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A624 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CASH HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.23 LOCATION: E OFF US 11E-S OF BOONE L SUFFICIENCY RATING: 79.6 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37838 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.35078 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 — AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1989 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 17.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 37.4 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 37.4 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$77,000.00 (34) BRIDGE SKEW: 45 DEGREES (95) ROADWAY IMPROVEMENT COST: \$8,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$116,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/11/2018 **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A



BRIDGE ID NUMBER: 900A6720001 COUNTY: WASHINGTON
BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A672
FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: KNOB CREEK DOCK RD. COUNTY SEQUENCE: 1
CROSSING: KNOB CREEK
LOG MILE: 0.16

LOCATION: E OFF US11E-N OF SR36 JCT	SUFFICIENCY RATING: 60.3
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: LOCAL CITY STREET (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: NOT APPLICABLE (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 5	——— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: ASPHALT B) TYPE MEMBRANE: NONE	(58) DECK: 6 (59) SUPERSTRUCTURE: 5 (60) SUBSTRUCTURE: 6 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 (62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 2
(48) MAXIMUM SPAN LENGTH: 45.9 FT (49) TOTAL BRIDGE LENGTH: 236.2 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 18.4 FT (52) BRIDGE OUT TO OUT WIDTH: 21.7 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.4 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: 236.2 FT (94) BRIDGE IMPROVEMENT COST: \$953,000.00 (95) ROADWAY IMPROVEMENT COST: \$96,000.00 (96) TOTAL PROJECT COST: \$1,430,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 INSPECTION DATES
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 6/18/2018
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 07/2017 (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N
(55) IIII SOITHOLI	(SES) S. ESMERION TREGGERS (MONTHO).

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

5

5

5

6

Ν

5

4

N

7

8

8

NNNN

55.1 FT

2018

24

N/A

N/A

Ν

Ν

\$437,000.00

\$44,000.00

\$656,000.00

5/29/2018

BRIDGE ID NUMBER: 900A6740001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0A674 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: NEW ST. COUNTY SEQUENCE: 1 CROSSING: BRUSH CREEK LOG MILE: 0.54 SUFFICIENCY RATING: 63.3 LOCATION: IN JOHNSON CITY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.32597 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.34661 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1940 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.7 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 30.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

Ν

Ν

7

8

8

N/A

7/2/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 900A8250001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A825 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHRISTIAN CHURCH RD. COUNTY SEQUENCE: 1 CROSSING: BOONE CREEK LOG MILE: 0.39 SUFFICIENCY RATING: 96.9 LOCATION: S OF I181-SR354 JCT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37280 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.42952 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1909 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 14.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 44.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

3

N

5

8

8

N/A

5/8/2018

24

N/A

N/A

Ν

Ν

1000

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900A2340007 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A850 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BIG LIMESTONE RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.24 SUFFICIENCY RATING: 77.9 LOCATION: IN LIMESTONE-S OF US11E IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.23027 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.62610 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

NOT A NHS ROUTE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 900A8730001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A873 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GARLAND RD. COUNTY SEQUENCE: 1 CROSSING: LIMESTONE CREEK LOG MILE: 0.53 SUFFICIENCY RATING: 49.6 LOCATION: ON CO LINE-BTWN SR107&34 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: 36.22227 DEGREES N (17a,b) LONGITUDE: 82.59958 DEGREES (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (98a) BORDER BRIDGE STATE CODE: N/A **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: STEEL (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: **NONE** NONE C) TYPE PROTECTION: AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1920

(106) YEAR THE BRIDGE WAS REHABILITATED	D: 1945	
(42a) SERVICE ON BRIDGE:	HIGHWAY	
(42b) UNDER BRIDGE:	WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDG	E: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE	E: 0	
GEOMETRIC DATA		
(48) MAXIMUM SPAN LENGTH:	15.4 FT	
(49) TOTAL BRIDGE LENGTH:	30.8 FT	
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	
(51) BRIDGE CURB TO CURB WIDTH:	28.5 FT	
(52) BRIDGE OUT TO OUT WIDTH:	30.5 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH	H: 18.0 FT	
(33) BRIDGE MEDIAN:	NO MEDIAN	
(34) BRIDGE SKEW:	0 DEGREES	
(35) BRIDGE FLARE:	NO FLARE	
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION	
(47) MIN HORIZONTAL CLEARANCE ON ROAD		
(54a) VERT UNDERCLR: NOT A HIGH	IWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARANCE:		
(55a) HORZ UNDERCLR: NOT A HIGH	IWAY OR RAILROAD	
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE	
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE	
NAVIGATION DATA		
(38) NAV CONTROL: NO NAV	/IGATION CONTROL	
(39) NAVIGATION VERTICAL CLEARANCE:	N/A	

(26) FUNCTIONAL CLASS: LOCAL R	URAL RUAD
	EL BRIDGE
(102) TRAFFIC DIR: 2-W	AY TRAFFIC
(103) TEMPORARY BRIDGE: NOT A	PPLICABLE
(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK	(NETWORK
(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANO	CE HAS
NOT BEEN DETERMINED	
— CONDITION RATINGS	
(58) DECK:	5
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	4
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	N
DESIGN LOAD AND WEIGHT POSTING	G ——
(31) DESIGN LOADING: OTHER OR	UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	10 TONS
WEIGHT POSTING (3 OR MORE AXLES):	18 TONS
(70) BRIDGE POSTING CODE:	4
(41) WT POSTING STATUS: WEIGHT POSTED	
APPRAISAL —	
(67) STRUCTURAL EVALUATION:	4
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	5
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8
RECOMMENDED IMPROVEMENTS	
(75) TYPE OF WORK: BRIDGE REPLACEMENT	
(76) LENGTH OF BRIDGE IMPROVEMENT:	52.8 FT
(94) BRIDGE IMPROVEMENT COST:	\$321,000.00
(95) ROADWAY IMPROVEMENT COST:	\$33,000.00
(96) TOTAL PROJECT COST:	\$482,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018
INSPECTION DATES	
(90) DATE OF LAST REGULAR INSPECTION:	5/9/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

7

N

7

5

Ν

8

8

8

N/A

5/8/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900A8820001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A882 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRIDGE ST. COUNTY SEQUENCE: 1 CROSSING: BIG LIMESTONE CREEK LOG MILE: 0.03 SUFFICIENCY RATING: 90.7 LOCATION: S OF US11E @ LIMESTONE - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.22688 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.63155 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 59.4 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 171.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 26.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 34.1 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

5

5

5

5

Ν

5

4

N

7

8

8

0000

52.2 FT

2019

24

N/A

N/A

Ν

Ν

\$326,000.00

\$33,000.00

\$490,000.00

5/9/2018

10 TONS

18 TONS

BRIDGE ID NUMBER: 900A9040001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A904 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TAYLOR MILL RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE LIMESTONE CREEK LOG MILE: 0.04 SUFFICIENCY RATING: 49.7 LOCATION: BTWN LIMESTONE & SR353 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.21407 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.60313 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1920 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 27.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 30.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 22.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

4

N

7

8

8

N/A

5/9/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 900A9050001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A905 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GRAVEL HILL RD. COUNTY SEQUENCE: 1 CROSSING: ONION CREEK LOG MILE: 0.57 LOCATION: SE OF LIMESTONE SUFFICIENCY RATING: 81.3 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21148 DEGREES 82.60168 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 27.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

5

N

7

8

8

N/A

5/9/2018

24

N/A

N/A

Ν

Ν

1110

HS-20-44

BRIDGE ID NUMBER: 900A9060001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A906 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MCQUEEN RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE LIMESTONE CREEK LOG MILE: 0.10 SUFFICIENCY RATING: 93.9 LOCATION: SE OF LIMESTONE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21070 DEGREES 82.60330 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 17.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 53.5 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

6

6

7

7

N

6

4

N

8

8

8

N/A

6/19/2018

09/2016

24

Y60

N/A

Ν

1000

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900A9120001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A912 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SNAPP BRIDGE RD. COUNTY SEQUENCE: 1 CROSSING: NOLICHUCKY RIVER LOG MILE: 0.23 SUFFICIENCY RATING: 78.3 LOCATION: ON SNAP BRIDGE ROAD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.18665 DEGREES 82.60868 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: n (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 88.3 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 351.4 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 20.3 FT RECOMMENDED IMPROVEMENTS 24 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

6

7

7

4

N

7

8

8

N/A

5/9/2018

24

N/A

N/A

Ν

Ν

1000

HS-20-44

BRIDGE ID NUMBER: 900A9120003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A912 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SNAPP BRIDGE RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.49 SUFFICIENCY RATING: 86.9 LOCATION: N OF SR107-W OF SR353 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.18447 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.60503 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 10.2 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

6

N

4

8

8

0000

46.9 FT

2018

24

N/A

N/A

Ν

Ν

\$283,000.00

\$29,000.00

\$425,000.00

5/17/2018

BRIDGE ID NUMBER: 900A9180001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A918 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JARRETT RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.65 SUFFICIENCY RATING: 46.7 LOCATION: N OFF SR107-E OF SR353 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.20710 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.56497 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** 1935 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 5.6 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 25.6 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 20.3 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 90026260003 COUNTY: WASHINGTON **BRIDGE OWNER: WASHINGTON COUNTY** ROUTE: 0A932 FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: CHARLIE DILLOW RD. COUNTY SEQUENCE: 1 CROSSING: KIPLINGER CREEK LOG MILE: 0.45

LOCATION: 3.5 M NE OF MT. CARMEL	SUFFICIENCY RATING: 46.7
IDENTIFICATION	
(16a,b) LATITUDE: N 36.17782 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.54428 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: STEEL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NILIMBER OF MAIN ORANG	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: 5
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 5
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
(27) YEAR THE BRIDGE WAS BUILT: 1950	WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS
(106) YEAR THE BRIDGE WAS BEHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): 18 TONS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 4
	(41) WT POSTING STATUS: WEIGHT POSTED
(42b) UNDER BRIDGE: WATERWAY	
(42b) UNDER BRIDGE: WATERWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
	(67) STRUCTURAL EVALUATION: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 3
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 17.7 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 17.7 FT (49) TOTAL BRIDGE LENGTH: 20.3 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 20.3 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 5 0000 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 19.4 FT (52) BRIDGE OUT TO OUT WIDTH: 23.3 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 2 00 17.7 FT 17.7 FT 19.3 FT 19.4 FT 19.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (73) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 40.4 FT
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: \$255,000.00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 19.4 FT (52) BRIDGE OUT TO OUT WIDTH: 23.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: \$255,000.00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 40.4 FT (94) BRIDGE IMPROVEMENT COST: \$255,000.00 (95) ROADWAY IMPROVEMENT COST: \$26,000.00 (96) TOTAL PROJECT COST: \$383,000.00
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.4 FT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 40.4 FT (94) BRIDGE IMPROVEMENT COST: \$255,000.00 (95) ROADWAY IMPROVEMENT COST: \$26,000.00 (96) TOTAL PROJECT COST: \$383,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (36) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: NO FLARE (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: RECOMMENDED IMPROVEMENTS (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.4 FT	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 40.4 FT (94) BRIDGE IMPROVEMENT COST: \$255,000.00 (95) ROADWAY IMPROVEMENT COST: \$26,000.00 (96) TOTAL PROJECT COST: \$383,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 1033) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (36) MIN VERTICAL CLEARANCE OVER RD: (50) NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (54b) MIN VERTICAL UNDERCLEARANCE: (54d) VERT UNDERCLEARANCE: (54d) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 1NSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 5/14/2018
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.4 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.4 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 3 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 40.4 FT (94) BRIDGE IMPROVEMENT COST: \$255,000.00 (95) ROADWAY IMPROVEMENT COST: \$26,000.00 (96) TOTAL PROJECT COST: \$383,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 5/14/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55c) 17.7 FT 17.	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): NA
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (540) VERT UNDERCLR: (551) MIN VERTICAL UNDERCLEARANCE: (552) MIN VERTICAL UNDERCLEARANCE: (553) HORZ UNDERCLR: (554) MIN HORZ UNDERCLR ON RIGHT: (555) MIN HORZ UNDERCLR ON LEFT: (566) MIN HORZ UNDERCLR ON LEFT: (577) NOT APPLICABLE (578) MIN HORZ UNDERCLR ON LEFT: (578) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK: **BRIDGE REPLACEMENT** (38) TYPE OF WORK: **BRIDGE REPLACEMENT** (39) BRIDGE IMPROVEMENT: (30) TYPE OF WORK: **BRIDGE REPLACEMENT** (30) BRIDGE IMPROVEMENT: (31) SECOUR CONDITION RATING: (32) TYPE OF WORK: **BRIDGE REPLACEMENT** (33) WO.44 FT (34) BRIDGE IMPROVEMENT COST: (34) SAS,000.00 (35) ROADWAY IMPROVEMENT COST: (35) TOTAL PROJECT COST: (36) TOTAL PROJECT COST: (37) SAS,000.00 (37) YEAR OF IMPROVEMENT COST ESTIMATE: **DIAM** (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK: (36) TYPE OF WORK: (37) TYPE OF WORK: (37) TYPE OF WORK: (38) DATE OF LAST REGULAR INSPECTION: (38) DATE OF LAST UNDERWATER INSP (MO/YR): (38) DATE OF LAST UNDERWATER INSP (MO/YR): (38) DATE OF LAST UNDERWATER INSP (MO/YR): (38) UNDERWATER INSP FREQUENCY (MONTHS): (38) TYPE OF WORK: (38) TYPE OF WORK: (38) DATE OF LAST UNDERWATER INSP (MO/YR): (39) UNDERWATER INSP FREQUENCY (MONTHS): (38) TYPE OF WORK: (38) TYPE OF WORK: (38) TYPE OF WORK: (39) UNDERWATER INSP FREQUENCY (MONTHS): (39) UNDERWATER INSP FREQUENCY (MONTHS):

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

6

6

4

N

6

8

8

0000

26.2 FT

\$33.000.00

\$50,000.00

\$4,000.00

5/7/2018

2018

24

N/A

N/A

Ν

Ν

HS-20-44

BRIDGE ID NUMBER: 900A9580001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A958 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MAYBERRY RD. COUNTY SEQUENCE: 1 CROSSING: CHEROKEE CREEK LOG MILE: 0.07 LOCATION: W OFF SR81-1M N OF SR67 SUFFICIENCY RATING: 79.9 - IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.23538 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.46378 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR):

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



BRIDGE ID NUMBER: 900A9600001 COUNTY: WASHINGTON

BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A960

SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: MAYBERRY RD. COUNTY SEQUENCE: 1

CROSSING: LOYD BRANCH LOG MILE: 2.58 LOCATION: 4 E MI NIM ICT CD04 9 CD407 SHEELCIENCY DATING: 40 E

LOCATION: 1.5 MI NW JCT SR81 &SR107	SUFFICIENCY RATING: 48.5
IDENTIFICATION	
(16a,b) LATITUDE: N 36.21183 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: NO
(17a,b) LONGITUDE: W 82.49398 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) MAIN SPAN MATERIAL: STEEL (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 5
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: OTHER OR UNKNOWN
(27) YEAR THE BRIDGE WAS BUILT: 1940	WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS
(106) YEAR THE BRIDGE WAS BOILT. 1940 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): 18 TONS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 4
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 17.7 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 21.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 21.7 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 42.3 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$266,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$27,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$400,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 5/17/2018
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

7

7

7

7

N

7

5

Ν

8

8

8

N/A

5/23/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900A9690001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0A969 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: METHODIST RIDGE RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE LIMESTONE CREEK LOG MILE: 0.02 SUFFICIENCY RATING: 96.0 LOCATION: W OFF SR353 AT TELFORD - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24848 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.54770 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 56.4 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 147.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 24 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



BRIDGE ID NUMBER: 900A9700001 COUNTY: WASHINGTON
BRIDGE OWNER: WASHINGTON COUNTY
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: MILL ST. COUNTY SEQUENCE: 1

CROSSING: LITTLE LIMESTONE CREEK LOG MILE: 0.03
LOCATION: IN TELFORD SUFFICIENCY RATING: 47.8

LOCATION: IN TELFORD	SUFFICIENCY RATING: 47.8	
IDENTIFICATION —	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.24940 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 82.54433 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: STEEL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
	CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS: 3		
(46) NUMBER OF APPROACH SPANS: 0	` '	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 5 (60) SUBSTRUCTURE: 4	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5	
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE):	
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING	
C) TYPE PROTECTION: NONE	(31) DESIGN LOADING: OTHER OR UNKNOWN	
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1920	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN	
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL —	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	_	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 3	
GEOMETRIC DATA	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N	
(48) MAXIMUM SPAN LENGTH: 13.5 FT	(71) WATERWAY ADEQUACY: 6	
(49) TOTAL BRIDGE LENGTH: 43.6 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING:	
(51) BRIDGE CURB TO CURB WIDTH: 21.3 FT	RECOMMENDED IMPROVEMENTS	
(52) BRIDGE OUT TO OUT WIDTH: 23.3 FT	RECOMMENDED IN ROVEMENTO	
	(75) TYPE OF WORK: BRIDGE REPLACEMENT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 65.6 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 16.1 FT NO MEDIAN 5 DEGREES	(76) LENGTH OF BRIDGE IMPROVEMENT: 65.6 FT (94) BRIDGE IMPROVEMENT COST: \$407,000.00	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: 16.1 FT NO MEDIAN 5 DEGREES NO FLARE	(76) LENGTH OF BRIDGE IMPROVEMENT: 65.6 FT (94) BRIDGE IMPROVEMENT COST: \$407,000.00 (95) ROADWAY IMPROVEMENT COST: \$41,000.00	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: 16.1 FT NO MEDIAN NO MEDIAN NO FLARE	(76) LENGTH OF BRIDGE IMPROVEMENT: 65.6 FT (94) BRIDGE IMPROVEMENT COST: \$407,000.00 (95) ROADWAY IMPROVEMENT COST: \$41,000.00 (96) TOTAL PROJECT COST: \$611,000.00	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 16.1 FT NO MEDIAN NO FLARE NO FLARE 21.3 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: 65.6 FT (94) BRIDGE IMPROVEMENT COST: \$407,000.00 (95) ROADWAY IMPROVEMENT COST: \$41,000.00 (96) TOTAL PROJECT COST: \$611,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(76) LENGTH OF BRIDGE IMPROVEMENT: 65.6 FT (94) BRIDGE IMPROVEMENT COST: \$407,000.00 (95) ROADWAY IMPROVEMENT COST: \$41,000.00 (96) TOTAL PROJECT COST: \$611,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 INSPECTION DATES	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(76) LENGTH OF BRIDGE IMPROVEMENT: 65.6 FT (94) BRIDGE IMPROVEMENT COST: \$407,000.00 (95) ROADWAY IMPROVEMENT COST: \$41,000.00 (96) TOTAL PROJECT COST: \$611,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 5/17/2018	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD	(76) LENGTH OF BRIDGE IMPROVEMENT: 65.6 FT (94) BRIDGE IMPROVEMENT COST: \$407,000.00 (95) ROADWAY IMPROVEMENT COST: \$41,000.00 (96) TOTAL PROJECT COST: \$611,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 5/17/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(76) LENGTH OF BRIDGE IMPROVEMENT: 65.6 FT (94) BRIDGE IMPROVEMENT COST: \$407,000.00 (95) ROADWAY IMPROVEMENT COST: \$41,000.00 (96) TOTAL PROJECT COST: \$611,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 5/17/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(76) LENGTH OF BRIDGE IMPROVEMENT: 65.6 FT (94) BRIDGE IMPROVEMENT COST: \$407,000.00 (95) ROADWAY IMPROVEMENT COST: \$41,000.00 (96) TOTAL PROJECT COST: \$611,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 5/17/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(76) LENGTH OF BRIDGE IMPROVEMENT: 65.6 FT (94) BRIDGE IMPROVEMENT COST: \$407,000.00 (95) ROADWAY IMPROVEMENT COST: \$41,000.00 (96) TOTAL PROJECT COST: \$611,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(76) LENGTH OF BRIDGE IMPROVEMENT: 65.6 FT (94) BRIDGE IMPROVEMENT COST: \$407,000.00 (95) ROADWAY IMPROVEMENT COST: \$41,000.00 (96) TOTAL PROJECT COST: \$611,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 5/17/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N	

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

6

Ν

N

7

8

8

N/A

5/2/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900B0630001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B063 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ARCHER RD. COUNTY SEQUENCE: 1 CROSSING: CHEROKEE CREEK LOG MILE: 1.16 SUFFICIENCY RATING: 96.9 LOCATION: W OF SR81 AT SR67 JCT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21602 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.47283 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1978 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 44.6 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 900B0880001 COUNTY: WASHINGTON ROUTE: 0B088

BRIDGE OWNER: WASHINGTON COUNTY

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HENLEY LN. COUNTY SEQUENCE: 1 CROSSING: CLARK CREEK LOG MILE: 0.05 LOCATION: S OF SR107-W OF SR81 SUFFICIENCY RATING: 91.9

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.16313 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.53940 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 8
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 8
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 8
A) TYPE OF SURFACE: INTEGRAL CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 8
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HL-93
(27) YEAR THE BRIDGE WAS BUILT: 2012	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT. (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ———
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
(48) MAXIMUM SPAN LENGTH: 66.9 FT	(69) UNDERCLEARANCE RATING:
	(71) WATERWAY ADEQUACY: 8
(49) TOTAL BRIDGE LENGTH: 69.9 FT	(71) WATERWAY ADEQUACY: 8 (72) APPROACH ROADWAY ALIGNMENT: 8
(49) TOTAL BRIDGE LENGTH: 69.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(49) TOTAL BRIDGE LENGTH: 69.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:8(36) TRAFFIC SAFETY FEATURES:0000(113) SCOUR CONDITION RATING:8
(49) TOTAL BRIDGE LENGTH: 69.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(49) TOTAL BRIDGE LENGTH: 69.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT	(72) APPROACH ROADWAY ALIGNMENT:8(36) TRAFFIC SAFETY FEATURES:0000(113) SCOUR CONDITION RATING:8
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (53) BRIDGE OUT TO OUT WIDTH: (54) BRIDGE OUT TO OUT WIDTH: (55) BRIDGE OUT TO OUT WIDTH:	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(49) TOTAL BRIDGE LENGTH: 69.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(49) TOTAL BRIDGE LENGTH: 69.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (33) BRIDGE MEDIAN: NO MEDIAN	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 69.9 FT 0.0 FT 0.0 FT NO MEDIAN 0 DEGREES	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: 69.9 FT 0.0 FT NO FT NO FT NO MEDIAN O DEGREES	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 5/14/2018
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (57b) MIN WIDTH: (50b) FT (50b) FT (50c)	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55c) NOT APPLICABLE	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (57b) MIN WIDTH: (50b) FT (50b) FT (50c)	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55c) NOT APPLICABLE	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

(40) NAVIGATION HORZ CLEARANCE: N/A **PUBLICATION DATE** 19-Mar-20

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

BRIDGE ID NUMBER: 900B0920001



COUNTY: WASHINGTON

YES

Ν

Ν

Ν

7

7

7

2

N

8

8

8

N/A

5/14/2018

24

N/A

N/A

Ν

Ν

1111

HS-20-44

BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B092 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BILL MAUK RD. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 0.81 SUFFICIENCY RATING: 80.7 LOCATION: N OF SR107 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.15698 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.59238 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2001 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 17.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 54.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 28.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO

N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

8

7

7

5

Ν

8

8

8

N/A

5/14/2018

24

N/A

N/A

Ν

Ν

1111

HS-20-44

BRIDGE ID NUMBER: 900B0940001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B094 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TED BROWN RD. COUNTY SEQUENCE: 1 CROSSING: PAINTER CREEK LOG MILE: 0.21 SUFFICIENCY RATING: 99.0 LOCATION: S OF SR107 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.14502 DEGREES 82.59203 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2004 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 10.2 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 20.3 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 23 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

5

4

5

5

Ν

3

N

5

8

8

0000

64.3 FT

2018

24

N/A

N/A

Ν

Ν

\$383,000.00

\$39,000.00

\$575,000.00

5/14/2018

10 TONS

18 TONS

2-WAY TRAFFIC

COUNTY: WASHINGTON BRIDGE ID NUMBER: 900B0990001 BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B099 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LITTLE CASSI CREEK RD. COUNTY SEQUENCE: 1 CROSSING: CASSI CREEK LOG MILE: 0.77 SUFFICIENCY RATING: 30.6 LOCATION: SW OF SR107 AT MT CARMEL IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.14298 DEGREES 82.60463 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1952 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.4 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 42.3 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 19 FT RECOMMENDED IMPROVEMENTS 21 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

7

7

7

6

Ν

8

8

8

N/A

5/2/2018

24

N/A

N/A

Ν

Ν

1111

HS-20-44

BRIDGE ID NUMBER: 900B1540001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B154 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRETHREN CHURCH DR. COUNTY SEQUENCE: 1 CROSSING: CHEROKEE CREEK LOG MILE: 1.14 SUFFICIENCY RATING: 100.0 LOCATION: N OF SR107 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25873 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.44713 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2004 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 25.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 31.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

6

4

N

7

8

8

N/A

4/30/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 900B1780001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B178 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CECIL GRAY RD. COUNTY SEQUENCE: 1 CROSSING: LT CHEROKEE CREEK LOG MILE: 0.91 SUFFICIENCY RATING: 85.2 LOCATION: NE OF SR81-SR67 JCT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24900 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.42112 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 10.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

7

5

4

7

Ν

N

6

8

8

0000

56.4 FT

2018

24

N/A

N/A

Ν

Ν

\$355,000.00

\$36,000.00

\$533,000.00

5/7/2018

10 TONS

18 TONS

BRIDGE ID NUMBER: 900B1810001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B181 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TOMMY CAMPBELL RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE CHEROKEE CREEK LOG MILE: 0.10 SUFFICIENCY RATING: 35.9 LOCATION: N OFF SR67-1 M E OF SR81 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.22282 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.45735 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: 1960 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 11.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 34.4 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24.6 FT (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 20 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

6

4

N

8

8

8

N/A

4/30/2018

24

N/A

N/A

Ν

Ν

1100

HS-20-44

BRIDGE ID NUMBER: 900B1820001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B182 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHARLIE PARKER RD. COUNTY SEQUENCE: 1 CROSSING: CHEROKEE CREEK LOG MILE: 0.04 SUFFICIENCY RATING: 97.0 LOCATION: E OFF SR81-JUST N OF SR67 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.22002 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.46932 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 17.7 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 56.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 19 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

7

7

7

6

Ν

7

5

N

7

8

8

N/A

7/2/2018

24

Ν

Ν

N/A

1

0000

HL-93

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900B1940001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B194 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ROCK HOUSE RD. COUNTY SEQUENCE: 1 CROSSING: DRY CREEK LOG MILE: 1.74 SUFFICIENCY RATING: 92.2 LOCATION: 2 M SE OF SR67-SR81 JCT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.20738 DEGREES (17a,b) LONGITUDE: 82.43903 DEGREES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2014 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: #Frror (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 67.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 70.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 11 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

6

5

6

6

N

5

3

N

6

8

8

0000

31.8 FT

2018

24

N/A

1

Ν

Ν

\$94.000.00

\$10,000.00

\$142,000.00

4/30/2018

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900B1950001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B195 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: METHODIST CAMP RD. COUNTY SEQUENCE: 1 CROSSING: DRY CREEK LOG MILE: 0.07 SUFFICIENCY RATING: 59.5 LOCATION: 4.7 M NE OF SR81 @ CO LI IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21413 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.41117 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 28.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 31.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 18 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 20 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: NOT APPLICABLE **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS):

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

6

7

6

N

Ν

6

4

5

Ν

8

Ν

N/A

6/26/2018

24

N/A

N/A

Ν

Ν

1000

BRIDGE ID NUMBER: 900B3450001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0B345 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JOHN ROBERT BELL DR. COUNTY SEQUENCE: 1 CROSSING: CSX RAILROAD LOG MILE: 0.04 SUFFICIENCY RATING: 81.7 LOCATION: N OF SR67 AT ESTU IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.29935 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.36902 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** 1973 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN RAILROAD** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 68.6 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 73.2 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 40 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 21.75 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 21.42 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **RAILROAD BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 12.14 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



NO

8

8

8

7

N

R

4

N

6

8

8

N/A

6/26/2018

24

N/A

N/A

Ν

Ν

1000

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900B3530001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0B353 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: LEONARD ST. COUNTY SEQUENCE: 1 CROSSING: BRUSH CREEK LOG MILE: 0.03 SUFFICIENCY RATING: 90.0 LOCATION: LEONABD STREET IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.30275 DEGREES 82.37598 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: UNKNOWN **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 20.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 20.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 19.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 20 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.7 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 900B4020001 CC

BRIDGE OWNER: CITY OF JOHNSON CITY

FIPS CODE: 38320

ROAD NAME: **HICKORY SPRINGS RD.**CROSSING: **SINKING CREEK**

LOCATION: S OF SR67-ON CITY LIMITS

- IDENTIFICATION

COUNTY: WASHINGTON

ROUTE: **0B402** SPECIAL CASE: **0**

COUNTY SEQUENCE: 1

LOG MILE: 0.11 SUFFICIENCY RATING: 75.5

	ACCIDICATION -

(16a,b) LATITUDE:
(17a,b) LONGITUDE:
(98a) BORDER BRIDGE STATE CODE:
(98b) PERCENT SHARE:
(99) BORDER BRIDGE NUMBER:

N 36.29068 DEGREES
N/A
82.35625 DEGREES
N/A
N/A
N/A
N/A

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: STEEL

(48) MAXIMUM SPAN LENGTH:

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:
4 (46) NUMBER OF APPROACH SPANS:
0 (107) TYPE OF DECK:
NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE:
NOT APPLICABLE
B) TYPE MEMBRANE:
C) TYPE PROTECTION:
NOT APPLICABLE

AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 1973
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A
(42a) SERVICE ON BRIDGE: HIGHWAY
(42b) UNDER BRIDGE: WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(49) TOTAL BRIDGE LENGTH: 35.1 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 25 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.2 FT

(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD
 (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE
 (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD

(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL
 (39) NAVIGATION VERTICAL CLEARANCE: N/A
 (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE:

CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED**

- CONDITION RATINGS -

(58) DECK:
N (59) SUPERSTRUCTURE:
N (60) SUBSTRUCTURE:
N (61) STREAM CHANNEL AND CHANNEL PROTECTION:
6 (62) CULVERT CONDITION (IF APPLICABLE):
5

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:

WEIGHT POSTING (2 AXLE VEHICLES):

WEIGHT POSTING (3 OR MORE AXLES):

(70) BRIDGE POSTING CODE:

OTHER OR UNKNOWN

ALL LEGAL LOADS

5

(41) WT POSTING STATUS: OPEN

5.9 FT

N/A

APPRAISAL

(67) STRUCTURAL EVALUATION:
(68) DECK GEOMETRY:
N
(69) UNDERCLEARANCE RATING:
N
(71) WATERWAY ADEQUACY:
5
(72) APPROACH ROADWAY ALIGNMENT:
6
(36) TRAFFIC SAFETY FEATURES:
0000
(113) SCOUR CONDITION RATING:
8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: BRIDGE REHABILITATION

(76) LENGTH OF BRIDGE IMPROVEMENT: 35.1 FT
 (94) BRIDGE IMPROVEMENT COST: \$166,000.00
 (95) ROADWAY IMPROVEMENT COST: \$17,000.00

(95) ROADWAY IMPROVEMENT COST: \$17,000.00 (96) TOTAL PROJECT COST: \$250,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

- INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 5/2/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS): N

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

2018



YES

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 900B4070001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0B407 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: DAVID MILLER RD. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 0.01 LOCATION: S OF JOHNSON CITY SUFFICIENCY RATING: 86.2 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.28400 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.36444 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: STEEL (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN APPRAISAL (67) STRUCTURAL EVALUATION:

IDGE WAS BUILT:	1985	
IDGE WAS REHABILITATED:	N/A	
BRIDGE:	HIGHWAY	
BE:	WATERWAY	
ANES CARRIED BY BRIDGE:	2	
ANES UNDER THE BRIDGE:	0	
GEOMETRIC DATA		
GEOMETRIC DATA		
T GEOMETRIC DATA —— N LENGTH:	20.7 FT	
	20.7 FT 25.9 FT	
N LENGTH:		
N LENGTH: LENGTH:	25.9 FT	
N LENGTH: LENGTH: LK WIDTH:	25.9 FT 0.0 FT	

(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADW	AY: 27.6 FT
(54a) VERT UNDERCLR: NOT A HIGHW	VAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR: NOT A HIGHW	VAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE
NAVIGATION DATA	

(38)	NAV CONTROL:	NO NAVIGATION CONTI	ROL
(39)	NAVIGATION VERTICAL CLEARA	NCE:	N/A
(116)	LIFT BRIDGE VERT CLEARANCE:		N/A
(40)	NAVIGATION HORZ CLEARANCE	:	N/A

PUBLICATION DATE 19-Mar-20

NOT A NHS ROUTE LOCAL CITY STREET NO PARALLEL BRIDGE 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS = Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 7 DESIGN LOAD AND WEIGHT POSTING OTHER OR UNKNOWN **ALL LEGAL LOADS ALL LEGAL LOADS** 7 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **BRIDGE REHABILITATION** (76) LENGTH OF BRIDGE IMPROVEMENT: 25.9 FT (94) BRIDGE IMPROVEMENT COST: \$140,000.00 (95) ROADWAY IMPROVEMENT COST: \$15,000.00 (96) TOTAL PROJECT COST: \$211,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 5/2/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

6

6

6

Ν

5

5

N

6

8

8

0000

36.4 FT

2018

24

N/A

N/A

Ν

Ν

\$156,000.00

\$16,000.00

\$235,000.00

5/2/2018

10 TONS

18 TONS

COUNTY: WASHINGTON BRIDGE ID NUMBER: 900B4090001 BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B409 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: PLEASANT VIEW DR. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 0.30 LOCATION: SE OF JOHNSON CITY SUFFICIENCY RATING: 53.6 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.29208 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.35273 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL CITY STREET (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **INTEGRAL CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **UNKNOWN** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: 1999 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 36.4 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 13.8 FT RECOMMENDED IMPROVEMENTS 14.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 900B4350001

BRIDGE OWNER: CITY OF JOHNSON CITY

FIPS CODE: 38320

ROAD NAME: **MAGNOLIA EXT.** CROSSING: **CSX RAILROAD**

LOCATION: JUST W OF SR381-SR67 JCT

COUNTY: WASHINGTON

ROUTE: 0B435

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 0.05

SUFFICIENCY RATING: 48.0

- IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.30030 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.35468 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 OTHER (107) TYPE OF DECK: (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: N **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): N B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1970 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN RAILROAD** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: 5 (48) MAXIMUM SPAN LENGTH: 44.6 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 133.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 15.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 165.4 FT NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: \$1,151,000.00 (34) BRIDGE SKEW: 17 DEGREES (95) ROADWAY IMPROVEMENT COST: \$116,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1,727,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 29.82 FT (90) DATE OF LAST REGULAR INSPECTION: 6/26/2018 (55a) HORZ UNDERCLR: **RAILROAD BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 12.47 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409



YES

Ν

Ν

Ν

7

6

Ν

N

6

6

8

N/A

6/26/2018

24

N/A

N/A

Ν

Ν

0000

BRIDGE ID NUMBER: 900A0660001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0B456 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: SEVIER ST. COUNTY SEQUENCE: 1 CROSSING: BRUSH CREEK LOG MILE: 0.08 SUFFICIENCY RATING: 89.2 LOCATION: SEVIER ST-IN JOHNSON CITY - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31310 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.35612 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1940 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: 5.6 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 33.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 35 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

NATIONAL BRIDGE INVENTORY



YES

6

6

7

Ν

N

6

4

5

Ν

8

Ν

0000

358.9 FT

\$954.000.00

\$96,000.00

2019

\$1,432,000.00

HS-20-44

2-WAY TRAFFIC

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90100260057 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 0B490 SPECIAL CASE: 0 FIPS CODE: 38320 ROAD NAME: E. HIGHLAND RD. COUNTY SEQUENCE: 1 CROSSING: 126 & SR 67 RAMP LOG MILE: 0.21 SUFFICIENCY RATING: 68.1 LOCATION: JUST N OF 126 & SR 67 JC - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31112 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.33913 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: PREFORMED FABRIC DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1977 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 5 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 96.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 358.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 35.8 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION

68.3 FT

16.34 FT

30.18 FT

19.03 FT

N/A

N/A

N/A

NOT APPLICABLE

HIGHWAY BENEATH BRIDGE

HIGHWAY BENEATH BRIDGE

(90) DATE OF LAST REGULAR INSPECTION: 9/16/2019 24 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

INSPECTION DATES

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

3

Ν

7

6

8

0000

39 FT

2018

24

N/A

N/A

Ν

Ν

\$61,000.00

\$92,000.00

5/29/2018

\$7,000.00

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90SR0670013 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0B493 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: TWIN OAKS DR. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 0.15 LOCATION: .6 M W OF CARTER CO LN SUFFICIENCY RATING: 64.3 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.30803 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.33220 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: — AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 38.1 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

BRIDGE ID NUMBER: 900B5000001



COUNTY: WASHINGTON

YES

Ν

Ν

Ν

7

6

4

Ν

6

8

8

N/A

5/29/2018

24

N/A

N/A

Ν

Ν

1000

HS-20-44

2-WAY TRAFFIC

BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0B500 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: MIAMI DR. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 0.28 SUFFICIENCY RATING: 80.9 LOCATION: IN JOHNSON CITY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31265 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.32787 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 17.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 37.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 3.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 5.6 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

6

6

7

7

N

6

6

Ν

7

8

8

N/A

0N00

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900B5320001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0B532 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: ORLANDO DR. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 0.03 SUFFICIENCY RATING: 92.5 LOCATION: ORLANDO DRIVE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31308 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.32662 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: UNKNOWN **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 24.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 24.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 4.3 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 30.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST:

NO FLARE

24.3 FT

N/A

N/A

N/A

NO RESTRICTION

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 5/29/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA



BRIDGE ID NUMBER: 900B5860001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B586 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HERB HODGE RD. COUNTY SEQUENCE: 1 CROSSING: WATAUGA RIVER LOG MILE: 0.28 LOCATION: N OF JOHNSON CITY SUFFICIENCY RATING: 75.8 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.38408 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 82.31923 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): N B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 — AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 141.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 355.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 20.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 355 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$801.000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)\$81,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$1,202,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/18/2018 **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 03/2017 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): 1 NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A



YES

NOT A NHS ROUTE

2-WAY TRAFFIC

LOCAL RURAL ROAD

NO PARALLEL BRIDGE

BRIDGE ID NUMBER: 900B6320001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B632 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PICADILLY LN. COUNTY SEQUENCE: 1 CROSSING: RED RIVER LOG MILE: 0.03 LOCATION: SE OF I181 AT CO LINE SUFFICIENCY RATING: 70.7 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.41545 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 82.51293 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE:

0.0 FT

0.0 FT

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 1 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: — AGE AND SERVICE * (27) YEAR THE BRIDGE WAS BUILT: 1974 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 23.0 FT (49) TOTAL BRIDGE LENGTH: 24.6 FT

(51) BRIDGE CURB TO CURB WIDTH: 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL** (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A (102) TRAFFIC DIR:

(103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED**

CONDI	LICIA	KAI	INGS	

(58) DECK: 7 (59) SUPERSTRUCTURE: 6 (60) SUBSTRUCTURE: 7 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 (62) CULVERT CONDITION (IF APPLICABLE): N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: OTHER OR UNKNOWN WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** NEEDED)

(76) LENGTH OF BRIDGE IMPROVEMENT: 24.6 FT (94) BRIDGE IMPROVEMENT COST: \$48,000.00 (95)ROADWAY IMPROVEMENT COST: \$5,000.00 TOTAL PROJECT COST: \$73,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 6/6/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(50a) LEFT SIDEWALK WIDTH:

(50b) RIGHT SIDEWALK WIDTH:



YES

Ν

Ν

Ν

7

6

Ν

Ν

6

8

8

N/A

6/21/2018

24

N/A

N/A

Ν

Ν

0000

BRIDGE ID NUMBER: 900B6620001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0B662 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: HANOVER RD. COUNTY SEQUENCE: 1 CROSSING: KNOB CREEK LOG MILE: 0.36 SUFFICIENCY RATING: 88.2 LOCATION: SW OF I181&OAKLAND AV EX - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.35093 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.40263 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1980 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

5

7

7

6

Ν

7

6

8

N/A

6/20/2018

24

N/A

N/A

Ν

Ν

0000

HS-20-44

BRIDGE ID NUMBER: 900B6780001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0B678 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: BIG VALLEY DR. COUNTY SEQUENCE: 1 CROSSING: KNOB CREEK LOG MILE: 0.05 SUFFICIENCY RATING: 88.6 LOCATION: E OF US11E N OF SR36 JCT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.36967 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.37600 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1989 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 36.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 30.2 FT RECOMMENDED IMPROVEMENTS 32.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



BRIDGE ID NUMBER: 900B7340001 COUNTY: WASHINGTON
BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0B734

FIPS CODE: 00000

ROAD NAME: **BOB DAVIS RD.** CROSSING: **CSX RAILROAD**

LOCATION: 1 MI NE OF I181-SR75 EXCH

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 0.01

SUFFICIENCY RATING: 81.0

IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.41192 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.46327 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 8 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 8 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2010 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN** RAILROAD (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: R (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 70.5 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 157.2 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 18 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: YES, FLARED (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 23.43 FT (90) DATE OF LAST REGULAR INSPECTION: 4/30/2018 (55a) HORZ UNDERCLR: **RAILROAD BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 26.25 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: 324.8 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): 1 NAVIGATION DATA

NOT APPLICABLE

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



ROUTE: 0B843

BRIDGE ID NUMBER: 900B8430001 COUNTY: WASHINGTON

BRIDGE OWNER: WASHINGTON COUNTY

FIPS CODE: 00000

ROAD NAME: HUNTER LN.

CROSSING: CHEROKEE CREEK

LOCATION: 2 M NE JCT SR 67&SR 81

SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 0.10
SUFFICIENCY RATING: 63.8

IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: NO Ν 36.23257 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.44305 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS 1950 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **18 TONS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 18.4 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 21.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 21 FT RECOMMENDED IMPROVEMENTS 23 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 21 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: \$100,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$11,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$151,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/3/2018 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90042490003 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0B855 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: ANTIOCH RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.15 LOCATION: JUST S OF SR381 AT VA CTR SUFFICIENCY RATING: 45.8 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.29975 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.38890 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: STEEL (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES):

(27) YEAR THE BRIDGE WAS BUILT:	1940
(106) YEAR THE BRIDGE WAS REHABILITATED:	1987
(42a) SERVICE ON BRIDGE: HIGH	WAY-PEDESTRIAN
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0
GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	19.4 FT
(49) TOTAL BRIDGE LENGTH:	22.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	3.9 FT
(51) BRIDGE CURB TO CURB WIDTH:	29.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	37.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADW.	AY: 29.9 FT

		NAVIGATION DATA
(38)	NAV CONTROL:	NO NAVIGATION CONTROL

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

(39) NAVIGATION VERTICAL CLEARANCE: N/A N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

- NAVICATION DATA

PUBLICATION DATE 19-Mar-20

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

NO **NOT A NHS ROUTE LOCAL CITY STREET NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS 5 6 5 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 N DESIGN LOAD AND WEIGHT POSTING OTHER OR UNKNOWN 10 TONS **18 TONS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **WEIGHT POSTED** APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (76) LENGTH OF BRIDGE IMPROVEMENT: 42.7 FT (94) BRIDGE IMPROVEMENT COST: \$386,000.00 (95) ROADWAY IMPROVEMENT COST: \$39,000.00 (96) TOTAL PROJECT COST: \$580,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 6/26/2018 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 900B5390001 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0B856

FIPS CODE: 38320

ROAD NAME: DAVE BUCK RD. CROSSING: SINKING CREEK

LOCATION: IN JOHNSON CITY AT CO LI.

CLASSIFICATION -

SPECIAL CASE: 0

LOG MILE: 0.01

NOT BEEN DETERMINED

OTHER OF HINKNOWN

7

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 81.0

IDENTIFICAT	ION			ION —
(16a,b) LATITUDE:	N	36.31905 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	82.32140 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	LOCAL CITY STREET
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND I	ИΔТІ	FRIAI ————	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
DRIDGE III E AND I			(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK

NONE

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

(31) DESIGN LOADING:

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:

C) TYPE PROTECTION:

(46) NUMBER OF APPROACH SPANS	S: 0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE	AND DECK PROTECTION:
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE

AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1984 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY**

WATERWAY (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA -

15.1 FT	(48) MAXIMUM SPAN LENGTH:
33.8 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
24.9 FT	(51) BRIDGE CURB TO CURB WIDTH:
27.9 FT	(52) BRIDGE OUT TO OUT WIDTH:
24.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
30 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:

(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.9 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	: N/A
(40)	NAVIGATION HORZ CLEARANCE	: N/A

PUBLICATION DATE 19-Mar-20

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	7

CONDITION RATINGS =

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING.	OTTIER OR DIRRIGOVIA
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	
———— APPRAISAL	

(67) STRUCTURAL EVALUATION:	
(68) DECK GEOMETRY:	
(69) LINDERCLEARANCE RATING	

Ν (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** N/A (76) LENGTH OF BRIDGE IMPROVEMENT:

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	5/29/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



YES

7

7

7

Ν

N

7

9

6

Ν

8

Ν

N/A

9/18/2019

24

N/A

N/A

Ν

Ν

1010

HS-20-44

BRIDGE ID NUMBER: 90100260063 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 0B859 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: PLYMOUTH RD. COUNTY SEQUENCE: 1 CROSSING: 126 LOG MILE: 0.04 SUFFICIENCY RATING: 98.4 LOCATION: .2 M NW OF CARTER CO LN IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.30008 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.33350 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1982 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 118.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 216.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 46.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 49.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 11 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 46.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 18.01 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 29.53 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 6.89 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO

N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 900B8660001 COUNT

BRIDGE OWNER: CITY OF JOHNSON CITY

FIPS CODE: 38320

ROAD NAME: **NOT AVAILABLE** CROSSING: **BRUSH CREEK**

LOCATION: CITY STREET @ OAK STREET

COUNTY: WASHINGTON

ROUTE: 0B866

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 0.01

SUFFICIENCY RATING: 86.5

- IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.32325 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.34957 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): N B) TYPE MEMBRANE: UNKNOWN **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: H-15-44 AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1927 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 31.5 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0NNN (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 37.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 39.7 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 5/29/2018 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):

BRIDGE ID NUMBER: 900B8700001

BRIDGE OWNER: CITY OF JOHNSON CITY



COUNTY: WASHINGTON

ROUTE: 0B870

FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: RIDGES CLUB DR. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 0.25 SUFFICIENCY RATING: 98.0 LOCATION: RIDGE CLUB DRIVE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34107 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.45692 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): N B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 49.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 55.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 3.9 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 28.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 28.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 20 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/6/2018 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 19-Mar-20

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 900A3010001

BRIDGE OWNER: WASHINGTON COUNTY

FIPS CODE: 00000

ROAD NAME: BOONE RD.

CROSSING: CSX RAILROAD

LOCATION: S OFF I181-W OF SR36 JCT

COUNTY: WASHINGTON ROUTE: 0C119

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 0.52

SUFFICIENCY RATING: 92.7

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.38062 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.43854 DEGREES	• •
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	
(46) NUMBER OF APPROACH SPANS:	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N (63) CHI VERT CONDITION (IF ARRIVED BY)
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HL-93
(27) YEAR THE BRIDGE WAS BUILT: 2008	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: RAILROAD	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(67) STRUCTURAL EVALUATION: 8
	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: 9
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 92.8 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 92.8 FT (49) TOTAL BRIDGE LENGTH: 203.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 1111
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 92.8 FT (49) TOTAL BRIDGE LENGTH: 203.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 200.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 92.8 FT (49) TOTAL BRIDGE LENGTH: 203.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: OR OF TO OUT WIDTH: (55) BRIDGE MEDIAN: (56) BRIDGE MEDIAN: (57) BRIDGE MEDIAN: (58) BRIDGE SKEW: (59) BRIDGE SKEW: (50) BRIDGE SKEW:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: O2.8 FT O3.0 FT O3.0 FT O4.0 FT O5.0 FT O5.0 FT O5.0 FT O6.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24. 6 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (540) MIN VERTICAL UNDERCLEARANCE: (540) MIN VERTICAL UNDERC	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 7/3/2018
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (56b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (56b) MIN VERTICAL UNDERCLEARANCE: (55c) RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE (55b) MIN HORZ UNDERCLR ON RIGHT: 203.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (56b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (56b) MIN VERTICAL UNDERCLEARANCE: (55c) RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

8

7

7

Ν

Ν

8

8

N/A

6/20/2018

24

N/A

N/A

Ν

Ν

NN11

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900A8260003 COUNTY: WASHINGTON BRIDGE OWNER: CITY OF JOHNSON CITY ROUTE: 0C440 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: MEMORY GARDENS DR. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 0.07 LOCATION: SW OF I181-SR354 JCT SUFFICIENCY RATING: 92.9 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37968 DEGREES 82.42394 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 2002 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.7 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 50.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

8

6

4

Ν

6

7

5

1111

40 FT

2020

24

Ν

Ν

1

\$269,000.00

\$27,000.00

\$404,000.00

2/26/2020

HS-20-44

BRIDGE ID NUMBER: 900C900001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0C900 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: AUSTIN SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.42 SUFFICIENCY RATING: 76.3 LOCATION: E OFF US11E IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.37517 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν 82.35600 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE LOCAL CITY STREET** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **UNKNOWN** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 20.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 20.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.4 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

5

6

8

Ν

5

4

Ν

9

6

8

1000

607 FT

2018

24

Y60

Ν

1

\$595,000.00

\$60,000.00

\$893,000.00

6/18/2018

07/2017

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90013690001 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0C900 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: AUSTIN SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: WATAUGA RIVER LOG MILE: 3.54 SUFFICIENCY RATING: 55.4 LOCATION: E OFF US11E ON CO. LI. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.39607 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.34617 DEGREES **NOT A NHS ROUTE LOCAL CITY STREET** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 6 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 102.4 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 607.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.9 FT (75) TYPE OF WORK: **BRIDGE DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

5

5

5

3

Ν

6

8

8

0000

44 FT

2018

24

N/A

N/A

Ν

Ν

\$285,000.00

\$29,000.00

\$428,000.00

6/20/2018

10 TONS

18 TONS

2-WAY TRAFFIC

BRIDGE ID NUMBER: 900A2990003 COUNTY: WASHINGTON BRIDGE OWNER: WASHINGTON COUNTY ROUTE: 0D400 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: KITZMILLER RD. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 1.83 SUFFICIENCY RATING: 48.2 LOCATION: ON CO LINE-N OF I181@GRAY - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.43873 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.48552 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: OTHER OR UNKNOWN (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): 1930 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 10.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 20.7 FT RECOMMENDED IMPROVEMENTS 20.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR):

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



YES

7

7

6

7

N

6

7

3

9

8

8

N/A

9/5/2019

24

N/A

N/A

Ν

Ν

0111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260001 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK & CO ROADS LOG MILE: 1.35 LOCATION: 1.9 M NW JCT 126 & SR75 SUFFICIENCY RATING: 88.8 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.42000 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.50333 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY-WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 6 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 81.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 284.4 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 42 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 16 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.34 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 2.95 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

7

7

6

7

N

6

7

3

8

8

8

N/A

9/5/2019

24

N/A

N/A

Ν

Ν

0111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260002 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK & CO ROADS LOG MILE: 1.39 LOCATION: 1.9 M NW JCT 126 & SR75 SUFFICIENCY RATING: 88.8 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.42000 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.50333 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: n (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY-WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 6 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 81.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 284.4 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 42 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 16 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 17.26 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 90100260004 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: **JAMES H. QUILLEN PKWY.** CROSSING: **GRAY STATION RD (2644)**

LOCATION: .8 M NW JCT I26 & SR75

ROUTE: **10026**

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 2.38

SUFFICIENCY RATING: 90.7

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.41333 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.48833 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN INTERSTATE
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: PREFORMED FABRIC	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1969	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BUILT. 1969 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 7
(48) MAXIMUM SPAN LENGTH: 65.0 FT	(69) UNDERCLEARANCE RATING: 9
(49) TOTAL BRIDGE LENGTH: 170.6 FT	(71) WATERWAY ADEQUACY:
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0111
(51) BRIDGE CURB TO CURB WIDTH: 40 FT	(113) SCOUR CONDITION RATING: N
(52) BRIDGE OUT TO OUT WIDTH: 44 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: OPEN MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 3 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: 23.92 FT	(90) DATE OF LAST REGULAR INSPECTION: 9/5/2019
(55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: 17.06 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
	(00-) DATE OF ODECIAL INCOPECTION (MOVO).
NAVIGATION DATA (38) NAV CONTROL: NOT APPLICABLE	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 90100260003 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 10026

FIPS CODE: 38320

ROAD NAME: JAMES H. QUILLEN PKWY. CROSSING: GRAY STATION RD (2644)

LOCATION: .8 M NW JCT I26 & SR75

CLASSIFICATION =

SPECIAL CASE: 0

LOG MILE: 2.38

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 86.4

IDENTIFICATION	ON		CLASSIFICATIO	N ———
(16a,b) LATITUDE:	N	36.41333 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	82.48833 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	1-WAY TRAFFIC
BRIDGE TYPE AND M.	ΔΤΕ	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
/40 \ MAIN ORAN MATERIAL PRESTRE			(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE A	AND DECK PROTECTION:
A) TYPE OF SURFACE:	ASPHALT

B) TYPE MEMBRANE: PREFORMED FABRIC C) TYPE PROTECTION: NONE

— AGE AND SERVICE —

1969	YEAR THE BRIDGE WAS BUILT:	(27)
N/A	YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
HIGHWAY) UNDER BRIDGE:	(42b)
2	NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
2	NUMBER OF LANES UNDER THE BRIDGE:	(28b)

GEOMETRIC DATA

65.0 FT	(48) MAXIMUM SPAN LENGTH:
170.6 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
40 FT	(51) BRIDGE CURB TO CURB WIDTH:
44 FT	(52) BRIDGE OUT TO OUT WIDTH:
38.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
OPEN MEDIAN	(33) BRIDGE MEDIAN:
3 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 40.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
BENEATH BRIDGE	(54a) VERT UNDERCLR: HIGHWAY
	/= // \

(54b) MIN VERTICAL UNDERCLEARANCE: 16.34 FT (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE**

(55b) MIN HORZ UNDERCLR ON RIGHT: 18.04 FT (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA =

(38)	NAV CONTROL:	NOT APPLICABLE
(39)	NAVIGATION VERTICAL CLEARANCE:	N/A
(116)	LIFT BRIDGE VERT CLEARANCE:	N/A
(40)	NAVIGATION HORZ CLEARANCE:	N/A

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED**

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

CONDITION RATINGS =

DESIGN LOAD AND WEIGHT POSTING

HS-20-44	31) DESIGN LOADING:
ALL LEGAL LOADS	VEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	VEIGHT POSTING (3 OR MORE AXLES):
5	70) BRIDGE POSTING CODE:
	41) WT POSTING STATUS: OPEN

ADDDAIGAI

AFFRAISAL	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	7
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0111
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A

- (94) BRIDGE IMPROVEMENT COST:
- (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/5/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



BRIDGE ID NUMBER: 90100260007 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: **JAMES H. QUILLEN PKWY.**CROSSING: **BUCKINGHAM RD (A144)**

LOCATION: NE OF JOHNSON CITY

ROUTE: **10026**

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 3.59

SUFFICIENCY RATING: 92.1

- IDENTIFICATION — CLASSIFICATION - CLASSIFICATION -

 (16a,b) LATITUDE:
 N
 36.40333
 DEGREES
 (11

 (17a,b) LONGITUDE:
 W
 82.47167
 DEGREES
 (10

 (98a) BORDER BRIDGE STATE CODE:
 N/A
 (26

 (98b) PERCENT SHARE:
 N/A
 (10

 (99) BORDER BRIDGE NUMBER:
 NOT APPLICABLE
 (10

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:

(46) NUMBER OF APPROACH SPANS:

(107) TYPE OF DECK:

CONCRETE CAST-IN-PLACE

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

A) TYPE OF SURFACE:

MONOLITHIC CONCRETE

A) TYPE OF SURFACE: MONOLITHIC CONCRETE
B) TYPE MEMBRANE: NONE
C) TYPE PROTECTION: NONE

AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1969
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A
(42a) SERVICE ON BRIDGE: HIGHWAY
(42b) UNDER BRIDGE: HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:

(49) TOTAL BRIDGE LENGTH:

(50a) LEFT SIDEWALK WIDTH:

(50b) RIGHT SIDEWALK WIDTH:

(51) BRIDGE CURB TO CURB WIDTH:

(52) BRIDGE OUT TO OUT WIDTH:

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

(33) BRIDGE MEDIAN:

55.1 FT

0.0 FT

40 FT

44 FT

38.1 FT

(33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 24 DEGREES

(35) BRIDGE FLARE: NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE

(54b) MIN VERTICAL UNDERCLEARANCE: 15.68 FT

(55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE**(55b) MIN HORZ UNDERCLR ON RIGHT: **13.12 FT**

(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE

NAVIGATION DATA

(38)NAV CONTROL:NOT APPLICABLE(39)NAVIGATION VERTICAL CLEARANCE:N/A(116)LIFT BRIDGE VERT CLEARANCE:N/A

(40) NAVIGATION HORZ CLEARANCE:

YES	(112) MEETS NBIS BRIDGE LENGTH:
NHS ROUTE	(104) NATIONAL HIGHWAY SYSTEM:
URBAN INTERSTATE	(26) FUNCTIONAL CLASS:
RIGHT LANE BRIDGE	(101) PARALLEL BRIDGE:
1-WAY TRAFFIC	(102) TRAFFIC DIR:
NOT APPLICABLE	(103) TEMPORARY BRIDGE:
ON TRUCK NETWORK	(110) NATIONAL TRUCK ROLITE:

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:
WEIGHT POSTING (2 AXLE VEHICLES):
WEIGHT POSTING (3 OR MORE AXLES):
ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:
5

(41) WT POSTING STATUS: OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:
7
(68) DECK GEOMETRY:
7
(69) UNDERCLEARANCE RATING:
7
(71) WATERWAY ADEQUACY:
N
(72) APPROACH ROADWAY ALIGNMENT:
8
(36) TRAFFIC SAFETY FEATURES:
0111
(113) SCOUR CONDITION RATING:
N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

N/A

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

- INSPECTION DATES -

(90) DATE OF LAST REGULAR INSPECTION:9/5/2019(91) REGULAR INSPECTION FREQUENCY (MONTHS):24(93b) DATE OF LAST UNDERWATER INSP (MO/YR):N/A(92b) UNDERWATER INSP FREQUENCY (MONTHS):N(93c) DATE OF SPECIAL INSPECTION (MO/YR):N/A(92c) SPECIAL INSP FREQUENCY (MONTHS):N



Ν

Ν

ON TRUCK NETWORK

ROUTE: 10026

LOG MILE: 3.59

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 92.1

BRIDGE ID NUMBER: 90100260008 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: JAMES H. QUILLEN PKWY. CROSSING: BUCKINGHAM RD (A144)

LOCATION: .4 M SE JCT I26 & SR75

CLASSIFICATION =

IDENTIFICATION ————		CLASSIFICATION —		
(16a,b) LATITUDE:	N	36.40333 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	82.47167 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL		(103) TEMPORARY BRIDGE:	NOT APPLICABLE	

(110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

NONE

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:

C) TYPE PROTECTION:

(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE A	ND DECK PROTECTION:
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE

AGE AND SERVICE

1969	YEAR THE BRIDGE WAS BUILT:	(27)
N/A) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
HIGHWAY) UNDER BRIDGE:	(42b)
2) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
2) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

GEOMETRIC DATA

55.1 FT	(48) MAXIMUM SPAN LENGTH:
131.6 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
40 FT	(51) BRIDGE CURB TO CURB WIDTH:
44 FT	(52) BRIDGE OUT TO OUT WIDTH:
38.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
OPEN MEDIAN	(33) BRIDGE MEDIAN:
24 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
'AY: 40.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
BENEATH BRIDGE	(54a) VERT UNDERCLR: HIGHWAY

(54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR:

HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR ON RIGHT: 12.47 FT

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA =

NOT APPLICABLE	NAV CONTROL:	(38)
N/A	NAVIGATION VERTICAL CLEARANCE:	(39)
N/A	LIFT BRIDGE VERT CLEARANCE:	(116)
N/A	NAVIGATION HORZ CLEARANCE:	(40)

PUBLICATION DATE 19-Mar-20

NOT BEEN DETERMINED CONDITION RATINGS = (58) DECK: 7 (59) SUPERSTRUCTURE: 7 (60) SUBSTRUCTURE: 7

DESIGN LOAD AND WEIGHT POSTING

(61) STREAM CHANNEL AND CHANNEL PROTECTION:

(62) CULVERT CONDITION (IF APPLICABLE):

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	

APPRAISAL

ALLINAIDAL	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	7
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0111
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	GE IMPROVEMENT:	N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/5/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



YES

7

7

7

Ν

N

7

7

5

Ν

8

Ν

N/A

9/9/2019

24

N/A

N/A

Ν

Ν

0111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260011 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: POSSUM HOLLOW RD (A310) LOG MILE: 4.77 SUFFICIENCY RATING: 91.1 LOCATION: 2.1 N NW JCT I26 &S R354 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.39333 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.45333 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: PREFORMED FABRIC DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 57.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 130.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 14.44 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 12.47 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



ON TRUCK NETWORK

BRIDGE ID NUMBER: 90100260012 COUNTY: WASHINGTON **ROUTE: 10026**

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: JAMES H. QUILLEN PKWY. CROSSING: POSSUM HOLLOW RD (A301)

LOCATION: 2.1 M NW JCT I26 & SR354

- IDENTIFICATION :

- CLASSIEICATION -

SPECIAL CASE: 0

LOG MILE: 4.77

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 92.1

IDENTIFICATION		CLASSIFICATIO	IN	
(16a,b) LATITUDE:	N	36.39333 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	82.45333 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	1-WAY TRAFFIC
BRIDGE TYPE AND I	A T	EDIAL ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NII INADED OF MAIN ODANO

3
S: 0
CONCRETE CAST-IN-PLACE
AND DECK PROTECTION:

NONE C) TYPE PROTECTION:

	SFR\	

57.1 FT	(48) MAXIMUM SPAN LENGTH:
130.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
40 FT	(51) BRIDGE CURB TO CURB WIDTH:
44 FT	(52) BRIDGE OUT TO OUT WIDTH:
38.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
OPEN MEDIAN	(33) BRIDGE MEDIAN:
30 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT

(54b) MIN VERTICAL UNDERCLEARANCE: 17.03 FT

(55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE**

(55b) MIN HORZ UNDERCLR ON RIGHT: 12.14 FT

(38) NAV CONTROL: **NOT APPLICABLE**

(39) NAVIGATION VERTICAL CLEARANCE: (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

•	ა
)	0
	CONCRETE CAST-IN-PLACE

A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: PREFORMED FABRIC

AGE	SERVICE	_

1969	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
HIGHWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
2	(28b) NUMBER OF LANES UNDER THE BRIDGE:

── GEOMETRIC DATA =

IMUM SPAN LENGTH:	57.1	FT
AL BRIDGE LENGTH:	130.9	FT
T SIDEWALK WIDTH:	0.0	FT
HT SIDEWALK WIDTH:	0.0	FT
GE CURB TO CURB WIDTH:	40	FT
GE OUT TO OUT WIDTH:	44	FT
ROACH ROADWAY (W/ SHLDS) WIDTH:	38.1	FT
GE MEDIAN:	OPEN MED	IAN

(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION

(54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE**

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

N/A

(40) NAVIGATION HORZ CLEARANCE:

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS =

(58) DECK:	7
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CUI VERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

HS-20-44
ALL LEGAL LOADS
ALL LEGAL LOADS
5

(41) WT POSTING STATUS: OPEN

(110) NATIONAL TRUCK ROUTE:

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	8
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0111
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/9/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



ROUTE: 10026

BRIDGE ID NUMBER: 90100260015 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: JAMES H. QUILLEN PKWY.

CROSSING: CSX RAILROAD

LOCATION: 1.3 M NW JCT I26 & SR354

LOG MILE: 5.53

SPECIAL CASE: 0

SUFFICIENCY RATING: 92.1

COUNTY SEQUENCE: 1

IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.38833 DEGREES YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.44167 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): N B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN** RAILROAD (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 96.5 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 232.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 43 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 24.41 FT (90) DATE OF LAST REGULAR INSPECTION: 9/10/2019 (55a) HORZ UNDERCLR: **RAILROAD BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 32.15 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

NOT APPLICABLE

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 90100260016 COL

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: JAMES H. QUILLEN PKWY.

CROSSING: CSX RAILROAD

LOCATION: 1.3 M NW JCT I26 & SR354

COUNTY: WASHINGTON

ROUTE: 10026 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 5.53

SUFFICIENCY RATING: 92.1

IDENTIFICATION	CLASSIFICATION —
(16a,b) LATITUDE: N 36.38833 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.44167 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN INTERSTATE
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1969	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT. (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: RAILROAD	(41) WT POSTING STATUS: OPEN
(425) CNDER BRIDGE.	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE 2	ALLINAIDAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 96.5 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 96.5 FT (49) TOTAL BRIDGE LENGTH: 232.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: 9
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 96.5 FT (49) TOTAL BRIDGE LENGTH: 232.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: 7 7 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: 9 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0111
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 44 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 44 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: OPEN MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: OPEN MEDIAN OPEN MEDIAN 43 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: OPEN MEDIAN 43 DEGREES NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: OPEN MEDIAN NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 96.5 FT (49) TOTAL BRIDGE LENGTH: 232.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 43 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT (54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 96.5 FT (49) TOTAL BRIDGE LENGTH: 232.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 43 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT (54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/10/2019
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 96.5 FT (49) TOTAL BRIDGE LENGTH: 232.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 40 FT (51) BRIDGE CURB TO CURB WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 43 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT (54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE (55b) MIN VERTICAL UNDERCLEARANCE: 25.98 FT (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 96.5 FT (49) TOTAL BRIDGE LENGTH: 232.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 43 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT (54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE (55b) MIN VERTICAL UNDERCLEARANCE: 25.98 FT (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N74

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 90100260017 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: **JAMES H. QUILLEN PKWY.**CROSSING: **MAUPIN HOLLOW RD (2589)**

LOCATION: 1.1 M NW JCT I26 & SR354

ROUTE: **10026**

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 5.67

NONE

(16a,b) LATITUDE:
(17a,b) LONGITUDE:
(98a) BORDER BRIDGE STATE CODE:
(99) BORDER BRIDGE NUMBER:

N 36.38667 DEGREES
(112) MEETS NBIS BRIDGE
(104) NATIONAL HIGHWAY
(26) FUNCTIONAL CLASS
(101) PARALLEL BRIDGE:
(102) TRAFFIC DIR:

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

C) TYPE PROTECTION:

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPAN	S: 0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE	AND DECK PROTECTION:
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE

AGE AND SERVICE

1969	YEAR THE BRIDGE WAS BUILT:	(27)
N/A) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
HIGHWAY) UNDER BRIDGE:	(42b)
2) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
2) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

GEOMETRIC DATA

55.1 FT	(48) MAXIMUM SPAN LENGTH:
129.6 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
40 FT	(51) BRIDGE CURB TO CURB WIDTH:
42 FT	(52) BRIDGE OUT TO OUT WIDTH:
38.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
OPEN MEDIAN	(33) BRIDGE MEDIAN:
9 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
Y: 40.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
BENEATH BRIDGE	(54a) VERT UNDERCLR: HIGHWAY
15.58 FT	(54b) MIN VERTICAL UNDERCLEARANCE:

(54b) MIN VERTICAL UNDERCLEARANCE: 15.58 FT (55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE

(55b) MIN HORZ UNDERCLR ON RIGHT: 15.09 FT

(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE

— NAVIGATION DATA =

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE 19-Mar-20

(112) MEETS NBIS BRIDGE LENGTH:
(104) NATIONAL HIGHWAY SYSTEM:
(26) FUNCTIONAL CLASS:
(101) PARALLEL BRIDGE:
(102) TRAFFIC DIR:
(103) TEMPORARY BRIDGE:
(104) NATIONAL TRUCK ROUTE:
(105) NATIONAL TRUCK ROUTE:
(106) NATIONAL TRUCK ROUTE:
(107) HIGTORICAL CLASS: HIGT

SUFFICIENCY RATING: 92.1

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

- CONDITION RATINGS -

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

HS-20-44		(31) DESIGN LOADING:			
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):				
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MORE AXLES):			
5	<u>:</u> :	(70) BRIDGE POSTING CODE:			
	OPEN	(41) WT POSTING STATUS:			

ΑΡΡΡΑΙΟΑΙ

AI I NAISAL	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	7
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0111
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

- INSPECTION DATES -

9/10/2019	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):



ROUTE: 10026

LOG MILE: 5.67

SPECIAL CASE: 0

BRIDGE ID NUMBER: 90100260018 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: JAMES H. QUILLEN PKWY. CROSSING: MAUPIN HOLLOW RD (2589)

LOCATION: 1.1 M NW JCT I26 & SR354

- CLASSIFICATION -

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 92.1

 IDENTIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.38667 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.44000 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE**

NONE

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

C) TYPE PROTECTION:

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE

AGE AND SERVICE *

(27) YEAR THE BRIDGE WAS BUILT: 1969 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY HIGHWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 55.1 FT (49) TOTAL BRIDGE LENGTH: 133.5 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40 FT (52) BRIDGE OUT TO OUT WIDTH: 42 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT **OPEN MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 9 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 14.6 FT

NAVIGATION DATA

HIGHWAY BENEATH BRIDGE

15.09 FT

NOT APPLICABLE

(38) NAV CONTROL: **NOT APPLICABLE** (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

YES **NHS ROUTE URBAN INTERSTATE LEFT LANE BRIDGE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN**

A DDD A ICA I

APPRAISAL	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	6
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0111
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/10/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:



BRIDGE ID NUMBER: 90100260019 COUNTY: WASHINGTON ROUTE: 10026

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: JAMES H. QUILLEN PKWY.

CROSSING: REEDY CREEK

LOCATION: .8 M NW JCT I26 & SR354

- CLASSIFICATION -

SPECIAL CASE: 0

LOG MILE: 5.96

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 58.9

IDENTIFICATION ————————————————————————————————————			CLASSIFICATION —	
(16a,b) LATITUDE:	N	36.38628 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	82.43605 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	1-WAY TRAFFIC
BRIDGE TYPE AND	МΔТ	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
MIDGE III E AND			(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK

11.5 FT

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK: NOT APPLIC	ABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION	l:
A) TYPE OF SURFACE: NOT APPLIC	ABLE
B) TYPE MEMBRANE: NOT APPLIC	ABLE
C) TYPE PROTECTION: NOT APPLIC	ABLE

AGE AND SERVICE —

1969	YEAR THE BRIDGE WAS BUILT:	(27)
N/A) YEAR THE BRIDGE WAS REHABILITATED:	(106
HIGHWAY) SERVICE ON BRIDGE:	(42a
WATERWAY) UNDER BRIDGE:	(42b
4) NUMBER OF LANES CARRIED BY BRIDGE:	(28a
0) NUMBER OF LANES UNDER THE BRIDGE:	(28b

GEOMETRIC DATA

(49) TOTAL BRIDGE LENGTH:	25.9	FT
(50a) LEFT SIDEWALK WIDTH:	0.0	FT
(50b) RIGHT SIDEWALK WIDTH:	0.0	FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER F	ILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER F	ILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	76.1	FT
(33) BRIDGE MEDIAN:	NO MED	IAN
(34) BRIDGE SKEW:	30 DEGRE	ES
(35) BRIDGE FLARE:	NO FLA	ARE
(520) MIN VERTICAL CLEARANCE OVER RD: NC	RESTRICT	ON
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	38.1	FT
(54a) VERT UNDERCLR: NOT A HIGHWAY	OR RAILRO)AD
(54b) MIN VERTICAL UNDERCLEARANCE: NO	T APPLICA	3LE
(55a) HORZ UNDERCLR: NOT A HIGHWAY	OR RAILRO)AD
(55b) MIN HORZ UNDERCLR ON RIGHT: NO	T APPLICA	3LE
(56) MIN HORZ UNDERCLR ON LEFT: NO	T APPLICA	3LE

NAVIGATION DATA =

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARA	NCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	: N/A
(40) NAVIGATION HORZ CLEARANCE	: N/A

CONDITION RATINGS =

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	5

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44	
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS	
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS	
(70) BRIDGE POSTING CODE:	5	
(41) WT POSTING STATUS: OPEN		
APPRAISAL -		

APPRAISAL	
67) STRUCTURAL EVALUATION:	5
68) DECK GEOMETRY:	N
69) UNDERCLEARANCE RATING:	N
71) WATERWAY ADEQUACY:	7
72) APPROACH ROADWAY ALIGNMENT:	8
36) TRAFFIC SAFETY FEATURES:	NN11
113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

			•
(75)	TYPE OF WORK:	BRIDGE REHABILITATION	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	25.9 FT
(94)	BRIDGE IMPROVE	MENT COST:	\$253,000.00
(95)	ROADWAY IMPROV	VEMENT COST:	\$26,000.00
(96)	TOTAL PROJECT C	COST:	\$380,000.00
(97)	YEAR OF IMPROVE	EMENT COST ESTIMATE:	2019
INSPECTION DATES			

(90) DATE OF LAST REGULAR INSPECTION:	9/9/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(48) MAXIMUM SPAN LENGTH:



YES

7

7

7

7

N

7

7

5

8

8

8

N/A

9/10/2019

24

N/A

N/A

Ν

Ν

0111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260022 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: SR 354 & BOONES CREEK LOG MILE: 6.79 LOCATION: 1.2 M SW JCT I26 & SR354 SUFFICIENCY RATING: 94.8 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37860 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.42628 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: n (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY-WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 87.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 285.5 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.27 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 7.87 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

Ν

Ν

7

8

8

N/A

9/11/2019

24

N/A

N/A

Ν

Ν

NN11

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260023 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 6.81 LOCATION: AT JCT 126 - SR 354 SUFFICIENCY RATING: 97.4 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37878 DEGREES 82.42560 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

7

5

7

7

N

5

7

5

9

8

8

N/A

9/10/2019

24

N/A

N/A

Ν

Ν

0111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260021 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: SR 354 & BOONES CREEK LOG MILE: 6.82 LOCATION: 1.2 M SW JCT I26 & SR354 SUFFICIENCY RATING: 82.9 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37823 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82,42653 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY-WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 87.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 283.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 52.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 14.86 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 7.87 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

Ν

N

7

9

9

Ν

8

Ν

N/A

9/11/2019

24

N/A

N/A

Ν

Ν

1111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260029 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: SR 381 LOG MILE: 9.11 LOCATION: EAST OF JOHNSON CITY SUFFICIENCY RATING: 98.0 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.35547 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.39747 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **INTEGRAL CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1999 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 8 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 173.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 393.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 107 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 112.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 107.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **CLOSED MEDIAN - WITH BARRIER** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 53.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 19.68 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 38.06 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

5

5

Ν

N

8

8

8

NN11

33.1 FT

2019

24

N/A

N/A

Ν

Ν

\$227,000.00

\$23,000.00

\$341,000.00

9/11/2019

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260065 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: KNOB CREEK LOG MILE: 9.12 LOCATION: EAST OF JOHNSON CITY SUFFICIENCY RATING: 74.0 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.35493 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.39783 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2000 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 63.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 90 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 63.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

7

7

7

Ν

N

7

8

6

Ν

8

Ν

N/A

9/11/2019

24

N/A

N/A

Ν

Ν

0111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260032 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: BROWNS MILL RD (FAU 3986 LOG MILE: 9.88 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 91.4 - IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.34973 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.38582 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 71.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 143.4 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 37 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 15.26 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 13.45 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

7

7

7

Ν

N

7

8

6

Ν

8

Ν

N/A

9/11/2019

24

N/A

N/A

Ν

Ν

0111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260031 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: BROWNS MILL RD (FAU 3986 LOG MILE: 9.88 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 91.4 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.34948 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.38572 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 71.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 143.4 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 37 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: YES, FLARED (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 53.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 14.93 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 14.11 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA



YES

7

7

7

Ν

N

7

4

5

Ν

8

Ν

N/A

9/11/2019

24

N/A

N/A

Ν

Ν

0111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260033 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: SR 34 LOG MILE: 10.29 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 95.0 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.34732 DEGREES 82.37892 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1975 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 6 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 100.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 200.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 48.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 51.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **CLOSED MEDIAN - NO BARRIER** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 54.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 14.44 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 21.98 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 12.47 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

Ν

N

7

4

9

Ν

8

Ν

N/A

9/11/2019

24

N/A

N/A

Ν

Ν

0111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260034 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: SR 34 LOG MILE: 10.29 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 96.0 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: 36.34757 DEGREES (112) MEETS NBIS BRIDGE LENGTH: (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.37902 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1975 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 6 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 100.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 200.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 48.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 51.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 48.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 17.59 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 21.98 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 8.53 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 90100260037 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: **JAMES H. QUILLEN PKWY.**CROSSING: **MOUNTCASTLE DR (3975)**

LOCATION: IN JOHNSON CITY

ROUTE: **10026**

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 10.92

SUFFICIENCY RATING: 91.7

IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34292 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.36940 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1975 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: 7 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: 6 (48) MAXIMUM SPAN LENGTH: 93.8 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 185.7 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE**

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

INSPECTION DATES

(56) MIN HORZ UNDERCLR ON LEFT:

NOT APPLICABLE

NOT APPLICABLE

(38) NAV CONTROL:

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NO RESTRICTION

HIGHWAY BENEATH BRIDGE

HIGHWAY BENEATH BRIDGE

40.4 FT

14.93 FT

17.72 FT

(116) LIFT BRIDGE VERT CLEARANCE:

N/A

(40) NAVIGATION HORZ CLEARANCE:

N/A

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

PUBLICATION DATE 19-Mar-20

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

9/12/2019

24

N/A

N/A

Ν

Ν



BRIDGE ID NUMBER: 90100260038 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0

ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: MOUNTCASTLE DR(NFA 3975) LOG MILE: 10.92 SUFFICIENCY RATING: 90.6 LOCATION: IN JOHNSON CITY

LOCATION: IN JOHNSON CITY	SUFFICIENCY RATING: 90.6
IDENTIFICATION ———	
(16a,b) LATITUDE: N 36.34293 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.36872 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN INTERSTATE
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1975	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL -
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 7
(48) MAXIMUM SPAN LENGTH: 93.8 FT	(69) UNDERCLEARANCE RATING: 5
(49) TOTAL BRIDGE LENGTH: 192.3 FT	(71) WATERWAY ADEQUACY: N
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0111
(51) BRIDGE CURB TO CURB WIDTH: 40.4 FT	(113) SCOUR CONDITION RATING: N
(52) BRIDGE OUT TO OUT WIDTH: 44 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: OPEN MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 45 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT	. ,
(54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: 14.44 FT	(90) DATE OF LAST REGULAR INSPECTION: 9/12/2019
(55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: 18.37 FT (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
NAVIGATION DATA (38) NAV CONTROL: NOT APPLICABLE	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(39) NAVIGATION VERTICAL CLEARANCE: N/A	(525) 5. Zonie ino. Triedoction (morrino).
	PRODUCED PURSUANT TO

N/A

PUBLIC RECORDS REQUEST N/A This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

PRODUCED PURSUANT TO

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 90100260039 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: **JAMES H. QUILLEN PKWY.**CROSSING: **LAKEVIEW DR (NFA A555)**

LOCATION: IN JOHNSON CITY

ROUTE: 10026

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 11.31

SUFFICIENCY RATING: 86.1

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.33828 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.36525 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN INTERSTATE
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: RIGHT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1975	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL (67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA 2	(67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 71.9 FT	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 71.9 FT (49) TOTAL BRIDGE LENGTH: 161.4 FT	(67) STRUCTURAL EVALUATION:6(68) DECK GEOMETRY:7(69) UNDERCLEARANCE RATING:9
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 2 161.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	 (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 2 2 2 3 4 4 5 7 7 1.9 FT 16 1.4 FT 40.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0111
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 2 2 3 4 4 5 4 6 7 7 7 7 7 7 7 7 9 7 7 9 7 7 9 7 9 7 9	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: 2 71.9 FT 161.4 FT 0.0 FT 40.4 FT 40.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: DYNAMICS 11.9 FT 161.4 FT 161.4 FT 161.4 FT 162.4 FT 163.4 FT 163.5 BRIDGE OUT TO OUT WIDTH: 164.6 FT 165.7 BRIDGE OUT TO OUT WIDTH: 165.7 BRIDGE OUT TO OUT WIDTH: 165.7 BRIDGE MEDIAN: 166.8 FT 167.8 FT 168.8 FT 169.8 FT 1	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: OPEN MEDIAN NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (836) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (20,001 FT) NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE: (54b) MIN VERTICAL UNDERCLEARANCE: (20,001 FT)	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/12/2019
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (36) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55b) MIN VERTICAL UNDERCLEARANCE: (55b) MIN HORZ UNDERCLR: (10) HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR: (11) HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR: (12) HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR: (13) HORZ UNDERCLR: (14) HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR: (15) HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (836) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



ROUTE: 10026

BRIDGE ID NUMBER: 90100260040 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: **JAMES H. QUILLEN PKWY.**CROSSING: **LAKEVIEW DR (NFA A555)**

LOCATION: IN JOHNSON CITY

LOG MILE: 11.31

SPECIAL CASE: 0

SUFFICIENCY RATING: 90.1

COUNTY SEQUENCE: 1

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.33860 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.36497 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN INTERSTATE
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 3	(58) DECK: 7
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: UNKNOWN C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1975	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: HIGHWAY	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2	(68) DECK GEOMETRY: 7
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING: 6
(48) MAXIMUM SPAN LENGTH: 71.9 FT	
	(/ I) WATERWAT ADEQUACT.
(49) TOTAL BRIDGE LENGTH: 159.1 FT	` '
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT	(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0111 (113) SCOUR CONDITION RATING: N
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 40.4 FT	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS 8 0111 N
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: 0.0 FT 40.4 FT 44. FT 6720 MEDIAN	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0.0 FT 40.4 FT 44. FT 45. DEGREES	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: OOEN MEDIAN For all the state of the	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: OO FT 0.0 FT 0	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: OOEN MEDIAN For all the state of the	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55b) MIN VERTICAL CLEARANCE ON ROADWAY: (55a) WERT UNDERCLR: (55a) HIGHWAY BENEATH BRIDGE	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (54b) MIN VERTICAL UNDERCLEARANCE: 14.99 FT	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/12/2019
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN VERTICAL UNDERCLEARANCE: 14.99 FT	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55b) MIN HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (100 O FT 100 O FT 1	(72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



ROUTE: 10026

BRIDGE ID NUMBER: 90100260041 COUNTY: WASHINGTON

BRIDGE OWNER: **STATE OF TENNESSEE**

FIPS CODE: 38320

ROAD NAME: **JAMES H. QUILLEN PKWY.**CROSSING: **8TH AVE. (NFA A596)**

LOCATION: IN JOHNSON CITY

COUNTY SEQUENCE: 1
LOG MILE: 12.20

SPECIAL CASE: 0

SUFFICIENCY RATING: 87.4

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.32755 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.35712 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN INTERSTATE
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: RIGHT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(AE) AN IMPER OF MAIN CRANC.	———— CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: 7
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44 +MOD
(27) YEAR THE BRIDGE WAS BUILT: 1975	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
` '	(41) WT POSTING STATUS: OPEN
(42h) LINDER BRIDGE:	(,
(42b) UNDER BRIDGE: HIGHWAY (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 3	` '
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA	APPRAISAL (67) STRUCTURAL EVALUATION: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 42.0 FT	APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 4 (71) WATERWAY ADEQUACY: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 42.0 FT (49) TOTAL BRIDGE LENGTH: 111.9 FT	APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 4 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 42.0 FT (49) TOTAL BRIDGE LENGTH: 111.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 4 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 48.6 FT	APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 4 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 48.6 FT	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 51.8 FT	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 43.6	APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 4 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 4 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 11111 (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 48.6 FT (52) BRIDGE OUT TO OUT WIDTH: 51.8 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE	APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 4 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 11111 (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT	APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (15b) HIGHWAY BENEATH BRIDGE	APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 4 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/12/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE ON ROADWAY: (47.9 FT) (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55c) HORZ UNDERCLR: (55c) HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR ON RIGHT: (52c) FT	APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 4 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/12/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLR: (540) WIN VERTICAL UNDERCLEARANCE: (550) MIN HORZ UNDERCLR: (550) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (570) NOT APPLICABLE	APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 4 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/12/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WIN VERTICAL CLEARANCE ON ROADWAY: (47.9 FT) (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55c) HORZ UNDERCLR: (55c) HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR ON RIGHT: (52c) FT	APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 4 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/12/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 90100260042 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: **JAMES H. QUILLEN PKWY.**

CROSSING: 8TH AVE (NFA A596)

LOCATION: IN JOHNSON CITY

ROUTE: **10026**

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 12.20

SUFFICIENCY RATING: 87.4

IDENTIFICATION ————	CLASSIFICATION —
(16a,b) LATITUDE: N 36.32782 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.35683 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN INTERSTATE
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(Ha) / W I I COI / WY III / CICALE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1975	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 3	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
	(69) UNDERCLEARANCE RATING: 4
(48) MAXIMUM SPAN LENGTH: 42.0 FT	(71) WATERWAY ADEQUACY: N
(49) TOTAL BRIDGE LENGTH: 121.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: N
(51) BRIDGE CURB TO CURB WIDTH: 48.6 FT (52) BRIDGE OUT TO OUT WIDTH: 51.8 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 45.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: OPEN MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.2 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: 18.44 FT	(90) DATE OF LAST REGULAR INSPECTION: 9/12/2019
(55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: 6.56 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NOT APPLICABLE	(92c) SPECIAL INSP FREQUENCY (MONTHS):
(22) 111/1011/EDTION (15101105	, , = = = (

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 90100260043 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: **JAMES H. QUILLEN PKWY.**CROSSING: **SR 400 WB (UNAKA ST)**

LOCATION: IN JOHNSON CITY

ROUTE: **10026**

SPECIAL CASE: 0

LOG MILE: 12.42

SUFFICIENCY RATING: 98.0

COUNTY SEQUENCE: 1

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.32550 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.35418 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN INTERSTATE
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: RIGHT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NILIMPED OF MAIN ODANO	———— CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(10), 110, 110, 110, 110, 110, 110, 110,	(59) SUPERSTRUCTURE: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
A) TYPE OF SURFACE: ASPHALT B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1975	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: HIGHWAY	-
	APPRAISAI
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	ALLINAIONE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 3	(67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 3	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 133.5 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 3 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 3 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 41.3 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 3 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 41.3 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 3 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 41.3 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: 2 3 3 3 4 5 6 6 3.0 FT 6 7 6 7 6 7 6 7 6 7 6 7 6 7 7 7 7 7 7	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 3 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 3 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: OGANO 63.0 FT 133.5 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 3 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: OGEOMETRIC 63.0 FT 133.5 FT 63.0 FT 133.5 FT 0.0 FT 44 FT 38.1 FT OPEN MEDIAN OPEN MEDIAN ODEGREES NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (70) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: OGANO 63.0 FT 133.5 FT 63.0 FT 133.5 FT 63.0 FT 133.5 FT OPEN MEDIAN OPEN MEDIAN ODEGREES NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING: **RECOMMENDED IMPROVEMENTS** (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 3 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.3 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1111 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 3 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 3 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (550) FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (70) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENTS (77) ROADWAY IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/12/2019
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 3 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (155a) HORZ UNDERCLR: (155a) HORZ UNDERCLR: (155a) HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (77) (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (1111 (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 3 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55b) MIN HORZ UNDERCLR: (150) HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR: (150) HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR: (150) HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (70) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENTS (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (97) NA

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 90100260044

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: JAMES H. QUILLEN PKWY. CROSSING: SR 400 WB (UNAKA ST)

LOCATION: IN JOHNSON CITY

COUNTY: WASHINGTON

ROUTE: 10026 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 12.42 SUFFICIENCY RATING: 98.0

IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES N 36.32570 DEGREES (17a,b) LONGITUDE: 82.35402 DEGREES (104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: (26) FUNCTIONAL CLASS: N/A **URBAN INTERSTATE**

(98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(101) PARALLEL BRIDGE: LEFT LANE BRIDGE (102) TRAFFIC DIR: 1-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1975	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BOILT: 1973 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL -
(28b) NUMBER OF LANES UNDER THE BRIDGE: 3	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 7
(48) MAXIMUM SPAN LENGTH: 63.0 FT	(69) UNDERCLEARANCE RATING: 8
(49) TOTAL BRIDGE LENGTH: 03.5 FT	(71) WATERWAY ADEQUACY: N
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(51) BRIDGE CURB TO CURB WIDTH: 41.3 FT	(113) SCOUR CONDITION RATING: N
(52) BRIDGE OUT TO OUT WIDTH: 44 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: OPEN MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.3 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: 16.93 FT	(90) DATE OF LAST REGULAR INSPECTION: 9/12/2019
(55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: 12.14 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NOT APPLICABLE	(92c) SPECIAL INSP FREQUENCY (MONTHS): N

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

7

7

7

Ν

N

7

7

9

Ν

8

Ν

N/A

9/16/2019

24

N/A

N/A

Ν

Ν

1101

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260046 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: SR 400 (WATAUGA ST) LOG MILE: 12.49 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 98.0 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.32505 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.35295 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1975 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 66.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 137.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 39.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 17.09 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 14.44 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 12.47 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



COUNTY: WASHINGTON BRIDGE ID NUMBER: 90100260045 BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026**

FIPS CODE: 38320

ROAD NAME: JAMES H. QUILLEN PKWY. CROSSING: SR 400 (WATAUGA ST)

LOCATION: IN JOHNSON CITY

CLASSIFICATION =

SPECIAL CASE: 0

LOG MILE: 12.49

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 98.0

IDENTIFICAT	TION		CLASSIFICATION	ON —————
(16a,b) LATITUDE:	N	36.32480 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	82.35320 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	1-WAY TRAFFIC
BRIDGE TYPE AND	МΔТΙ	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
DIVIDUE I II E AND			4 · · · · · · · · · · · · · · · · · · ·	

(1/a,b) LONGITUDE: W 82.35320 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN INTERSTATE
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: RIGHT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
•	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1975	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: HIGHWAY	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2	(68) DECK GEOMETRY: 7
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING: 7
(48) MAXIMUM SPAN LENGTH: 66.9 FT	(71) WATERWAY ADEQUACY:
(49) TOTAL BRIDGE LENGTH: 137.8 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1101
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING:
(51) BRIDGE CURB TO CURB WIDTH: 40.4 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 44 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: OPEN MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 46.2 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: 15.52 FT	(90) DATE OF LAST REGULAR INSPECTION: 9/16/2019
(55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: 13.12 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(()

NOT APPLICABLE

N/A

N/A

N/A

R): N/A IS): Ν N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν PRODUCED PURSUANT TO

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

7

7

7

Ν

N

7

4

9

Ν

8

Ν

N/A

9/16/2019

24

N/A

N/A

Ν

Ν

0101

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260048 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: FAIRVIEW AVE (FAU 5376) LOG MILE: 12.63 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 88.9 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.32377 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.35097 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1975 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 59.7 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 139.4 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 48.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 51.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 1 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: YES, FLARED (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 48.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 18.11 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 15.09 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 90100260047 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** SPECIAL CASE: 0

FIPS CODE: 38320

ROAD NAME: JAMES H. QUILLEN PKWY. CROSSING: FAIRVIEW AVE (FAU 5376)

LOCATION: IN JOHNSON CITY

- CLASSIFICATION -

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 88.9

LOG MILE: 12.63

N	CLASSIFICATION		TION	IDENTIFICAT
YES	(112) MEETS NBIS BRIDGE LENGTH:	36.32340 DEGREES	N	(16a,b) LATITUDE:
NHS ROUTE	(104) NATIONAL HIGHWAY SYSTEM:	82.35127 DEGREES	W	(17a,b) LONGITUDE:
URBAN INTERSTATE	(26) FUNCTIONAL CLASS:	N/A	-	(98a) BORDER BRIDGE STATE CODE:
RIGHT LANE BRIDGE	(101) PARALLEL BRIDGE:	N/A		(98b) PERCENT SHARE:
1-WAY TRAFFIC	(102) TRAFFIC DIR:	NOT APPLICABLE		(99) BORDER BRIDGE NUMBER:
NOT APPLICABLE	(103) TEMPORARY BRIDGE:	PIAI ———	MATE	BRIDGE TYPE AND I
ON TRUCK NETWORK	(110) NATIONAL TRUCK POLITE:	-1\1\1	IVIAIL	DIVIDGE LIFE AND I

(9 (9 (8 (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): N B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1975 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: 4 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: 7 (48) MAXIMUM SPAN LENGTH: 59.7 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 139.4 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 48.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 51.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 1 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: YES, FLARED (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 48.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 15.94 FT (90) DATE OF LAST REGULAR INSPECTION: 9/16/2019 (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 15.09 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν N/A

(93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

6

5

5

7

N

5

4

Ν

8

Ν

0111

704.1 FT

2019

24

N/A

N/A

Ν

Ν

\$1,486,000.00

\$2,230,000.00

\$149,000.00

9/19/2019

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260050 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** SPECIAL CASE: 0 FIPS CODE: 38320 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: SOU RWY&NFA A719&NFA A71 LOG MILE: 12.82 LOCATION: .2 M SE JCT I26 & SR91 SUFFICIENCY RATING: 75.8 - IDENTIFICATION - CLASSIFICATION -(112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.32310 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.35017 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 8 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN** (42b) UNDER BRIDGE: **HIGHWAY-RAILROAD** APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 87.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 704.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 49.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 51.8 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 45.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **OPEN MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 1 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 49.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: 22.18 FT (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS):

5.91 FT

N/A

N/A

N/A

NOT APPLICABLE

NOT APPLICABLE

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

NATIONAL BRIDGE INVENTORY



YES

NHS ROUTE

1-WAY TRAFFIC

NOT APPLICABLE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90100260049 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** SPECIAL CASE: 0 FIPS CODE: 38320 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: SOU RWY&NFA A719 & A676 LOG MILE: 12.82 LOCATION: .2 M SE JCT I26 & SR91 SUFFICIENCY RATING: 75.8 IDENTIFICATION - CLASSIFICATION -(112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.32295 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.35033 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 8 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0

(59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: UNKNOWN **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE *

(27) YEAR THE BRIDGE WAS BUILT: 1975 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **HIGHWAY-RAILROAD** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 87.9 FT

(49) TOTAL BRIDGE LENGTH: 704.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 49.9 FT (52) BRIDGE OUT TO OUT WIDTH: 51.8 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 46.9 FT

(33) BRIDGE MEDIAN: **OPEN MEDIAN** (34) BRIDGE SKEW: 1 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 49.9 FT (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 18.11 FT (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (55b) MIN HORZ UNDERCLR ON RIGHT: 5.91 FT (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA

(38) NAV CONTROL: **NOT APPLICABLE** (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A (40) NAVIGATION HORZ CLEARANCE: N/A **NOT BEEN DETERMINED**

6 5 5 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 N

HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: Ν (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0111 (113) SCOUR CONDITION RATING: Ν

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** NEEDED)

(76) LENGTH OF BRIDGE IMPROVEMENT: 704.1 FT (94) BRIDGE IMPROVEMENT COST: \$1,486,000.00 (95) ROADWAY IMPROVEMENT COST: \$149,000.00 TOTAL PROJECT COST: \$2,230,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/19/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 90100260052 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: JAMES H. QUILLEN PKWY.

CROSSING: SR 91

LOCATION: IN JOHNSON CITY

ROUTE: 10026

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

LOG MILE: 12.99

SUFFICIENCY RATING: 95.0

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.31952 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.34735 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN INTERSTATE
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N (62) CHILVERT CONDITION (IE ADDITION EN
B) TYPE MEMBRANE: PREFORMED FABRIC	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE —	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1976	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5 (41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: HIGHWAY	` '
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4	(67) STRUCTURAL EVALUATION: 6
	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 4	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: 4
(28b) NUMBER OF LANES UNDER THE BRIDGE: 4 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: 4 (71) WATERWAY ADEQUACY: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: 4 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1100
(28b) NUMBER OF LANES UNDER THE BRIDGE: 4 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1100 (113) SCOUR CONDITION RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 40.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1100) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: GEOMETRIC BRIDGE: 89.6 FT 354.7 FT 40.0 FT 40.4 FT 40.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1100) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44 45 46 47 48 49 49 49 40 40 41 44 45 41 42 43 44 44 44 45 46 47 47 48 49 49 49 40 40 40 40 40 40 40	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1100) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: GEOMETRIC BRIDGE: 49.6 FT 354.7 FT 40.0 FT 40.4 FT 40.4 FT 40.4 FT 40.7 FT 40.8 FT 40.9 PROACH ROADWAY (W/ SHLDS) WIDTH: 40.9 PROACH ROADWAY (W/ SHLDS) WIDTH: 41 FT 42 OPEN MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (70) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 40.4 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (72) APPROACH ROADWAY ALIGNMENT: (73) TRAFFIC SAFETY FEATURES: (1100) (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1100) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (54b) MIN VERTICAL UNDERCLEARANCE: 18.34 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/16/2019
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 40.4 FT (51) BRIDGE CURB TO CURB WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (70) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN VERTICAL UNDERCLEARANCE: 18.34 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 40.4 FT (52) BRIDGE CURB TO CURB WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (54b) MIN VERTICAL UNDERCLEARANCE: 18.34 FT (55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR ON RIGHT: 6.56 FT (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN VERTICAL UNDERCLEARANCE: 18.34 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 90100260051 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: JAMES H. QUILLEN PKWY.

CROSSING: SR 91

LOCATION: IN JOHNSON CITY

ROUTE: 10026

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 12.99

SUFFICIENCY RATING: 93.0

IDENTIFICATION ———	
(16a,b) LATITUDE: N 36.31935 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.34775 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN INTERSTATE
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: RIGHT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 4	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N (62) CHILVERT CONDITION (IE ADDITION EN
B) TYPE MEMBRANE: PREFORMED FABRIC	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1976	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4	(67) STRUCTURAL EVALUATION: 6
	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 4	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: 3
(28b) NUMBER OF LANES UNDER THE BRIDGE: 4 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: 4 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: 4 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0101
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: 4 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 40.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 40.4 FT (52) BRIDGE CURB TO CURB WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 0001 TO OPEN MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: QEOMETRIC DATA 89.6 FT 354.7 FT 0.0 FT 40.4 FT 40.4 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 27 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 40.4 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (54b) MIN VERTICAL UNDERCLEARANCE: 16.93 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/16/2019
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 40.4 FT (52) BRIDGE CURB TO CURB WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN VERTICAL UNDERCLEARANCE: 16.93 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (86) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 40.4 FT (52) BRIDGE CURB TO CURB WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (54b) MIN VERTICAL UNDERCLEARANCE: 16.93 FT (55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR ON RIGHT: 1.97 FT (56) MIN HORZ UNDERCLR ON LEFT: 12.14 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (86) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 89.6 FT (49) TOTAL BRIDGE LENGTH: 354.7 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: 44 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 27 DEGREES (35) BRIDGE FLARE: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN VERTICAL UNDERCLEARANCE: 16.93 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (86) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 90100260053 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1

CROSSING: CLINCHFIELD RR&FAU 3987 LOG MILE: 13.13 SUFFICIENCY RATING: 82.4 LOCATION: IN IQUISON CITY

LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 82.4			
IDENTIFICATION —			
(16a,b) LATITUDE: N 36.31737 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES		
(17a,b) LONGITUDE: W 82.34770 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE		
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN INTERSTATE		
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: RIGHT LANE BRIDGE		
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC		
	(103) TEMPORARY BRIDGE: NOT APPLICABLE		
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK		
(43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED		
(45) NUMBER OF MAIN SPANS: 3	———— CONDITION RATINGS		
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7		
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7		
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7		
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N		
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N		
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING		
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44 +MOD		
(27) YEAR THE BRIDGE WAS BUILT: 1977	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS		
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS		
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5		
(42b) UNDER BRIDGE: HIGHWAY-RAILROAD	(41) WT POSTING STATUS: OPEN		
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 3	APPRAISAL ————		
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6		
GEOMETRIC DATA	(68) DECK GEOMETRY: 4		
(48) MAXIMUM SPAN LENGTH: 138.1 FT	(69) UNDERCLEARANCE RATING: 3		
(49) TOTAL BRIDGE LENGTH: 345.1 FT	(71) WATERWAY ADEQUACY:		
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8		
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1101		
(51) BRIDGE CURB TO CURB WIDTH: 49.9 FT	(113) SCOUR CONDITION RATING:		
(52) BRIDGE OUT TO OUT WIDTH: 53.5 FT	RECOMMENDED IMPROVEMENTS		
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT	(75) TYPE OF WORK: NOT APPLICABLE		
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A		
(34) BRIDGE SKEW: 10 DEGREES	(94) BRIDGE IMPROVEMENT COST:		
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:		
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:		
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 48.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:		
(54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	INSPECTION DATES		
(54b) MIN VERTICAL UNDERCLEARANCE: 25.52 FT	(90) DATE OF LAST REGULAR INSPECTION: 9/17/2019		
(55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24		
(55b) MIN HORZ UNDERCLR ON RIGHT: 1.97 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A		
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N		
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A		
(38) NAV CONTROL: NOT APPLICABLE	(92c) SPECIAL INSP FREQUENCY (MONTHS): N		
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO		

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

NATIONAL BRIDGE INVENTORY



YES

7

24

Ν

NHS ROUTE

1-WAY TRAFFIC

NOT APPLICABLE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90100260054 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: CLINCHFIELD RR&FAU 3987 LOG MILE: 13.13 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 80.3 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.31757 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.34727 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE

C) TYPE PROTECTION: AGE AND SERVICE -1977 (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **HIGHWAY-RAILROAD** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2

GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 138.1 FT (49) TOTAL BRIDGE LENGTH: 346.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT 44 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 10 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR:

NO RESTRICTION 32.2 FT **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 22.77 FT (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (55b) MIN HORZ UNDERCLR ON RIGHT: 8.53 FT (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (39) NAVIGATION VERTICAL CLEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

7 7 (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν N

(31) DESIGN LOADING: HS-20-44 +MOD WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**

(70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL (67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 4 (71) WATERWAY ADEQUACY: Ν

(72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1101 (113) SCOUR CONDITION RATING: Ν

(75) TYPE OF WORK: **NOT APPLICABLE**

RECOMMENDED IMPROVEMENTS

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(92c) SPECIAL INSP FREQUENCY (MONTHS):

INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/17/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A



YES

7

7

7

Ν

N

7

7

9

Ν

8

Ν

N/A

9/17/2019

24

N/A

N/A

Ν

Ν

1101

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260056 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: FAU 3959 EAST MAPLE ST LOG MILE: 13.28 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 93.2 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.31537 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.34593 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1978 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 77.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 187.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 37.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 20 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 22.51 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 17.06 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

Ν

N

7

4

9

Ν

8

Ν

N/A

9/17/2019

24

N/A

N/A

Ν

Ν

1100

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260055 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: FAU 3959 EAST MAPLE ST LOG MILE: 13.28 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 90.1 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.31518 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.34673 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1978 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 77.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 187.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 49.5 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 53.1 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 48.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 20 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 49.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 23.92 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 18.37 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90100260059 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: SR 67 LOG MILE: 13.95 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 81.0 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.30873 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.33878 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE

NONE

16.5 FT

28.87 FT

3.94 FT

HIGHWAY BENEATH BRIDGE

AGE AND SERVICE * 1977 (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY HIGHWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 5

GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 98.8 FT (49) TOTAL BRIDGE LENGTH: 197.5 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT 44 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT **OPEN MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE**

NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

(55a) HORZ UNDERCLR:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

C) TYPE PROTECTION:

YES **NHS ROUTE URBAN INTERSTATE** RIGHT LANE BRIDGE 1-WAY TRAFFIC **NOT APPLICABLE** ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS = 7 7 7 Ν

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

N

Ν

(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: 7 (71) WATERWAY ADEQUACY: Ν (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111

(113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 9/18/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



YES

7

7

7

Ν

N

7

9

7

Ν

8

Ν

N/A

9/18/2019

24

N/A

N/A

Ν

Ν

1111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100260060 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: SR 67 LOG MILE: 13.95 LOCATION: IN JOHNSON CITY SUFFICIENCY RATING: 98.0 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.30890 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.33840 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1977 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 5 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 98.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 197.5 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 48.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 51.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 48.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 20.11 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 28.54 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 3.94 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

6

5

5

5

Ν

5

7

9

8

8

1111

950.5 FT

2019

24

N/A

N/A

Ν

Ν

\$12,639,000.00

\$1,264,000.00

\$18,959,000.00

9/23/2019

HS-20-44 +MOD

NHS ROUTE

BRIDGE ID NUMBER: 90100260061 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10026** FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JAMES H. QUILLEN PKWY. COUNTY SEQUENCE: 1 CROSSING: QUARRY DRICSX RR & CREEK LOG MILE: 14.16 LOCATION: JUST WEST OF CARTER CO. SUFFICIENCY RATING: 74.0 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.30613 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.33697 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 10 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** 1977 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN** (42b) UNDER BRIDGE: HIGHWAY-WATERWAY-RAILROAD APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 95.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 950.5 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 94.5 FT RECOMMENDED IMPROVEMENTS 96.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 82.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 43.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 22.77 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 19.03 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR):

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



LOG MILE: 0.69

BRIDGE ID NUMBER: 90100810002 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 10081

SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: I-81 COUNTY SEQUENCE: 1 CROSSING: SR 93 LOCATION: IN WASHINGTON COUNTY SUFFICIENCY RATING: 98.0

ECCATION: IN WASHINGTON COUNTY	SUFFICIENCT RATING. 90.0
— IDENTIFICATION — CLASSIFICATION —	
(16a,b) LATITUDE: N 36.40167 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.61833 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL INTERSTATE
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	———— CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	— DESIGN LOAD AND WEIGHT POSTING —
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1973	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: HIGHWAY	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
	(67) STRUCTURAL EVALUATION: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: 4	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 4 GEOMETRIC DATA	(68) DECK GEOMETRY: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 4 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 104.0 FT	(68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 104.0 FT (49) TOTAL BRIDGE LENGTH: 288.1 FT	(68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: 7 (71) WATERWAY ADEQUACY: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 104.0 FT (49) TOTAL BRIDGE LENGTH: 288.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: 7 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 104.0 FT (49) TOTAL BRIDGE LENGTH: 288.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: 7 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0111
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 104.0 FT (49) TOTAL BRIDGE LENGTH: 288.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 41 FT	(68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: 7 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0111 (113) SCOUR CONDITION RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 44.3 FT	(68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: 7 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0111 (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.3 FT	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: 44 GEOMETRIC DATA 104.0 FT 288.1 FT 0.0 FT 44.3 FT 44.3 FT	(68) DECK GEOMETRY: 7 (69) UNDERCLEARANCE RATING: 7 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0111 (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 39 DEGREES	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: 104.0 FT 288.1 FT 0.0 FT 44.3 FT 44.3 FT OPEN MEDIAN OPEN MEDIAN	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: OPEN MEDIAN NO RESTRICTION	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 104.0 FT (49) TOTAL BRIDGE LENGTH: 288.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 41 FT (52) BRIDGE OUT TO OUT WIDTH: 44.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 39 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 104.0 FT (49) TOTAL BRIDGE LENGTH: 288.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 41 FT (52) BRIDGE OUT TO OUT WIDTH: 44.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 39 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 104.0 FT (49) TOTAL BRIDGE LENGTH: 288.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 41 FT (52) BRIDGE OUT TO OUT WIDTH: 44.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 39 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (54b) MIN VERTICAL UNDERCLEARANCE: 16.6 FT	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/3/2019
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 104.0 FT (49) TOTAL BRIDGE LENGTH: 288.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 41 FT (52) BRIDGE OUT TO OUT WIDTH: 44.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 39 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 104.0 FT (49) TOTAL BRIDGE LENGTH: 288.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 41 FT (52) BRIDGE OUT TO OUT WIDTH: 44.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 39 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN VERTICAL UNDERCLEARANCE: 16.6 FT (55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/3/2019
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 104.0 FT (49) TOTAL BRIDGE LENGTH: 288.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 41 FT (52) BRIDGE CURB TO CURB WIDTH: 44.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 39 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (54b) MIN VERTICAL UNDERCLEARANCE: 16.6 FT (55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN HORZ UNDERCLR ON RIGHT: 27.89 FT (56) MIN HORZ UNDERCLR ON LEFT: 20.67 FT	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 104.0 FT (49) TOTAL BRIDGE LENGTH: 288.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 41 FT (52) BRIDGE OUT TO OUT WIDTH: 44.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 39 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (55b) MIN VERTICAL UNDERCLEARANCE: 16.6 FT (55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK: (38) NOT APPLICABLE (39) TYPE OF WORK: (30) TOTAL OF BRIDGE IMPROVEMENT: (30) ROADWAY IMPROVEMENT COST: (30) TOTAL PROJECT COST: (30) TOTAL PROJECT COST: (31) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (32) (33) DATE OF LAST REGULAR INSPECTION: (34) PROJECTION FREQUENCY (MONTHS): (35) PAGULAR INSPECTION FREQUENCY (MONTHS): (36) TOTAL PROJECTION FREQUENCY (MONTHS): (37) YEAR OF IMPROVEMENT COST ESTIMATE: 100) DATE OF LAST UNDERWATER INSP (MO/YR): (38) DATE OF LAST UNDERWATER INSP (MO/YR): (39) UNDERWATER INSP FREQUENCY (MONTHS): (37)

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

7

7

7

Ν

N

7

7

7

Ν

8

Ν

N/A

9/3/2019

24

N/A

N/A

Ν

Ν

0111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90100810001 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10081** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: I-81 COUNTY SEQUENCE: 1 CROSSING: SR 93 LOG MILE: 0.72 LOCATION: IN WASHINGTON COUNTY SUFFICIENCY RATING: 98.0 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.40167 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.61833 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL INTERSTATE** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1974 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 108.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 296.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 41 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 44.3 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 41 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.86 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 27.89 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 4.92 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 90100810007 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: **00000** ROAD NAME: **I-81**

CROSSING: DARK HOLLOW RD (A166)

LOCATION: .3 M SW OF SULLIVAN CO LN

ROUTE: **10081**

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 3.71

SUFFICIENCY RATING: 94.9

IDENTIFICATION ————	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.42500 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 82.57333 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL INTERSTATE	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: RIGHT LANE BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC	
	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7	
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):	
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	
,	(31) DESIGN LOADING: HS-20-44	
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1973	WEIGHT POSTING (2 OR MORE AXLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN	
(42b) UNDER BRIDGE: HIGHWAY	APPRAISAL	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	741110412	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2	(67) STRUCTURAL EVALUATION: 7	
GEOMETRIC DATA	(68) DECK GEOMETRY: 7	
(48) MAXIMUM SPAN LENGTH: 65.3 FT	(69) UNDERCLEARANCE RATING: 9	
(49) TOTAL BRIDGE LENGTH: 157.2 FT	(71) WATERWAY ADEQUACY: N (73) ADDROGOU DO ADMANY ALIQNMENT	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0111	
(51) BRIDGE CURB TO CURB WIDTH: 40.4 FT	(113) SCOUR CONDITION RATING: N	
(52) BRIDGE OUT TO OUT WIDTH: 44 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT	(75) TYPE OF WORK: NOT APPLICABLE	
(33) BRIDGE MEDIAN: OPEN MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(34) BRIDGE SKEW: 1 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: 25.03 FT	(90) DATE OF LAST REGULAR INSPECTION: 9/3/2019	
(55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: 20.01 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	
(38) NAV CONTROL: NOT APPLICABLE	(92c) SPECIAL INSP FREQUENCY (MONTHS): N	

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



ROUTE: 10081

SPECIAL CASE: 0

BRIDGE ID NUMBER: 90100810008 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: **00000** ROAD NAME: **I-81**

CROSSING: **DARK HOLLOW RD (A166)**LOCATION: **.3 M SW OF SULLIVAN CO LN**

COUNTY SEQUENCE: 1
OW RD (A166)
LOG MILE: 3.71
SULLIVAN CO LN
SUFFICIENCY RATING: 87.6

IDENTIFICATION —	_		
	42500 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
	57333 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	,	AL INTERSTATE
(98b) PERCENT SHARE:	N/A	•	T LANE BRIDGE
` '	NOT APPLICABLE	,	1-WAY TRAFFIC
			OT APPLICABLE
BRIDGE TYPE AND MATERIA			RUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS		(37) HISTORICAL CLASS: HISTORICAL SIGNIFIC	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE		NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS:	3	——— CONDITION RATINGS —	
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	7
	E CAST-IN-PLACE	(59) SUPERSTRUCTURE:	6
(108) TYPE OF WEARING SURFACE AND DECK P		(60) SUBSTRUCTURE:	7
A) TYPE OF SURFACE:	ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION	ON: N
B) TYPE MEMBRANE:	NONE	(62) CULVERT CONDITION (IF APPLICABLE):	N
C) TYPE PROTECTION:	NONE	DESIGN LOAD AND WEIGHT POST	TING ——
AGE AND SERVICE		(31) DESIGN LOADING:	HS-20-44
	1973	WEIGHT POSTING (2 AXLE VEHICLES): AL	L LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED:	1973 N/A	WEIGHT POSTING (3 OR MORE AXLES): AL	L LEGAL LOADS
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE:	5
(42b) UNDER BRIDGE:	HIGHWAY	(41) WT POSTING STATUS: OPEN	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2	(67) STRUCTURAL EVALUATION:	6
GEOMETRIC DATA		(68) DECK GEOMETRY:	7
	44.0 FT	(69) UNDERCLEARANCE RATING:	5
(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH:	44.0 FT 98.1 FT	(71) WATERWAY ADEQUACY:	N
(50a) LEFT SIDEWALK WIDTH:	90.1 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES:	0111
(51) BRIDGE CURB TO CURB WIDTH:	40.4 FT	(113) SCOUR CONDITION RATING:	N
(52) BRIDGE OUT TO OUT WIDTH:	44 FT	RECOMMENDED IMPROVEMEN	1TS ——
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT	(75) TYPE OF WORK: NOT APPLICABLE	
(33) BRIDGE MEDIAN:	OPEN MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(34) BRIDGE SKEW:	1 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE:	NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWA	Y: 40.4 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: HIGHWAY B	ENEATH BRIDGE	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE:	14.93 FT	(90) DATE OF LAST REGULAR INSPECTION:	9/3/2019
(55a) HORZ UNDERCLR: HIGHWAY B	ENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS	S): 24
(55b) MIN HORZ UNDERCLR ON RIGHT:	8.86 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS)	: N
NAVIGATION DATA		(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
	NOT APPLICABLE	(92c) SPECIAL INSP FREQUENCY (MONTHS):	N
(39) NAVIGATION VERTICAL CLEARANCE:	N/A	PRODUCED PURSUA	NT TO
TAREST LICE DIDLEY OF ALL COLEADANCE.			

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

7

7

7

7

N

7

5

Ν

8

8

8

N/A

11/5/2019

24

Ν

Ν

N/A

N/A

1011

NHS ROUTE

1-WAY TRAFFIC

HS-20-44 +MOD

BRIDGE ID NUMBER: 90SR0340001 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR034 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: VETERANS PKWY. COUNTY SEQUENCE: 1 CROSSING: BIG LIMESTONE CREEK LOG MILE: 1.72 SUFFICIENCY RATING: 83.5 LOCATION: 1.7 M E OF GREENE CO LINE - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.20000 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.61500 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 5 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 57.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 285.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 36.4 FT RECOMMENDED IMPROVEMENTS 40 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

8

8

8

7

Ν

R

7

Ν

7

8

8

1111

344.8 FT

2019

24

N/A

N/A

Ν

Ν

\$2,671,000.00

\$4,007,000.00

\$268,000.00

11/5/2019

HL-93

NHS ROUTE

BRIDGE ID NUMBER: 90SR0340002 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR034 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: VETERANS PKWY. COUNTY SEQUENCE: 1 CROSSING: BIG LIMESTONE CREEK LOG MILE: 1.72 SUFFICIENCY RATING: 84.5 LOCATION: .8 M NE JCT SR34&SR75 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.20000 DEGREES 82.61500 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 6 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2018 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 57.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 313.6 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 41 FT RECOMMENDED IMPROVEMENTS 43.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 42.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

6

6

Ν

N

6

8

8

N/A

11/5/2019

24

N/A

N/A

Ν

Ν

NNNN

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90SR0340003 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR034 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: W. JACKSON BLVD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 9.04 SUFFICIENCY RATING: 84.5 LOCATION: 1 M SW JCT SR81&SR34 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.20000 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.50167 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1952 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 74.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS):

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90SR0340005 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR034 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: W. JACKSON BLVD. COUNTY SEQUENCE: 1 CROSSING: SR 81 LOG MILE: 10.13 LOCATION: 1 M SW JCT SR354&SR34 SUFFICIENCY RATING: 83.6 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.20000 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.48333 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES):

145.0 FT

62 FT

	-,
	AGE AND SERVICE
	AGE AND GERVIOL
1959	(27) YEAR THE BRIDGE WAS BUILT:
2001	(106) YEAR THE BRIDGE WAS REHABILITATED:
/AY-PEDESTRIAN	(42a) SERVICE ON BRIDGE: HIGHW
HIGHWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
2	(28b) NUMBER OF LANES UNDER THE BRIDGE:
	CEOMETRIC DATA
	GEOMETRIC DATA
59.1 FT	(48) MAXIMUM SPAN LENGTH:

0.2 FI	(SOA) LEFT SIDEWALK WIDTH.
6.2 FT	(50b) RIGHT SIDEWALK WIDTH:
36.4 FT	(51) BRIDGE CURB TO CURB WIDTH:
38.4 FT	(52) BRIDGE OUT TO OUT WIDTH:
35.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
OPEN MEDIAN	(33) BRIDGE MEDIAN:
42 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
Y: 36.4 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
BENEATH BRIDGE	(54a) VERT UNDERCLR: HIGHWAY
15.85 FT	(54b) MIN VERTICAL UNDERCLEARANCE:
BENEATH BRIDGE	(55a) HORZ UNDERCLR: HIGHWAY
1.97 FT	(55b) MIN HORZ UNDERCLR ON RIGHT:
NOT APPLICABLE	(56) MIN HORZ UNDERCLR ON LEFT:

■ NAVIGATION DATA	
L:	NOT APPL

(38) NAV CONTROI LICABLE (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

(49) TOTAL BRIDGE LENGTH:

(50a) LEFT SIDEWALK WIDTH:

YES **NHS ROUTE URBAN PRINCIPAL ARTERIAL RIGHT LANE BRIDGE** 1-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS = 7 6 5 (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν Ν **DESIGN LOAD AND WEIGHT POSTING** HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** APPRAISAL (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: 3 (71) WATERWAY ADEQUACY: Ν (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: Ν RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

INSPECTION DATES

(96) TOTAL PROJECT COST:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

11/4/2019

24

N/A

N/A

Ν

Ν



BRIDGE ID NUMBER: 90SR0340006 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: W. JACKSON BLVD.

CROSSING: SR 81

LOCATION: 1 M SW JCT SR354&SR34

ROUTE: SR034 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 10.13 SUFFICIENCY RATING: 82.8

IDENTIFICAT	ION		CLASS	SIFICATION ————
(16a,b) LATITUDE:	N	36.29471 DEGREES	(112) MEETS NBIS BRIDGE L	ENGTH: YES
(17a,b) LONGITUDE:	W	82.48413 DEGREES	(104) NATIONAL HIGHWAY S	YSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	URBAN PRINCIPAL ARTERIAL
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	1-WAY TRAFFIC
BRIDGE TYPE AND N	1Δ ΤΕ	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRE			(110) NATIONAL TRUCK ROU	TE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APP		BLE	(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:		3	CONDIT	ION RATINGS ————
(46) NUMBER OF APPROACH SPANS:		0	(58) DECK:	7
, ,	ONC	RETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:	6
(108) TYPE OF WEARING SURFACE ANI	D DEC	CK PROTECTION:	(60) SUBSTRUCTURE:	5
A) TYPE OF SURFACE:	MOI	NOLITHIC CONCRETE	(61) STREAM CHANNEL AND	CHANNEL PROTECTION: N

EPOXY COATED REINFORCING DESIGN LOAD AND WEIGHT POSTING

HS-20-44	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
5	(70) BRIDGE POSTING CODE:

N

(41) WT POSTING STATUS: OPEN

(62) CULVERT CONDITION (IF APPLICABLE):

APPRAISAL

5	(67) STRUCTURAL EVALUATION:
6	(68) DECK GEOMETRY:
3	(69) UNDERCLEARANCE RATING:
N	(71) WATERWAY ADEQUACY:
8	(72) APPROACH ROADWAY ALIGNMENT:
1111	(36) TRAFFIC SAFETY FEATURES:
N	(113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: N	IOT APPLICABLE
----------------------	----------------

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

- (94) BRIDGE IMPROVEMENT COST:
- (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES =

(90) DATE OF LAST REGULAR INSPECTION:	11/4/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(9 (8 (4 **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE **EPOXY COATED REINFORCING** C) TYPE PROTECTION: AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1959 (106) YEAR THE BRIDGE WAS REHABILITATED: 2001 (42a) SERVICE ON BRIDGE: **HIGHWAY HIGHWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 59.1 FT (49) TOTAL BRIDGE LENGTH: 145.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 36.4 FT (52) BRIDGE OUT TO OUT WIDTH: 38.4 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT **OPEN MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: **42 DEGREES** (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.4 FT (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 14.7 FT (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (55b) MIN HORZ UNDERCLR ON RIGHT: 1.97 FT (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A



BRIDGE ID NUMBER: 90SR0340007 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

(116) LIFT BRIDGE VERT CLEARANCE:

ROAD NAME: W. MARKET ST. CROSSING: CSX RAILROAD

LOCATION: 1.6 M SW JCT SR34&SR91

SPECIAL CASE: 0

ROUTE: SR034

COUNTY SEQUENCE: 1

LOG MILE: 15.53 SUFFICIENCY RATING: 56.0

IDENTIFICATION ————	
(16a,b) LATITUDE: N 36.31014 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.39320 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN PRINCIPAL ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 5
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 4
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE ———	(31) DESIGN LOADING: H-15-44
(27) YEAR THE BRIDGE WAS BUILT: 1931	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: 1959	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY-PEDESTRIAN	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: RAILROAD	(41) WT POSTING STATUS: WEIGHT POSTED
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 5	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: 7
(48) MAXIMUM SPAN LENGTH: 41.0 FT	(71) WATERWAY ADEQUACY:
(49) TOTAL BRIDGE LENGTH: 123.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 4.9 FT	(36) TRAFFIC SAFETY FEATURES: ONNN
(50b) RIGHT SIDEWALK WIDTH: 4.9 FT	(113) SCOUR CONDITION RATING:
(51) BRIDGE CURB TO CURB WIDTH: 67.9 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 80.1 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 55.8 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: 123 FT
(33) BRIDGE MEDIAN: OPEN MEDIAN	(94) BRIDGE IMPROVEMENT COST: \$1,490,000.00
(34) BRIDGE SKEW: 17 DEGREES (35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$150,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$2,236,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 67.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE	INSPECTION DATES —
(54b) MIN VERTICAL UNDERCLEARANCE: 23.03 FT	(90) DATE OF LAST REGULAR INSPECTION: 11/5/2019
(55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: 17.39 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NOT APPLICABLE	(92c) SPECIAL INSP FREQUENCY (MONTHS): N
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO

PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public **PUBLICATION DATE** 19-Mar-20

N/A

document records request does not waive the provisions of §409

PRODUCED PURSUANT TO



YES

Ν

Ν

Ν

6

6

Ν

N

6

8

8

NN11

21 FT

2019

24

N/A

N/A

Ν

Ν

\$198,000.00

\$20,000.00

\$298,000.00

11/6/2019

HS-20-44

BRIDGE ID NUMBER: 90SR0340015 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR034 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: JOHN EXUM PKWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 17.35 SUFFICIENCY RATING: 70.0 LOCATION: IN JOHNSON CITY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31760 DEGREES 82.36668 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 7.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 21.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 51.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 90SR0340009

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: **BRISTOL HWY.**CROSSING: **KNOB CREEK**

LOCATION: .3 M N JCT SR34&SR36

COUNTY: WASHINGTON

ROUTE: SR034

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 20.32

SUFFICIENCY RATING: 83.0

IDENTIFICATION	CLASSIFICATION —
(16a,b) LATITUDE: N 36.36062 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.38400 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN MINOR ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 8
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 8
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 8
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HL-93
(27) YEAR THE BRIDGE WAS BUILT: 2012	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT. 2012 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(420) ONDER DRIDGE.	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 5	APPRAISAL ————————————————————————————————————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (28b) NUMBER OF LANES LINDER THE BRIDGE: 0	APPRAISAL (67) STRUCTURAL EVALUATION: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 50.0 FT	(67) STRUCTURAL EVALUATION: 8 (68) DECK GEOMETRY: 4
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 50.0 FT (49) TOTAL BRIDGE LENGTH: 120.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 50.0 FT (49) TOTAL BRIDGE LENGTH: 120.1 FT (50a) LEFT SIDEWALK WIDTH: 4.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 50.0 FT (49) TOTAL BRIDGE LENGTH: 120.1 FT (50a) LEFT SIDEWALK WIDTH: 4.9 FT (50b) RIGHT SIDEWALK WIDTH: 4.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 50.0 FT (49) TOTAL BRIDGE LENGTH: 120.1 FT (50a) LEFT SIDEWALK WIDTH: 4.9 FT (50b) RIGHT SIDEWALK WIDTH: 61) BRIDGE CURB TO CURB WIDTH: 64 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 1111
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 76.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 60.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 50.0 FT (49) TOTAL BRIDGE LENGTH: 120.1 FT (50a) LEFT SIDEWALK WIDTH: 4.9 FT (50b) RIGHT SIDEWALK WIDTH: 61) BRIDGE CURB TO CURB WIDTH: 62) BRIDGE OUT TO OUT WIDTH: 76.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 60.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO MESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 60.0 FT NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 50.0 FT (49) TOTAL BRIDGE LENGTH: 120.1 FT (50a) LEFT SIDEWALK WIDTH: 4.9 FT (50b) RIGHT SIDEWALK WIDTH: 64 FT (51) BRIDGE CURB TO CURB WIDTH: 76.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 60.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 64.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 11/6/2019
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 50.0 FT (49) TOTAL BRIDGE LENGTH: 120.1 FT (50a) LEFT SIDEWALK WIDTH: 4.9 FT (50b) RIGHT SIDEWALK WIDTH: 64 FT (51) BRIDGE CURB TO CURB WIDTH: 76.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 60.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 64.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 50.0 FT (49) TOTAL BRIDGE LENGTH: 120.1 FT (50a) LEFT SIDEWALK WIDTH: 4.9 FT (50b) RIGHT SIDEWALK WIDTH: 64 FT (51) BRIDGE CURB TO CURB WIDTH: 76.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 60.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 64.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 11/6/2019
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 50.0 FT (49) TOTAL BRIDGE LENGTH: 120.1 FT (50a) LEFT SIDEWALK WIDTH: 4.9 FT (50b) RIGHT SIDEWALK WIDTH: 64 FT (51) BRIDGE CURB TO CURB WIDTH: 76.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 60.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 64.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1111) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (924) UNDERWATER INSP FREQUENCY (MONTHS): NA

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

6

6

Ν

N

7

8

8

N/A

11/6/2019

24

N/A

N/A

Ν

Ν

NN11

HS-20-44

BRIDGE ID NUMBER: 90SR3810005 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR034 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: BRISTOL HWY. COUNTY SEQUENCE: 1 CROSSING: KNOB CREEK LOG MILE: 20.85 LOCATION: 1.6 M NE OF I181 SUFFICIENCY RATING: 97.3 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.36728 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.37812 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

6

6

Ν

N

7

8

8

N/A

11/6/2019

24

N/A

N/A

Ν

Ν

NN11

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90SR3810007 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR034 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: BRISTOL HWY. COUNTY SEQUENCE: 1 CROSSING: KNOB CREEK LOG MILE: 20.97 LOCATION: 1.7 M NE OF I181 SUFFICIENCY RATING: 98.4 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.36863 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.37670 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN FREEWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

6

7

7

7

N

7

7

Ν

9

8

8

N/A

11/14/2019

10/2018

24

Y60

N/A

Ν

1001

HS-20-44

NHS ROUTE

1-WAY TRAFFIC

BRIDGE ID NUMBER: 90SR0340012 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR034 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: BRISTOL HWY. COUNTY SEQUENCE: 1 CROSSING: WATAUGA RIVER LOG MILE: 23.03 LOCATION: 3 M N OF JOHNSON CITY SUFFICIENCY RATING: 93.8 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.39320 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.35752 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 221.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 569.6 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

7

N

7

7

Ν

9

8

8

N/A

11/14/2019

10/2018

24

Y60

N/A

Ν

1001

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90SR0340011 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR034 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: BRISTOL HWY. COUNTY SEQUENCE: 1 CROSSING: WATAUGA RIVER LOG MILE: 23.03 LOCATION: NORTH OF JOHNSON CITY SUFFICIENCY RATING: 93.8 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.39310 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.35710 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **RIGHT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: PRESTRESSED CONCRETE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 1 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 221.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 569.6 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 40.4 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

7

7

7

6

N

7

9

N

8

8

8

1NNN

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90SR0360005 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR036 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: N. ROAN ST. COUNTY SEQUENCE: 1 CROSSING: KNOB CREEK LOG MILE: 0.28 SUFFICIENCY RATING: 84.9 LOCATION: .4 M NW JCT SR34&SR36 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.36077 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.38837 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: n (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1992 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 28.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 113.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 84 FT RECOMMENDED IMPROVEMENTS 97.1 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 84.0 FT

NO MEDIAN

NO FLARE

84.0 FT

N/A

N/A

N/A

15 DEGREES

NO RESTRICTION

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 11/20/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA



BRIDGE ID NUMBER: 90SR0360007 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR036
FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: N. ROAN ST.

CROSSING: CARROLL CREEK

LOG MILE: 2.08

LOCATION: .7 M SE JCT SR36&SR354

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 69.9

LOCATION: .7 M SE JCT SR36&SR354	SUFFICIENCY RATING: 69.9
IDENTIFICATION —	
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: N 36.37873 DEGREES W 82.40783 DEGREES N/A	(112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE (26) FUNCTIONAL CLASS: URBAN MINOR ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 8
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 2006	WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	,
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5 (41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 5	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY:
(48) MAXIMUM SPAN LENGTH: 9.8 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 31.0 FT	(71) WATERWAY ADEQUACY: 7
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: NN11
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT	(75) TYPE OF WORK: BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 30.8 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$433,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$44,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST: \$650,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 60.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 11/20/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 90SR0360009

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: N. ROAN ST. CROSSING: BOONE CREEK

LOCATION: .2 M SE JCT SR36&SR354

COUNTY: WASHINGTON

ROUTE: SR036

LOG MILE: 2.69

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 82.9

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.38730 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.41015 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN MINOR ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 1	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 8
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): N
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
'	(31) DESIGN LOADING: HL-93
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 2008	WEIGHT POSTING (270/CE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: #Error	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 5	(67) STRUCTURAL EVALUATION: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(68) DECK GEOMETRY: 4
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 125.0 FT	(71) WATERWAY ADEQUACY: 7
(49) TOTAL BRIDGE LENGTH: 125.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0111
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 8
(51) BRIDGE CURB TO CURB WIDTH: 63 FT (52) BRIDGE OUT TO OUT WIDTH: 79.7 FT	RECOMMENDED IMPROVEMENTS ———
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 60.0 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 63.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 11/19/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 90SR0360011 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: N. ROAN ST. CROSSING: REEDY CREEK

LOCATION: .9 M NW JCT SR36&SR354

ROUTE: SR036

YES

7

8

2019

SPECIAL CASE: 0

LOG MILE: 3.76

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 84.9

IDENTIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: 36.40287 DEGREES N (17a,b) LONGITUDE: 82.41500 DEGREES

2

0

(98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

3	(45) NUMBER OF MAIN SPANS:
0	(46) NUMBER OF APPROACH SPANS:
NOT APPLICABLE	(107) TYPE OF DECK:

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

A) TYPE OF SURFACE: **NOT APPLICABLE** B) TYPE MEMBRANE: **NOT APPLICABLE**

NOT APPLICABLE C) TYPE PROTECTION:

AGE AND SERVICE =

1930	YEAR THE BRIDGE WAS BUILT:	(27)
N/A) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
WATERWAY) UNDER BRIDGE:	(42b)

(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:

GEOMETRIC DATA =

(48) MAXIMUM SPAN LENGTH:	10.2 FT
(49) TOTAL BRIDGE LENGTH:	34.4 FT
(50a) I EET SIDEWALK WIDTH:	OO ET

(50a) LEFT SIDEWALK WIDTH: 0.0 FT 0.0 FT (50b) RIGHT SIDEWALK WIDTH:

(51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT

NO MEDIAN (33) BRIDGE MEDIAN:

(34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: **NO FLARE**

(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.1 FT

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38)	NAV CONTROL:	NO NAVIGATION CONTRO	L
(30)	NAVIGATION VERTICAL	CLEARANCE: N	/Δ

N/A (116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE: N/A

CLASSIFICATION =

` ,	
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL ARTERIAL

(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**

(102) TRAFFIC DIR: 2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: **NOT APPLICABLE** NOT ON TRUCK NETWORK (110) NATIONAL TRUCK ROUTE:

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

CONDITION RATINGS =

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7

DESIGN LOAD AND WEIGHT POSTING

HS-20-44	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
5	(70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: OPEN

(113) SCOUR CONDITION RATING:

(62) CULVERT CONDITION (IF APPLICABLE):

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NN11

RECOMMENDED IMPROVEMENTS

1	(75)	TYPE OF WORK:	BRIDGE REHABILITATION
((0)	I THE OF WORK.	DRIDGE REHADILITATION

	` '
LENGTH OF BRIDGE IMPROVEMENT:	(76)
BRIDGE IMPROVEMENT COST:	(94)
ROADWAY IMPROVEMENT COST:	(95)
	BRIDGE IMPROVEMENT COST:

(96) TOTAL PROJECT COST: \$353,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

11/19/2019	(90) DATE OF LAST REGULAR INSPECTION:
24	(91) REGULAR INSPECTION FREQUENCY (MONTHS):
N/A	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):
N	(92b) UNDERWATER INSP FREQUENCY (MONTHS):
N/A	(93c) DATE OF SPECIAL INSPECTION (MO/YR):
N	(92c) SPECIAL INSP FREQUENCY (MONTHS):



Ν

Ν

Ν

6

6

Ν

N

6

8

8

Ν

Ν

N/A

BRIDGE ID NUMBER: 90SR0360013 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR036

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HWY. 36 COUNTY SEQUENCE: 1 CROSSING: POSSUM CREEK LOG MILE: 6.68

SUFFICIENCY RATING: 84.9 LOCATION: .9 M SE OF SULLIVAN CO LN - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.40217 DEGREES (112) MEETS NBIS BRIDGE LENGTH: YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.44807 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.4 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 41.3 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: NN11 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 41.3 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: \$281,000.00 (34) BRIDGE SKEW: 57 DEGREES ROADWAY IMPROVEMENT COST: \$29,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$422,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 11/19/2019 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



YES

8

NN11

NOT A NHS ROUTE

URBAN PRINCIPAL ARTERIAL NO PARALLEL BRIDGE 2-WAY TRAFFIC **NOT APPLICABLE**

NOT ON TRUCK NETWORK

BRIDGE ID NUMBER: 90SR0360015 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR036 FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: HWY. 36 COUNTY SEQUENCE: 1 CROSSING: CEDAR CREEK LOG MILE: 6.88 SUFFICIENCY RATING: 69.9

LOCATION: .7 M SE OF S	ULLIVAN CO LN	SUFFICIENCY RATING:	69.9
IDENTIFICA	ATION —	CLASSIFICATION	
(16a,b) LATITUDE:	N 36.43650 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	Y
(17a,b) LONGITUDE:	W 82.44792 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROU
(98a) BORDER BRIDGE STATE CODE	: N/A	(26) FUNCTIONAL CLASS: URBA	N PRINCIPAL ARTER
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRID
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAF
BRIDGE TYPE AND	MATERIAL -	(103) TEMPORARY BRIDGE:	NOT APPLICAE
(43a) MAIN SPAN MATERIAL: CONC		(110) NATIONAL TRUCK ROUTE: NO	T ON TRUCK NETWO
(44a) APPR SPAN MATERIAL: NOT A		(37) HISTORICAL CLASS: HISTORICAL S NOT BEEN DE	SIGNIFICANCE HAS ETERMINED
(45) NUMBER OF MAIN SPANS:	2	CONDITION RATING	GS ———
(46) NUMBER OF APPROACH SPANS	-	(58) DECK:	
` ,	NOT APPLICABLE	(59) SUPERSTRUCTURE:	
(108) TYPE OF WEARING SURFACE		(60) SUBSTRUCTURE:	
A) TYPE OF SURFACE:	NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PR	OTECTION:
B) TYPE MEMBRANE:	NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION:	NOT APPLICABLE	DESIGN LOAD AND WEIGH	T POSTING —
AGE AND SI	RVICE -	(31) DESIGN LOADING:	HS-20
AGE AND SI	-11 4 10 L	\\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	

AGE AND SERVICE ————			
(27) YEAR THE BRIDGE WAS BUILT:	2015		
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A		
(42a) SERVICE ON BRIDGE:	HIGHWAY		
(42b) UNDER BRIDGE:	WATERWAY		
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4		
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0		

- GEOMETRIC DATA -

14.0 FT	(48) MAXIMUM SPAN LENGTH:
32.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
60.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
15 DEGREES	(34) BRIDGE SKEW:
NO EL ADE	(25) DDIDGE ELADE:

(35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 69.9 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

NAVIGATION DATA =

NOT APPLICABLE

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARA	NCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	:: N/A
(40) NAVIGATION HORZ CLEARANCE	: N/A

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTE	CTION: 7
(62) CULVERT CONDITION (IF APPLICABLE):	7
DESIGN LOAD AND WEIGHT P	OSTING —
(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	
APPRAISAL -	
(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7

(36) TRAFFIC SAFETY FEATURES:

(113) SCOUR CONDITION RATING:

	RECOMMENDED IMPROVEMENTS			
(75)	TYPE OF WORK: BRIDGE REHABILITATION			
(76)	LENGTH OF BRIDGE IMPROVEMENT:	32.2 FT		
(94)	BRIDGE IMPROVEMENT COST:	\$290,000.00		
(95)	ROADWAY IMPROVEMENT COST:	\$30,000.00		
(96)	TOTAL PROJECT COST:	\$436,000.00		
(97)	YEAR OF IMPROVEMENT COST ESTIMATE:	2019		
INSPECTION DATES				

(90) DATE OF LAST REGULAR INSPECTION:	11/19/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(56) MIN HORZ UNDERCLR ON LEFT:



YES

6

6

6

6

H-20-44

ALL LEGAL LOADS

NOT A NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90SR0670023 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR067 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHEROKEE RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE CHEROKEE CREEK LOG MILE: 0.28 LOCATION: .3 MI E OF SR81 JCT SUFFICIENCY RATING: 67.6 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21550 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.46768 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE • WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT 1052 (1 (4 (4 (2 (2

AR THE BRIDGE WAS BOILT: AR THE BRIDGE WAS REHABILITATED: RVICE ON BRIDGE:	1952 1970 HIGHWAY	WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN	ALL LEGAL LOADS 5
DER BRIDGE: MBER OF LANES CARRIED BY BRIDGE:	WATERWAY 2	APPRAISAL	
MBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY:	6 4
GEOMETRIC DATA —— IMUM SPAN LENGTH:	20.0 FT	(69) UNDERCLEARANCE RATING:	N
AL BRIDGE LENGTH: FT SIDEWALK WIDTH:	22.0 FT 0.0 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT:	6 8
GHT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:	0NNN 8
OGE CURB TO CURB WIDTH:	28.2 FT	•	

(75) TYPE OF	F WORK: BRIDGE WIDENING (NO DECK REPAIRS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (75) TYPE OF	NEEDED)
(33) BRIDGE MEDIAN: NO MEDIAN (76) LENGTH	H OF BRIDGE IMPROVEMENT: 22 FT
(34) BRIDGE SKEW: 0 DEGREES (94) BRIDGE	E IMPROVEMENT COST: \$58,000.00
(35) BRIDGE FLARE: NO FLARE (95) ROADW	/AY IMPROVEMENT COST: \$6,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (96) TOTAL I	PROJECT COST: \$88,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT (97) YEAR O	OF IMPROVEMENT COST ESTIMATE: 2019
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (90) DATE OF	LAST REGULAR INSPECTION: 10/29/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (91) REGULA	R INSPECTION FREQUENCY (MONTHS): 24

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

RECOMMENDED IMPROVEMENTS

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(38) NAV CONTROL:

DDIDOE OUT TO OUT WIDTH

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



YES

6

5

5

6

N

5

4

N

6

8

8

0NNN

20.7 FT

\$82,000.00

\$124,000.00

10/29/2019

\$9,000.00

2019

24

N/A

N/A

Ν

Ν

H-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90SR0670021 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR067 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: CHEROKEE RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE CHEROKEE CREEK LOG MILE: 0.94 SUFFICIENCY RATING: 59.0 LOCATION: 1 MI E OF SR81-SR67 JCT - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.22048 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.45765 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1952 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1970 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN** WATERWAY (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 20.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 3.3 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 3.6 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.5 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 35.4 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

5

5

Ν

N

5

8

8

NN11

68.2 FT

2019

24

N/A

N/A

Ν

Ν

\$409,000.00

\$41,000.00

\$614,000.00

10/29/2019

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90SR0670001 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR067 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHEROKEE RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE CHEROKEE CREEK LOG MILE: 2.18 SUFFICIENCY RATING: 79.2 LOCATION: 2.2 M NE JCT SR67&SR81 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.23268 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.44260 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1952 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 21.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 68.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

NOT A NHS ROUTE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90SR0670003 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR067 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHEROKEE RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE CHEROKEE CREEK LOG MILE: 2.36 LOCATION: 2.4 M NE JCT SR67&SR81 SUFFICIENCY RATING: 70.9 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: N 36.23477 DEGREES (17a,b) LONGITUDE: 82.44032 DEGREES (104) NATIONAL HIGHWAY SYSTEM: (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: STEEL (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT**

B) TYPE MEMBRANE:	NONE		
C) TYPE PROTECTION:	NONE		
AGE AND SERVICE —			
(27) YEAR THE BRIDGE WAS BUILT:	1956		
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A		
(42a) SERVICE ON BRIDGE:	HIGHWAY		
(42b) UNDER BRIDGE:	WATERWAY		
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2		
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0		
GEOMETRIC DATA			

(48) MAXIMUM SPAN LENGTH:	21.0 FT
(49) TOTAL BRIDGE LENGTH:	44.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	31.5 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	23.0 FT

(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWA	Y: 31.5 FT
(54a) VERT UNDERCLR: NOT A HIGHWA	AY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE: N	IOT APPLICABLE
(55a) HORZ UNDERCLR: NOT A HIGHWA	AY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT: N	IOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT: N	IOT APPLICABLE
NAVICATION DATA	

NAVIGATION DATA			
(38)	NAV CONTROL:	NO NAVIGATION CO	NTROL
(39)	NAVIGATION VERTICAL CLEAR	ANCE:	N/A
(116	LIFT BRIDGE VERT CLEARANCE	<u>:</u> :	N/A

N/A

) KIGITI SIDEWALK WIDTH.	0.0 1 1
BRIDGE CURB TO CURB WIDTH:	31.5 FT
BRIDGE OUT TO OUT WIDTH:	34.1 FT
APPROACH ROADWAY (W/ SHLDS) WIDTH	: 23.0 FT
BRIDGE MEDIAN:	NO MEDIAN
BRIDGE SKEW:	0 DEGREES
BRIDGE FLARE:	NO FLARE
0) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
MIN HORIZONTAL CLEARANCE ON ROAD	VAY: 31.5 FT
a) VERT UNDERCLR: NOT A HIGH	WAY OR RAILROAD
o) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
a) HORZ UNDERCLR: NOT A HIGH	WAY OR RAILROAD
o) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE
NAVIGATION DATA	

(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROL	JTE: NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
CONDIT	TION RATINGS —————
(58) DECK:	5
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	5

(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N
DESIGN LOAD AND WEIGHT POSTING	
(31) DESIGN LOADING:	H-15-44

H-15-44	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
5	(70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: (OPEN
---------------------------	------

(41) WT POSTING STATUS: OPEN		
APPRAISAL -		
(67) STRUCTURAL EVALUATION:	5	
(68) DECK GEOMETRY:	4	
(69) UNDERCLEARANCE RATING:	N	
(71) WATERWAY ADEQUACY:	7	
(72) APPROACH ROADWAY ALIGNMENT:	8	
(36) TRAFFIC SAFETY FEATURES:	ONNN	
(113) SCOUR CONDITION RATING:	8	

RECOMMENDED IMPROVEMENTS		
(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)	

	NLLDLD)	
44 FT	LENGTH OF BRIDGE IMPROVEMENT:	(76)
\$102,000.00	BRIDGE IMPROVEMENT COST:	(94)
\$11,000.00	ROADWAY IMPROVEMENT COST:	(95)
\$154,000.00	TOTAL PROJECT COST:	(96)
2019	YEAR OF IMPROVEMENT COST ESTIMATE:	(97)
	INSPECTION DATES	

(90) DATE OF LAST REGULAR INSPECTION:	10/29/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

6

6

6

N

5

2

N

7

8

8

0NNN

29.9 FT

2019

24

N/A

N/A

Ν

Ν

\$99.000.00

\$10,000.00

\$149,000.00

10/30/2019

H-15-44

BRIDGE ID NUMBER: 90SR0670005 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR067 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHEROKEE RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE CHEROKEE CREEK LOG MILE: 4.18 LOCATION: 4.2 M NE JCT SR67&SR81 SUFFICIENCY RATING: 54.8 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.25142 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.41862 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1956 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 28.2 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 29.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 34.4 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

6

5

6

6

N

5

5

2

N

7

8

8

0N11

51.8 FT

2020

24

N/A

N/A

Ν

Ν

\$469,000.00

\$47,000.00

\$704,000.00

10/30/2019

H-15-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90SR0670007 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR067 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHEROKEE RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE CHEROKEE CREEK LOG MILE: 4.67 SUFFICIENCY RATING: 40.4 LOCATION: 4.7 M NE JCT SR67&SR81 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25700 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.41372 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1952 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN. POSTING ORDERED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 28.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 29.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.2 FT RECOMMENDED IMPROVEMENTS 34.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR):

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90SR0670009 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR067 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: CHEROKEE RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE CHEROKEE CREEK LOG MILE: 5.39 LOCATION: 5.4 M NE JCT SR67&SR81 SUFFICIENCY RATING: 78.6 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: N 36.26402 DEGREES (17a,b) LONGITUDE: 82.40420 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: **NONE** C) TYPE PROTECTION: NONE

	AGE AND SERVICE —
2011	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:

GEOMETRIC DATA —

14.0 FT	(48) MAXIMUM SPAN LENGTH:
28.6 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
31.8 FT	(51) BRIDGE CURB TO CURB WIDTH:
40 FT	(52) BRIDGE OUT TO OUT WIDTH:
24.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
45 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD: NO
31.8 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADWAY.

NO MEDIAN	(33) DRIDGE MEDIAN.	
45 DEGREES	(34) BRIDGE SKEW:	
NO FLARE	(35) BRIDGE FLARE:	
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:	
'AY: 31.8 FT	(47) MIN HORIZONTAL CLEARANCE ON ROAD	
VAY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGH	
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:	
VAY OR RAILROAD	(55a) HORZ UNDERCLR: NOT A HIGH	
NOT APPLICABLE	(55b) MIN HORZ UNDERCLR ON RIGHT:	
NOT APPLICABLE	(56) MIN HORZ UNDERCLR ON LEFT:	

NAVIGATION DATA

ON CONTROL	NO NAVIGATI	B) NAV CONTROL:	(38)
N/A	RTICAL CLEARANCE:	9) NAVIGATION VERTICA	(39)
N/A	RT CLEARANCE:	16) LIFT BRIDGE VERT CL	(116)
N/A	RZ CLEARANCE:	D) NAVIGATION HORZ CL	(40)

PUBLICATION DATE 19-Mar-20

	CLASSII ICA	11014
(112) MEETS	NBIS BRIDGE LENGTH:	YES
(104) NATION	AL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTI	ONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALL	.EL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIO	C DIR:	2-WAY TRAFFIC
(103) TEMPOI	RARY BRIDGE:	NOT APPLICABLE
(110) NATION	AL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTOR		E IS NOT ELIGIBLE FOR THE
	_	NAL REGISTER
(=0) ==014	— CONDITION R.	
(58) DECK:		N
(59) SUPERS		N
(60) SUBSTRI		N
` '	CHANNEL AND CHANN	
` '	T CONDITION (IF APPLI	,
—— DES	SIGN LOAD AND W	EIGHT POSTING ———
(31) DESIGN I	LOADING:	HL-93
	TING (2 AXLE VEHICLE	,
WEIGHT POS	TING (3 OR MORE AXLE	ES): ALL LEGAL LOADS
(70) BRIDGE I	POSTING CODE:	5
(41) WT POST	TING STATUS: OPEN	l
	APPRAIS/	AL
(67) STRUCTI	JRAL EVALUATION:	8
(68) DECK GE	OMETRY:	3
(69) UNDERC	LEARANCE RATING:	N
(71) WATERW	/AY ADEQUACY:	7
(72) APPROA	CH ROADWAY ALIGNMI	ENT: 8
(36) TRAFFIC	SAFETY FEATURES:	1N11
(113) SCOUR	CONDITION RATING:	8
R	ECOMMENDED IM	PROVEMENTS ———
(75) TYPE OF	WORK: NOT APPLI	CABLE
(76) LENGTH	HOF BRIDGE IMPROVE	MENT: N/A
(94) BRIDGE	IMPROVEMENT COST:	
(95) ROADW	AY IMPROVEMENT CO	ST:
(96) TOTAL F	PROJECT COST:	
(97) YEAR O	F IMPROVEMENT COST	Γ ESTIMATE:
	- INSPECTION	DATES —
(90) DATE OF	LAST REGULAR INSPE	ECTION: 10/30/2019
(91) REGULAI	R INSPECTION FREQUE	ENCY (MONTHS): 24
(93b) DATE O	F LAST UNDERWATER	INSP (MO/YR): N/A
(92b) UNDER	WATER INSP FREQUEN	ICY (MONTHS): N
(93c) DATE O	F SPECIAL INSPECTION	N (MO/YR): N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 90SR0670011 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: **CHEROKEE RD.** CROSSING: **CSX RAILROAD**

LOCATION: NEAR JOHNSON CITY TENN.

ROUTE: SR067

SPECIAL CASE: 0
COUNTY SEQUENCE: 1

LOG MILE: 9.20

SUFFICIENCY RATING: 89.8

IDENTIFICATION	CLASSIFICATION ———
(16a,b) LATITUDE: N 36.29772 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.35542 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN MINOR ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN CRANC.	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(10)	(59) SUPERSTRUCTURE: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF WEAKING SURFACE AND DECK PROTECTION. A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1975	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: RAILROAD	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	APPRAISAL (67) STRUCTURAL EVALUATION: 7
	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 9
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 9 (69) UNDERCLEARANCE RATING: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: 7 7 7 7 8 9 7 7 7 8 9 7 7 8 7 7 8 7 7 8 7 7 8 7 7 8 7 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 68.9 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 9 (69) UNDERCLEARANCE RATING: 5 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 68.9 FT (49) TOTAL BRIDGE LENGTH: 189.6 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 9 (69) UNDERCLEARANCE RATING: 5 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0011
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 68.9 FT (49) TOTAL BRIDGE LENGTH: 189.6 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 9 (69) UNDERCLEARANCE RATING: 5 (71) WATERWAY ADEQUACY: N (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0011 (113) SCOUR CONDITION RATING:
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 46.6 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 46.6 FT (52) BRIDGE OUT TO OUT WIDTH: 49.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 45 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (48) MAXIMUM SPAN LENGTH: (189, 6 FT) (189, 6 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (46.6 FT (54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (99) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) WERT UNDERCLE: (540) MIN VERTICAL UNDERCLEARANCE: (540) MIN VERTICAL UNDERCLEARANCE: (540) MIN VERTICAL UNDERCLEARANCE: (21.42 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: N RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 10/30/2019
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) MIN VERTICAL UNDERCLEARANCE: (54b) MIN VERTICAL UNDERCLEARANCE: (54c) HORZ UNDERCLR: (55a) REIDGE RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (73) TYPE OF WORK: (74) NOT APPLICABLE (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) WATERWAY IMPROVEMENT COST: (87) ROADWAY IMPROVEMENT COST: (88) TOTAL PROJECT COST: (89) YEAR OF IMPROVEMENT COST ESTIMATE:
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (75b) MIN HORZ UNDERCLR: (75c) RAILROAD BENEATH BRIDGE (55b) MIN HORZ UNDERCLR: (75c) RAILROAD BENEATH BRIDGE (55b) MIN HORZ UNDERCLR: (75c) RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENTS (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): NA 10/30/2019
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) MIN VERTICAL UNDERCLEARANCE: (54b) MIN VERTICAL UNDERCLEARANCE: (54c) HORZ UNDERCLR: (55a) REIDGE RAILROAD BENEATH BRIDGE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (73) TYPE OF WORK: (74) NOT APPLICABLE (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) WATERWAY IMPROVEMENT COST: (87) ROADWAY IMPROVEMENT COST: (88) TOTAL PROJECT COST: (89) YEAR OF IMPROVEMENT COST ESTIMATE:

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



Ν

Ν

6

8

\$27,000.00

BRIDGE ID NUMBER: 90SR0670027 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR067 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: UNIVERSITY PKWY. COUNTY SEQUENCE: 1 CROSSING: SINKING CREEK LOG MILE: 10.80 LOCATION: .5 MI E JCT SR36 & SR67 SUFFICIENCY RATING: 81.5 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31194 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.32972 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR:

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: NOT APPLICABLE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION:

AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 1987 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 87.9 FT **OPEN MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 55 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 38.1 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

(48) MAXIMUM SPAN LENGTH:

(49) TOTAL BRIDGE LENGTH:

YES **NHS ROUTE URBAN PRINCIPAL ARTERIAL NO PARALLEL BRIDGE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: **NOT BEEN DETERMINED** CONDITION RATINGS =

(59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: (61) STREAM CHANNEL AND CHANNEL PROTECTION:

(62) CULVERT CONDITION (IF APPLICABLE):

DESIGN LOAD AND WEIGHT POSTING (31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES):

WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

(58) DECK:

12.1 FT

26.2 FT

APPRAISAL

(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: N

(71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN11

(113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE REHABILITATION**

(76) LENGTH OF BRIDGE IMPROVEMENT: 26.2 FT (94) BRIDGE IMPROVEMENT COST: \$265,000.00 ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST: \$398,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/31/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 90SR0670031 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: UNIVERSITY PKWY.
CROSSING: CATBIRD CREEK

LOCATION: .8 MI E JCT SR36 & SR67

ROUTE: SR067 SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 11.18

SUFFICIENCY RATING: 81.5

IDENTIFICATION —	- CLASSIFICATION -	
(16a,b) LATITUDE: N 36.31225 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 82.32475 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN PRINCIPAL ARTERIAL	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N	
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N	
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7	
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 6	
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44	
(27) YEAR THE BRIDGE WAS BUILT: 1987	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN	
` '	APPRAISAL ————	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 4	APPRAISAL (67) STRUCTURAL EVALUATION: 6	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0		
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN11	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT	(67) STRUCTURAL EVALUATION:6(68) DECK GEOMETRY:N(69) UNDERCLEARANCE RATING:N(71) WATERWAY ADEQUACY:7(72) APPROACH ROADWAY ALIGNMENT:8(36) TRAFFIC SAFETY FEATURES:NN11(113) SCOUR CONDITION RATING:8	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 9.8 FT (49) TOTAL BRIDGE LENGTH: 22.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN11	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN11 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN11 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: 22 FT	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 87.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN11 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: 22 FT (94) BRIDGE IMPROVEMENT COST: \$225,000.00	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: 4 9.8 FT 22.0 FT 0.0 FT UNDER FILL UNDER FILL UNDER FILL OPEN MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN11 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: \$225,000.00 (95) ROADWAY IMPROVEMENT COST:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: 4 9.8 FT 22.0 FT 0.0 FT UNDER FILL UNDER FILL OPEN MEDIAN 67.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN11 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: \$225,000.00 (96) TOTAL PROJECT COST: \$338,000.00	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: 4 9.8 FT 22.0 FT 10.0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: 4 9.8 FT 9.8 FT 9.9	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN11 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: \$225,000.00 (96) TOTAL PROJECT COST: \$338,000.00	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: OPEN MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: NN11 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): NA	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (574) NOT APPLICABLE (575) MIN HORZ UNDERCLR ON LEFT: (586) MIN HORZ UNDERCLR ON LEFT: (587) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (79) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (86) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (54a) VERT UNDERCLE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (50b) MIN HORZ UNDERCLR ON RIGHT: (55c) NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

Ν

N

7

8

8

N/A

10/17/2019

24

N/A

N/A

Ν

Ν

NN11

HS-20-44

BRIDGE ID NUMBER: 90S23820001 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR075 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BARKLEY RD. COUNTY SEQUENCE: 1 CROSSING: KEEBLER CREEK LOG MILE: 3.26 SUFFICIENCY RATING: 98.7 LOCATION: 3.5 MI.NE.OF LIMESTONE - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27243 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.59517 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS):

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

5

5

4

N

7

8

8

N/A

10/17/2019

24

N/A

N/A

Ν

Ν

1N11

HS-20-44

BRIDGE ID NUMBER: 90S23820003 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR075 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOWNANTOWN RD. COUNTY SEQUENCE: 1 CROSSING: BLACKLEY CREEK LOG MILE: 5.54 SUFFICIENCY RATING: 82.9 LOCATION: 2.3 M SW SR75&SR81 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.29768 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 82.57587 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 21.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 69.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 30.5 FT RECOMMENDED IMPROVEMENTS 34.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 28.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 19-Mar-20

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

Ν

N

7

8

8

N/A

10/17/2019

24

N/A

N/A

Ν

Ν

NN11

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90S23820005 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR075 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOWNANTOWN RD. COUNTY SEQUENCE: 1 CROSSING: CLEAR FORK CREEK LOG MILE: 5.65 SUFFICIENCY RATING: 99.2 LOCATION: 2.2 M SW JCT SR75&SR81 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.29843 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.57485 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.4 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 56.4 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 35 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

5

5

5

7

N

5

5

2

N

3

8

8

0N1N

56.4 FT

2019

24

N/A

N/A

Ν

Ν

\$287,000.00

\$29,000.00

\$431,000.00

10/17/2019

H-15-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90S23820007 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR075 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOWNANTOWN RD. COUNTY SEQUENCE: 1 CROSSING: CLEAR FORK CREEK LOG MILE: 6.82 SUFFICIENCY RATING: 54.5 LOCATION: 1 M SW JCT SR75&SR81 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.31297 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 82.57153 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: — AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1940 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 34.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 56.4 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 18.4 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 20 FT (75) TYPE OF WORK: **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: NO RESTRICTION (520) MIN VERTICAL CLEARANCE OVER RD: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

7

N

6

4

N

7

6

8

N/A

10/28/2019

24

N/A

N/A

Ν

Ν

1111

HS-20-44

BRIDGE ID NUMBER: 90S23820009 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR075 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOWNANTOWN RD. COUNTY SEQUENCE: 1 CROSSING: CLEAR FORK CREEK LOG MILE: 7.10 SUFFICIENCY RATING: 86.4 LOCATION: .7 M SW JCT SR75&SR81 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31627 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 82.56963 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2004 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 71.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 143.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 30.5 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 34.1 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 30.5 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

7

7

7

Ν

N

6

5

4

Ν

8

Ν

N/A

9/5/2019

24

N/A

N/A

Ν

Ν

1111

HS-20-44

BRIDGE ID NUMBER: 90100260005 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR075 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: SUNCREST DR. COUNTY SEQUENCE: 1 CROSSING: 126 LOG MILE: 15.46 SUFFICIENCY RATING: 80.8 LOCATION: NEAR SULLIVAN CO. LN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.40643 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.39387 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2015 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 5 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 105.3 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 253.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 46.3 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 43.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 17.59 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 14.11 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 3.94 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

R

Ν

N

7

8

8

NN11

33.1 FT

2019

24

N/A

N/A

Ν

Ν

HS-20-44

BRIDGE ID NUMBER: 90SR0750005 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR075 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOBBY HICKS HWY. COUNTY SEQUENCE: 1 CROSSING: CEDAR CREEK LOG MILE: 16.49 SUFFICIENCY RATING: 76.3 LOCATION: 1.0 MI NE OF I-181 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.41912 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.46792 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.4 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 74.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: \$350,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$36,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$526,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 80.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 10/28/2019 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

BRIDGE ID NUMBER: 90SR0750007



COUNTY: WASHINGTON

YES

Ν

Ν

Ν

7

7

7

Ν

N

7

8

8

NN11

36.7 FT

2019

24

N/A

N/A

Ν

Ν

\$386,000.00

\$39,000.00

\$580,000.00

10/28/2019

HS-20-44

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR075 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOBBY HICKS HWY. COUNTY SEQUENCE: 1 CROSSING: CEDAR CREEK LOG MILE: 16.94 LOCATION: 1.5 MI NE OF I-181 SUFFICIENCY RATING: 76.3 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.42362 DEGREES 82.46260 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 17.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 36.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 74.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 78.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

7

N

7

9

N

8

8

8

N/A

10/28/2019

24

N/A

N/A

Ν

Ν

1111

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90SR0750003 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR075 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOBBY HICKS HWY. COUNTY SEQUENCE: 1 CROSSING: CEDAR CREEK LOG MILE: 17.98 SUFFICIENCY RATING: 92.9 LOCATION: 2.5 MI NE OF I-181 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.43518 DEGREES 82.45078 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 98.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 152.6 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 80.1 FT RECOMMENDED IMPROVEMENTS 83.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 74.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 80.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NATIONAL BRIDGE INVENTORY



YES

6

6

6

7

6

6

Ν

9

8

8

1000

563.6 FT

2018

24

N/A

N/A

Ν

Ν

\$4,363,000.00

\$6,545,000.00

\$437,000.00

11/14/2019

HS-20-44

ALL LEGAL LOADS

ALL LEGAL LOADS

NOT A NHS ROUTE

RURAL ARTERIAL

2-WAY TRAFFIC

NOT APPLICABLE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90SR0810001 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR081 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: SR-81 COUNTY SEQUENCE: 1 CROSSING: NOLICHUCKY RIVER LOG MILE: 1.86 LOCATION: 1.9 M NW OF UNICOI CO LN SUFFICIENCY RATING: 75.8 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.17762 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.45417 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN**

NOT APPLICABLE

NOT A HIGHWAY OR RAILROAD

AGE AND SERVICE ————		
(27) YEAR THE BRIDGE WAS BUILT:	1976	
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	
(42a) SERVICE ON BRIDGE:	HIGHWAY	
(42b) UNDER BRIDGE:	WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	
GEOMETRIC DATA		

158.1 FT	(48) MAXIMUM SPAN LENGTH:
563.6 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
43.6 FT	(51) BRIDGE CURB TO CURB WIDTH:
45.9 FT	(52) BRIDGE OUT TO OUT WIDTH:
38.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 43.6 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
AY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW

NOT APPLICABLE	55b) MIN HORZ UNDERCLR ON RIGHT:	(55b)
NOT APPLICABLE	66) MIN HORZ UNDERCLR ON LEFT:	(56)
NAVIGATION DATA		
/IGATION CONTROL	38) NAV CONTROL: NO NA	(38)
NI/A	NO. NAMES AT LONG OF EACH OF	(00)

(54b) MIN VERTICAL UNDERCLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

APPRAISAL

RECOMMENDED IMPROVEMENTS

INSPECTION DATES

BRIDGE REHABILITATION

(67) STRUCTURAL EVALUATION:

(69) UNDERCLEARANCE RATING:

(36) TRAFFIC SAFETY FEATURES:

(113) SCOUR CONDITION RATING:

(72) APPROACH ROADWAY ALIGNMENT:

(76) LENGTH OF BRIDGE IMPROVEMENT:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(90) DATE OF LAST REGULAR INSPECTION:

(94) BRIDGE IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(95) ROADWAY IMPROVEMENT COST:

(71) WATERWAY ADEQUACY:

(68) DECK GEOMETRY:

(75) TYPE OF WORK:

(55a) HORZ UNDERCLR:



YES

6

5

6

7

N

5

4

N

7

8

5

1111

342.5 FT

\$598,000.00

\$60,000.00

\$898,000.00

11/14/2019

09/2016

2019

24

Y60

N/A

Ν

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90SR0810003 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR081 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: SR-81 COUNTY SEQUENCE: 1 CROSSING: NOLICHUCKY RIVER LOG MILE: 4.55 LOCATION: .5 M S JCT SR67&SR81 SUFFICIENCY RATING: 56.9 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.20632 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 82,47298 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 7 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1959 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 49.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 342.5 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.2 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 34.4 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 90SR0810005 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR081 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-81 COUNTY SEQUENCE: 1 CROSSING: LITTLE CHEROKEE CREEK LOG MILE: 5.14 SUFFICIENCY RATING: 77.3 LOCATION: .1 M N JCT SR81&SR67 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.21517 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.47212 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1978 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: 11.5 FT (71) WATERWAY ADEQUACY: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (36) TRAFFIC SAFETY FEATURES:

NOT APPLICABLE

(48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 20 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 48.9 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

(56) MIN HORZ UNDERCLR ON LEFT:

YES **NOT A NHS ROUTE RURAL ARTERIAL NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 **DESIGN LOAD AND WEIGHT POSTING** H-15-44 **ALL LEGAL LOADS ALL LEGAL LOADS** 6 Ν N 7 8 NN11 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **BRIDGE REHABILITATION** (76) LENGTH OF BRIDGE IMPROVEMENT: 38.1 FT (94) BRIDGE IMPROVEMENT COST: \$279,000.00 ROADWAY IMPROVEMENT COST: \$28,000.00 (96) TOTAL PROJECT COST: \$419,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 10/15/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A

Ν

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

BRIDGE ID NUMBER: 90SR0810007 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR081 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-81 COUNTY SEQUENCE: 1 CROSSING: CHEROKEE CREEK LOG MILE: 5.36 LOCATION: .3 M N JCT SR81&SR67 SUFFICIENCY RATING: 93.7 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21767 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 82.47142 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

NOT APPLICABLE A) TYPE OF SURFACE: B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 1978 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 14.1 FT (49) TOTAL BRIDGE LENGTH: 44.6 FT

0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 5 DEGREES

(35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.1 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

NOT A NHS ROUTE

RURAL ARTERIAL NO PARALLEL BRIDGE

2-WAY TRAFFIC **NOT APPLICABLE**

NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS

Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 (62) CULVERT CONDITION (IF APPLICABLE):

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/15/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

NATIONAL BRIDGE INVENTORY



YES

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90SR0810009 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR081 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: SR-81 COUNTY SEQUENCE: 1 CROSSING: CHEROKEE CREEK LOG MILE: 6.00 LOCATION: .9 M NE JCT SR81&SR67 SUFFICIENCY RATING: 93.7 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.22585 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.46573 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: **OPEN** APPRAISAL

	7.0272 0202
1978	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:
	GEOMETRIC DATA
13.8 FT	(48) MAXIMUM SPAN LENGTH:

45.3 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
36.1 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
O RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
7: 36.1 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADWA

Y: 36.1 FT	LEARANCE ON ROADWAY	(47) MIN HORIZONTAL CLE
AY OR RAILROAD	NOT A HIGHWAY	(54a) VERT UNDERCLR:
NOT APPLICABLE	ERCLEARANCE: NC	(54b) MIN VERTICAL UNDE
AY OR RAILROAD	NOT A HIGHWAY	(55a) HORZ UNDERCLR:
NOT APPLICABLE	LR ON RIGHT: NC	(55b) MIN HORZ UNDERCL

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA

(38)	NAV CONTROL:	NO NAVIGATION CONTROL	-		
(39)	NAVIGATION VERTICAL CLEAR	NCE: N/A	۱		
(116)	LIFT BRIDGE VERT CLEARANCE	: N/A	١		

PUBLICATION DATE 19-Mar-20

(40) NAVIGATION HORZ CLEARANCE:

NOT A NHS ROUTE RURAL ARTERIAL NO PARALLEL BRIDGE 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 DESIGN LOAD AND WEIGHT POSTING HS-20-44 +MOD **ALL LEGAL LOADS ALL LEGAL LOADS** (67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: Ν (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: NN11 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 10/15/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

7

6

5

N

7

8

8

N/A

10/15/2019

24

N/A

N/A

Ν

Ν

1011

HS-20-44

BRIDGE ID NUMBER: 90SR0810011 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR081 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-81 COUNTY SEQUENCE: 1 CROSSING: CHEROKEE CREEK LOG MILE: 6.97 LOCATION: 1.9 M N JCT SR81&SR67 SUFFICIENCY RATING: 92.6 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.23720 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.46417 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 11.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 37.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

6

Ν

N

7

8

8

N/A

10/15/2019

24

N/A

N/A

Ν

Ν

1011

HS-20-44

BRIDGE ID NUMBER: 90SR0810013 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR081 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-81 COUNTY SEQUENCE: 1 CROSSING: CHEROKEE CREEK LOG MILE: 7.09 LOCATION: N OF SR67 JCT SUFFICIENCY RATING: 93.7 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.23807 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.46642 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 14.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 45.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 35.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 90\$R0810015 COUNTY: WASHINGTON
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: \$R081
FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: SR-81

CROSSING: CHEROKEE CREEK LOCATION: 2.1 M N JCT SR81&SR67

COUNTY SEQUENCE: 1 LOG MILE: 7.17

M N JCT SR81&SR67 SUFFICIENCY RATING: 93.7

IDENTIFICATION -			
(16a,b) LATITUDE: N 36	23863 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE: W 82.	46678 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A I	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS: RURAI	ARTERIAL
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE: NO PARALL	EL BRIDGE
(99) BORDER BRIDGE NUMBER:	IOT APPLICABLE	(102) TRAFFIC DIR: 2-WA	AY TRAFFIC
BRIDGE TYPE AND MATERIA		(103) TEMPORARY BRIDGE: NOT A	PPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONT		(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK	NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE		(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANO NOT BEEN DETERMINED	E HAS
(45) NUMBER OF MAIN SPANS:	3	———— CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	N
	IOT APPLICABLE	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SURFACE AND DECK P		(60) SUBSTRUCTURE:	N
	IOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
,	IOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE):	6
C) TYPE PROTECTION:	IOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE		(31) DESIGN LOADING:	HS-20-44
		WEIGHT POSTING (2 AXLE VEHICLES): ALL LEG	GAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED:	1987 N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEG	GAL LOADS
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE:	5
(42b) UNDER BRIDGE:	WATERWAY	(41) WT POSTING STATUS: OPEN	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:	6
GEOMETRIC DATA		(68) DECK GEOMETRY:	N
(48) MAXIMUM SPAN LENGTH:	10.2 FT	(69) UNDERCLEARANCE RATING:	N
(49) TOTAL BRIDGE LENGTH:	34.1 FT	(71) WATERWAY ADEQUACY:	7
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES:	1011
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL	(113) SCOUR CONDITION RATING:	8
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	36.1 FT	(75) TYPE OF WORK: NOT APPLICABLE	
(33) BRIDGE MEDIAN:	NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(34) BRIDGE SKEW:	15 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE:	NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWA	Y: 36.1 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: NOT A HIGHWA	AY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE:	IOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION:	10/15/2019
(55a) HORZ UNDERCLR: NOT A HIGHWA	AY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(55b) MIN HORZ UNDERCLR ON RIGHT:	IOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(=0)			
(56) MIN HORZ UNDERCLR ON LEFT:	IOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
NAVIGATION DATA		(92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): (92c) SPECIAL INSP FREQUENCY (MONTHS):	N N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

6

6

Ν

N

6

8

8

N/A

10/15/2019

24

N/A

N/A

Ν

Ν

NN11

H-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90SR0810029 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR081 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: W. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 11.46 LOCATION: JUST E OF SR353 JCT SUFFICIENCY RATING: 95.1 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.28172 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.48313 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 11.2 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.6 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



BRIDGE ID NUMBER: 90SR0810017 COUNT BRIDGE OWNER: STATE OF TENNESSEE ROUT

FIPS CODE: **00000** ROAD NAME: **W. MAIN ST.**

CROSSING: LITTLE LIMSTN CR &SOU RW LOCATION: .1 M NW JCT SR81&SR353

COUNTY: WASHINGTON

ROUTE: **SR081** SPECIAL CASE: **0**

COUNTY SEQUENCE: 1

LOG MILE: 11.60 SUFFICIENCY RATING: 84.0

ECCATION1 WINW JCT SKOT&SK333		
———— IDENTIFICATION ————————————————————————————————————		
(16a,b) LATITUDE: N 36.28287 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 82.48408 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN PRINCIPAL ARTERIAL	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 5	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 6	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6	
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N	
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44	
(27) YEAR THE BRIDGE WAS BUILT: 1938	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: 2001	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(42a) SERVICE ON BRIDGE: HIGHWAY-PEDESTRIAN	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: RAILROAD-WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —————	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6	
GEOMETRIC DATA	(68) DECK GEOMETRY: 5	
(48) MAXIMUM SPAN LENGTH: 57.1 FT	(69) UNDERCLEARANCE RATING: 5	
(49) TOTAL BRIDGE LENGTH: 222.1 FT	(71) WATERWAY ADEQUACY: 7	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111	
(51) BRIDGE CURB TO CURB WIDTH: 40 FT	(113) SCOUR CONDITION RATING: 8	
(52) BRIDGE OUT TO OUT WIDTH: 42 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT	(75) TYPE OF WORK: NOT APPLICABLE	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
(34) BRIDGE SKEW: 20 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: RAILROAD BENEATH BRIDGE	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: 21.19 FT	(90) DATE OF LAST REGULAR INSPECTION: 10/15/2019	
(55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: 11.81 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

6

7

6

Ν

N

7

8

8

NNNN

27.2 FT

2019

24

N/A

N/A

Ν

Ν

\$243,000.00

\$25,000.00

\$365,000.00

10/10/2019

H-15-44

NHS ROUTE

BRIDGE ID NUMBER: 90SR0810019 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR081 FIPS CODE: 38540 SPECIAL CASE: 0 ROAD NAME: W. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: BARKLEY BRANCH LOG MILE: 12.12 LOCATION: .6 M N JCT SR81&SR353 SUFFICIENCY RATING: 62.5 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.29013 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.48152 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1940 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: n (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 27.2 FT (72) APPROACH ROADWAY ALIGNMENT: 4.9 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.1 FT INSPECTION DATES

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(90) DATE OF LAST REGULAR INSPECTION:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

8

R

6

N

7

6

8

N/A

10/14/2019

24

N/A

N/A

Ν

Ν

1N11

HL-93

BRIDGE ID NUMBER: 90SR0810021 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR081 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-81 COUNTY SEQUENCE: 1 CROSSING: MUDDY CREEK LOG MILE: 16.59 LOCATION: 1.4 M SE JCT SR81&SR75 SUFFICIENCY RATING: 89.3 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.31437 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.54338 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2011 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 47.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 42.3 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



YES

Ν

Ν

Ν

7

6

Ν

N

7

8

8

N/A

10/14/2019

24

N/A

N/A

Ν

Ν

NN11

BRIDGE ID NUMBER: 90SR0810023 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR081 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-81 COUNTY SEQUENCE: 1 CROSSING: CLEAR FORK CREEK LOG MILE: 18.02 LOCATION: .1 M NE JCT SR81&SR75 SUFFICIENCY RATING: 89.0 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.32565 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.56318 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 +MOD AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1980 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



YES

Ν

Ν

Ν

6

6

Ν

N

7

8

8

N/A

10/14/2019

24

N/A

N/A

Ν

Ν

NN11

HS-20-44

BRIDGE ID NUMBER: 90SR0810025 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR081 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-81 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 18.32 LOCATION: .3 M NE JCT SR81&SR75 SUFFICIENCY RATING: 89.0 - IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.32923 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.56645 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1980 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 27.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 43.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



YES

BRIDGE ID NUMBER: 90SR0810027 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR081 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-81 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 20.07

LOCATION: 2.1 M NE JCT SR81&SR75 IDENTIFICATION

(16a,b) LATITUDE: Ν 36.34858 DEGREES 82.58160 DEGREES (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

ASPHALT A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION:

AGE AND SERVICE * 1930 (27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 14.1 FT (49) TOTAL BRIDGE LENGTH: 31.8 FT

0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT 27.2 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT

NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: **NO FLARE**

(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**

CLASSIFICATION =

(102) TRAFFIC DIR: 2-WAY TRAFFIC

SUFFICIENCY RATING: 49.9

(103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

CONDITION RATINGS =

NOT BEEN DETERMINED

(58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): 5

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: H-15-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 2 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY:

6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0011 (113) SCOUR CONDITION RATING: 8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE REPLACEMENT**

(76) LENGTH OF BRIDGE IMPROVEMENT: 53.8 FT (94) BRIDGE IMPROVEMENT COST: \$434,000.00

ROADWAY IMPROVEMENT COST: \$44,000.00 (96) TOTAL PROJECT COST: \$652,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/14/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90SR1070001 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR107 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HWY. 107 COUNTY SEQUENCE: 1 CROSSING: CASSI CREEK LOG MILE: 2.84 LOCATION: 2.8 M E OF GREENE CO LN SUFFICIENCY RATING: 90.7 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.15162 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.59787 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **NOT APPLICABLE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **NOT APPLICABLE**

B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION:

AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1975 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **WATERWAY** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

	OEOMETRIO DATA
15.1 FT	(48) MAXIMUM SPAN LENGTH:
48.6 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
44.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:

GEOMETRIC DATA -

(35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 57.1 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

YES **NOT A NHS ROUTE RURAL ARTERIAL NO PARALLEL BRIDGE** 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED**

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	

APPRAISAL -	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0011
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A
(04)	BRIDGE IMPROVE	MENT COST:	

BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/8/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 90SR1070003 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: HWY. 107

CROSSING: PAINTERS CREEK

LOCATION: 3.4 M E OF GREENE CO LN

ROUTE: SR107

SPECIAL CASE: 0 COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 93.7

LOG MILE: 3.43

- IDENTIFICATION CLASSIFICATION =

(16a,b) LATITUDE: Ν 36.14920 DEGREES (17a,b) LONGITUDE: 82.58788 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: NOT APPLICABLE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION:

AGE AND SERVICE -

(27) YEAR THE BRIDGE WAS BUILT: 1931 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 14.1 FT (49) TOTAL BRIDGE LENGTH: 31.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE: N/A

(112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

NOT BEEN DETERMINED

CONDITION RATINGS =

(58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 (62) CULVERT CONDITION (IF APPLICABLE):

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: Ν (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN11 (113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

8

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/7/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



YES

ROUTE: SR107

LOG MILE: 6.51

SPECIAL CASE: 0

BRIDGE ID NUMBER: 90SR1070005 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: HWY. 107 CROSSING: CLARKS CREEK

LOCATION: 3.4 M NE JCT SR107&SR353 - IDENTIFICATION

. CLASSIEICATION -

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 87.2

IDENTIFICATION —		CLASSIFICATIO	אכ	
(16a,b) LATITUDE:	N	36.16793 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	
(17a,b) LONGITUDE:	W	82.54117 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURA
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARAL
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-W
DDIDGE TVDE AND I			(103) TEMPORARY BRIDGE:	NOT A

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

A) TYPE OF SURFACE: MONOLITHIC CONCRETE B) TYPE MEMBRANE: NONE

EPOXY COATED REINFORCING C) TYPE PROTECTION:

AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1935 (106) YEAR THE BRIDGE WAS REHABILITATED: 1999 (42a) SERVICE ON BRIDGE: **HIGHWAY** (42b) UNDER BRIDGE: **WATERWAY** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 39.0 FT (49) TOTAL BRIDGE LENGTH: 77.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 00 FT (51) BRIDGE CURB TO CURB WIDTH: 35.1 FT 38.7 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.1 FT

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

A NHS ROUTE **AL ARTERIAL** LLEL BRIDGE WAY TRAFFIC **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

` '		
(41) WT POSTING STATUS:	OPEN	
(70) BRIDGE POSTING CODE:		5
WEIGHT POSTING (3 OR MOR	RE AXLES):	ALL LEGAL LOADS
WEIGHT POSTING (2 AXLE VE	EHICLES):	ALL LEGAL LOADS
(31) DESIGN LOADING:		H5-20-44

APPRAISAL

7.1.1.7.107.12	
(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 10/7/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



BRIDGE ID NUMBER: 90SR1070007 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR107

SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: HWY. 107 COUNTY SEQUENCE: 1 CROSSING: JOSHUA BRANCH LOG MILE: 7.01 SUFFICIENCY RATING: 83.5

LOCATION: 3.8 M NE JCT SR107&SR353

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.17198 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.53387 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: NOT APPLICABLE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
(27) YEAR THE BRIDGE WAS BUILT: 1931	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: N
(48) MAXIMUM SPAN LENGTH: 11.5 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 25.9 FT	(71) WATERWAY ADEQUACY: 5
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0011
(51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 30 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.2 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 10/7/2019
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
	()

PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public document records request does not 19-Mar-20 waive the provisions of §409

N/A

NO NAVIGATION CONTROL

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

Ν

(39) NAVIGATION VERTICAL CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NATIONAL BRIDGE INVENTORY



YES

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 90SR1070009 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR107 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HWY. 107 COUNTY SEQUENCE: 1 CROSSING: KATY CREEK LOG MILE: 7.48 SUFFICIENCY RATING: 68.0 LOCATION: 4.3 M NE JCT SR107&SR353 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.17518 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.52782 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1931 WEIGHT POSTING (3 OR MORE AXLES): (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 11.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT:

NOT APPLICABLE

NOT APPLICABLE

0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 30 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 19-Mar-20

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

RURAL ARTERIAL NO PARALLEL BRIDGE 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** Ν Ν Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 5 **DESIGN LOAD AND WEIGHT POSTING** H-15-44 **ALL LEGAL LOADS ALL LEGAL LOADS** 5 Ν Ν 5 8 (36) TRAFFIC SAFETY FEATURES: 0001 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **BRIDGE REHABILITATION** (76) LENGTH OF BRIDGE IMPROVEMENT: 26.9 FT (94) BRIDGE IMPROVEMENT COST: \$177,000.00 ROADWAY IMPROVEMENT COST: \$18,000.00 (96) TOTAL PROJECT COST: \$266,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 10/8/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν



5

4

5

7

N

H-15-44

11/14/2019

BRIDGE ID NUMBER: 90S23860001 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR353

FIPS CODE: 00000

ROAD NAME: BAILEY BRIDGE RD. CROSSING: NOLICHUCKY RIVER

LOCATION: .5 M NE JCT SR107&SR353

COUNTY SEQUENCE: 1

SUFFICIENCY RATING: 37.0

SPECIAL CASE: 0

LOG MILE: 0.45

IDENTIFICATION —			CLASSIFICATION	
(16a,b) LATITUDE:	N	36.15567 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE:	W	82.59055 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE AND N	/ΔΤΙ	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
DIGIDOL I II L AND I		LIXI/XL		

NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

(110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 9 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE (2 (1 (4 (4

7.0275 0202		WEIGHT POSTING (2 AXLE VEHICLES):	12 TONS
(27) YEAR THE BRIDGE WAS BUILT:	1958	,	
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A	WEIGHT POSTING (3 OR MORE AXLES):	21 TONS
,		(70) BRIDGE POSTING CODE:	4
(42a) SERVICE ON BRIDGE:	HIGHWAY	(41) WT POSTING STATUS: WEIGHT POSTED	
(42b) UNDER BRIDGE:	WATERWAY		
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2	APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:	4
OF CHETRIC DATA		(68) DECK GEOMETRY:	4

(28b) NUMBER OF LANES UNDER THE BRIDGE:	0	(67) STRUCTURAL EVALUATION:	4
GEOMETRIC DATA		(68) DECK GEOMETRY:	4
	50.4 FT	(69) UNDERCLEARANCE RATING:	N
(48) MAXIMUM SPAN LENGTH:	53.1 FT	(71) WATERWAY ADEQUACY:	7
(49) TOTAL BRIDGE LENGTH:	354.3 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES:	0011
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT		0011
` '		(113) SCOUR CONDITION RATING:	8

(51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 28.5 FT

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 354.3 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$621,000.00 (34) BRIDGE SKEW: 0 DEGREES

(95) ROADWAY IMPROVEMENT COST: \$63,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$932,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 24.0 FT

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: NOT APPLICABLE

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 09/2016 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60

(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): (38) NAV CONTROL: Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

8

7

7

6

N

7

8

8

N/A

10/2/2019

24

N/A

N/A

Ν

Ν

1N11

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90S23860003 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR353 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BAILEY BRIDGE RD. COUNTY SEQUENCE: 1 CROSSING: ONION CREEK LOG MILE: 5.01 SUFFICIENCY RATING: 99.7 LOCATION: 3.1 M SE SR75&SR34 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21320 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 82.58097 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: n (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: UNKNOWN DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 10.2 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 34.4 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 34.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

8

4

N

7

8

8

N/A

10/2/2019

24

N/A

N/A

Ν

Ν

1N11

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90S23860005 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR353 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD SR-34 COUNTY SEQUENCE: 1 CROSSING: LITTLE LIMESTONE CREEK LOG MILE: 8.65 SUFFICIENCY RATING: 90.2 LOCATION: 4.7 M NW JCT SR75&SR34 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.24907 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.54413 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: INTEGRAL CONCRETE A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2007 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 37.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.5 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

R

Ν

N

8

8

8

N/A

10/2/2019

24

N/A

N/A

Ν

Ν

1N11

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90SR3530007 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR353 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD SR-34 COUNTY SEQUENCE: 1 CROSSING: LITTLE LIMESTONE CREEK LOG MILE: 10.16 SUFFICIENCY RATING: 98.3 LOCATION: SW OF JONESBORO - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25453 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.51822 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2004 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 29.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 90S24520005 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000 ROAD NAME: OLD SR-34

CROSSING: LITTLE LIMESTONES CREEK

LOCATION: S. OF JONESBORO

ROUTE: SR353

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 11.72

SUFFICIENCY RATING: 36.9

IDENTIFICATION	
(16a,b) LATITUDE: N 36.26445 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.49985 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 1	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 4
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 4
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-10-44
(27) YEAR THE BRIDGE WAS BUILT: 1945	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS BUILT. 1943	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(425) ONDER DRIDGE.	455541
(28a) NUMBER OF LANES CARRIED BY BRIDGE	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 4
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 4
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 21.0 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 2
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 21.0 FT (49) TOTAL BRIDGE LENGTH: 22.3 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 2 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 21.0 FT (49) TOTAL BRIDGE LENGTH: 22.3 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 21.0 FT (49) TOTAL BRIDGE LENGTH: 22.3 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 2 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 28.2 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 2 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0N11
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 30.2 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 2 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0N11 (113) SCOUR CONDITION RATING: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 30.2 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 2 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0N11 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 43 FT
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 12.0 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 2 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0N11 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 43 FT (94) BRIDGE IMPROVEMENT COST: \$390,000.00 (95) ROADWAY IMPROVEMENT COST: \$40,000.00 (96) TOTAL PROJECT COST: \$586,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO FLARE	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 2 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0N11 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 43 FT (94) BRIDGE IMPROVEMENT COST: \$390,000.00 (95) ROADWAY IMPROVEMENT COST: \$40,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 2 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0N11 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 43 FT (94) BRIDGE IMPROVEMENT COST: \$390,000.00 (95) ROADWAY IMPROVEMENT COST: \$40,000.00 (96) TOTAL PROJECT COST: \$586,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 2 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0N11 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 43 FT (94) BRIDGE IMPROVEMENT COST: \$390,000.00 (95) ROADWAY IMPROVEMENT COST: \$40,000.00 (96) TOTAL PROJECT COST: \$586,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (28.2 FT) (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) STRUCTURAL EVALUATION: (98) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) INSPECTION DATES
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: (54b) MIN VERTICAL UNDERCLEARANCE: (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: **RECOMMENDED IMPROVEMENTS** (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: **BRIDGE REPLACEMENT** (78) BRIDGE IMPROVEMENT: (794) BRIDGE IMPROVEMENT COST: (94) BROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (97) DATE OF LAST REGULAR INSPECTION: (97) 10/2/2019
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (NOT A PPLICABLE (55a) HORZ UNDERCLR: (NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 2 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0N11 (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 43 FT (94) BRIDGE IMPROVEMENT COST: \$390,000.00 (95) ROADWAY IMPROVEMENT COST: \$40,000.00 (96) TOTAL PROJECT COST: \$586,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 10/2/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

6

6

6

5

N

5

6

2

Ν

6

8

8

0N11

20.3 FT

2019

24

N/A

N/A

Ν

Ν

\$90.000.00

\$10,000.00

\$136,000.00

10/2/2019

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90SR3530009 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR353 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: OLD SR-34 COUNTY SEQUENCE: 1 CROSSING: LITTLE LIMESTONE CREEK LOG MILE: 12.53 LOCATION: SW OF JONESBORO SUFFICIENCY RATING: 67.1 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.27417 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.49278 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.7 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 20.3 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.2 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 30.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: **NOT A HIGHWAY OR RAILROAD** (55a) HORZ UNDERCLR: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



BRIDGE ID NUMBER: 90SR3540013

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38540

ROAD NAME: BOONES CREEK RD.

CROSSING: KNOB CREEK

LOCATION: 0.2 MI NE JCT SR34&SR354

COUNTY: WASHINGTON

ROUTE: SR354

ROUTE: SR354

COUNTY SEQUENCE: 1

LOG MILE: 0.25

SUFFICIENCY RATING: 70.0

LOCATION. U.Z WII NE JCT SK34&SK334	SOFFICIENCT RATING. 70.0	
IDENTIFICATION	CLASSIFICATION —	
(16a,b) LATITUDE: N 36.30210 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 82.46662 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN MINOR ARTERIAL	
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(AE) NILIMPED OF MAIN CDANC.	———— CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS: (46) NUMBER OF ARRESCACI SPANS:	(58) DECK: N	
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE:	
(107) TYPE OF DECK: NOT APPLICABLE	(60) SUBSTRUCTURE: N	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7	
A) TYPE OF SURFACE: NOT APPLICABLE B) TYPE MEMBRANE: NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE): 7	
C) TYPE PROTECTION: NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44	
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1990	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5	
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN	
` (`		
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 4		
· ·	(67) STRUCTURAL EVALUATION: 7	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: N	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	, ,	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 16.4 FT	(68) DECK GEOMETRY: N	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 16.4 FT (49) TOTAL BRIDGE LENGTH: 32.8 FT	(68) DECK GEOMETRY: N (69) UNDERCLEARANCE RATING: N	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 16.4 FT (49) TOTAL BRIDGE LENGTH: 32.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: NN11	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 8	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 62.0 FT	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS	
(28b) NUMBER OF LANES UNDER THE BRIDGE: GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: 0 16.4 FT 32.8 FT 16.4 FT 10.0 FT 10.0 FT UNDER FILL UNDER FILL VNDER FILL VNDER FILL VNDER FILL VNDER FILL VNDER FILL	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 45 DEGREES	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE:	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST:	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 62.3 FT	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 16.4 FT (49) TOTAL BRIDGE LENGTH: 32.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: UNDER FILL (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 62.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 62.3 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 16.4 FT (49) TOTAL BRIDGE LENGTH: 32.8 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: UNDER FILL (52) BRIDGE CURB TO CURB WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 62.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 62.3 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 10/9/2019	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: UNDER FILL (52) BRIDGE OUT TO OUT WIDTH: UNDER FILL (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 62.3 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (540) VERT UNDERCLE: (540) VERT UNDERCLE: (550) HORZ UNDERCLR: (550) MIN VERTICAL UNDERCLEARANCE: (550) MIN VERTICAL UNDERCLEARANCE: (550) HORZ UNDERCLR: (550) MIN HORZ UNDERCLR ON RIGHT: (550) MIN	(68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

6

Ν

Ν

7

8

5

N/A

10/9/2019

24

N/A

N/A

Ν

Ν

NN11

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 90SR3540011 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR354 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOONES CREEK RD. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 4.07 SUFFICIENCY RATING: 88.6 LOCATION: W OF JOHNSON CITY-S OF181 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.35075 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.44512 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 11.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 25.6 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

6

6

Ν

Ν

7

8

8

N/A

10/9/2019

24

N/A

N/A

Ν

Ν

NN11

HS-20-44 +MOD

BRIDGE ID NUMBER: 90S23830001 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR354 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOONES CREEK RD. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 5.00 SUFFICIENCY RATING: 92.3 LOCATION: 4.85 MI.N.OF JONESBORO - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.36375 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.43780 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1978 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 11.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 37.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



ROUTE: SR354

NOT BEEN DETERMINED

BRIDGE ID NUMBER: 90S23830005 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: BOONES CREEK RD. CROSSING: BOONES CREEK

LOCATION: .7 M SW JCT SR354&I181

LOG MILE: 5.57 SUFFICIENCY RATING: 91.2

COUNTY SEQUENCE: 1

SPECIAL CASE: 0

IDENTIFICAT	IDENTIFICATION ————				
(16a,b) LATITUDE:	N	36.36943 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES	
(17a,b) LONGITUDE:	W	82.43113 DEGREES	(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE:		N/A	(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR	
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC	
BRIDGE TYPE AND I	ΜΔТ	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
(43a) MAIN SPAN MATERIAL: CONCR			(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK	
(45a) MARIN SPAN MATERIAL. CONCR			(37) HISTORICAL CLASS: HISTOR	ICAL SIGNIFICANCE HAS	

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK	PROTECTION:
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

- AGE AND SERVICE -

1979	YEAR THE BRIDGE WAS BUILT:	(27)
N/A) YEAR THE BRIDGE WAS REHABILITATED:	(106)
HIGHWAY) SERVICE ON BRIDGE:	(42a)
WATERWAY) UNDER BRIDGE:	(42b)
2) NUMBER OF LANES CARRIED BY BRIDGE:	(28a)
0) NUMBER OF LANES UNDER THE BRIDGE:	(28b)

13.8 FT	(48) MAXIMUM SPAN LENGTH:
44.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
44.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
45 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
47.9 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADWA
OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHW
T APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEAR	ANCE: N/A
(116) LIFT BRIDGE VERT CLEARANCE	E: N/A
(40) NAVIGATION HORZ CLEARANCE	E: N/A

ACE AND CERTIC	-
DGE WAS BUILT:	1979

GEOMETRIC DATA —

13.8 FT	(48) MAXIMUM SPAN LENGTH:
44.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
UNDER FILL	(51) BRIDGE CURB TO CURB WIDTH:
UNDER FILL	(52) BRIDGE OUT TO OUT WIDTH:
44.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
45 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
AY: 47.9 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADW
VAY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHV
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:
VAY OR RAILROAD	(55a) HORZ UNDERCLR: NOT A HIGHV
NOT APPLICABLE	(55b) MIN HORZ UNDERCLR ON RIGHT:
NOT APPLICABLE	(56) MIN HORZ UNDERCLR ON LEFT:

(30)	NAV CONTROL.	NO NAVIGATION CONTI	·OL
(39)	NAVIGATION VERTICAL CLEARA	NCE:	N/A
(116)	LIFT BRIDGE VERT CLEARANCE:		N/A
(40)	NAVIGATION HORZ CLEARANCE	•	N/A

CONDITION RATINGS =

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	
APPRAISAL	

APPRAISAL —	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	5
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NN11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75)	TYPE OF WORK:	NOT APPLICABLE	
(76)	LENGTH OF BRIDG	SE IMPROVEMENT:	N/A
(0.4)	DDIDOE MADDOVE	MENT COOT	

- (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
- (96) TOTAL PROJECT COST:
- (97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/9/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N



BRIDGE ID NUMBER: 90\$23830007 COUNTY: WASHINGTON
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: \$R354

FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: BOONES CREEK RD. COUNTY SEQUENCE: 1

CROSSING: BOONES CREEK LOG MILE: 5.98 LOCATION: .3 M S JCT SR354&I181 SUFFICIENCY RATING: 80.2

ECCATION3 N 5 JCT SR334GITOT			
——— IDENTIFICATION ————————————————————————————————————			
(16a,b) LATITUDE: N	36.37458 DEGREES	(112) MEETS NBIS BRIDGE LENGTH:	YES
(17a,b) LONGITUDE: W	82.42745 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A	NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A	(26) FUNCTIONAL CLASS: URBAN MINO	OR ARTERIAL
(98b) PERCENT SHARE:	N/A	(101) PARALLEL BRIDGE: NO PARAL	LLEL BRIDGE
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE	(102) TRAFFIC DIR: 2-V	WAY TRAFFIC
BRIDGE TYPE AND MATE	ERIAL ———	` '	APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE C		(110) NATIONAL TRUCK ROUTE: NOT ON TRUC	
(44a) APPR SPAN MATERIAL: NOT APPLICABLE		(37) HISTORICAL CLASS: HISTORICAL SIGNIFICAN	
(,		NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS:	3	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS:	0	(58) DECK:	N
(107) TYPE OF DECK:	NOT APPLICABLE	(59) SUPERSTRUCTURE:	N
(108) TYPE OF WEARING SURFACE AND DEC	CK PROTECTION:	(60) SUBSTRUCTURE:	N C
A) TYPE OF SURFACE:	NOT APPLICABLE	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	: 6 5
B) TYPE MEMBRANE:	NOT APPLICABLE	(62) CULVERT CONDITION (IF APPLICABLE):	_
C) TYPE PROTECTION:	NOT APPLICABLE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	=	(31) DESIGN LOADING:	H-15-44
(27) YEAR THE BRIDGE WAS BUILT:	1955	,	EGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATE	ED: N/A	,	EGAL LOADS
(42a) SERVICE ON BRIDGE:	HIGHWAY	(70) BRIDGE POSTING CODE:	5
(42b) UNDER BRIDGE:	WATERWAY	(41) WT POSTING STATUS: OPEN	
(28a) NUMBER OF LANES CARRIED BY BRID	GE: 2	APPRAISAL —	
(28b) NUMBER OF LANES UNDER THE BRIDG	GE: 0	(67) STRUCTURAL EVALUATION:	5
GEOMETRIC DATA		(68) DECK GEOMETRY:	N
(48) MAXIMUM SPAN LENGTH:	11.5 FT	(69) UNDERCLEARANCE RATING:	N
(49) TOTAL BRIDGE LENGTH:	38.1 FT	(71) WATERWAY ADEQUACY:	7
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	(72) APPROACH ROADWAY ALIGNMENT:	8
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	(36) TRAFFIC SAFETY FEATURES:	1NNN
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL	(113) SCOUR CONDITION RATING:	8
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL	RECOMMENDED IMPROVEMENTS	5
(32) APPROACH ROADWAY (W/ SHLDS) WID	TH: 42.0 FT	(75) TYPE OF WORK: NOT APPLICABLE	
(33) BRIDGE MEDIAN:	NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(34) BRIDGE SKEW:	30 DEGREES	(94) BRIDGE IMPROVEMENT COST:	
(35) BRIDGE FLARE:	NO FLARE	(95) ROADWAY IMPROVEMENT COST:	
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION	(96) TOTAL PROJECT COST:	
(47) MIN HORIZONTAL CLEARANCE ON ROA	DWAY: 44.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	
(54a) VERT UNDERCLR: NOT A HIG	HWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION:	10/10/2019
(55a) HORZ UNDERCLR: NOT A HIG	HWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
——— NAVIGATION DATA	4 ——	(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(38) NAV CONTROL: NO NA	AVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

BRIDGE ID NUMBER: 90SR3540009



COUNTY: WASHINGTON

YES

Ν

Ν

Ν

6

6

Ν

Ν

7

8

8

N/A

24

N/A

N/A

Ν

Ν

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR354 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOONES CREEK RD. COUNTY SEQUENCE: 1 CROSSING: BOONES CREEK LOG MILE: 6.24 SUFFICIENCY RATING: 95.2 LOCATION: AT I181 - SR 354 JCT - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37657 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 82.42692 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 +MOD AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.4 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 57.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: NN11 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 35 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 10/10/2019 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

Ν

Ν

Ν

7

6

Ν

Ν

7

8

8

NN11

22 FT

2019

24

N/A

N/A

Ν

Ν

\$207,000.00

\$21,000.00

\$311,000.00

9/30/2019

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90SR3810001 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR381 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: N. STATE OF FRANKLIN RD. COUNTY SEQUENCE: 1 CROSSING: BRUSH CREEK LOG MILE: 2.02 LOCATION: 1 MI FROM E TN STATE UNIV SUFFICIENCY RATING: 76.2 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.30207 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.38243 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 10.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 55.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 39 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A



HS-20-44

ROUTE: SR381

LOG MILE: 2.08

SPECIAL CASE: 0

BRIDGE ID NUMBER: 90SR3810003 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: N. STATE OF FRANKLIN RD. CROSSING: SOUTHERN RAILWAY

LOCATION: 1 MI FROM E TN STATE UNIV

SUFFICIENCY RATING: 61.1

COUNTY SEQUENCE: 1

		ATION ———		
(16a,b) LATITUDE:	N	36.30352 DEGREES	(112) MEETS NBIS BRIDGE LENGTH	: YES
(17a,b) LONGITUDE:	W	82.38307 DEGREES	(104) NATIONAL HIGHWAY SYSTEM	: NHS ROUTE
(98a) BORDER BRIDGE STATE C	ODE:	N/A	(26) FUNCTIONAL CLASS:	URBAN PRINCIPAL ARTERIAL
(98b) PERCENT SHARE:		N/A	(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER:		NOT APPLICABLE	(102) TRAFFIC DIR:	2-WAY TRAFFIC
BRIDGE TYPE	AND MATE	FRIAI ———	(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: P			(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
` ,	ONTINUOUS		` ,	RICAL SIGNIFICANCE HAS
(44a) ADDD SDAN MATERIAL: N			NOT B	EEN DETERMINED

N/A

N/A

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:

110-20-44		(31) DESIGN ECADING.
ALL LEGAL LOADS	EHICLES):	WEIGHT POSTING (2 AXLE V
ALL LEGAL LOADS	RE AXLES):	WEIGHT POSTING (3 OR MO
5	:	(70) BRIDGE POSTING CODE
	OPEN	(41) WT POSTING STATUS:

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	6
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0011
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REHABILITATION	
(76) LENGTH OF BRID	GE IMPROVEMENT:	231.6 FT
(94) BRIDGE IMPROVE	EMENT COST:	\$3,102,000.00
(95) ROADWAY IMPRO	OVEMENT COST:	\$311,000.00
(96) TOTAL PROJECT	COST:	\$4,654,000.00
(97) YEAR OF IMPROV	'EMENT COST ESTIMATE:	2019
INSPECTION DATES		

(90) DATE OF LAST REGULAR INSPECTION:	10/1/2019
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: (46) NUMBER OF APPROACH SPANS: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE NONE C) TYPE PROTECTION: AGE AND SERVICE = (27) YEAR THE BRIDGE WAS BUILT: 1986 (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (42b) UNDER BRIDGE: **RAILROAD** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA (48) MAXIMUM SPAN LENGTH: 80.1 FT (49) TOTAL BRIDGE LENGTH: 231.6 FT (50a) LEFT SIDEWALK WIDTH: 5.9 FT (50b) RIGHT SIDEWALK WIDTH: 59 FT (51) BRIDGE CURB TO CURB WIDTH: 55.8 FT (52) BRIDGE OUT TO OUT WIDTH: 96.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 55.8 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 55 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 23.26 FT (55a) HORZ UNDERCLR: **RAILROAD BENEATH BRIDGE** (55b) MIN HORZ UNDERCLR ON RIGHT: 15.42 FT (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (39) NAVIGATION VERTICAL CLEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

Ν

N

7

9

8

Ν

8

Ν

N/A

10/1/2019

24

N/A

N/A

Ν

Ν

1111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 90SR0360019 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR381 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: N. STATE OF FRANKLIN RD. COUNTY SEQUENCE: 1 CROSSING: SR 36 LOG MILE: 6.80 LOCATION: .5 MI NE OF I181 SUFFICIENCY RATING: 100.0 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.36202 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.38982 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 5 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 131.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 214.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 92.2 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 98.1 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 84.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **CLOSED MEDIAN - WITH BARRIER** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 17.19 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 12.14 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



PRODUCED PURSUANT TO

BRIDGE ID NUMBER: 90SR0340017 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR381 FIPS CODE: 38320 SPECIAL CASE: 0 ROAD NAME: N. STATE OF FRANKLIN RD. COUNTY SEQUENCE: 1 CROSSING: SR 34 LOG MILE: 7.61 LOCATION: 1.5 M NE OF I181 SUFFICIENCY RATING: 99.4

IDENTIFICATION	
(16a,b) LATITUDE: N 36.36752 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 82.37940 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: URBAN PRINCIPAL ARTERIAL
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 3	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: EPOXY COATED REINFORCING	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1992	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 1	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 5	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 9
(48) MAXIMUM SPAN LENGTH: 115.5 FT	(69) UNDERCLEARANCE RATING: 9
(49) TOTAL BRIDGE LENGTH: 192.9 FT	(71) WATERWAY ADEQUACY: (72) ADDROACH DOADWAY ALIQUIMENT
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 111N (113) SCOUR CONDITION RATING: N
(51) BRIDGE CURB TO CURB WIDTH: 28.5 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	(75) TYPE OF WORK: NOT APPLICABLE
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT	
· · ·	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 22 DEGREES	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST:
(33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: NO MEDIAN 22 DEGREES NO FLARE	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 22 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	 (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 22 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.5 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NO MEDIAN 2 DEGREES NO FLARE NO FLARE NO RESTRICTION (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (54b) MIN VERTICAL UNDERCLEARANCE: 18.18 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 10/1/2019
(33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE (54b) MIN VERTICAL UNDERCLEARANCE: 18.18 FT (55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 10/1/2019 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (12.47 FT)	(76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (12.47 FT)	(76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (12.47 FT)	(76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (92b) UNDERWATER INSP FREQUENCY (MONTHS): N

PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public **PUBLICATION DATE** document records request does not 19-Mar-20 waive the provisions of §409

N/A

N/A

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



ROUTE: SR400

BRIDGE ID NUMBER: 90S23800001 COUNTY: WASHINGTON

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 38320

ROAD NAME: **WATAUGA RD.** CROSSING: **BRUSH CREEK**

LOCATION: .3 M W OF CARTER CO LN

LOG MILE: 4.99

SPECIAL CASE: 0

SUFFICIENCY RATING: 77.8

COUNTY SEQUENCE: 1

- IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 36.36927 DEGREES (112) MEETS NBIS BRIDGE LENGTH: YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.30518 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 8 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: HL-93 AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2011 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: R (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 47.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 47.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N11 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 68.9 FT (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 47.9 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: \$482,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$49,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$724,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2019 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 10/1/2019 (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 19-Mar-20

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

6

7

7

Ν

Ν

7

8

8

N/A

10/1/2019

24

N/A

N/A

Ν

Ν

0N10

HS-20-44

BRIDGE ID NUMBER: 90E00320001 COUNTY: WASHINGTON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR400 FIPS CODE: 38320 SPECIAL CASE: 9 ROAD NAME: W. UNAKA AVE. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.46 SUFFICIENCY RATING: 98.6 LOCATION: .6 M SW JCT SR400&I181 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.31817 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 82.36163 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: Ν/Δ (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 11.5 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 28.5 FT (72) APPROACH ROADWAY ALIGNMENT: 4.9 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 41.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.5 FT INSPECTION DATES

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(90) DATE OF LAST REGULAR INSPECTION:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE: