HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



BRIDGE ID NUMBER: 49E00210009

BRIDGE OWNER: STATE OF TENNESSEE
ROAD NAME: STATE HWY 209
CROSSING: TISDALE CREEK

LATITUDE:: N 35.81567 DEGREES
LONGITUDE: W 89.44353 DEGREES

COUNTY: LAUDERDALE
ROUTE: SR209
SPECIAL CASE: 0
COUNTY SEQUENCE: 1
LOG MILE: 14.55
YEAR BUILT: 1924

| | | TYPE OF SUPERSTRUCTURE = | |
|----------------------|---|---------------------------------|---|
| MAIN SPAN: | CONCRETE CONTINUOUS - SLAB | APPR. SPAN: | NOT APPLICABLE |
| | | | |
| ADUTATA | | TYPE OF SUBSTRUCTURE = | |
| ABUTMENTS: | | 1T ON TIMBER PILE FOUNDATION | |
| BENTS: | NOT APPLICABLE | | |
| PIERS: | CONCRETE COLUMNS WITH SOLID | WEB WALL (DUMB BELL) ON TIME | BER PILE FOUNDATION |
| | | SCOUR EVALUATION = | |
| | our critical; bridge foundations det stalled and is in good condition. | ermined to be unstable for cal- | culated scour conditions. Rip-rap protection |
| | | INSPECTION PROCEDURES = | |
| What Initiat | ed the Call-out Inspection? | [] BridgeWatch Alert | |
| | · | [] TDOT District or Loca | al Maintenance Personnel |
| | | [] THP or Local Law Enf | forcement Personnel |
| | | [] Other: | |
| | | | |
| Things to c | heck on a bridge during floods | <u>.</u> | |
| [] - Span | movement - horizontally as we | ell as vertically | |
| | | • | e rails and outer edge of bridge deck. |
| | Check for plumb of piers or ben | | |
| | k for embankment erosion | | |
| [] - Chec | k for drift build-up on piers or b | pents | |
| | k pier exposure, if possible, an | | ection |
| | ew the latest bridge inspection | • • • | |
| | 5 1 | • | |
| | | | |
| <u>If Closure is</u> | recommended: | | |
| Cour temp | nty or City Maintenance Person | nel. Use Barricade Tape, traf | eured and properly closed by District, fic cones and/or traffic flares as until such time as the bridge may |
| [] - Conta | act: (1) District Maintenance Su | upervisor (if bridge is State | maintained) |
| | (2) City or County Highway | / Maintenance Official (if br | idge is not State maintained) |
| | (3) Tennessee Highway Pa | trol and/or local law enforce | ment Officers as appropriate |
| | (4) TDOT Regional Bridge | Engineer | |
| | Bridge should remain closed until the water recedes and a daylight visual inspection is made TDOT bridge inspection team. | | |

PUBLICATION DATE

HIGHWAY BRIDGE SCOUR PLAN OF ACTION REPORT



| | State District maintenance or local highway maintenance bridge on the selected detour route shall be checked | | |
|---|--|--|--|
| The bridge can be re-opened only after a TDOT bridge inspection team checks the substructure units and they are determined to be structurally stable. | | | |
| CONTACT PERSONNEL: | TELEPHONE NUMBER: | | |
| REGION BRIDGE ENGINEER | (731) 234-9561 | | |
| DISTRICT MAINTENANCE SUPERVISOR | (901) 484-2610 | | |
| TENNESSEE HIGHWAY PATROL | (901) 543-6256 | | |
| The report shall include the date and time of as appropriate, photographs of the bridge a | Summarize and submit findings from the inspection to BridgeWatch scour monitoring system. The report shall include the date and time of the inspection, a brief summary of findings and, as appropriate, photographs of the bridge and stream channel measurements. If significant scouring has occurred, the report shall also be copied to Bridge Inspection Headquarters. | | |
| COMMENTS: | | | |
| Suggested List of Equipment to conduct the Inspe | ection: | | |
| Latest Bridge Inspection Report | | | |
| Scour POA Report with the above Checklist | | | |
| Bridge Design Plans, if available | | | |
| Tape measure with weight | | | |
| Plumb bob | | | |
| Range Pole | | | |
| A 1000 Foot Roll of yellow Polyethylene Barricade SAFETY HAZARD KE | | | |
| JACCII DAZARIJAC | LE AVAI | | |

PUBLICATION DATE

A roll of Duct Tape

A Barricade Tape Dispenser with serrated cutter

TDOT radio directory (State Personnel only)

Traffic Safety Flares - Minimum of four (4) or set of electronic warning flashers

TDOT two-way radio (State Personnel only) and/or cellular telephone

Traffic Cones - Minimum of four (4)

17-Apr-19