


CLARKSVILLE-MONTGOMERY COUNTY AIRPORT

CLARKSVILLE, MONTGOMERY COUNTY, TENNESSEE

AIRPORT LAYOUT PLAN

SEPTEMBER 2016



VICINITY MAP

CLARKSVILLE-MONTGOMERY COUNTY AIRPORT

TDOT AERONAUTICS DIVISION PROJECT NUMBER 63-555-0742-04

STATE OF TENNESSEE

BILL HASLAM
GOVERNOR

TENNESSEE DEPARTMENT
OF TRANSPORTATION

JOHN SCHROER
COMMISSIONER

TDOT - DIVISION OF AERONAUTICS


WILLIAM ORELLANA
DIRECTOR

TOM BURGESS
CHIEF ENGINEER

BRIAN CALDWELL
CHIEF PLANNER


CLARKSVILLE - MONTGOMERY
COUNTY AIRPORT

WILLIAM S. STUARD
CHAIRMAN



LOCATION MAP

CLARKSVILLE-MONTGOMERY COUNTY AIRPORT



STATE OUTLINE WITH COUNTIES

INDEX OF DRAWINGS

SHEET NO.	
1	TITLE SHEET
2	AIRPORT LAYOUT DRAWING
3	TERMINAL AREA DRAWING
4	AIRPORT AIRSPACE DRAWING
5	INNER APPROACH SURFACE DRAWING (RW 17)
6	INNER APPROACH SURFACE DRAWING (RW 35)
7	INNER APPROACH SURFACE DRAWING (RW 5)
8	INNER APPROACH SURFACE DRAWING (RW 23)
9	LAND USE DRAWING (EXISTING AND ULTIMATE)
10	AIRPORT CAPITAL IMPROVEMENT PLAN DRAWING
11	EXHIBIT 'A' PROPERTY MAP



216 Centerview Dr. / Suite 250
Brentwood, Tennessee 37027
PH 615.377.1320 // FX 615.377.3630
www.chacompanies.com

CLARKSVILLE-MONTGOMERY COUNTY AIRPORT
200-A OUTLAW FIELD ROAD
CLARKSVILLE, TENNESSEE 37042

CLARKSVILLE, MONTGOMERY COUNTY, TENNESSEE

NO.	DATE	DESCRIPTION	APPROVED

TAD 63-555-0742-04
AIRPORT LAYOUT PLAN UPDATE

TITLE SHEET

PROJECT NO:	27274
DRAWN BY:	RSC/CAS
DESIGNED BY:	RSC/CAS
CHECKED BY:	TAS
FILE NAME:	
DATE:	9/16
SCALE:	AS SHOWN
SHEET	1 OF 11

OBSTRUCTIONS				
Part 77 Surface: Visual Approach				
#	Description	Top Elevation	Existing 20:1 Penetration	Proposed Action
1	TREE	573.00	7.07	REMOVE
2	TREE	575.00	3.72	REMOVE
3	TREE	603.00	28.97	REMOVE
4	RAILROAD	554.00	-21.81	LOWER RR
5	TREE	NONE	NONE	NONE
6	TREE	NONE	NONE	NONE
7	TREE	561.00	-22.02	NONE
8	TREE	NONE	NONE	NONE
9	TREE	613.00	27.43	REMOVE
10	TREE	605.00	18.11	REMOVE
11	TREE	NONE	NONE	NONE
12	TREE	NONE	NONE	NONE
13	TREE	559.00	-29.75	NONE
14	TREE	NONE	NONE	NONE
15	TREE	NONE	NONE	NONE
16	TREE	563.00	-29.00	NONE
17	TREE	558.00	-42.83	NONE
18	TREE	NONE	NONE	NONE
19	TREE	578.00	-22.50	NONE
20	TREE	581.00	-19.56	NONE
21	TREE	574.00	-25.67	NONE
22	TREE	558.00	-42.83	NONE
23	TREE	563.00	-37.00	NONE
24	TREE	NONE	NONE	NONE
25	TREE	577.00	-30.20	NONE
26	TREE	595.00	-14.87	NONE
27	TREE	597.00	-13.84	NONE
28	TREE	600.00	-22.78	NONE
29	TREE	621.00	-1.50	REMOVE*
30	TREE	625.00	0.47	REMOVE
31	TREE	605.00	-21.43	NONE
32	TREE	615.00	-14.61	NONE
33	TREE	591.00	-40.14	NONE
34	TREE	573.00	-73.74	NONE

FACILITIES					
#	Facility Name	Top Elevation	#	Facility Name	Top Elevation
11	Terminal Building	590.0	12	Corporate Hangar	558.0
12	Fuel Farm	553.7	13	Corporate Hangar	559.4
13	Electrical Vault	551.8	14	Corporate Hangar	559.3
14	Hangar	559.2	15	Corporate Hangar	563.1
15	T-Hangar	553.9	16	Group Hangar	560.6
16	Maintenance Shed	553.2	17	T-Hangar	553.3
17	Maintenance Shed	542.8	18	Park Shelter	539.1
18	T-Hangar	558.8	19	Park Shelter	531.0
			20	T-Hangar	553.0

OBSTRUCTIONS				
Part 77 Surface: Non-Precision Approach				
#	Description	Top Elevation	Existing 34:1 Penetration	Proposed Action
1	POLE	572.30	6.96	REMOVE
2	POLE	584.10	16.84	REMOVE
3	POLE	577.90	5.28	REMOVE
4	POLE	584.10	8.74	REMOVE
5	POLE	582.30	5.64	REMOVE
6	POLE	582.30	1.19	REMOVE
7	POLE	591.70	2.84	REMOVE
8	TREE	582.90	-6.34	NONE
9	TREE	591.90	1.16	REMOVE
10	TREE	607.60	8.42	REMOVE
11	TREE	627.00	27.38	REMOVE
12	TREE	631.50	29.28	REMOVE
13	TREE	622.90	18.73	REMOVE

OBSTRUCTIONS				
Part 77 Surface: Non-Precision Approach				
#	Description	Top Elevation	Existing 34:1 Penetration	Proposed Action
1	POLE	567.50	-2.60	REMOVE*
2	POLE	567.10	-8.89	NONE
3	POLE	563.50	-17.67	NONE
4	POLE	562.20	-24.80	NONE
5	POLE	561.80	-30.24	NONE
6	POLE	562.00	-30.84	NONE
7	TREE	609.10	1.84	REMOVE
8	TREE	608.00	-7.57	NONE
9	TREE	606.20	-9.53	NONE
10	TREE	602.00	-15.82	NONE
11	TREE	603.70	-15.19	NONE
12	TREE	605.80	-15.93	NONE

*MONITOR FOR FUTURE REMOVAL

NUMBERS IN SQUARE BOXES ARE OBSTRUCTIONS TO THE 70:1 SURFACE THE TABLE FOR WHICH CAN BE FOUND ON PAGE 4 OF 11

OBSTRUCTIONS				
Part 77 Surface: Visual Approach				
#	Description	Top Elevation	Existing 20:1 Penetration	Proposed Action
1	TREE	572.00	14.67	REMOVE
2	TREE	565.00	1.56	REMOVE
3	TREE	602.00	30.88	REMOVE
4	TREE	514.00	-37.52	NONE
5	TREE	544.00	-35.86	NONE
6	TREE	569.00	-11.84	NONE
7	TREE	571.00	-18.46	NONE
8	TREE	588.00	-7.91	NONE
9	TREE	577.00	-19.61	NONE
10	TREE	595.00	-3.97	REMOVE*
11	TREE	575.00	-25.98	NONE
12	TREE	559.00	-43.51	NONE
13	TREE	571.00	-35.58	NONE
14	TREE	578.00	-28.97	NONE
15	TREE	603.00	-7.04	REMOVE*
16	TREE	596.00	-16.43	NONE
17	TREE	578.00	-35.69	NONE
18	TREE	NONE	NONE	NONE
19	TREE	617.00	-0.41	REMOVE*
20	TREE	621.00	1.40	REMOVE
21	TREE	615.00	-6.50	NONE
22	TREE	582.00	-44.89	NONE
23	TREE	597.00	-30.04	NONE
24	TREE	615.00	7.94	REMOVE
25	TREE	617.00	-10.28	NONE
26	HOUSE	559.00	-69.05	NONE
27	TREE	626.00	-2.09	REMOVE*
28	TREE	631.00	-2.76	REMOVE*
29	TREE	616.00	-18.80	NONE
30	TREE	635.00	-0.95	REMOVE*
31	TREE	619.00	-17.29	NONE
32	TREE	614.00	-22.98	NONE
33	TREE	596.00	-41.95	NONE

FOR OBJECTS THAT ARE NOT OBSTRUCTIONS TO THE APPROACH SURFACE PLANE BUT LOCATED UNDERNEATH THE APPROACH SURFACE PLANE, SEE INNER APPROACH SURFACE DRAWINGS.

RUNWAY RPZ / OFA / RSA DIMENSIONS							
R/W	Length	RPZ	Inner Width	Outer Width	Width	Length Beyond RW End	Length Beyond Departure End
17	Existing	1,000 FT.	500 FT.	700 FT.	800 FT.	1,000 FT.	300 FT.
17	Ultimate	1,700 FT.	500 FT.	1,010 FT.	800 FT.	1,000 FT.	500 FT.
35	Existing	1,000 FT.	500 FT.	700 FT.	800 FT.	1,000 FT.	300 FT.
35	Ultimate	1,700 FT.	500 FT.	1,010 FT.	800 FT.	1,000 FT.	500 FT.
5	Existing	1,000 FT.	500 FT.	700 FT.	500 FT.	300 FT.	150 FT.
5	Ultimate	1,000 FT.	500 FT.	700 FT.	500 FT.	300 FT.	150 FT.
23	Existing	1,000 FT.	500 FT.	700 FT.	500 FT.	300 FT.	150 FT.
23	Ultimate	1,000 FT.	500 FT.	700 FT.	500 FT.	300 FT.	150 FT.

THRESHOLD SITING SURFACE (TSS) DIMENSIONS					
RW END	Dist. From Threshold	Inner Width	Outer Width	Sloped Portion Length	Level Portion Length
17	Existing	0 FT.	400 FT.	3,800 FT.	10,000 FT.
17	Ultimate	0 FT.	400 FT.	3,800 FT.	10,000 FT.
35	Existing	0 FT.	400 FT.	3,800 FT.	10,000 FT.
35	Ultimate	0 FT.	400 FT.	3,800 FT.	10,000 FT.
5	Existing	0 FT.	250 FT.	700 FT.	2,750 FT.
5	Ultimate	0 FT.	250 FT.	700 FT.	2,750 FT.
23	Existing	0 FT.	250 FT.	700 FT.	2,750 FT.
23	Ultimate	0 FT.	250 FT.	700 FT.	2,750 FT.

TRAVERSE WAY			
#	Elevation of 15' Vehicle on Roadway	Existing Approach Surface Elevation	Proposed Action
(T1)	568.10	570.18	1.08
(T2)	565.50	564.79	-0.71
(T3)	561.80	563.76	1.96
(T4)	528.60	535.45	6.85
(T5)	534.00	531.29	-2.71
(T6)	543.55	527.95	-15.60
(T7)	550.00	560.04	10.04
(T8)	538.15	584.39	46.24
(T9)	520.55	606.54	85.99
(T10)	549.15	545.37	-3.78
(T11)	550.20	541.98	-8.22
(T12)	551.45	538.80	-12.65
(T13)	554.30	544.10	-10.2



RUNWAY DATA TABLE					
Runway Data		Runway 17		Runway 35	
Existing	Ultimate	Existing	Ultimate	Existing / Ultimate	Existing / Ultimate
Effective Gradient (%)	0.2%	0.2%	-0.2%	-0.2%	0.2%
Maximum Grade Change	2.30%	2.30%	2.30%	1.63%	1.63%
Max. Elevation (MSL)	550.1	550.1	550.1	544.6	544.6
Runway Length	5,999	7,000	5,999	7,000	4,004
Runway Width	100	100	100	100	100
Usable Runway Length	5,999	7,000	5,999	7,000	4,004
Surface Type	Asphalt	Asphalt	Asphalt	Asphalt	Asphalt
Pavement Strength (lbs)	60,000	60,000	60,000	40,000	40,000
Single Wheel	90,000	90,000	90,000	60,000	60,000
Dual Wheel	180,000	180,000	180,000	120,000	120,000
Runway Reference Code (RRC)	B-II-5,000	C-II-5,000	B-II-5,000	C-II-5,000	B-II-VIS
Runway Design Code (RDC)	C-II-5,000	C-II-5,000	C-II-5,000	C-II-5,000	B-II-VIS
Part 77 Approach Category	NPI	NPI	NPI	Visual	Visual
Instrument Approach Aids	None	None	Localizer	None	None
Approach Surface Slope	34:1	34:1	34:1	20:1	20:1
Approach Visibility Minimums	>1 MILE	>1 MILE	>1 MILE	Visual	Visual
Visual Approach Aids	REILS, PAPI-2	REILS, PAPI-2	MALS, PAPI-2	None	None
Runway Lighting	MIRLS	MIRLS	MIRLS	None	None
Taxiway Lighting	MITLS	MITLS	MITLS	None	None
Runway Marking	Non-Precision	Non-Precision	Non-Precision	Visual	Visual
Critical Aircraft	King Air 200	Gulfstream III	King Air 200	King Air 200	King Air 200
TDZ Elevation (MSL)	541.8	541.8	550.1	544.6	543.8
Runway Threshold Crossing Height	50'	50'	50'		

Airport Runway Distances					
RW	TORA	TODA	LDA	ASDA	
17	Existing	5,999 FT.	5,999 FT.	5,999 FT.	5,999 FT.
17	Ultimate	5,999 FT.	5,999 FT.	5,999 FT.	5,999 FT.
35	Existing	5,999 FT.	5,999 FT.	5,999 FT.	5,999 FT.
35	Ultimate	5,999 FT.	5,999 FT.	5,949 FT.	5,949 FT.

STATE BLOCK GRANT PROGRAM
 Approved by: *[Signature]* Date: 11/3/2017
 TN DEPT. OF TRANSPORTATION
 Subject to Comments in Approval Letter

LEGEND			
	EXISTING	ULTIMATE	TO BE REMOVED
Asphalt Pavement - Runway			
Asphalt Pavement - Taxiway/Apron			
Buildings			
Runway Visibility Zone (RVZ)			
Runway Safety Area (RSA)			
Runway Object Free Area (ROFA)			
Runway Protection Zone (RPZ)			
Runway Protection Zone (RPZ) Controlled Activity Area			
Localizer (LOC) Critical Area			
Ground Contours			
Fence			
Lighted Windcone and Segmented Circle			
Airport Weather Observation Station (AWOS)			
Building Restriction Line			
Threshold and Approach Lights			
Runway End Identifier Lights (REIL)			
GVGSI			
Airport Reference Point			
Airport Property Line			
Airport Easements			
Airport Property Acquisition			

AIRPORT DATA		
Airport Data	Existing	Ultimate
Airport Elevation (MSL)	550	550
Airport Reference Point (NAD 83)		
Latitude	N 36°37'18.70"	N 36°37'15.52"
Longitude	W 87°24'53.85"	W 87°24'52.97"
Mean Max. Temperature of Hottest Month	92° F	92° F
Airport Terminal Area NAVAIDS	BEACON, VOR/DME, PAPI-2, REIL, LOC, LIGHTED WINDCONE	BEACON, VOR/DME, PAPI-2, REIL, LOC, LIGHTED WINDCONE
Design Aircraft	King Air 200	Gulfstream III
ARC	B-II	C-II
NPIAS Service Level	GA	GA
Magnetic Declination 3/2014	3.17°W	0.1°W PER YEAR
Taxiway Design Group	TDG-II	TDG-III
Aircraft Design Group	ADG-II	ADG-II
Taxiway Safety Area	79'	118'
Taxiway Object Free Area	131'	186'




CONSTRUCTION NOTICE REQUIREMENT
 To protect operational safety and future development, all proposed construction on the airport must be coordinated by the airport owner with the Tennessee Department of Transportation - Aeronautics Division / FAA prior to construction. TDOT-AD's review takes approximately 60 days.

- NOTES:
- ALL BUILDINGS IN RPZ TO BE REMOVED.
 - NO OBSTACLE FREE ZONE PENETRATIONS ON RUNWAY 5-35 PER OPERATIONS BY SMALL AIRCRAFT WITH APPROACH SPEEDS OF LESS THAN 50 KNOTS.
 - PROPOSED HANGARS INCLUDE 75' SEPARATION PER AC 150/5300-13A.
 - ALL GVGSI SITING MUST BE IN ACCORDANCE WITH FAA GUIDANCE.
 - REFER TO THE INNER APPROACH SURFACE DRAWING FOR CLOSE-IN OBSTRUCTIONS.
 - REFER TO THE AIRSPACE DRAWING FOR OBSTRUCTIONS WITHIN THE HORIZONTAL & CONICAL SURFACES.
 - ALL COORDINATES ARE BASED ON NAD 83 - NAVD 88.
 - THRESHOLD SITING SURFACES (TSS) NOT DEPICTED FOR CLARITY. DIMENSIONS TABULATED. TREES VIOLATE EXISTING TSS FOR RUNWAY 5/23. POLES VIOLATE ULTIMATE TSS FOR RUNWAY 35. ALL TREES AND POLES IN EXISTING AND ULTIMATE TSS TO BE REMOVED.


APPROVAL:
 WILLIAM S. STUARD, JR.
 CLARKSVILLE-MONTGOMERY COUNTY AIRPORT AUTHORITY
 DATE: 9-30-16

NO.	DATE	DESCRIPTION	APPROVED





LEGEND			
	EXISTING	ULTIMATE	TO BE REMOVED
Asphalt Pavement - Runway			
Asphalt Pavement - Taxiway/Apron			
Buildings			
Runway Visibility Zone (RVZ)			
Runway Safety Area (RSA)			
Runway Object Free Area (ROFA)			
Runway Protection Zone (RPZ)			
Localizer (LOC) Critical Area			
Ground Contours			
Fence			
Windcone			
Runway Edge Lights			
Runway End Identifier Lights (REIL)			
Airport Property Line			
Airport Easements			
Building Restriction Line			


FACILITIES					
#	Facility Name	Top Elevation	Dist. From Runway CL	Dist. From Ex. Taxiway CL	Dist. From Ult. Taxiway CL
1	Terminal Building	590.0	1019	1019	1019
2	Fuel Farm	553.7	1075	805	780
3	Electrical Vault	551.8	1172	902	877
4	Hangar	559.2	N/A	N/A	N/A
5	T-Hangar	553.9	N/A	N/A	N/A
6	Maintenance Shed	553.2	1010	1642	715
7	Maintenance Shed	542.8	982	715	687
8	T-Hangar	558.8	720	450	425
9	Corporate Hangar	558.0	968	698	673
10	Corporate Hangar	559.4	959	689	664
11	Corporate Hangar	559.3	962	692	667
12	Corporate Hangar	563.1	964	694	669
13	Group Hangar	560.6	957	687	662
14	T-Hangar	553.3	942	672	647
15	Park Shelter	539.1	1062	792	767
16	Park Shelter	531.0	1048	778	753
17	T-Hangar	553.0	1048	778	753




NO.	DATE	DESCRIPTION	APPROVED



- NOTES:
1. REFER TO THE AIRPORT LAYOUT PLAN AND INNER APPROACH SURFACE DRAWINGS FOR CLOSE-IN OBSTRUCTIONS.
 2. REFER TO THE CITY OF CLARKSVILLE MUNICIPAL CODE FOR BUILDING HEIGHT RESTRICTIONS.
 3. DATA FROM THE NATIONAL GEODETIC SURVEY, 09-10-2009



OBSTRUCTION DATA											
#	OBSTRUCTION	LATITUDE	LONGITUDE	ELEVATION (FEET AGL)	ELEVATION (FEET MSL)	#	OBSTRUCTION	LATITUDE	LONGITUDE	ELEVATION (FEET AGL)	ELEVATION (FEET MSL)
1	TOWER	36 38 05.57N	87 19 03.88W	259	755	27	TOWER	36 37 20.26N	87 25 45.87W	112	632
2	TOWER	36 35 26.90N	87 20 48.20W	350	899	28	T-L TWR	36 37 16.19N	87 25 20.68W	38	576
3	TOWER	36 35 11.00N	87 20 31.00W	293	858	29	T-L TWR	36 37 17.29N	87 25 19.00W	31	571
4	TOWER	36 35 11.00N	87 20 36.00W	288	846	30	T-L TWR	36 37 16.85N	87 25 18.75W	30	569
5	TOWER	36 35 01.10N	87 20 14.00W	185	747	31	TOWER	36 38 03.00N	87 26 33.43W	112	652
6	TOWER	36 34 56.19N	87 22 37.27W	138	690	32	TOWER	36 38 08.48N	87 26 34.99W	91	626
7	T-L TWR	36 34 19.06N	87 23 11.23W	44	639	33	BLDG	36 38 12.00N	87 26 52.00W	74	611
8	TOWER	36 33 50.00N	87 24 42.00W	205	747	34	TOWER	36 38 17.25N	87 26 05.06W	101	655
9	TANK	36 34 23.61N	87 26 06.84W	186	786	35	TANK	36 37 57.89N	87 25 33.49W	138	699
10	TANK	36 34 27.04N	87 26 06.97W	175	773	36	T-L TWR	36 38 00.82N	87 25 19.27W	33	586
11	T-L TWR	36 34 58.67N	87 28 14.89W	42	609	37	T-L TWR	36 37 59.35N	87 24 53.93W	42	592
12	TOWER	36 34 49.60N	87 26 06.50W	160	723	38	T-L TWR	36 38 02.29N	87 24 53.43W	39	591
13	T-L TWR	36 36 07.02N	87 27 18.45W	78	609	39	T-L TWR	36 38 01.18N	87 24 53.63W	40	592
14	POLE	36 36 07.04N	87 26 46.69W	35	584	40	T-L TWR	36 38 00.32N	87 24 50.87W	31	582
15	POLE	36 38 01.81N	87 27 19.73W	116	664	41	T-L TWR	36 37 59.81N	87 24 50.94W	39	591
16	POLE	36 38 02.50N	87 27 14.62W	124	664	42	T-L TWR	36 37 58.71N	87 24 49.89W	23	577
17	POLE	36 38 04.26N	87 27 14.97W	125	665	43	POLE	36 37 58.04N	87 24 50.58W	31	584
18	POLE	36 38 03.56N	87 27 20.08W	118	665	44	T-L TWR	36 37 56.61N	87 24 53.87W	41	589
19	BLDG	36 38 01.06N	87 22 59.53W	29	595	46	FENCE	36 37 45.90N	87 24 53.95W	4	549
20	TOWER	36 37 58.25N	87 22 57.62W	147	703	47	FENCE	36 37 37.13N	87 24 37.42W	9	527
21	ELEVATOR	36 36 32.96N	87 24 10.88W	54	596	48	T-L TWR	36 37 30.48N	87 24 32.74W	31	572
22	TOWER	36 35 27.22N	87 24 47.19W	174	663	49	T-L TWR	36 37 30.71N	87 24 29.78W	42	587
23	T-L TWR	36 35 05.10N	87 24 40.22W	89	631	50	CATENARY	36 37 31.75N	87 24 32.07W	26	565
24	POLE	36 35 03.91N	87 25 04.10W	35	588	51	BLDG	36 37 28.99N	87 24 16.74W	20	570
25	T-L TWR	36 35 56.18N	87 25 49.33W	64	584	52	ELEVATOR	36 37 30.35N	87 24 15.84W	82	636



Part 77 Surfaces: Transitional				
Part 77 Slope: 7:1				
#	Description	Top Elevation	Existing Penetration	Proposed Action
01	POLE	581.80	20.63	LIGHT
02	POLE	582.20	16.74	LIGHT
03	POLE	583.00	5.97	LIGHT
04	POLE	577.00	11.55	LIGHT
05	POLE	578.00	26.31	LIGHT
06	TREE	573.80	37.43	LIGHT
07	TREE	604.10	18.00	REMOVE
08	TREE	595.60	10.50	REMOVE
09	TREE	623.50	14.26	REMOVE
10	TREE	606.80	66.86	REMOVE
11	TREE	592.20	38.26	REMOVE
12	TREE	587.00	10.88	REMOVE
13	TREE	587.00	10.91	REMOVE
14	TREE	619.00	9.27	REMOVE
15	TREE	602.10	3.21	REMOVE
16	POLE	569.60	1.70	REMOVE
17	POLE	571.90	5.57	REMOVE
18	TREE	635.80	19.90	REMOVE
19	TREE	626.30	30.46	REMOVE
20	TREE	638.70	26.71	REMOVE
21	TREE	644.00	34.87	REMOVE
22	TREE	635.30	19.70	REMOVE


* OBSTRUCTIONS SHOWN ON PAGE 2 OF 11

		DIMENSIONAL STANDARDS (FEET)					
DIM	ITEM	VISUAL RUNWAY		NON-PRECISION INSTRUMENT RUNWAY		PRECISION INSTRUMENT RUNWAY	
		A	B	A	B	A	B
A	WIDTH OF PRIMARY SURFACE AND APPROACH SURFACE WIDTH AT INNER END	400	400	400	800	800	1,000
B	RADIUS OF HORIZONTAL SURFACE	10,000	10,000	10,000	10,000	10,000	10,000
		VISUAL RUNWAY		NON-PRECISION INSTRUMENT RUNWAY		PRECISION INSTRUMENT RUNWAY	
		A	B	A	B	A	B
C	APPROACH SURFACE WIDTH AT END	3,800	3,800	3,800	3,800	3,800	16,000
D	APPROACH SURFACE LENGTH	10,000	10,000	10,000	10,000	10,000	*
E	APPROACH SLOPE	20:1	20:1	20:1	34:1	34:1	*

- A - UTILITY RUNWAYS
B - RUNWAYS LARGER THAN UTILITY
C - VISIBILITY MINIMUMS GREATER THAN 3/4 MILES
D - VISIBILITY MINIMUMS AS LOW AS 3/4 MILE
E - PRECISION INSTRUMENT APPROACH SLOPE IS 50:1 Approach Surface FOR INNER 10,000 FEET AND 40:1 Approach Surface FOR AN ADDITIONAL 40,000 FEET

■ DENOTES RUNWAY 17-35 DIMENSIONAL STANDARDS
■ DENOTES RUNWAY 05-23 DIMENSIONAL STANDARDS

NO.	DATE	DESCRIPTION	APPROVED



200' 0 200' 400' 600'
HORIZONTAL SCALE 1"=200'
VERTICAL SCALE 1"=20'


--- PL --- EXISTING PROPERTY LINE
-- PPL -- PROPOSED PROPERTY LINE

OBSTRUCTIONS				
Part 77 Surface: Non-Precision Approach				
Part 77 Slope: 34 : 1				
#	Description	Top Elevation	Existing 34:1 Penetration	Proposed Action
35	POLE	572.30	6.96	REMOVE
36	POLE	584.10	16.84	REMOVE
37	POLE	577.90	5.28	REMOVE
38	POLE	584.10	8.74	REMOVE
39	POLE	582.30	5.64	REMOVE
40	POLE	582.50	1.19	REMOVE
41	POLE	591.70	2.84	REMOVE
42	TREE	582.90	-6.34	NONE
43	TREE	591.90	1.16	REMOVE
44	TREE	607.60	8.42	REMOVE
45	TREE	627.00	27.38	REMOVE
46	TREE	631.50	29.28	REMOVE
47	TREE	622.90	18.73	REMOVE

- NOTES:
1. DATE OF OBSTRUCTION SURVEY: 09 / 10 / 2009
 2. SURVEY ACCURACY: NAD83 - 5CM
NAVD88 - 25CM
 3. REFER TO THE AIRPORT AIRSPACE DRAWING FOR OBSTRUCTIONS IN HORIZONTAL AND CONICAL SURFACES.
 4. CLEARANCES OVER TRAVERSE WAYS ARE 15' FOR PUBLIC ROADS AND 23' FOR RAILROADS.

TRAVERSE WAY				
#	Elevation of 15' Vehicle on Roadway	Existing Approach Surface Elevation	Existing Penetration (-) / Clearance (+)	Proposed Action
(T1)	568.10	570.18	2.08	NO ACTION REQD
(T2)	565.50	564.79	-0.71	ADD LOW CLR. SIGN
(T3)	561.80	563.76	1.96	NO ACTION REQD
(T4)	528.60	535.45	6.85	NO ACTION REQD
(T5)	534.00	531.29	-2.71	CLOSE ROADWAY
(T6)	543.55	527.95	-15.60	CLOSE ROADWAY
(T7)	550.00	560.04	10.04	NO ACTION REQD
(T8)	538.15	584.39	46.24	NO ACTION REQD
(T9)	520.55	606.54	85.99	NO ACTION REQD
(T10)	549.15	545.37	-3.78	LOWER ROADWAY
(T11)	550.20	541.98	-8.22	LOWER ROADWAY
(T12)	551.45	538.80	-12.65	LOWER ROADWAY
(T13)	554.30	544.10	-10.2	LOWER RAILROAD


NO.	DATE	DESCRIPTION	APPROVED





--- PL --- EXISTING PROPERTY LINE
- PPL - PROPOSED PROPERTY LINE

OBSTRUCTIONS				
Part 77 Surface: Non-Precision Approach				
Part 77 Slope: 34 : 1				
#	Description	Top Elevation	Existing 34:1 Penetration	Proposed Action
79	POLE	567.50	-2.60	REMOVE *
80	POLE	567.10	-8.89	NONE
81	POLE	563.50	-17.67	NONE
82	POLE	562.20	-24.80	NONE
83	POLE	561.80	-30.24	NONE
84	POLE	562.00	-30.84	NONE
85	TREE	609.10	1.84	REMOVE
86	TREE	608.00	-7.57	NONE
87	TREE	606.20	-9.53	NONE
88	TREE	602.00	-15.82	NONE
89	TREE	603.70	-15.19	NONE
90	TREE	605.80	-15.93	NONE

* MONITOR FOR LATER REMOVAL



TRAVERSE WAY				
#	Elevation of 15' Vehicle on Roadway	Existing Approach Surface Elevation	Existing Penetration (-) / Clearance (+)	Proposed Action
T1	568.10	570.18	2.08	NO ACTION REQD
T2	565.50	564.79	-0.71	ADD LOW CLR. SIGN
T3	561.80	563.76	1.96	NO ACTION REQD
T4	528.60	535.45	6.85	NO ACTION REQD
T5	534.00	531.29	-2.71	CLOSE ROADWAY
T6	543.55	527.95	-15.60	CLOSE ROADWAY
T7	550.00	560.04	10.04	NO ACTION REQD
T8	538.15	584.39	46.24	NO ACTION REQD
T9	520.55	606.54	85.99	NO ACTION REQD
T10	549.15	545.37	-3.78	LOWER ROADWAY
T11	550.20	541.98	-8.22	LOWER ROADWAY
T12	551.45	538.80	-12.65	LOWER ROADWAY
T13	554.30	544.10	-10.2	LOWER RAILROAD




- PL --- EXISTING PROPERTY LINE
--- E --- EXISTING EASEMENT
- IDENTIFIED TREE LOWER THAN LOWEST IN CLUSTER SO HEIGHT NOT IDENTIFIED
- AIRPORT-PROVIDED EASEMENT

OBSTRUCTIONS				
Part 77 Surface: Visual Approach				
Part 77 Slope: 20 : 1				
#	Description	Top Elevation	Existing 20:1 Penetration	Proposed Action
1	TREE	573.00	7.07	REMOVE
2	TREE	575.00	3.72	REMOVE
3	TREE	603.00	28.97	REMOVE
4	RAILROAD	530.00	-2.19	LIGHT
5	TREE			TREE CLUSTER
6	TREE			TREE CLUSTER
7	TREE	561.00	-22.02	NONE
8	TREE			TREE CLUSTER
9	TREE	613.00	27.43	REMOVE
10	TREE	605.00	18.11	REMOVE
11	TREE			TREE CLUSTER
12	TREE			TREE CLUSTER
13	TREE	559.00	-29.75	NONE
14	TREE			TREE CLUSTER
15	TREE			TREE CLUSTER
16	TREE	563.00	-29.00	NONE
17	TREE	558.00	-42.83	NONE
18	TREE			TREE CLUSTER
19	STEEPLE	578.00	-22.50	NONE
20	TREE	581.00	-19.56	NONE
21	TREE	574.00	-26.67	NONE
22	TREE	558.00	-42.83	NONE
23	TREE	563.00	-37.00	NONE
24	TREE			TREE CLUSTER
25	TREE	577.00	-30.20	NONE
26	TREE	595.00	-14.87	NONE
27	TREE	597.00	-13.84	NONE
28	TREE	600.00	-22.78	NONE
29	TREE	621.00	-1.50	REMOVE *
30	TREE	625.00	0.47	REMOVE
31	TREE	605.00	-21.43	NONE
32	TREE	615.00	-14.61	NONE
33	TREE	591.00	-40.14	NONE
34	TREE	573.00	-73.74	NONE

- NOTE:
- DATE OF OBSTRUCTION SURVEY: 09 / 10 / 2009
 - SURVEY ACCURACY: NAD83 - 5CM NAVD88 - 25CM
 - REFER TO THE AIRPORT AIRSPACE DRAWING FOR OBSTRUCTIONS IN HORIZONTAL AND CONICAL SURFACES.
 - CLEARANCES OVER TRAVERSE WAYS ARE 15' FOR PUBLIC ROADS AND 23' FOR RAILROADS.

TRAVERSE WAY				
#	Elevation of 15' Vehicle on Roadway	Existing Approach Surface Elevation	Existing Penetration (-) / Clearance (+)	Proposed Action
(T1)	568.10	570.18	2.08	NO ACTION REQD
(T2)	565.50	564.79	-0.71	ADD LOW CLR. SIGN
(T3)	561.80	563.76	1.96	NO ACTION REQD
(T4)	528.60	535.45	6.85	NO ACTION REQD
(T5)	534.00	531.29	-2.71	CLOSE ROADWAY
(T6)	543.55	527.95	-15.60	CLOSE ROADWAY
(T7)	550.00	560.04	10.04	NO ACTION REQD
(T8)	538.15	584.39	46.24	NO ACTION REQD
(T9)	520.55	606.54	85.99	NO ACTION REQD
(T10)	549.15	545.37	-3.78	LOWER ROADWAY
(T11)	550.20	541.98	-8.22	LOWER ROADWAY
(T12)	551.45	538.80	-12.65	LOWER ROADWAY
(T13)	554.30	544.10	-10.2	LOWER RAILROAD



216 Centerville Dr. / Suite 250
Brentwood, Tennessee 37027

PH 615.377.1320 // FX 615.377.3630
www.chacompanies.com



CLARKSVILLE-MONTGOMERY COUNTY AIRPORT
200-A OUTLAW FIELD ROAD
CLARKSVILLE, TENNESSEE 37042

CLARKSVILLE, MONTGOMERY COUNTY, TENNESSEE

NO.	DATE	DESCRIPTION	APPROVED


TAD 63-555-0742-04
AIRPORT LAYOUT PLAN UPDATE
INNER APPROACH SURFACE DRAWING (RW 5)

PROJECT NO: 27274
DRAWN BY: RSC/CAS
DESIGNED BY: RSC/CAS
CHECKED BY: TAS
FILE NAME:
DATE: 9/16
SCALE: AS SHOWN



- PL-- EXISTING PROPERTY LINE
- E - PROPOSED PROPERTY LINE
● IDENTIFIED TREE LOWER THAN LOWEST IN CLUSTER SO HEIGHT NOT IDENTIFIED

200' 0 200' 400' 600'
HORIZONTAL SCALE 1"=200'
VERTICAL SCALE 1"=20'




Part 77 Surface: Visual Approach				
Part 77 Slope: 20 : 1				
#	Description	Top Elevation	Existing 20:1 Penetration	Proposed Action
48	TREE	602.00	30.88	REMOVE
49	TREE	514.00	-37.52	NONE
50	TREE	544.00	-35.86	NONE
51	TREE	569.00	-11.84	NONE
52	TREE	571.00	-18.46	NONE
53	TREE	588.00	-7.91	NONE
54	TREE	577.00	-19.61	NONE
55	TREE	596.00	-3.97	REMOVE *
56	TREE	575.00	-25.98	NONE
57	TREE	559.00	-43.51	NONE
58	TREE	571.00	-35.58	NONE
59	TREE	578.00	-28.97	NONE
60	TREE	603.00	-7.04	REMOVE *
61	TREE	596.00	-16.43	NONE
62	TREE	578.00	-35.69	NONE
63	TREE	TREE CLUSTER		NONE
64	TREE	617.00	-0.41	REMOVE *
65	TREE	621.00	1.60	REMOVE
66	TREE	615.00	-6.50	NONE
67	TREE	582.00	-44.89	NONE
68	TREE	597.00	-30.04	NONE
69	TREE	635.00	7.94	REMOVE
70	TREE	617.00	-10.28	NONE
71	HOUSE	559.00	-69.05	NONE
72	TREE	626.00	-2.09	REMOVE *
73	TREE	631.00	-2.76	REMOVE *
74	TREE	616.00	-18.80	NONE
75	TREE	635.00	-0.95	REMOVE *
76	TREE	619.00	-17.29	NONE
77	TREE	614.00	-22.98	NONE
78	TREE	596.00	-41.95	NONE

* MONITOR FOR LATER REMOVAL

- NOTES:
1. DATE OF OBSTRUCTION SURVEY: 09 / 10 / 2009
2. SURVEY ACCURACY: NAD83 - 5CM
NAVD88 - 25CM
3. REFER TO THE AIRPORT AIRSPACE DRAWING FOR OBSTRUCTIONS IN HORIZONTAL AND CONICAL SURFACES.
4. CLEARANCES OVER TRAVERSE WAYS ARE 15' FOR PUBLIC ROADS AND 23' FOR RAILROADS.

TRAVERSE WAY				
#	Elevation of 15' Vehicle on Roadway	Existing Approach Surface Elevation	Existing Penetration (-) / Clearance (+)	Proposed Action
(T1)	568.10	570.18	2.08	NO ACTION REQD
(T2)	565.50	564.79	-0.71	ADD LOW CLR. SIGN
(T3)	561.80	563.76	1.96	NO ACTION REQD
(T4)	528.60	535.45	6.85	NO ACTION REQD
(T5)	534.00	531.29	-2.71	CLOSE ROADWAY
(T6)	543.55	527.95	-15.60	CLOSE ROADWAY
(T7)	550.00	560.04	10.04	NO ACTION REQD
(T8)	538.15	584.39	46.24	NO ACTION REQD
(T9)	520.55	606.54	85.99	NO ACTION REQD
(T10)	549.15	545.37	-3.78	LOWER ROADWAY
(T11)	550.20	541.98	-8.22	LOWER ROADWAY
(T12)	551.45	538.80	-12.65	LOWER ROADWAY
(T13)	554.30	544.10	-10.2	LOWER RAILROAD

NO.	DATE	DESCRIPTION	APPROVED



PROPOSED CAPITAL IMPROVEMENT PLAN PROJECTS	
	Estimated Project Cost (2015)
STAGE 1 (1-2 YEARS)	
1. Fire Station Access Road	\$200,000
2. Runway Grading / Line of Sight	\$5,900,000
3. Taxiway Relocation	\$1,000,000
4. Fence Repair / Security	\$100,000
5. Approach Survey	\$80,000
6. Apron S/W Field	\$2,000,000
7. Land Acquisition (R/W Ext)	\$1,000,000
8. Secondary Containment	\$20,000
9. Drainage Improvements	\$400,000
STAGE 2 (3-4 YEARS)	
10. T-hangers	\$1,600,000
11. Fuel Farm	\$450,000
12. Env Assessment & R/W Justification	\$160,000
13. Reimbursable NAVAIDS	\$120,000
14. Corporate Hangar	\$2,600,000
15. Road Relocation (Tobacco Road)	\$2,500,000
16. Runway 17/35 Extension	\$5,000,000
17. Runway & Taxiway Signage	\$100,000
18. Maintenance Hangar	\$1,000,000
19. Maintenance Equipment	\$50,000
STAGE 3 (5+ YEARS)	
20. Hangar Development	\$2,250,000
21. Taxiway Lighting	\$300,000
22. Runway Lighting	\$350,000
Note: Estimates are based on 2015 Construction Costs	